

importing libraries

```
In [1]: import pandas as pd
import numpy as np
import seaborn as sns
import matplotlib.pyplot as plt
```

```
In [2]: df = pd.read_csv("expense_data_1.csv")
```

start

```
In [4]: df.head()
```

```
Out[4]:
```

	Date	Account	Category	Subcategory	Note	INR	Income/Expense	Note.1	Amount	Currency	Account.1
0	3/2/2022 10:11	CUB - online payment	Food	NaN	Brownie	50.0	Expense	NaN	50.0	INR	50.0
1	3/2/2022 10:11	CUB - online payment	Other	NaN	To lended people	300.0	Expense	NaN	300.0	INR	300.0
2	3/1/2022 19:50	CUB - online payment	Food	NaN	Dinner	78.0	Expense	NaN	78.0	INR	78.0
3	3/1/2022 18:56	CUB - online payment	Transportation	NaN	Metro	30.0	Expense	NaN	30.0	INR	30.0
4	3/1/2022 18:22	CUB - online payment	Food	NaN	Snacks	67.0	Expense	NaN	67.0	INR	67.0

```
In [5]: df.drop_duplicates()
```

Out[5]:

	Date	Account	Category	Subcategory	Note	INR	Income/Expense	Note.1	Amount	Currency	Account.
0	3/2/2022 10:11	CUB - online payment	Food	NaN	Brownie	50.0	Expense	NaN	50.0	INR	50.
1	3/2/2022 10:11	CUB - online payment	Other	NaN	To lended people	300.0	Expense	NaN	300.0	INR	300.
2	3/1/2022 19:50	CUB - online payment	Food	NaN	Dinner	78.0	Expense	NaN	78.0	INR	78.
3	3/1/2022 18:56	CUB - online payment	Transportation	NaN	Metro	30.0	Expense	NaN	30.0	INR	30.
4	3/1/2022 18:22	CUB - online payment	Food	NaN	Snacks	67.0	Expense	NaN	67.0	INR	67.
...
272	11/22/2021 14:16	CUB - online payment	Food	NaN	Dinner	90.0	Expense	NaN	90.0	INR	90.
273	11/22/2021 14:16	CUB - online payment	Food	NaN	Lunch with company	97.0	Expense	NaN	97.0	INR	97.
274	11/21/2021 17:07	CUB - online payment	Transportation	NaN	Rapido	130.0	Expense	NaN	130.0	INR	130.
275	11/21/2021 15:50	CUB - online payment	Food	NaN	Lunch	875.0	Expense	NaN	875.0	INR	875.
276	11/21/2021 13:30	CUB - online payment	Other	NaN	Got from gobi	2000.0	Income	NaN	2000.0	INR	2000.

277 rows × 11 columns

In [6]: `df.isna().sum()`

```
Out[6]: Date          0
Account          0
Category          0
Subcategory      277
Note             4
INR              0
Income/Expense   0
Note.1           277
Amount           0
Currency          0
Account.1         0
dtype: int64
```

In [7]: `df.drop(["Subcategory", "Note.1"], axis=1, inplace=True)`In [8]: `df.head()`

```
Out[8]:
```

	Date	Account	Category	Note	INR	Income/Expense	Amount	Currency	Account.1
0	3/2/2022 10:11	CUB - online payment	Food	Brownie	50.0	Expense	50.0	INR	50.0
1	3/2/2022 10:11	CUB - online payment	Other	To lended people	300.0	Expense	300.0	INR	300.0
2	3/1/2022 19:50	CUB - online payment	Food	Dinner	78.0	Expense	78.0	INR	78.0
3	3/1/2022 18:56	CUB - online payment	Transportation	Metro	30.0	Expense	30.0	INR	30.0
4	3/1/2022 18:22	CUB - online payment	Food	Snacks	67.0	Expense	67.0	INR	67.0

In [9]: `df.describe()`

Out[9]:

	INR	Amount	Account.1
count	277.000000	277.000000	277.000000
mean	410.750903	406.759134	406.759134
std	1065.756569	1065.158318	1065.158318
min	3.000000	3.000000	3.000000
25%	50.000000	50.000000	50.000000
50%	128.000000	125.000000	125.000000
75%	301.150000	300.000000	300.000000
max	10000.000000	10000.000000	10000.000000

In [10]: df.info()

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 277 entries, 0 to 276
Data columns (total 9 columns):
#   Column          Non-Null Count  Dtype
---  -
0   Date             277 non-null    object
1   Account          277 non-null    object
2   Category         277 non-null    object
3   Note             273 non-null    object
4   INR              277 non-null    float64
5   Income/Expense   277 non-null    object
6   Amount           277 non-null    float64
7   Currency         277 non-null    object
8   Account.1        277 non-null    float64
dtypes: float64(3), object(6)
memory usage: 19.6+ KB
```

```
In [11]: df['time'] = df['Date'].str.split(" ").str[1]
df['Date'] = df['Date'].str.split(" ").str[0]
```

In [12]: df.head()

Out[12]:

	Date	Account	Category	Note	INR	Income/Expense	Amount	Currency	Account.1	time
0	3/2/2022	CUB - online payment	Food	Brownie	50.0	Expense	50.0	INR	50.0	10:11
1	3/2/2022	CUB - online payment	Other	To lended people	300.0	Expense	300.0	INR	300.0	10:11
2	3/1/2022	CUB - online payment	Food	Dinner	78.0	Expense	78.0	INR	78.0	19:50
3	3/1/2022	CUB - online payment	Transportation	Metro	30.0	Expense	30.0	INR	30.0	18:56
4	3/1/2022	CUB - online payment	Food	Snacks	67.0	Expense	67.0	INR	67.0	18:22

In [13]: `df['Currency'].unique()`Out[13]: `array(['INR', 'USD'], dtype=object)`In [14]: `df['Amount'] = df.apply(lambda row: row['Amount'] * 93 if row['Currency'] == 'USD' else row['Amount'], axis=1)`In [15]: `df.drop(['Currency', 'Account.1'], axis=1, inplace=True)`In [17]: `df.head()`

Out[17]:

	Date	Account	Category	Note	INR	Income/Expense	Amount	time
0	3/2/2022	CUB - online payment	Food	Brownie	50.0	Expense	50.0	10:11
1	3/2/2022	CUB - online payment	Other	To lended people	300.0	Expense	300.0	10:11
2	3/1/2022	CUB - online payment	Food	Dinner	78.0	Expense	78.0	19:50
3	3/1/2022	CUB - online payment	Transportation	Metro	30.0	Expense	30.0	18:56
4	3/1/2022	CUB - online payment	Food	Snacks	67.0	Expense	67.0	18:22

In [42]: `df['Date'] = pd.to_datetime(df['Date'])`

```
In [46]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 277 entries, 0 to 276
Data columns (total 8 columns):
#   Column          Non-Null Count  Dtype  
---  -
0   Date            277 non-null   datetime64[ns]
1   Account         277 non-null   object  
2   Category        277 non-null   object  
3   Note            273 non-null   object  
4   INR             277 non-null   float64  
5   Income/Expense  277 non-null   object  
6   Amount          277 non-null   float64  
7   time            277 non-null   object  
dtypes: datetime64[ns](1), float64(2), object(5)
memory usage: 17.4+ KB
```

```
In [ ]: df.columns
```

```
In [32]: df['Category'].unique()
```

```
Out[32]: array(['Food', 'Other', 'Transportation', 'Social Life', 'Household',
               'Apparel', 'Education', 'Salary', 'Allowance', 'Self-development',
               'Beauty', 'Gift', 'Petty cash'], dtype=object)
```

```
In [34]: df['Account'].unique()
```

```
Out[34]: array(['CUB - online payment', 'Cash'], dtype=object)
```


```
In [36]: df['Account'] = df.apply(lambda row: 'online' if row['Account'] == 'CUB - online payment' else row['Account'], axis=1)
```


```
In [38]: df['Account'].unique()
```

```
Out[38]: array(['online', 'Cash'], dtype=object)
```

```
In [40]: plt.figure(figsize=(16,18))
sns.barplot(data=df, x='Category', y='Amount')
```

```
Out[40]: <Axes: xlabel='Category', ylabel='Amount'>
```






```
In [48]: df.set_index('Date', inplace =True)
```

```
In [52]: plt.figure(figsize=(19,10))  
plt.plot(df.index, df['Amount'])
```


```
Out[52]: [<matplotlib.lines.Line2D at 0x2a694867b90>]
```



```
In [56]: # Group by 'Category' and sum the 'Amount'
category_amount = df.groupby('Category')['Amount'].sum().reset_index()


plt.figure(figsize=(10, 10))
plt.pie(category_amount['Amount'], labels=category_amount['Category'], autopct='%1.1f%%', startangle=90)
plt.title('Distribution of Amount by Category')
plt.show()
```

Distribution of Amount by Category




Household


```
In [58]: plt.figure(figsize=(8, 6))
sns.heatmap(df[['INR', 'Amount']].corr(), annot=True, cmap='coolwarm')
plt.title('Correlation Heatmap')
plt.show()
```



```
In [60]: plt.figure(figsize=(8, 6))
plt.scatter(df['INR'], df['Amount'], alpha=0.6, color='purple')
plt.title('INR vs Amount')
plt.xlabel('INR')
plt.ylabel('Amount')
plt.grid(True)
plt.show()
```



```
In [62]: plt.figure(figsize=(8, 6))
sns.histplot(df['Amount'], bins=20, kde=True, color='green')
plt.title('Distribution of Amount')
plt.xlabel('Amount')
plt.ylabel('Frequency')
plt.show()
```



In []: