# Project Name (TBD) Requirements Specification

authors here (TBD)

November 30, 2020

### Contents

1	1 Product Overview				4
2	2 Purpose				5
	2.1 Core criteria	 			5
	2.2 Optional criteria	 			6
	2.3 Exclusion criteria	 			6
3	3 Usage				7
	3.1 Area of Application	 			7
	3.2 Target Groups				7
	3.3 Operating Conditions				
4	4 Operating Environment				8
•	4.1 Software				8
	4.1.1 Server Appliance				8
	4.1.2 Client Devices				8
	4.2 Hardware				8
	4.2.1 Server Appliance				8
	4.2.2 Client Devices				8
5	5 Functional Requirements				9
<b>o</b>	5.1 Main Functions				9
	5.1.1 Web Client				9
					10
	5.1.3 Data Processing				
	5.2 Extending Functions	 	•	•	10
6					12
	6.1 System Data	 			12
	6.2 User Data	 			12
	6.3 Database	 			12
7	7 Nonfunctional Requirements				13
	7.1 Usability	 			13
	7.2 Swiftness				
	7.3 Maintainability				13
	7.4 Portability				13
	7.5 Security				13
	7.6 Scalability				14
8	3 System Models				15
-	8.1 Scenarios	 			15

	8.2	Use Cases	15
9	9.1	Interface Desktop	
10	??Qı	ualitatszielbestimmung??	17
11	11.1	Cases and Test Scenarios Test Cases	
12	12.1 12.2 12.3 12.4	Operating Systems	19 19 19
	12.0	Miscallaneous	19

### 1 Product Overview

Project Name (TBD) is a web-tool enabling its users to create, edit and manage machine learning models on different sensor data. Project Name (TBD) consists of two primary components:

- 1. A server application that handles model training and storage, and makes these models available through a REST API. Supports multiple models and multiple users.
- 2. Client applications to manage and interact with the model, e.g. adding new data points, identifying given data points and setting parameters for model training. A model can be utilized on different clients at the same time. Clients have different capabilites depending on the platform, mobile clients allow input of new data points in form of raw sensor data, while desktop clients allow management features.

Both components together allow for a streamlined and easy-to-use machine learning experience for both the unexperienced and the expert.

### 2 Purpose

#### 2.1 Core criteria

- The web pages are the graphical user interfaces (GUI) for users.
- The desktop client presents a QR code that when scanned by a mobile client connects the mobile client to the same workspace.
- The QR code contains the link to the workspace and the same link can be used to reaccess the workspace later.
- The desktop client allows management features.
- The desktop client allows creating new labels.
- The mobile web client allows input of new data points in form of raw sensor data.
- The mobile web client allows for selecting the sensors the users wish to use. (e.g accelerometer)
- The mobile web client allows for configuring the recording.
- The mobile web client gives a real time feedback of sensor data to the user.
- The mobile web client sends the collected sensor data to the web server.
- The desktop web client displays the collected samples.
- The desktop web client allows preprocessing and filtering of the data.
- The features which were selected by the user are computed and stored in the database.
- The sent sensor data is stored in the central database in a unified format.
- Users can select a machine learning model they wish to use.
- Users can change the hyperparameters of the machine learning model.
- A model is trained and stored in the database.

• The link to the workspace with the trained model can be used to identify the sensor data on the mobile web client. This identification happens in real time.

### 2.2 Optional criteria

- Links for previously accessed workspaces can be stored on the browser to ease reaccess.
- Other data capturing devices are supported, e.g. Arduino.
- The workspaces can be protected with a password.
- The desktop web client displays a status sign if a data collecting device is currently connected to the workspace, e.g. a green sign if connected and a red sign otherwise.
- The mobile web client can define triggers if something is detected, e.g. play a sound.
- The desktop web client can show performance metrics to the user. (OPTIONAL ?)
- The user can train multiple models from the same data sample.
- A read-only link to each trained model in a workspace can be generated by the
- Workspaces can be deleted together with the related data samples.

#### 2.3 Exclusion criteria

- The mobile web client does not have a QR scanner.
- API calls are not authorized.
- TBD?

3 Usage

3.1 Area of Application

The application is for collecting and labeling sensor data, training a model from the collected data and serving the stored resulting model to the user to classify actions in

real time.

3.2 Target Groups

The target group of this application is people that wants to create a machine learning

model from mobile sensor Data. That includes:

• People new to machine learning who wants an easy tool to discover machine learning

and create models that they can use.

• Experienced engineers that have knowledge of machine learning but need a fast

tool to collect data and create a model.

We assume a rather technical audience.

3.3 Operating Conditions

The tool is a web application that can be run on any modern browser. A web browser must be installed on the user device to view the webpage. The application can be used

from anywhere with a decent network connection.

Service Duration: 24 hours a day

7

### 4 Operating Environment

Database and the server appliance both run on a server, whereas different web browsers may be used for the clients. A Docker image may be provided for the server appliance.

#### 4.1 Software

### 4.1.1 Server Appliance

- MongoDB support
- Recent versions of Node.js and Python

#### 4.1.2 Client Devices

- A modern web browser (Chrome 87+, Firefox 83+) supporting:
  - Sensor APIs
  - Web Storage API

### 4.2 Hardware

### 4.2.1 Server Appliance

The server has to be fast enough to support all clients. This depends on the expected number of clients. Most computations will be done on the server. **TOO ARBITRARY?** 

#### 4.2.2 Client Devices

• Video Device

### 5 Functional Requirements

#### 5.1 Main Functions

These functions must be implemented in order to fulfill the core criteria.

#### 5.1.1 Web Client

The web client supports both desktop and mobile modes. The functionality that will be displayed is determined by the device information of the browser.

#### **Desktop Web Client**

```
/F010/ Show a welcome page

/F020/ Provide a QR code on the welcome page to create a workspace

/F030/ Show the management panel for the created workspace

/F040/ Allow creating and renaming labels for the actions to be recorded

/F050/ Display the collected data on the management panel

/F060/ Enumerate the collected data chronologically on the management panel

/F070/ Allow naming of the model on the management panel

/F080/ Allow selecting the possible actions on the data on the management panel

/F090/ Request the processing of the data according to the selected options
```

#### Mobile Web Client

```
/{
m F100}/ Show a configuration page with available labels /{
m F110}/ Allow configuring the countdown duration until the recording starts /{
m F120}/ Allow configuring the recording duration
```

```
/F130/ Allow selecting the amount of data samples to be recorded ????
/F140/ Allow configuring each sensor individually
/F150/ Show a button to initiate the recording
/F160/ Show a countdown page
/F170/ Display the configuration on the countdown page
/F180/ Show a recording page
```

/F200/ Show a recording completed page

#### 5.1.2 Server API

```
/F210/ Generate and serve a link for a new workspace
/F220/ Serve workspace information
/F230/ Create and rename labels
/F240/ Accept data from the mobile client
/F250/ Create a model in the workspace
/F260/ Rename a model
```

/F270/ Initiate the configured model training

/F190/ Display the sensor data in real-time as curve graphs

### 5.1.3 Data Processing

/F280/ TBD, after workshop

### 5.2 Extending Functions

/F290/ Show the previously visited workspaces on the welcome page

```
    /F300/ Make the workspace link password protected
    /F310/ Delete an existing model in the workspace (Server API)
    /F320/ Create a read-only link for classifying (Server API)
    /F330/ should the desktop client show data being collected in real time?
```

### 6 Data

TBD

### 6.1 System Data

TBD

### 6.2 User Data

TBD

### 6.3 Database

TBD (Data-Warehouse data ?)

### 7 Nonfunctional Requirements

### 7.1 Usability

- /N010/ User does not need to register to use the web-tool.
- /N020/ User should be able to record a new sample in less then 3 interactions.
- /N030/ User should be able to train and deploy the machine learning model (/FXXX/) with a single click.

#### 7.2 Swiftness

- lazy load components?
- /N040/ Sth about page load speed might be too restrictive, cannot assess yet.

### 7.3 Maintainability

• /N050/ Codebase is well documented to ease bug fixes.

#### 7.4 Portability

- /N060/ Desktop web client /FXXX/ should be functioning on browsers newer than Chrome version XX, Firefox version XX, . . .
- /N061/ Mobile web client /FXXX/ should be functioning on browsers newer than Chrome version XX, Firefox version XX. . . .

#### 7.5 Security

 $\bullet$  /N070/ A work space is inaccessible to other users without the QR code or the link to the work space.

### 7.6 Scalability

 $\bullet$  /N090/ A maximum of 10.000 ?? work spaces with a maximum of 10 ?? users at the same time is supported.

## 8 System Models

TBD

### 8.1 Scenarios

TBD

### 8.2 Use Cases

TBD

### 9 User Interface

TBD

### 9.1 Desktop

TBD

### 9.2 Mobile

TBD

10 ??Qualitatszielbestimmung??

### 11 Test Cases and Test Scenarios

TBD

### 11.1 Test Cases

TBD

### 11.2 Test Scenarios

TBD

### 12 Development Environment

### 12.1 Operating Systems

- Windows 10 with WSL1 / WSL2
- Ubuntu 20.04.1 LTS

### 12.2 IDEs, Editors

• VS Code

### 12.3 Versioning

- git
- Github for hosting

### 12.4 Integration

• (we'll need a CI server, TECO has one?) FIXME

#### 12.5 Miscallaneous

- $\bullet$  LATEX for documents
- 3D Paint for mockups
- VS Code Live Share for communication
- Discord for communication

And many more to be added later...