

# Material Safety Data Sheet

MSDS# T600-C

Page 1 of 3

Sanford Corporation  
2711 Washington Boulevard  
Bellwood, IL 60104

Telephone No:  
Date of Last Revision:  
Medical Emergency No:

1-800-323-0749  
October 15, 2001  
1-800-228-5635

## SECTION ONE: PRODUCT INFORMATION

**PRODUCT NAME:** Academy Oil Colors

**PRODUCT SIZES:** 7.5, 24, 37, and 150 ml

**PRODUCT CLASS:** Artists' Oil Colors

## SECTION TWO: HAZARDOUS INGREDIENTS

INGREDIENTS	CAS #	PEL/TLV	MAX WT.%	NTP	IARC
Titanium Dioxide	13463-67-7	10 mg/m <sup>3</sup>	45.0	-	-
Zinc Oxide	1314-13-2	10 mg/m <sup>3</sup>	75.0	-	-

## SECTION THREE: PHYSICAL AND CHEMICAL CHARACTERISTICS

**BOILING POINT:** Not determined

**MELTING POINT:** Not determined

**VAPOR PRESSURE:** Not determined

**SPECIFIC GRAVITY:** Not determined

**SPECIFIC VAPOR DENSITY (AIR = 1)** Not determined

**SOLUBILITY IN WATER:** Not determined

**REACTIVITY IN WATER:** Non-reactive

**EVAPORATION RATE (BUTYL ACETATE = 1):** Not determined

**APPEARANCE AND ODOR:** Colored paints; oily odor

This Material Safety Data Sheet is applicable for the consumer use of the following products: T212, T232, T248

See MSDS T600 for the following colors: T001, T023, T024, T039, T061, T115, T134, T146, T156, T162, T168, T171, T172, T203, T205, T211, T244, T249

See MSDS T600-A for the following colors: T076, T095, T310, T312, T313, T318, T320, T321

See MSDS T187 for product T187

**SECTION FOUR: FIRE AND EXPLOSION INFORMATION****FLASH POINT (METHOD):** Not available**FLAMMABILITY LIMITS (% BY VOLUME):** LOWER: Not explosive      UPPER: Not explosive**EXTINGUISHING MEDIA:** As appropriate for surrounding area.**FIRE FIGHTING PROCEDURES:** No special fire fighting procedures required.**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Not combustible**SECTION FIVE: REACTIVITY DATA****STABILITY:** Stable**CONDITIONS TO AVOID:** Excessive heat**CHEMICAL INCOMPATIBILITY:** None known**HAZARDOUS DECOMPOSITION:** None known**HAZARDOUS POLYMERIZATION:** Will not occur.**SECTION SIX: HEALTH HAZARD DATA****PERMISSIBLE EXPOSURE LEVEL:** See Section Two for component PEL/TLV's.**PRIMARY ROUTES OF ENTRY:****Inhalation:** None under normal use conditions.**Skin:** None under normal use conditions.**Eye:** None under normal use conditions.**Ingestion:** None under normal use conditions.**EFFECTS/SYMPOTMS OF ACUTE EXPOSURE:** None expected.**EFFECTS/SYMPOTMS OF CHRONIC EXPOSURE:** None expected.**CARCINOGEN LISTING:** NTP: NO      IARC: NO      OSHA: NO

See Section Two for components affected.

# Material Safety Data Sheet

MSDS# T600-C

Page 3 of 3

MEDICAL CONDITIONS USUALLY AGGRAVATED  
BY OVEREXPOSURE TO THIS PRODUCT: Unknown

## FIRST AID MEASURES:

- Inhalation: Remove to fresh air.
- Skin: Wash with soap and water.
- Eye: Rinse through with water. If irritation persists, seek medical attention.
- Ingestion: Seek medical attention.

## SECTION SEVEN: SPILL OR LEAK PROCEDURES

PRECAUTIONS TO BE TAKEN  
DURING STORAGE/HANDLING: None

STEPS TO BE TAKEN IN CASE  
MATERIAL IS SPILLED: No special spill procedures required.

WASTE DISPOSAL METHOD: Dispose in accordance with Federal, State, and Local Regulations.

## SECTION EIGHT: PROTECTIVE EQUIPMENT AND CONTROL MEASURES

RESPIRATORY PROTECTION AND  
SPECIAL VENTILATION  
REQUIREMENTS: None required.

OTHER PROTECTIVE EQUIPMENT  
(GLOVES, GOGGLES, ETC.): None

WORK/HYGIENE PRACTICES: Studio hygiene rules should be observed. Wash thoroughly before eating, drinking, or smoking.

HMIS CODE	
Health	0
Flammability	0
Reactivity	0
Personal Protection	N/A

0=Minimal/4=Extreme Hazard

**WARNING: DO NOT SPRAY APPLY** -- This product contains cadmium, a chemical known to the State of California to cause cancer by means of inhalation.

**WARNING:** This product contains lead, a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

