

MATERIAL SAFETY DATA SHEET



McLaughlin Gormley King Company

PRODUCT CODE: 007338

Page: 1 of 6
Revision Date: 2/3/00

1. CHEMICAL PRODUCT AND COMPANY INFORMATION

PRODUCT CODE: 007338
PRODUCT NAME: PYROCIDE® Fogging Concentrate 7338
PRODUCT DESCRIPTION: Insecticide for indoor use only as a ULV, space, area, contact spray or thermal fog.
CHEMICAL NAME: Mixture
SYNONYMS: PYROCIDE® 7338, MGK F-7338.
MANUFACTURER: McLaughlin Gormley King Company, 8810 Tenth Avenue North, Minneapolis MN. 55427
TELEPHONE M-F, 8:00-4:30 CST, 14:00-22:30 GMT: (800) 645-6466 or (763) 544-0341
MSDS & Product Information, 8:00-4:30 CST, 14:00-22:30 GMT: (800) 645-6466 or (763) 544-0341

24 HOUR EMERGENCY PHONE (CHEMTREC) U.S. and CANADA:	(800)-424-9300	CHEMTREC (ALL OTHER AREAS):	(703) 527-3887
--	----------------	--	----------------

For information regarding **MEDICAL EMERGENCIES** or **PESTICIDE INCIDENTS**, call the **INTERNATIONAL POISON Center** at:

1-888-740-8712

2. COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENT(s)	CAS #	EINECS	EXPOSURE LIMITS	% BY WT.
MGK® 264 [N-Octyl bicycloheptene dicarboximide]	000113-48-4	204-029-1	Not Available	3.00
Piperonyl Butoxide [Alpha-(2-(2-butoxyethoxy)ethoxy)-4,5-methylenedioxy-2-propyltoluene]	000051-03-6	200-076-7	Not Available	2.00
Pyrethrum [Botanical Insecticide composed of the six constituents of pyrethrum(Pyrethrin I, Pyrethrin II, Cinerin I, Cinerin II, Jasmolin I and Jasmolin II)]	008003-34-7	232-319-8	5 mg/m ³ (OSHA, ACGIH)	1.00
Petroleum Distillates	*	*	300 ppm supplier recommended	75-95
PEL = Permissible Exposure Limits. TLV = Threshold Limit Value. * = Confidential		TWA = Time Weighted Average (8 hr). STEL = Short Term Exposure Limit (15 min.).		

3. HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS: EMERGENCY OVERVIEW

CAUTION

EYES:

CAUTION Can cause temporary irritation, tearing and blurred vision.

SKIN:

CAUTION Can cause a burning sensation on more sensitive areas (face, eyes, mouth). Prolonged or repeated exposure can cause irritation and reddening of the skin, possibly progressing into dermatitis.

INGESTION:

Can cause stomach irritation, resulting in nausea, cramps and vomiting. Can cause nervous system disorders, such as fatigue, dizziness, headaches, lack of coordination, tremors and unconsciousness.

INHALATION:

CAUTION Excessive inhalation can cause nasal and respiratory irritation, nausea and nervous disorders, such as fatigue, dizziness, headaches, lack of coordination, tremors and unconsciousness.


CHRONIC EFFECTS:

None known

COMBUSTIBLE LIQUID. ALWAYS WEAR Safety Glasses and appropriate personal protective equipment when handling this material.

24 HOUR EMERGENCY PHONE (CHEMTREC): (800)-424-9300 **(ALL OTHER AREAS):** (703) 527-3887

MATERIAL SAFETY DATA SHEET



McLaughlin Gormley King Company

PRODUCT CODE: 007338

Page: 2 of 6
Revision Date: 2/3/00

SAFETY: Skin irritant and probable eye irritant. Avoid contact with eyes skin and clothing May be fatal if swallowed in large amounts.
Overexposure by eye contact may initially include eye irritation with discomfort, tearing, or blurring of vision.
Overexposure by skin contact may initially include a transient (several minutes up to approximately 24 hours) persistent burning or prickling sensation which may be accompanied by visible irritation or rash.
Overexposure by ingestion may initially include nonspecific discomfort, such as nausea, vomiting, headache, or weakness; temporary nervous system effects such as muscular weakness, tremors and incoordination.
Individuals with preexisting diseases of the liver, kidneys, skin or peripheral nervous system may have increased susceptibility to the toxicity of excessive exposures.

ECOLOGICAL: See sections 12 and 15.

See TOXICOLOGICAL INFORMATION (section 11)

4. FIRST AID MEASURES

FIRST AID PROCEDURES:

EYES: Immediately flush with large amounts of water for at least 15 minutes. If irritation persists, get medical attention.

SKIN: Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, get medical attention. Wash clothing separately before reuse.

INHALATION: Remove affected person to fresh air. Give oxygen, if necessary. If breathing has stopped, administer artificial respiration and seek medical attention immediately.

INGESTION: If swallowed, call a physician or poison control center immediately. Avoid Alcohol. Do not induce vomiting. Never give anything by mouth to an unconscious person.

NOTE TO PHYSICIANS: None

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES:

FLASH POINT: 167 °F **METHOD:** Fisher Tag Closed Cup

This product is classified as a noncombustible liquid.

FLAMMABLE LIMITS:

LOWER FLAMMABLE LIMIT: not established.

UPPER FLAMMABLE LIMIT: not established.

AUTOIGNITION TEMPERATURE: not established.

HAZARDOUS COMBUSTION PRODUCTS: This product is not defined as flammable or combustible. However, under fire conditions it may support combustion and decompose to give off toxic gases such as carbon monoxide, carbon dioxide and nitrogen oxides.

EXTINGUISHING MEDIA: Foam, carbon dioxide, or dry chemical.

FIRE FIGHTING INSTRUCTIONS: Treat as a oil fire. Use a full-faced self-contained breathing apparatus along with full protective gear. Keep nearby containers and equipment cool with a water stream. Contain the run-off, if possible, for proper disposal.

24 HOUR EMERGENCY PHONE (CHEMTREC): (800)-424-9300 **(ALL OTHER AREAS):** (703) 527-3887

MATERIAL SAFETY DATA SHEET

Page: 3 of 6
Revision Date: 2/3/00


McLaughlin Gormley King Company
PRODUCT CODE: 007338

6. ACCIDENTAL RELEASE MEASURES:

- SMALL SPILL:** Shut off ignition sources. Stop release, if possible without risk. Dike or contain release, if possible, and if immediate response can prevent further damage or danger. Isolate and control access to the release area. Take actions to reduce vapors. Absorb with appropriate absorbent. Clean spill area of residues and absorbent.
- LARGE SPILL:** Shut off ignition sources. Stop release, if possible without risk. Dike or contain release, if possible, and if immediate response can prevent further damage or danger. Isolate and control access to the release area. Take actions to reduce vapors. Collect product into drums, etc. via drains, pumps, etc. Absorb with appropriate absorbent. Clean spill area of residues and absorbent.
- WASTE DISPOSAL METHOD:** Contaminated absorbent and wash water should be disposed of according to local, state and federal regulations.

7. HANDLING AND STORAGE

- HANDLING:** Wear chemically impervious gloves such as neoprene or nitrile. Wear an OSHA-approved safety glasses, goggles or face shield. Mechanical ventilation should be used when handling this product in enclosed spaces. Wearing an organic vapor respirator is recommended when working with sprays or mists of this product. Do not contaminate water, feed or food by storage, handling or disposal. Read and observe all precautions and instructions on the label. Do not use near an open flame. Use proper grounding procedures when transferring this material due to possible electrostatic accumulation hazard.
- STORAGE:** Store containers upright and closed. Store in areas that are cool, dry and well-ventilated. Keep away from heat, ignition sources and strong oxidizers. Emptied containers may retain product residues.
- WORK HYGIENIC PRACTICES:** DO NOT SMOKE, EAT, DRINK OR APPLY COSMETICS IN WORK AREA!
Wash Promptly if skin becomes contaminated. Wash at the end of each work shift and before eating, smoking and using the toilet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- EXPOSURE LIMITS:** Not established by OSHA or ACGIH
- ENGINEERING CONTROLS:** Mechanical ventilation should be used when handling this product in enclosed spaces. Local exhaust ventilation may be necessary.
- RESPIRATORY PROTECTION:** Wear NIOSH approved organic vapor respirator when working with sprays or mists.
- SKIN PROTECTION:** Wear neoprene or nitrile gloves and protective clothing.
- EYE PROTECTION:** Wear an OSHA-approved safety glasses, goggles or face shield.

9. PHYSICAL AND CHEMICAL PROPERTIES

- APPEARANCE:** Yellow liquid
- ODOR:** Petroleum solvent odor
- PHYSICAL STATE:** Liquid
- VAPOR PRESSURE:** Not established
- VAPOR DENSITY:** Not established
- BOILING POINT:** Not established
- MELTING POINT:** Not applicable
- SOLUBILITY IN WATER:** Insoluble with water
- SPECIFIC GRAVITY:** 0.788
- COLOR, (GARDNER):** 3.5-6.5
- pH:** Not applicable
- VISCOSITY:** Not established.
- REFRACTIVE INDEX:** 1.4362 @ 25°C

24 HOUR EMERGENCY PHONE (CHEMTREC): (800)-424-9300 (ALL OTHER AREAS): (703) 527-3887

MATERIAL SAFETY DATA SHEET

Page: 4 of 6
Revision Date: 2/3/00


McLaughlin Gormley King Company
PRODUCT CODE: 007338

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable.
INCOMPATIBILITY: Not compatible with strong acids or bases. Not compatible with strong oxidizers.
HAZARDOUS DECOMPOSITION PRODUCTS: Not applicable.
HAZARDOUS POLYMERIZATION: Will not occur

11. TOXICOLOGICAL INFORMATION

ACUTE STUDIES:

INGESTION:

Acute Oral LD₅₀ (rat) Not available

SKIN:

Acute Dermal LD₅₀ (rabbit): Not available

Primary skin irritation (rabbit): Primary skin irritation index = 1.58

Dermal Sensitization (guinea pig): Not available

INHALATION:

Acute Inhalation LC₅₀ (rat) Not available

EYE:

Primary eye irritation (rabbit): Not available

CHRONIC:

CARCINOGENICITY:

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as being carcinogens.

12. ECOLOGICAL INFORMATION

Environmental Hazards:

This product is toxic to fish and other wildlife. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

13. DISPOSAL CONSIDERATIONS

RCRA \ CERCLA HAZARDOUS WASTE:

INGREDIENT

Pyrethrins

RCRA ID#: CERCLA RQ-VALUE

1 lb.

DISPOSAL METHOD: This product should be disposed of according to local, state and federal regulations. When disposing of waste or surplus avoid contact with eyes and skin. Wear impervious gloves/clothing and chemical safety goggles. Do not wash into drains. Do not mix with other waste materials.

24 HOUR EMERGENCY PHONE (CHEMTREC): (800)-424-9300 (ALL OTHER AREAS): (703) 527-3887

MATERIAL SAFETY DATA SHEET

Page: 5 of 6
Revision Date: 2/3/00



McLaughlin Gormley King Company

PRODUCT CODE: 007338

14. TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION(DOT) INFORMATION: Not considered hazardous when shipping less than 100 lbs of this product per package/container, i.e. when Pyrethrin content is 1 pound or less per shipping container.

PROPER SHIPPING NAME - Non Haz: Insecticides, Insect or Animal Repellents, Liquid, N.O.I.

If shipping < 100 lbs per pkg. / cntnr.

HAZARD CLASS: Not Hazardous

IDENTIFICATION NUMBER(UN or NA): Not Hazardous

PACKING GROUP: Not Hazardous

ICAO / IATA DESCRIPTION: Insecticides, Insect or Animal Repellents, Liquid, N.O.I.

If shipping < 100 lbs per pkg. / cntnr.

IMO DESCRIPTION (IMDG CODE): N / A

PROPER SHIPPING NAME- Hazardous: Environmentally Hazardous Substances, Liquid, N.O.S., RQ
(Pyrethrins)

When 100 lbs or more per pkg. / cntnr.

HAZARD CLASS: 9

IDENTIFICATION NUMBER(UN or NA): UN 3082

PACKING GROUP: III

ICAO / IATA DESCRIPTION: Environmentally Hazardous Substances, Liquid, N.O.S., 9, UN3082,
PG III, RQ (Pyrethrins)

IMO DESCRIPTION (IMDG CODE): Environmentally Hazardous Substances, Liquid, N.O.S., 9, UN3082,
PG III, RQ (Pyrethrins)

15. REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:

SARA TITLE III:

SECTION 302: Not listed

SECTION 313: This product contains the following toxic chemicals of the subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:

CAS#:

000051-03-6

CHEMICAL NAME:

Piperonyl Butoxide [Alpha-(2-(2-butoxyethoxy)ethoxy)-4,5-methylenedioxy-2-propyltoluene]

% BY WEIGHT:

6.00

STATE REGULATIONS:

VOLATILE ORGANIC COMPOUNDS (VOC): This Product contains not more than 3.0% VOCs.

24 HOUR EMERGENCY PHONE (CHEMTREC): (800)-424-9300 **(ALL OTHER AREAS):** (703) 527-3887

MATERIAL SAFETY DATA SHEET

Page: 6 of 6
Revision Date: 2/3/00

McLaughlin Gormley King Company

PRODUCT CODE: 007338

16. OTHER INFORMATION

HMIS RATINGS:

We assigns HMIS ratings to this product based on the hazards of its ingredients(s). Since the customer is most aware of the applications and conditions of use, he must ensure that the proper personal protective equipment is provided consistent with information contained in sections 7 and 8 of this MSDS.

HMIS RATINGS:	Health	1
	Flammability	2
	Reactivity	1

The data contained herein is based on information currently available to MGK Company, and believed to be factual and the opinions expressed to be those of qualified experts; however, this data is not to be taken as a warranty or representation for which MGK Company assumes legal responsibility.

Material Safety Data Sheet prepared by T.A. Lennan

24 HOUR EMERGENCY PHONE (CHEMTREC): (800)-424-9300 (ALL OTHER AREAS): (703) 527-3887