

Performance | Total system


Costs of use energy in €/kWh	0.053
COCHP in %	128.2
Self-generation level in %	142.3
Downtime in min	0.0
Mean standard deviation in K	2.28

Downtimes | Supply systems

	Downtime in min	Standard deviation in K
HNHT	0.0	2.9
HNLT	0.0	2.34
CN	0.0	1.59







HNHT | Single systems

	ST kWh	LT kWh	BE kWh	ST €/kWh	LT €/kWh	BE €/kWh
BS_HNHT	883.5	0	0	0.14	0	0
CHP1	0	226.5	83.7	0	0.09	0.43
CHP2	0	406.5	106.2	0	0.1	0.43
СВ	66.9	447.4	252.1	0.24	0.12	0.43
ВН	64.1	126.5	7.5	0.14	0.14	0.3
СМН	2.2	113.1	7.3	0.25	0.11	0.32
ST_HNHT	747.0	883.5	117.9	0.14	0.1	0.34
HEX1	0	0	394.8	0	0	0.44
HP1	135.9	42.8	178.7	0.24	0.11	0.51

HNLT | Single systems

	ST kWh	LT kWh	BE kWh	ST €/kWh	LT €/kWh	BE €/kWh
BS_HNLT	217.4	0	0	0.28	0	0
COMP	0	54.0	2.5	0	0.04	0.31
ST_HNLT	97.9	86.0	13.8	0.28	0.08	0.37
OCTM	0	0	0	0	0	0
UFH	105.9	86.5	0	0.29	0.13	0
ICTM	561.1	156.2	0.0	0.3	0.15	0
HEX1	372.6	36.3	14.0	0.3	0.3	0.3
HP1	0	0	0	0	0	0
HP2	0.3	238.4	10.4	0.3	0.14	0.31

CN | Single systems

	ST kWh	LT kWh	BE kWh	ST €/kWh	LT €/kWh	BE €/kWh
BS_CN	0.4	0	0	-0.03	0	0
UFH	0	0	0	0	0	0
ICTM	0	0	0.0	0	0	0
CU	0	469.2	469.6	0	-0.06	0.3
ST_CN	0	619.6	480.1	0	-0.06	0.3
CMC	0.4	44.1	8.9	-0.03	-0.05	0.3
HP2	0	194.5	8.7	0	-0.05	0.3

