


Performance | Total system

Costs of use energy in €/kWh	0.152
COCHP in %	120.1
Self-generation level in %	9.6
Downtime in min	0.0
Mean standard deviation in K	1.5


Downtimes | Supply systems

	Downtime in min	Standard deviation in K
HNHT	0.0	1.62
HNLT	0.0	1.26
CN	0.0	1.63


Utilization | Single systems



Storage temperatures



System temperatures



HNHT | Single systems

	ST kWh	LT kWh	BE kWh	ST €/kWh	LT €/kWh	BE €/kWh
BS_HNHT	191.4	191.4	0	0.03	0.03	0
CHP1	95.6	95.6	54.5	0.04	0.04	0.32
CHP2	129.6	129.6	72.6	0.04	0.04	0.32
CB	30.9	30.9	17.7	0.14	0.14	0.31
CMH	113.5	113.5	8.8	0.02	0.02	0.3
ST_HNHT	7510.4	7510.4	283.4	0.04	0.04	0.32
HEX1	0	0	0.0	0	0	0
HP1	31.6	31.6	28.8	0.14	0.14	0.31

HNLT | Single systems

	ST kWh	LT kWh	BE kWh	ST €/kWh	LT €/kWh	BE €/kWh
BS_HNLT	340.5	340.5	0	0.0	0.0	0
COMP	54.0	54.0	3.9	-0.0	-0.0	0.3
ST_HNLT	3322.1	3322.1	631.1	0.0	0.0	0.3
OCTM	0	0	0.0	0	0	0
UFH	0	0	156.4	0	0	0.3
ICTM	0	0	1022.1	0	0	0.3
HEX1	0	0	0.0	0	0	0
HP1	291.2	291.2	0	-0.0	-0.0	0
HP2	2.7	2.7	3.2	0.12	0.12	0.3

CN | Single systems

	ST kWh	LT kWh	BE kWh	ST €/kWh	LT €/kWh	BE €/kWh
BS_CN	99.0	99.0	0	-0.14	-0.14	0
UFH	183.7	183.7	156.4	-0.16	-0.16	0.3
ICTM	1089.9	1089.9	1022.1	-0.15	-0.15	0.3
CU	986.8	986.8	851.6	-0.15	-0.15	0.3
CMC	23.0	23.0	23.7	-0.12	-0.12	0.3
HP2	210.8	210.8	1.8	-0.15	-0.15	0.3

Market clearing price | 0.25 h - Execution in: 0.0 h

