


Performance | Total system

Costs of use energy in €/kWh	0.155
COCHP in %	123.1
Self-generation level in %	5.7
Downtime in min	0.0
Mean standard deviation in K	1.57


Downtimes | Supply systems

	Downtime in min	Standard deviation in K
HNHT	0.0	1.8
HNLТ	0.0	1.26
CN	0.0	1.65


Utilization | Single systems



Storage temperatures



System temperatures



HNHT | Single systems

	ST kWh	LT kWh	BE kWh	ST €/kWh	LT €/kWh	BE €/kWh
BS_HNHT	71.7	71.7	0	0.05	0.05	0
CHP1	53.3	53.3	28.5	0.14	0.14	0.31
CHP2	72.2	72.2	37.9	0.14	0.14	0.31
CB	111.1	111.1	58.7	0.14	0.14	0.31
CMH	113.5	113.5	13.9	0.07	0.07	0.32
ST_HNHT	3549.1	3549.1	350.7	0.06	0.06	0.33
HEX1	0	0	0.0	0	0	0
HP1	113.8	113.8	110.9	0.14	0.14	0.32

HNLT | Single systems

	ST kWh	LT kWh	BE kWh	ST €/kWh	LT €/kWh	BE €/kWh
BS_HNLT	160.3	160.3	0	0.0	0.0	0
COMP	54	54	3.1	-0.0	-0.0	0.3
ST_HNLT	1728.6	1728.6	435.8	0.01	0.01	0.3
OCTM	0	0	0.0	0	0	0
UFH	0	0	78.7	0	0	0.3
ICTM	0	0	1030.2	0	0	0.3
HEX1	0	0	0.0	0	0	0
HP1	275.2	275.2	0	-0.0	-0.0	0
HP2	5.4	5.4	3.1	0.11	0.11	0.3

CN | Single systems

	ST kWh	LT kWh	BE kWh	ST €/kWh	LT €/kWh	BE €/kWh
BS_CN	52.9	52.9	0	-0.14	-0.14	0
UFH	107.6	107.6	78.7	-0.16	-0.16	0.3
ICTM	1098.6	1098.6	1030.2	-0.15	-0.15	0.3
CU	971.1	971.1	835.6	-0.15	-0.15	0.3
CMC	26.6	26.6	21.7	-0.12	-0.12	0.3
HP2	208.6	208.6	1.8	-0.15	-0.15	0.3

Market clearing price | 0.5 h - Execution in: 0.0 h

