


Performance | Total system

Costs of use energy in €/kWh	0.095
COCHP in %	168.4
Self-generation level in %	7.9
Downtime in min	0.0
Mean standard deviation in K	1.97


Downtimes | Supply systems

	Downtime in min	Standard deviation in K
HNHT	0.0	1.09
HNLT	0.0	3.37
CN	0.0	1.45


Utilization | Single systems



### Storage temperatures



### System temperatures



## HNHT | Single systems

	ST   kWh	LT   kWh	BE   kWh	ST   €/kWh	LT   €/kWh	BE   €/kWh
BS_HNHT	44.2	0	0	0.2	0	0
CHP1	0	59.5	34.4	0	0.13	0.36
CHP2	0	49.0	22.4	0	0.13	0.31
CB	37.6	184.5	77.0	0.17	0.18	0.33
BH	36.8	4.5	2.4	0.24	0.2	0.37
CMH	4.5	109.2	13.7	0.24	0.2	0.31
ST_HNHT	41.2	179.2	99.3	0.25	0.11	0.32
HEX1	0	0	0.0	0	0	0
HP1	0	0	0	0	0	0


## HNLT | Single systems

	ST   kWh	LT   kWh	BE   kWh	ST   €/kWh	LT   €/kWh	BE   €/kWh
BS_HNLT	0	0	0	0	0	0
COMP	0	54.0	4.2	0	-0.11	0.3
ST_HNLT	382.2	279.4	251.3	0.14	0.06	0.3
OCTM	195.4	0	219.7	-0.0	0	0.3
UFH	35.5	5.6	0	0.14	0.05	0
ICTM	103.3	0	0	0.11	0	0
HEX1	0	0	0.0	0	0	0
HP1	48.0	0	0	-0.0	0	0
HP2	0	231.1	14.2	0	0.09	0.3


## CN | Single systems

	ST   kWh	LT   kWh	BE   kWh	ST   €/kWh	LT   €/kWh	BE   €/kWh
BS_CN	0	0	0	0	0	0
UFH	0	0	0	0	0	0
ICTM	0	0	0	0	0	0
CU	0	420.4	420.8	0	-0.06	0.3
ST_CN	0.4	612.8	482.8	-0.1	-0.06	0.3
CMC	0.4	44.1	8.9	-0.1	-0.06	0.3
HP2	0	236.6	10.8	0	-0.05	0.3


Market clearing price | 0.25 h - Execution in: 0.0 h




Market clearing price | 1.0 h - Execution in: 0.0 h



Market clearing price | 1.0 h - Execution in: 1.0 h



Market clearing price | 1.0 h - Execution in: 2.0 h



— HNHT    --- HNLT    -.- CN