


Performance | Total system

Costs of use energy in €/kWh	0.134
COCHP in %	97.6
Self-generation level in %	20.9
Downtime in min	0.0
Mean standard deviation in K	1.95


Downtimes | Supply systems

	Downtime in min	Standard deviation in K
HNHT	0.0	1.8
HNLT	0.0	2.27
CN	0.0	1.79


Utilization | Single systems



Storage temperatures



System temperatures



HNHT | Single systems

	ST kWh	LT kWh	BE kWh	ST €/kWh	LT €/kWh	BE €/kWh
BS_HNHT	243.4	0	0	0.15	0	0
CHP1	92.7	60.8	78.3	0.16	0.14	0.42
CHP2	72.1	16.8	42.4	0.19	0.04	0.38
CB	55.3	173.2	73.4	0.13	0.18	0.38
BH	41.6	0	2.6	0.18	0	0.3
CMH	2.9	112.1	13.0	0.15	0.2	0.32
ST_HNHT	67.8	138.7	44.9	0.18	0.1	0.34
HEX1	0	0	91.4	0	0	0.46
HP1	0	0	0	0	0	0


HNLT | Single systems

	ST kWh	LT kWh	BE kWh	ST €/kWh	LT €/kWh	BE €/kWh
BS_HNLT	166.7	0	0	0.11	0	0
COMP	0	54.0	3.8	0	-0.08	0.36
ST_HNLT	161.2	54.0	109.4	0.04	-0.08	0.31
OCTM	11.3	0	16.9	-0.02	0	0.3
UFH	35.6	0	0	0.13	0	0
ICTM	97.4	0	0.0	0.17	0	0
HEX1	96.0	0	6.1	0.3	0	0.32
HP1	50.6	0	0	-0.02	0	0
HP2	102.8	0	101.3	0.21	0	0.45


CN | Single systems

	ST kWh	LT kWh	BE kWh	ST €/kWh	LT €/kWh	BE €/kWh
BS_CN	112.4	0	0	-0.04	0	0
UFH	0	0	0	0	0	0
ICTM	0	0	0.0	0	0	0
CU	0	12.1	10.8	0	-0.09	0.3
ST_CN	107.5	48.1	72.1	-0.03	-0.08	0.3
CMC	0.4	44.1	8.6	-0.13	-0.07	0.3
HP2	4.4	80.2	0	-0.04	-0.07	0


Market clearing price | 0.25 h - Execution in: 0.0 h




Market clearing price | 1.0 h - Execution in: 0.0 h



Market clearing price | 1.0 h - Execution in: 1.0 h



Market clearing price | 1.0 h - Execution in: 2.0 h



— HNHT ---- HNLT -.- CN