


Performance | Total system

Costs of use energy in €/kWh	0.152
COCHP in %	124.3
Self-generation level in %	5.8
Downtime in min	0.0
Mean standard deviation in K	1.54


Downtimes | Supply systems

	Downtime in min	Standard deviation in K
HNHT	0.0	1.69
HNLT	0.0	1.26
CN	0.0	1.68


Utilization | Single systems



### Storage temperatures



### System temperatures



## HNHT | Single systems

	ST   kWh	LT   kWh	BE   kWh	ST   €/kWh	LT   €/kWh	BE   €/kWh
BS_HNHT	54.4	54.4	0	0.06	0.06	0
CHP1	59.3	59.3	30.9	0.11	0.11	0.33
CHP2	64.4	64.4	32.6	0.11	0.11	0.33
CB	118.9	118.9	59.2	0.11	0.11	0.33
CMH	113.5	113.5	11.8	0.07	0.07	0.33
ST_HNHT	1782.6	1782.6	133.6	0.06	0.06	0.34
HEX1	0	0	0.0	0	0	0
HP1	0	0	0	0	0	0

## HNLT | Single systems

	ST   kWh	LT   kWh	BE   kWh	ST   €/kWh	LT   €/kWh	BE   €/kWh
BS_HNLT	69.6	69.6	0	0.02	0.02	0
COMP	54	54	2.6	-0.0	-0.0	0.3
ST_HNLT	887.3	887.3	290.2	0.02	0.02	0.32
OCTM	0	0	0.0	0	0	0
UFH	0	0	39.7	0	0	0.3
ICTM	0	0	979.7	0	0	0.32
HEX1	0	0	0.0	0	0	0
HP1	219.2	219.2	0	-0.0	-0.0	0
HP2	10.9	10.9	3.2	0.11	0.11	0.3

## CN | Single systems

	ST   kWh	LT   kWh	BE   kWh	ST   €/kWh	LT   €/kWh	BE   €/kWh
BS_CN	28.9	28.9	0	-0.12	-0.12	0
UFH	70.5	70.5	39.7	-0.13	-0.13	0.3
ICTM	1047.6	1047.6	979.7	-0.13	-0.13	0.3
CU	916.9	916.9	784.0	-0.13	-0.13	0.3
CMC	32.1	32.1	17.5	-0.12	-0.12	0.3
HP2	204.4	204.4	1.9	-0.13	-0.13	0.3

Market clearing price | 1.0 h - Execution in: 0.0 h

