

# **STATS/CSE 780**

## **Assignment 1**

Pao Zhu Vivian Hsu (Student Number: 400547994)

2023-09-26

## Introduction

Asbestos was a common construction material prior to the 1990s that was later found to be linked to diseases such as lung cancer and asbestosis (Government of Canada, 2023). Although it was banned in 2018, asbestos is still prevalent in many old buildings and actively used in the military, nuclear, and chlor-alkali industries in Canada (Government of Canada, 2018). The aim of this report is to examine yearly asbestos waste trends and identify key provinces and sectors contributing to asbestos waste in Canada.

## Methods

To begin the study, disposal data was downloaded from the Open Government Portal (Environment and Climate Change Canada, 2022) and filtered to asbestos waste only. While the original data had 17 variables, only the year, province, North American Industry Classification System (NAICS) code, and quantity of waste were important for the analyses.

To enhance the data, NAICS sector names and population estimates from Statistics Canada (2022, 2023) were joined to the data set. NAICS sector names were scraped from the Statistics Canada website (2023) and mapped to the first two digits of the NAICS code in the data set. By adding sector names, waste trends could be analyzed at a high-level for each province. Population estimates (Statistics Canada, 2022) were also joined to the data. This ensures that differences in waste quantities caused by the population size of provinces were accounted for in the analyses.

Finally, three line graphs were created to visualize waste quantities across the country, by province, and by sector. Quantities were converted to kilograms to standardize measurement methods and divided by population size before being plotted. All transformations and analyses were done using R and the last plot was made with Shiny (R Core Team, 2023a, 2023b).

## Results

Figure 1 illustrates yearly quantities of asbestos waste in kilograms across Canada. Based on the plot, the trends in waste could be viewed in three sections. The first section is the 1990s, where asbestos waste was relatively stable every year at about 0.05 kg of waste per capita. The second section encompasses the early 2000s to mid 2010s, where asbestos waste increased by approximately

0.02 kg per capita annually. The last section is the mid 2010s to the latest available year, 2021, where there appears to be an average decrease of about 0.02 kg per capita yearly.




Figure 1: Annual asbestos waste across Canada can be divided into 3 trends

While this provides insight on asbestos waste across Canada, the trend for each province differs as shown in Figure 2 below. Alberta and Manitoba followed a similar pattern as the country, where asbestos waste increased for a period of time and decreased subsequently. Both provinces managed to have a yearly asbestos waste level of about 0.08 kg per capita since 2015. Quebec, on the other hand, has a continually increasing trend. Waste quantities have increased by an average of 0.04 kg per capita yearly since 2002. The remaining provinces have a relatively stable trend. Ontario's annual waste is about 0.23 kg per capita since 2005 while the rest of the provinces have approximately 0.12 kg per capita.




Figure 2: Annual asbestos waste differs by province

Provincial trends in asbestos waste are linked to different sectors as shown in the following Shiny app: <https://1b5hyx-pao0zhu0vivian0-hsu.shinyapps.io/stats780-a1/> (Hsu, 2023). The two main

sectors that have large impacts on provincial trends are the “Administrative and support, waste management and remediation services” and “Manufacturing” sectors.

## Discussion

Overall, this study illustrates that asbestos waste has begun to decline across Canada after nearly 15 years of increase. This trend does not apply at the provincial level, since each province has its own unique trend. The administrative and support, waste management, remediation services, and manufacturing sectors appear to have a strong influence on asbestos waste in many provinces.

A few considerations should be made when interpreting the results of this study. Firstly, Prince Edward Island, Yukon, Northwest Territories, and Nunavut were missing from the data set (Environment and Climate Change Canada, 2022). Since zeros in the data indicate that a substance is being tracked but has no waste (National Pollutant Release Inventory, 2023), these provinces and territories are most likely not tracking asbestos as there were no rows for them in the data (Environment and Climate Change Canada, 2022). To improve future studies and promote equal well-being of all Canadians, tracking asbestos in these provinces and territories is suggested.

Secondly, it is crucial to understand that asbestos waste could be both negative and positive. High quantities of asbestos waste could indicate that the toxin is being heavily produced and used by industries, specifically those permitted by the law (Government of Canada, 2018). This poses a risk to human health and should ideally be eliminated. Conversely, asbestos waste could also indicate the removal of old asbestos deposits. If completed with the proper precautions (Government of Canada, 2023), a temporary rise in waste should lead to a safer environment over time. As such, it is recommended to investigate waste sources prior to any action.

Once the sources are understood, the results of this study can serve as guidance to reduce asbestos from the environment. At a federal level, funding and efforts should focus on Quebec since the province’s waste continues to grow with time. It may be useful to learn how Alberta and Manitoba managed to decrease and maintain their waste, and apply similar practices elsewhere. At a provincial level, providing funding and resources to better understand asbestos waste within sectors could help improve existing practices with asbestos. With these suggestions, Canada can reduce asbestos from the environment and ensure that all Canadians lead a healthy, asbestos-free life.

## Supplementary material

### Report Code

```
# ----- LOAD PACKAGES AND DATA ----- #

library(tidyverse)
library(ggplot2)
library(stringi)

disposalFile <- "NPRI-INRP_DisposalsEliminations_1993-present.csv"
naicsCodesFile <- "https://www23.statcan.gc.ca/imdb/p3VD.pl?Function=getVD&TVD=1369825"
popFile <- "17100009.csv"

disposalDataRaw <- read_csv(file=disposalFile, locale=locale(encoding="latin1"))
naicsCodesRaw <- read_lines(naicsCodesFile)
popDataRaw <- read_csv(file=popFile)

# ----- DATA CLEANSING ----- #

# --- Step 1: Create 2-digit NAICS code lookup table --- #
# Pull 2-digit NAICS codes / code ranges and their descriptions from the website.
naicsCodes <- data.frame(x=naicsCodesRaw) %>%
  filter(grepl("<th id=", x)) %>%
  mutate("Sector Code (2-digit NAICS Code)" = str_match(x, "CPV=\\s*(.*?)\\s*&")[,2],
         "Sector Name" = str_match(x, '"wb-inv">\\s*(.*?)\\s*</span>')[,2]) %>%
  select(`Sector Code (2-digit NAICS Code)`, `Sector Name`)
naicsCodes$`Sector Name` <- stri_replace_all_regex(naicsCodes$`Sector Name`,
                                                    pattern =
              c("&#40;", "&#41;", "&#44;"),
              replacement = c("(", ")", ",", "
```

```

vectorize = FALSE)

# Break code ranges down to their own rows
codeRangesOnly <- naicsCodes %>%
  filter(str_length(`Sector Code (2-digit NAICS Code)`)>2) %>%
  mutate(repStart = as.integer(str_match(`Sector Code (2-digit NAICS Code)`,
                                         "([0-9]{2})[-]([0-9]{2})")[,2]),
         repEnd = as.integer(str_match(`Sector Code (2-digit NAICS Code)`,
                                         "([0-9]{2})[-]([0-9]{2})")[,3])
  ) %>%
  group_by(`Sector Name`) %>%
  group_modify(~ tibble("Sector Code (2-digit NAICS Code)" =
                        seq(.$repStart, .$repEnd))) %>%
  ungroup()

# Replace rows with code ranges with the broken down rows
naicsCodes <- rbind(naicsCodes, codeRangesOnly) %>%
  filter(str_length(`Sector Code (2-digit NAICS Code)`)==2)

# --- Step 2: Create mapping of province codes to names --- #
provMap <- tibble("Province Code" = c("AB","BC","MB","NB","NL","NS","NT",
                                       "NU","ON","PE","QC","SK","YT"),
                  "Province Name" = c("Alberta","British Columbia","Manitoba",
                                       "New Brunswick","Newfoundland and Labrador",
                                       "Nova Scotia","Northwest Territories",
                                       "Nunavut","Ontario","Prince Edward Island",
                                       "Quebec","Saskatchewan","Yukon"))

# --- Step 3: Get population data for each province --- #
popData <- popDataRaw %>%
  mutate("Population Year" = as.numeric(substr(`REF_DATE`, 1, 4)),

```

```

      "Population Month" = substr(`REF_DATE`, 6, 7)) %>%
filter(`Population Month` == "01",
      `GEO` != "Canada") %>%
select(`Population Year`, `Population Month`, `GEO`, `VALUE`)

# --- Step 4: Filter disposal data for asbestos and join extra data --- #
disposalData <- disposalDataRaw %>%
  filter(grepl("asbestos",
    `Substance Name (English) / Nom de substance (Anglais)`,
    ignore.case = TRUE)) %>%
mutate("Quantity (Kg)" = if_else(`Units / Unités` == "tonnes",
    `Quantity / Quantité`*1000,
    `Quantity / Quantité`),
      "Sector Code (2-digit NAICS Code)" = substr(`NAICS / Code_SCIAN`, 1, 2)) %>%
left_join(naicsCodes,
  by = c("Sector Code (2-digit NAICS Code)" =
    "Sector Code (2-digit NAICS Code)")) %>%
left_join(provMap,
  by = c("PROVINCE" = "Province Code")) %>%
left_join(popData,
  by = c("Province Name" = "GEO",
    "Reporting_Year / Année" = "Population Year")) %>%
group_by(`Reporting_Year / Année`,
  `Province Name`,
  `Sector Code (2-digit NAICS Code)`,
  `Sector Name`,
  `VALUE`) %>%
summarize("Quantity (Kg)" = sum(`Quantity (Kg)`) %>%
ungroup() %>%
rename("Year" = `Reporting_Year / Année`,
  "Province" = `Province Name`,

```

```

    "Population" = `VALUE`)

# ----- SAVE DATA FOR SHINY ----- #

save(disposalData, file="shiny/disposalData.RData")

# ----- DATA AGGREGATION FOR GRAPHS ----- #

# --- Step 1: Data for country-level line graph --- #
# Aggregate data
disposalData_countryFig <- disposalData %>%
  group_by(`Year`) %>%
  summarize("Quantity of Asbestos Waste (Kg) per Capita" =
    sum(`Quantity (Kg)`)/sum(`Population`))

# Stats for in-text description
mean_1990s <- disposalData_countryFig %>%
  filter(`Year` <= 2000) %>%
  select(`Quantity of Asbestos Waste (Kg) per Capita`) %>%
  sapply(mean)

slope_early2000sToMid2010s <- lm(`Quantity of Asbestos Waste (Kg) per Capita` ~ `Year`,
  data=disposalData_countryFig %>%
    filter(`Year` >= 2000, `Year` <= 2014))$coeff[[2]]

slope_mid2010sToPresent <- lm(`Quantity of Asbestos Waste (Kg) per Capita` ~ `Year`,
  data=disposalData_countryFig %>%
    filter(`Year` >= 2014))$coeff[[2]]

# --- Step 2: Data for province-level line graph --- #
# Aggregate data

```



```

disposalData_provinceFig <- disposalData %>%
  group_by(`Year`, `Province`) %>%
  summarize("Quantity of Asbestos Waste (Kg) per Capita" =
    sum(`Quantity (Kg)`)/sum(`Population`))

# Stats for in-text description
mean_AB_MB <- disposalData_provinceFig %>%
  ungroup() %>%
  filter(`Province` == c("Alberta", "Manitoba"),
    `Year` >= 2015) %>%
  select(`Quantity of Asbestos Waste (Kg) per Capita`) %>%
  sapply(mean)

slope_QC <- lm(`Quantity of Asbestos Waste (Kg) per Capita` ~ `Year`,
  data=disposalData_provinceFig %>%
    ungroup() %>%
    filter(`Province` == "Quebec",
      `Year` >= 2002))$coeff[[2]]

mean_ON <- disposalData_provinceFig %>%
  ungroup() %>%
  filter(`Province` == "Ontario",
    `Year` >= 2005) %>%
  select(`Quantity of Asbestos Waste (Kg) per Capita`) %>%
  sapply(mean)

mean_other <- disposalData_provinceFig %>%
  ungroup() %>%
  filter(`Province` != c("Alberta", "Manitoba", "Quebec", "Ontario")) %>%
  select(`Quantity of Asbestos Waste (Kg) per Capita`) %>%
  sapply(mean)

# ----- PLOT COUNTRY-LEVEL LINE GRAPH ----- #

```

```

disposalData_countryFig %>%
  ggplot(aes(x=`Year`,
              y=`Quantity of Asbestos Waste (Kg) per Capita`)) +
  geom_line() +
  geom_vline(xintercept=2000, linetype="dashed", color = "blue") +
  geom_vline(xintercept=2014, linetype="dashed", color = "blue") +
  scale_x_continuous(breaks = round(seq(min(disposalData_countryFig$`Year`),
                                         max(disposalData_countryFig$`Year`),
                                         by = 2),
                      1))

# ----- PLOT PROVINCE-LEVEL LINE GRAPH ----- #

disposalData_provinceFig %>%
  ggplot(aes(x=`Year`,
              y=`Quantity of Asbestos Waste (Kg) per Capita`,
              color=`Province`)) +
  geom_line() +
  scale_x_continuous(breaks = round(seq(min(disposalData_provinceFig$`Year`),
                                         max(disposalData_provinceFig$`Year`),
                                         by = 2),
                      1))

```

## Shiny App Code

```

library(shiny)
library(tidyverse)
library(ggplot2)

```

```

# ----- DATA PRE-PROCESSING ----- #

# Load disposal data
load("disposalData.RData")

# Drop down options
provinceOptions <- disposalData %>%
  select(`Province`) %>%
  distinct(`Province`) %>%
  pull()

# ----- APP UI ----- #
ui <- fluidPage(

  # Application title
  titlePanel("Yearly Asbestos Waste by Province and Sector"),

  # Sidebar with a slider input for number of bins
  sidebarLayout(
    sidebarPanel(
      selectInput(inputId = "province",
                  label = "Province",
                  choices = provinceOptions
                )
    ),

    # Show a plot of the generated distribution
    mainPanel(
      plotOutput("lineGraph")
    )
  )

```

```

    )
  )

# ----- SERVER LOGIC ----- #
server <- function(input, output) {

  output$lineGraph <- renderPlot({

    # Filter waste data by user's province selection
    disposalData_line <- disposalData %>%
      filter(`Province` == input$province) %>%
      group_by(`Year`, `Sector Name`) %>%
      summarize("Quantity of Asbestos Waste (Kg) per Capita" =
        sum(`Quantity (Kg)`)/sum(`Population`))

    # Plot line graph that show waste by year and sector for the selected province
    disposalData_line %>%
      ggplot(aes(x=`Year`,
                  y=`Quantity of Asbestos Waste (Kg) per Capita`,
                  color=`Sector Name`)) +
      geom_line() +
      scale_x_continuous(breaks = round(seq(min(disposalData_line$`Year`),
                                              max(disposalData_line$`Year`), by = 4),1))

  })
}

# ----- RUN APP ----- #
shinyApp(ui = ui, server = server)

```

## References

- Environment and Climate Change Canada. (2022). *Bulk data files for all years – releases, disposals, transfers and facility locations*. Government of Canada. <https://doi.org/10.18164/774eeb0c-a069-4674-a9f7-82f4adf54369>
- Government of Canada. (2018). *Prohibition of asbestos and products containing asbestos regulations*. <https://laws-lois.justice.gc.ca/eng/regulations/SOR-2018-196/page-1.html#docCont>
- Government of Canada. (2023). *Asbestos and your health*. <https://www.canada.ca/en/health-canada/services/air-quality/indoor-air-contaminants/health-risks-asbestos.html>
- Hsu, P. Z. (2023). *Yearly asbestos waste by province and sector*. <https://1b5hyx-pao0zhu0vivian0-hsu.shinyapps.io/stats780-a1/>
- National Pollutant Release Inventory. (2023). *Using and interpreting data from the national pollutant release inventory*. Government of Canada. <https://www.canada.ca/en/environment-climate-change/services/national-pollutant-release-inventory/using-interpreting-data.html>
- R Core Team. (2023a). *Easy web apps for data science without the compromises*. R Foundation for Statistical Computing. <https://shiny.posit.co/>
- R Core Team. (2023b). *R: A language and environment for statistical computing*. R Foundation for Statistical Computing. <https://www.R-project.org/>
- Statistics Canada. (2022). *Population estimates, quarterly*. Government of Canada. <https://open.canada.ca/data/en/dataset/ec690886-687d-4d59-9b1b-51311435d344>
- Statistics Canada. (2023). *North american industry classification system (NAICS) canada 2022 version 1.0*. <https://www23.statcan.gc.ca/imdb/p3VD.pl?Function=getVD&TVD=1369825>
- United Nations. (n.d.). *Ensure healthy lives and promote well-being for all at all ages*. <https://sdgs.un.org/goals/goal3>
- Xie, Y., Dervieux, C., & Riederer, E. (2020). *R markdown cookbook*. CRC Press.