# Showybox's Manual

Updated for version 0.3.0

Colorful and customizable boxes for Typst  $\mathscr{Q}$ 

# **Contents**

1.	Introduction	3
2.	Usage	3
3.	Parameters	4
	3.1. Title	4
	3.2. Footer	5
	3.3. Frame	5
	3.4. Title styles	10
	3.5. Body styles	11
	3.6. Footer styles	12
	3.7. Separator properties	14
	3.8. Shadow properties	15
	3.9. Width	16
	3.10. Align	17
	3.11. Breakable	17
	3.12. Spacing	18
	3.13. Above	18
	3.14. Below	18
4.	Separators	19
5.	Encapsulation	19

## 1. Introduction

Showybox is a Typst package for creating colorful and customizable boxes, similar as tcolorbox for LaTeX users.

Currently, Showybox is still on developement, and all the code can be found at its GitHub repository here. New features are welcome. So, if you have an idea that would improve this package, go on and send us the code as Pull Request.

## 2. Usage

To use this library through the Typst package manager (for Typst 0.6.0 or greater), write #import "@preview/showybox:0.3.0": showybox at the beginning of your Typst file.

Once imported, you can create an empty showybox by using the function showybox()
and giving a default body content inside the parenthesis or outside them using the squared brackets [].

By default a showybox with these properties will be created:

- No title
- No shadow
- Not breakable
- Black borders
- White background
- 5pt of border radius
- 1pt of border thickness

```
#import "@preview/showybox:0.3.0": showybox
#showybox()[This is a simple showybox with the
properties said before :)]
```

This is a simple showybox with the properties said before :)

## 3. Parameters

In version 0.3.0 all the parameters that the showybox() function can receive are showed below:

```
showybox(
 title: string content
 footer: string content
 frame: dictionary
 title-style: dictionary
 body-style: dictionary
 footer-style: dictionary
 sep: dictionary
 shadow: dictionary
 width: relative length
 align: alignement 2d alignement
 breakable: boolean
 spacing: relative length
 above: relative length
 below: relative length
  .. content
\rightarrow content
```

The usage and posible values of all the parameters are listed below.

## 3.1. Title

When it's not empty, corresponds to a string or a content used as the title of the showybox.

Default is "" (empty string).

```
Hi there! I'm Mr. Title

And I'm Mrs. Body

And I'm Mrs. Body
```

```
#showybox(
  title: "Hi there! I'm Mr. Title"
)[And I'm Mrs. Body]

#showybox(/*Untitled*/)[And I'm
Mrs. Body]
```

## 3.2. Footer

When it's not empy, corresponds to a string or a content used as the footer of the showybox.

Default is "" (empty string).

```
#showybox(
  title: "Hi there! I'm Mr. Title",
  footer: "And finally I'm Mr. Footer"
)[And I'm Mrs. Body]
```

#### Hi there! I'm Mr. Title

And I'm Mrs. Body

And finally I'm Mr. Footer

## 3.3. Frame

This parameter contains all options that are useful for setting a showybox's frame properties. The frame contains the title, the body and the footer of the showybox. It even includes the showybox borders! Frame's dictionary options are listed below:

## This is above and in the frame

And this is *above* and *in* the frame. Even the thin borders surrounding this text *are* the frame

#### title-color color

The color used as background where the title goes. It can be any existing color in Typst.

Default is black.

```
#showybox(
  title: "Roses are red, violets are... also red!",
  frame: (title-color: red.darken(20%))
)[As you can see, this showybox has `title-color: red.darken(20%)`, which
means the title section will be colored with (slightly dark) red]
```

## Roses are red, violets are... also red!

As you can see, this showybox has title-color: red.darken(20%), which means the title section will be colored with (slightly dark) red

body-color color

The color that is used as background where the showybox's body goes. And, similarly with title-color, it can be any existing color in Typst.

Default is white.

```
#showybox(
  title: "Roses are red...",
  frame: (
    title-color: red.darken(20%),
    body-color: blue.lighten(70%)
  )
)[violets are blue. And everything here goes with a smoother light blue.]
```

#### Roses are red...

violets are blue. And everything here goes with a smoother light blue.

## footer-color color

The color that is used as background where the footer goes. It can be any existing color in Typst.

Default is luma(220).

```
#showybox(
  title: "Roses are red...",
  footer: "And the Sun shines happily, like in the afternoon :)",
  frame: (
    title-color: red.darken(20%),
    body-color: blue.lighten(70%),
    footer-color: yellow.lighten(70%)
)
)[violets are blue.]
```

## Roses are red...

violets are blue.

And the Sun shines happily, like in the afternoon:)

#### border-color color

It's the color used for the frame's borders. It's independent of title-color, body-color and footer-color, so maybe you would want to use similar colors with them.

Default is black.

```
#showybox(
  title: "Look at those borders!",
```

```
frame: (
   border-color: blue,
   title-color: blue
)
)[This beautiful text is surrounded by a unique blue border]
```

#### Look at those borders!

This beautiful text is surrounded by a unique blue border

## radius relative length

Indicates how much round are the borders of the frame. It sets *all* the border radii, so you can set either all four border's radius or none of them.

Default is 5pt.

```
#showybox(
  frame: (radius: Opt)
)[Come on boy, change your squared mind!]
```

Come on boy, change your squared mind!

## thickness length dictionary

Indicates the thickness of the frame borders as a length or a dictionary. If it's a dictionary, it can specify top, bottom, left, right, x, y or rest thickness.

It excludes the thickness of any separator located inside the box (their thickness is set in sep property).

Default is 1pt.

```
#showybox(
  title: "Look papa, like the pizza borders!",
  frame: (
    thickness: (left: 15pt, rest: 0pt),
    radius: 0pt,
    title-color: luma(100)
  ),
)[There's too much space not used in the left border!]
```

## Look papa, like the pizza borders!

There's too much space not used in the left border!

inset relative length dictionary

How much to pad the showybox's content. It can be a relative length or a dictionary. If it's a dictionary, it can specify top, bottom, left, right, x, y or rest insets.

If title-inset, body-inset or footer-inset is given, this property is ignored while setting the inset of the title, the body or the footer.

Default is (x: 1em, y: 0.65em).

```
#showybox(
  title: "Example of 'awful' inset",
  frame: (
    inset: (top: 2.5em, bottom: 0em, left: 5em)
  )
)[This showybox has no bottom inset, so it'll look bad :(]
```

## Example of 'awful' inset

This showybox has no bottom inset, so it'll look bad :(

## title-inset relative length dictionary

How much to pad the showybox's title content. It can be a relative length or a dictionary. If it's a dictionary, it can specify top, bottom, left, right, x, y or rest insets.

By default is not set, so it will be used inset property instead.

```
#showybox(
  title: "Example of 'awful' inset (just in the body ;) )",
  frame: (
   inset: (top: 2.5em, bottom: 0em, left: 5em),
    title-inset: (x: 3em, y:2em)
  )
)[This showybox has no bottom inset, so it'll look bad :(]
```

## Example of 'awful' inset (just in the body;))

This showybox has no bottom inset, so it'll look bad :(

body-inset relative length dictionary

How much to pad the showybox's body content. It can be a **relative length** or a **dictionary**. If it's a dictionary, it can specify top, bottom, left, right, x, y or rest insets.

By default is not set, so it will be used inset property instead.

```
#showybox(
  title: "Example of 'awful' inset (just in the title ;) )",
  frame: (
    inset: (top: 2.5em, bottom: 0em, left: 5em),
    body-inset: (x: 2em, y:1em)
  )
)[This showybox's title has no bottom inset, so it'll look bad :(]
```

## Example of 'awful' inset (just in the title;))

This showybox's title has no bottom inset, so it'll look bad :(

#### footer-inset relative length dictionary

How much to pad the showybox's footer content. It can be a relative length or a dictionary. If it's a dictionary, it can specify top, bottom, left, right, x, y or rest insets.

By default is not set, so it will be used inset property instead.

```
#showybox(
  footer: "Example of 'awful' inset (just in the body ;) )",
  frame: (
    inset: (top: 2.5em, bottom: 0em, left: 5em),
    footer-inset: (x: 2em, y:1em)
  )
)[This showybox has no bottom inset, so it'll look bad :(]
```

#### This showybox has no bottom inset, so it'll look bad :(

Example of 'awful' inset (just in the body;))

#### dash string

Corresponds to the frame border's style. It can be any kind of style used for line(). For example, it can be "solid", "dotted", "densely-dotted", "loosely-dotted", "dashed", "densely-dashed", "densely-dash-dotted", "densely-dash-dotted" or "loosely-dash-dotted"

Default is "solid".

```
#showybox(
  frame: (dash: "dashed")
)[As you can see, this little showybox has its borders #raw(lang: "typc",
  "\"dashed\""), and therefore looks pretty cool ;)]
```

As you can see, this little showybox has its borders "dashed", and therefore looks pretty cool ;)

## 3.4. Title styles

This parameter contains all options that are useful for setting showybox's title properties. Despite you can set some of this properties while setting title parameter, it becomes a useful option while making several showyboxes with similar styles.

#### color color

Title's text color. It can be any possible color in Typst.

Default is white.

```
#showybox(
  title-style: (
    color: red
  ),
  frame: (
    title-color: white
  ),
  title: "Colored title!"
)[with a regular body :(]
```

```
Colored title!
with a regular body :(
```

## weigth integer string

Title's font weight. It could be an integer between 100 and 900, or a predefined weight name ("thin", "extralight", "light", "regular", "medium", "semibold", "bold", "extrabold" and "black").

Default is "bold".

```
#showybox(
  title-style: (
    color: black,
    weight: "thin"
  ),
  frame: (
```

```
title-color: white
),
title: "Thin title!"
)[This showybox's title is so thin that I can't even read it!]
```

```
Thin title!
```

This showybox's title is so thin that I can't even read it!

## align alignement 2d alignement

How to align title's content. It can be an unidimensional alignement or a bidimensional alignement.

Default is left.

```
#showybox(
  title-style: (
    align: center + horizon
  ),
  title: block(height: 1cm)[The _center_ of your problems is...]
)[...your #emph("horizon")-tal perspective of the world]
```

## The center of your problems is...

...your horizon-tal perspective of the world

## 3.5. Body styles

This parameter contains all options that are useful for setting general-style properties for the showybox's body.

```
color color
```

Body's text color. It can be any possible color in Typst.

Default is black.

```
#showybox(
body-style: (
   color: blue
),
title-style: (
   color: red
),
frame: (
   title-color: white
```

```
),
title: "Colored title!"
)[*with colored body :)*]
```

## Colored title!

with colored body:)

## align alignement 2d alignement

How to align body's content. It can be an unidimensional alignement or a bidimensional alignement.

Default is left.

```
#showybox(
  body-style: (
    align: center
  ),
  title: "Somes you have to say"
)[
    _#lorem(25)_
  and move on with your life
]
```

## Somes you have to say

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus.

and move on with your life

## 3.6. Footer styles

This parameter contains all options that are useful for setting showybox's footer properties. Despite you can set some of this properties while setting footer parameter, it becomes a useful option while making several showyboxes with similar styles.

color color

Footer's text color. It can be any possible color in Typst.

Default is luma (85).

```
#showybox(
  footer-style: (
    color: purple
```

```
),
body-style: (
   color: blue
),
title-style: (
   color: red
),
frame: (
   title-color: white,
   footer-color: white
),
title: "Colored title!",
footer: "And colored footer!!!"
)[*with colored body :)*]
```

```
Colored title!
```

with colored body:)

And colored footer!!!

## weigth integer string

Footer's font weight. It could be an integer between 100 and 900, or a predefined weight name ("thin", "extralight", "light", "regular", "medium", "semibold", "bold", "extrabold" and "black").

Default is "regular".

```
#showybox(
  footer-style: (
    color: black,
    weight: "thin"
  ),
  frame: (
    footer-color: white
  ),
  footer: "Thin footer!"
)[This showybox's footer is so thin that I can't even read it!]
```

This showybox's footer is so thin that I can't even read it!

Thin footer!

## align alignement 2d alignement

How to align footer's content. It can be an unidimensional alignement or a bidimensional alignement.

Default is left.

```
#showybox(
  footer-style: (
    align: center + horizon
  ),
  footer: block(height: 1cm)[... is the _center_ of your problems]
)[Your #emph("horizon")-tal perspective of the world...]
```

```
Your horizon-tal perspective of the world...
```

```
... is the center of your problems
```

## 3.7. Separator properties

This parameter contains all options that are used for setting all the separator's styles of your showybox. To learn more about how to use separators, see Section 4.

## thickness length

Corresponds to the separator thickness.

Default is 1pt.

```
#showybox(
  title: "Recipe for a banana split",
  sep: (
    thickness: 3pt
  )
)[First, take a banana.][Then, split it.]
```

## Recipe for a banana split

First, take a banana.

Then, split it.

## gutter relative length

The size of the gutter space above and below the separator.

Default is 0.65em.

```
#showybox(
   sep: (
     gutter: 3em
   )
)[Sometimes you just need][more space :)]
```

```
Sometimes you just need

more space :)
```

## dash string

It's the separator's dash pattern. It can be any kind of dash style used for line(). For example, it can be "solid", "dotted", "densely-dotted", "loosely-dotted", "dashed", "densely-dashed", "dash-dotted", "densely-dash-dotted" or "loosely-dash-dotted"

Default is "solid".

```
#showybox(
  title: "Recipe for a strawberry split",
  frame: (
    title-color: red,
    border-color: red
),
  sep: (
    dash: "loosely-dashed"
)
)[First, take a strawberry.][Then, split it.]
```

```
Recipe for a strawberry split

First, take a strawberry.

Then, split it.
```

## 3.8. Shadow properties

This parameter contains all options that are used for showing a showybox with a shadow. When this property is absent (i.e. it's not set or set as none), the showybox has no shadow.

```
color color
```

Shadow's color. It can be anny possible color in Typst.

Default is luma(128).

```
#showybox(
    shadow: (
    color: yellow.lighten(50%)
```

```
),
frame: (
  border-color: red.darken(25%),
  title-color: red.darken(25%)
),
  title: "I'm in the shadows"
)[Meanwhile you are visible to the world, I stay hidden. I'm inmerse in the shadows of the world and no one can find me!]
```

#### I'm in the shadows

Meanwhile you are visible to the world, I stay hidden. I'm inmerse in the shadows of the world and no one can find me!

## offset relative length dictionary

How much to offset the shadow in x and y direction either as a relative length or a dictionary with keys x and y.

Default is 4pt.

```
#showybox(
   shadow: (
    offset: (x: Opt, y: 4pt)
   )
)[The Sun is facing me straight from above!]
```

The Sun is facing me straight from above!

```
#showybox(
   shadow: (offset: 5pt)
)[Now the Sun is facing me diagonally!]
```

Now the Sun is facing me diagonally!

## 3.9. Width

This parameter sets the showybox's width.

Default is 100%.

```
#showybox(
  width: 50%,
  title: "Half news"
)[Today the Prime Minister said that all the clocks in the world will only
count to 6, as a measure to save time.]
```

## Half news

Today the Prime Minister said that all the clocks in the world will only count to 6, as a measure to save time.

## 3.10. Align

How to align showybox inside it's container (useful for showyboxes with width < 100%).

Default is left.

```
#showybox(
  width: 50%,
  align: center,
  title: "Join the Center Party!"
)[We're glad to always be at the center of everything :)]
```

## Join the Center Party!

We're glad to always be at the center of everything:)

## 3.11. Breakable

This parameter indicates whether a showybox can or cannot break if it reaches an end of page or the end of its container.

Default is false.

```
#showybox(
  breakable:true,
  title: "Breaking news!"
)[This showybox is amazing, it'll _break_ when the end of this column (at approximately 4 centimeters) is reached. There won't be awful text overflowing from the box! Hurrah!]
```

This box acts like a container with fixed size (like a page)

## **Breaking news!**

This showybox is amazing, it'll break when the end of this column (at approximately 4 centimeters)

is reached. There won't be awful text overflowing from the box! Hurrah!

## 3.12. Spacing

How much space to insert above and below the showybox.

By default it's the block's default spacing in your document.

```
#showybox(
   spacing: 4em
)[This showybox has enough space above and below]
```

This showybox has enough space above and below

## 3.13. Above

Hoy much spacing to insert above the showybox.

By default it's the block's default spacing in your document.

```
#showybox(
  above: 2cm
)[This showybox has enough space above it]
```

This showybox has enough space above it

## 3.14. Below

Hoy much spacing to insert below the showybox.

By default it's the block's default spacing in your document.

```
#showybox(
  below: 2cm
)[This showybox has enough space below it]
```

This showybox has enough space below it

## 4. Separators

Sometimes you would wish to split a content into two or more sections inside the same showybox. The showybox() function allows you to do that by putting several content elements separated by commas inside the parenthesis () of the function. Each individual content element will be a separated section inside the showybox.

Alternatively, you can put adjacent **content** elements one after another next to the closing parenthesis of the function. Both cases are showed below.

```
// Sections inside the function
#showybox(
   title: "Separated showybox",
   [At this point, creativity is over. So in order to complete this example,
   let's use the good old Lorem Ipsum],
   lorem(30)
)

// Sections outside tht function
#showybox(
   title: "Separated showybox"
)[At this point, creativity is over. So in order to complete this example,
   let's use the good old Lorem Ipsum][#lorem(30)]
```

## Separated showybox

At this point, creativity is over. So in order to complete this example, let's use the good old Lorem Ipsum

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri.

## 5. Encapsulation

Showyboxes can be put inside another showyboxes! As you may think, it's easy to do it: just put a showybox inside the body of another, and ta-da!

```
#showybox(
  title:"Your problems are here",
  showybox(
    title: "I'm the center of your problems",
    [It's funny because I ran out of ideas!]
)
)
```

# Your problems are here

I'm the center of your problems

It's funny because I ran out of ideas!