



Probeta 1 a 25



Probeta 26 a 50



| | Extensión por compresiónMaximum Load [mm] | CargaalMaximum Load [N] | Esfuerzo de compresiónMaximum Load [MPa] | Deformación por compresión (Extensión)alPeak local Maximum (Load 10 %) [%] |
|---|--|----------------------------|---|--|
| 1 | 1.15116 | 14.63271 | 1.61167 | 23.02320 |
| 2 | 1.20098 | 14.60585 | 1.60872 | 24.01958 |
| 3 | 3.10167 | 50.34526 | 5.54512 | 34.02361 |

| | Extensión por compresiónMaximum Load [mm] | CargaalMaximum Load [N] | Esfuerzo de compresiónalMaximum Load [MPa] | Deformación por compresión (Extensión)alPeak local Maximum (Load 10 %) [%] |
|------------------------|--|----------------------------|---|--|
| 4 | 0.80053 | 10.75803 | 1.18491 | 16.01069 |
| 5 | 0.80053 | 10.91599 | 1.20231 | 16.01069 |
| 6 | 0.90147 | 11.28679 | 1.24315 | 18.02944 |
| 7 | 1.00147 | 12.27649 | 1.35216 | 20.02931 |
| 8 | 1.05058 | 13.36547 | 1.47210 | 21.01153 |
| 9 | 0.85130 | 12.14805 | 1.33801 | 17.02597 |
| 10 | 0.90159 | 12.39824 | 1.36556 | 18.03180 |
| 11 | 0.90147 | 12.20245 | 1.34400 | 18.02944 |
| 12 | 0.75060 | 14.53516 | 1.60093 | 15.01194 |
| 13 | 0.70137 | 15.08158 | 1.66111 | 14.02736 |
| 14 | 0.95141 | 18.87510 | 2.07894 | 19.02820 |
| 15 | 0.75107 | 13.84467 | 1.52488 | 15.02139 |
| 16 | 0.65143 | 15.13179 | 1.66664 | 13.02861 |
| 17 | 0.70113 | 14.78949 | 1.62894 | 14.02264 |
| 18 | 0.85130 | 16.92562 | 1.86422 | 17.02597 |
| 19 | 0.85118 | 17.18699 | 1.89301 | 17.02361 |
| 20 | 0.65131 | 12.16169 | 1.33951 | 13.02625 |
| 21 | 0.75131 | 15.80402 | 1.74068 | 15.02611 |
| 22 | 0.65143 | 13.11280 | 1.44427 | 13.02861 |
| 23 | 0.70149 | 13.99130 | 1.54103 | 14.02972 |
| 24 | 0.75119 | 15.31348 | 1.68665 | 15.02375 |
| 25 | 0.75178 | 14.77659 | 1.62752 | 15.03555 |
| 26 | 0.70137 | 13.97313 | 1.53903 | 14.02736 |
| 27 | 0.95058 | 17.53859 | 1.93173 | 19.01167 |
| 28 | 0.50103 | 9.34666 | 1.02946 | 10.02056 |
| 29 | 0.60008 | 14.12353 | 1.55559 | 12.00153 |
| 30 | 0.85130 | 16.75478 | 1.84540 | 17.02597 |
| 31 | 0.60019 | 12.67451 | 1.39599 | 12.00389 |
| 32 | 0.90112 | 16.58445 | 1.82664 | 18.02236 |
| 33 | 0.60067 | 11.73584 | 1.29261 | 12.01333 |
| 34 | 0.70042 | 14.26279 | 1.57093 | 14.00847 |
| 35 | 0.70113 | 14.45404 | 1.59199 | 14.02264 |
| 36 | 0.55179 | 11.94816 | 1.31599 | 11.03583 |
| 37 | 0.70149 | 14.07768 | 1.55054 | 14.02972 |
| 38 | 0.50115 | 11.95924 | 1.31721 | 10.02292 |
| 39 | 0.55167 | 9.99501 | 1.10087 | 11.03347 |
| 40 | 0.70160 | 14.21020 | 1.56514 | 14.03208 |
| 41 | 0.70125 | 14.13884 | 1.55728 | 14.02500 |
| 42 | 0.75048 | 15.99183 | 1.76137 | 15.00958 |
| 43 | 0.60126 | 12.52108 | 1.37909 | 12.02514 |
| 44 | 0.40056 | 9.13831 | 1.00651 | 8.01125 |
| 45 | 0.70125 | 14.50373 | 1.59747 | 14.02500 |
| 46 | 3.11088 | 50.07615 | 5.51548 | 18.02472 |
| 47 | 0.85083 | 16.53528 | 1.82123 | 17.01653 |
| 48 | 0.75013 | 15.72940 | 1.73246 | 15.00250 |
| 49 | 0.65001 | 13.12198 | 1.44528 | 13.00028 |
| 50 | 0.75107 | 14.89250 | 1.64029 | 15.02139 |
| Media + 2 DE | 1.83278 | 30.32035 | 3.33954 | 23.86562 |
| Media - 2 DE | -0.13222 | 0.34978 | 0.03853 | 7.25751 |
| Mediana | 0.75054 | 14.17452 | 1.56121 | 15.01076 |
| Desviación estándar | 0.49125 | 7.49264 | 0.82525 | 4.15203 |
| Mínimo | 0.40056 | 9.13831 | 1.00651 | 8.01125 |
| Máximo | 3.11088 | 50.34526 | 5.54512 | 34.02361 |

| | ExtensiónalMaximum Load [mm] |
|---|------------------------------------|
| 1 | 1.15116 |
| 2 | 1.20098 |
| 3 | 3.10167 |
| 4 | 0.80053 |
| 5 | 0.80053 |
| 6 | 0.90147 |
| 7 | 1.00147 |

| | ExtensiónMaximum Load [mm] |
|------------------------|----------------------------------|
| 8 | 1.05058 |
| 9 | 0.85130 |
| 10 | 0.90159 |
| 11 | 0.90147 |
| 12 | 0.75060 |
| 13 | 0.70137 |
| 14 | 0.95141 |
| 15 | 0.75107 |
| 16 | 0.65143 |
| 17 | 0.70113 |
| 18 | 0.85130 |
| 19 | 0.85118 |
| 20 | 0.65131 |
| 21 | 0.75131 |
| 22 | 0.65143 |
| 23 | 0.70149 |
| 24 | 0.75119 |
| 25 | 0.75178 |
| 26 | 0.70137 |
| 27 | 0.95058 |
| 28 | 0.50103 |
| 29 | 0.60008 |
| 30 | 0.85130 |
| 31 | 0.60019 |
| 32 | 0.90112 |
| 33 | 0.60067 |
| 34 | 0.70042 |
| 35 | 0.70113 |
| 36 | 0.55179 |
| 37 | 0.70149 |
| 38 | 0.50115 |
| 39 | 0.55167 |
| 40 | 0.70160 |
| 41 | 0.70125 |
| 42 | 0.75048 |
| 43 | 0.60126 |
| 44 | 0.40056 |
| 45 | 0.70125 |
| 46 | 3.11088 |
| 47 | 0.85083 |
| 48 | 0.75013 |
| 49 | 0.65001 |
| 50 | 0.75107 |
| Media + 2 DE | 1.83278 |
| Media - 2 DE | -0.13222 |
| Mediana | 0.75054 |
| Desviación estándar | 0.49125 |
| Mínimo | 0.40056 |
| Máximo | 3.11088 |