## REMOTE RM-DOAS-7B-1

## REFERENCES

- 1. SEE DRAWING 7A-I-0-7-04 DRUG SUBSTANCE BMS ARCHITECTURE
- 2. SEE DRAWING 7B-M-0-5-31 DRUG SUBSTANCE AFD DOAS-7B-1

## NOTES

- 1. POWER SUPPLY (220 VAC @ 60HZ) TO REMOTES PANEL IS SCOPE OF ELECTRIC DISCIPLINE.
- 2. FOR 220 VAC SHALL USE RED MONOPOLAR CABLE AND BLACK MONOPOLAR CABLE RED, SIZE 2.5 MM2. FOR 24 VDC SHALL USE BLUE MONOPOLAR CABLE FOR 24 VDC(+) AND WHITE MONOPOLAR CABLE FOR VDC (-), SIZE 2.5 MM2.
- 3. GENERAL GROUNDING (GND) MUST BE CONNECTED TO GROUNDING BUS IN THE CONTROL PANEL INTERIOR AT BOTTOM OF THE CABINET.
- 4. ELECTRICAL MUST GROUNDING THE FOLLOWING: DOOR, PLATE, AND PANEL
- USE A SINGLE CONDUCTOR GREEN OR GREEN-YELLOW INSULATION TO CONNECT THE EQUIPMENTS WHITH THE BAR BUS.
- 6. EACH CABLE WITHIN THE CONTROL PANEL SHALL BE PERMANENTLY TAGGED AND IDENTIFIED AT BOTH ENDS.
- 7. FOR ALL TERMINAL BLOCKS NUMBERS AND POINT IDENTIFICATIONS SHALL BE PERMANENTLY MARKED BY MARKING STRIPS ON TERMINAL STRIPS.
- 8. IDENTIFICATION SHALL BE TERMINAL BLOCK NUMBERS AND POINT NUMBERS SHOWN ON THE WIRING DIAGRAMS.
- 9. IS THE CONTRACTOR RESPONSIBILITY TO CONSIDER THE MISCELLANEOUS NECESSARY TO GUARANTEE ALL THE CONNECTIONS AND CORRECT INSTALLATION.

## REVISION O NOTES

- 1. UPDATE AND CORRECTIONS IN SHEETS REQUESTED
- 2. UPDATE IN ITEM DRAWINGS REFERENCE.

0	03SET2021	ISSUE FOR CONSTRUCTION	AAS	MAF	RSP	
Α	25MAY2021	90% DD ISSUE	AAS	MAF	RSP	
	DATE	DESCRIPTION	DRAWING BY	ENGINEER	REVIEWED	

<b>T</b>	ESSL ngenha	<b>ER</b>	<u>ip</u>	S				
PROJECT TAKEDA / BAXALTA								
CLIENT BURITI EPCMV PROJECT								
DOC NR 569-DB7B-AIC-232-015								
DRAWN BY AAS	REVIEWED MAF	ENGINEER RSP	SCALE -	DATE 03SET2021				
	•							



7B-I-0-3-26























