

Differentiation


Paolo Bettelini

Contents

1	Definition	2
1.1	Tangent	2
1.2	Derivative	2
2	Chain Rule	3
2.1	Definition	3
2.2	Proof	3
3	Rules for differentiation	4

1 Definition

1.1 Tangent




The mean slope of a function f between a point A and B is given by

$$\frac{\Delta y}{\Delta x} = \frac{f(B) - f(A)}{B - A}$$

As we make A and B closer to each other, Δx decreases. As Δx decreases the mean slope is more representative of the rate of change of f in the interval $[A; B]$.

When Δx is infinitely small, we have the precise slope of a given point on the function. This slope is represented by the tangent line, which is parallel to the given point.


$$\lim_{\Delta x \rightarrow 0} \frac{\Delta y}{\Delta x}$$



1.2 Derivative

The derivative of a function $f(x)$ is another function $f'(x)$ which represents the rate of change of $f(x)$. In other words, $f'(x)$ represents the slope at each x of $f(x)$.

We define $f'(x)$ by taking the limit of the slope for every x .



We define the derivative as

$$f'(x) = \lim_{\Delta x \rightarrow 0} \frac{f(x + \Delta x) - f(x)}{\Delta x}$$

or

$$f'(x) = \lim_{h \rightarrow x} \frac{f(h) - f(x)}{h - x}$$

- If $f'(a) > 0$, then $f(x)$ is increasing at $x = a$
- If $f'(a) < 0$, then $f(x)$ is decreasing at $x = a$
- If $f'(a) = 0$, then $f(x)$ is critical at $x = a$ (changing from increase to decrease or from decrease to increase)

2 Chain Rule

2.1 Definition

If z depends on y , and y depends on x , then z also depends on x .

$$\frac{dz}{dx} = \frac{dz}{dy} \cdot \frac{dy}{dx}$$

2.2 Proof

Assuming that z and y are differentiable in x

$$\begin{aligned}\frac{dz}{dx} &= \lim_{\Delta x \rightarrow 0} \frac{\Delta z}{\Delta x} = \lim_{\Delta x \rightarrow 0} \frac{\Delta z}{\Delta y} \cdot \frac{\Delta y}{\Delta x} \\ &= \left(\lim_{\Delta x \rightarrow 0} \frac{\Delta z}{\Delta y} \right) \left(\lim_{\Delta x \rightarrow 0} \frac{\Delta y}{\Delta x} \right) \\ &= \left(\lim_{\Delta x \rightarrow 0} \frac{\Delta z}{\Delta y} \right) \cdot \frac{dy}{dx}\end{aligned}$$

As $\Delta x \rightarrow 0$ also $\Delta y \rightarrow 0$, so we can replace Δx with Δy

$$\begin{aligned}\frac{dz}{dx} &= \left(\lim_{\Delta y \rightarrow 0} \frac{\Delta z}{\Delta y} \right) \cdot \frac{dy}{dx} \\ &= \frac{dz}{dy} \cdot \frac{dy}{dx}\end{aligned}$$

3 Rules for differentiation

$$\frac{d}{dx}(n) = 0$$

$$\frac{d}{dx}(x^n) = nx^{n-1}, \quad n \in \mathbb{R}^*$$

$$\frac{d}{dx}(n \cdot f(x)) = n \frac{d}{dx}(f(x))$$

$$\frac{d}{dx}(f + g) = f' + g'$$

$$\frac{d}{dx}(f \cdot g) = g'f + gf'$$

$$\frac{d}{dx}(f(g(x))) = f'(g(x)) \cdot g'(x)$$

$$\frac{d}{dx}(f^g) = f^g \left(\frac{f'g}{f} + g' \ln f \right)$$