

A Translation of the New Edition of the
Suśrutasamhitā

Jason Birch Dominik Wujastyk Andrey Klebanov

Draft of 9th March 2022
© Jason Birch and Dominik Wujastyk

Draft of March 9, 2022 for private study only

Abstract

The [Suśruta Project](#) is producing a new Sanskrit text edition of the *Suśrutasaṃhitā* based on the early Nepalese manuscripts.¹ As we gradually transcribe and edit the manuscripts, we are producing this new translation of the classic work.

¹ MS Kathmandu KL 699, MS Kathmandu NAK 1-1079, and MS Kathmandu NAK 5-333.

Contents

Kalpasthāna, adhyāya 2	4
Introduction	4
Translation	4
The effects of poisons	9
Symptoms of tuber poisoning	10
Slow-acting poison	12
The stages of slow poisoning	13
Remedies for the stages of slow poisoning	13
The 'invincible' ghee	15
Curing the 'slow-acting' poison	16

Kalpasthāna, adhyāya 2

Introduction

This section begins with several lists of poisonous plants. The Sanskrit names for these plants are mostly not standard or familiar from anywhere in Sanskrit or ethnobotanical literature. It remains a historical puzzle why these particular names are so difficult to interpret. However, we are not the first to encounter these difficulties. In the twelfth century, the learned commentator on the text, Ḍalhaṇa, remarked,

In spite of having made the greatest effort, it has been impossible to identify these plants. In the Himalayan regions, Kirātas and Śābaras are able to identify them.²

Ḍalhaṇa also recorded variant readings of these poison names from the manuscripts that he consulted of the lost commentary of Gayadāsa (fl. c. CE 1000). The identities of these poisons have been in doubt for at least a thousand years.³ Identifications have in many cases been equally impossible for us today.

One path for exploration in this situation is to attempt to reverse-engineer some identifications by considering the known toxic plants of India.⁴

Translation

- 1 And now I shall explain **what should be known** about stationary poisons.⁵
- 3 It is said that there are two kinds of poisons, stationary (*sthāvara*) and mobile (*jaṅgama*). The former dwells in ten sites, the latter in sixteen places.

2 After *Suśrutasaṃhitā*, *kalpasthāna* 2.5 (**vulgate**). From the view of Sanskrit authors, Kirātas and Śābaras were tribal peoples. The eleventh-century author Bhikṣu Govinda, however, cast his treatise as a dialogue with a Kirāṭa king called Madana who was a master of the alchemical art (**meul-hist**).

3 See **wuja-2003**.

4 Valuable reference sources on Indian plant toxicology in general include **pill-2013** and **barc-2008**.

5 No reference is made to Dhanvantari (**birc-2021**). “Stationary” here is a term contrasted with “moving,” and signifies plants as opposed to animals and insects.

- 4 Traditionally, the ten are: root, leaf, fruit, flower, bark, milky sap (*kṣīra*),
 5 pith (*sāra*), resin (*niryāsa*), the elements (*dhātu*), and the tuber.
 5 In that context,
- the eight root-poisons are:
 1. liquorice (*klītaka*)^{i, 6}
 2. sweet-scented oleander (*aśvamāraka*)^{ii, 7}
 3. jequirity (*guñjā*)^{iii, 8}
 4. **aconite** (*subhaṅgurā*)^{iv, 9}
 5. **karatā**,¹⁰ and ending with
 6. leadwort (*vidyutśikhā* → *agni- or rakta-śikhā?*)^{v, 11}
 7. ‘endless’ (*ananta*)^{vi}, and
 8. *vijayā*,¹²

Expected
(pill-2010):
Croton
tiglium,
L. = Nae-
pala, Jayap-
ala, kana-
kaphala,
titteriphala
(NL #720);
Calotropis
spp.;
Citrus
colocyn-
thus (colo-
cynth);
Ricinus
communis
(castor);

Note about
Gayī's edi-
tion.

- 6 Licorice eaten in excess can be poisonous.
 7 The roots of sweet-scented oleander are highly toxic, as are most parts of the plant
(pill-2019).
 8 Jequirity does indeed contain a dangerous toxin called Abrin in its seeds and to a
 lesser extent in its leaves, but apparently not in its roots or bulb. Abrin is not harmful
 if eaten, but an infusion of the bruised (not boiled) seeds injected or rubbed in the
 eyes can be fatal (NK). The dose can be quite small.
 9 The plant is usually called just *bhaṅgurā* without the prefix *su-* “good.”
 10 This poisonous root cannot at present be identified. Similar-sounding candidates in-
 clude *karkaṭaka*, *karaghāṭa* (emetic nut), and *karahāṭa*, but since this is a prose passage,
 there would be no reason to alter the word to fit a metre. **moni-sans** cite an unknown
 lexical source that equates *karatā* (mn.) with safflower (*Carthamus tinctorius*, L.), but
 this plant does not have a poisonous root.
 11 The roots of both rose and white leadwort are very toxic.
 12 **meul-sear** argued that our text read a masculine or neuter noun *vijaya*, which never
 signifies cannabis. However, unlike the vulgate, the unanimous readings of the
 Nepalese manuscripts give feminine *vijayā*. Nevertheless, even this form only started
 to signify *Cannabis sativa* L. after the end of the first millennium (**meul-sear**;
wuja-cann; **mchu-2021a**). The *Sauśrutaniḥṣṭu* gives a number of synonyms for *vi-*
jayā, almost none of which have any poisonous parts (**suve-2000**). But one of them,
viśāṇī (also *meśāśṛṅgī*), is sometimes equated with *Dolichandrone falcata* (DC.) *Seemann*
 (**adps**), a plant used as an abortifacient and fish poison (**nadk-1982**). This identifica-
 tion is tenuous.

- i Glycyrrhiza glabra, L.; see AVS 3.84, NK #1136
 ii Nerium oleander, L.; see ADPS 223, NK #1709
 iii Abrus precatorius, L.; see AVS 1.10, NK #6, Potter 168
 iv → *bhaṅgura* = *ativiṣā*? Aconitum ferox, Wall. ex Ser.; see NK #38
 v Plumbago zeylanica (or rosea?), L.; see NK #1966, 1967
 vi ?; see ?

- the leaf-poisons include:
 - 'poison-leaf' (*viṣapatrikā*)^{vii},
 - 'drum-giver' (*lambaradā*)^{viii},
 - thorn apple (*karambha*)^{ix}, and
 - 'big thorn apple' (*mahākarambha*)^x;
- the fruits of items like: jequirity (*guñjā*)^{xi}, rūṣkara ()^{xii}, viṣa ()^{xiii}, and vedikā ()^{xiv}, are
 - *kumudavati* (*kumadavati*)^{xv},
 - *reṇuka* (?)^{xvi},
 - *kurūkaka* (?)^{xvii},
 - 'little bamboo' (*veṇuka*)^{xviii 13},
 - thorn apple (*karambha*)^{xix},
 - 'big thorn apple' (*mahākarambha*)^{xx},
 - 'pleaser' (*nandanā*)^{xxi},
 - 'crow' (*kāka*)^{xxii},
- the flower-poisons include those of:
 - rattan (*vetra*)^{xxiii},

13 Not poisonous.

vii unknown; see ?

viii unknown; see ?

ix *Datura metel*, L.; see AVS 2.305 (cf. *Abhidhānamañjarī*), NK #796 ff., Potter 292 f., ADPS 132.

x *Datura metel*, L.?; see AVS 2.305 (cf. *Abhidhānamañjarī*), NK #796 ff., Potter 292 f., ADPS 132.

xi ; see

xii ; see

xiii ; see

xiv ; see

xv unknown; see ?

xvi ?; see *Piper aurantiacum* Wall. (NK) is not poisonous.

xvii ?; see ?

xviii *Bambusa bambos*, Druce?; see NK #307

xix *Datura metel*, L.; see AVS 2.305 (cf. *Abhidhānamañjarī*), NK #796 ff., Potter 292 f., ADPS 132.

xx *Datura metel*, L.?; see AVS 2.305 (cf. *Abhidhānamañjarī*), NK #796 ff., Potter 292 f., ADPS 132.

xxi ?; see ?

xxii ?; see ?

xxiii *Calamus rotang*, L.; see AVS 1.330, NK #413

- wild chinchona (*kādamba*)^{xxiv},
- black pepper (*vallīja* → *marica*)^{xxv},
- thorn apple (*karambha*)^{xxvi}, and
- big thorn apple (*mahākarambha*)^{xxvii};
- the seven bark, pith (*sāra*) and resin (*niryāsa*) poisons are:
 - ‘gutboiler’ (*antrapācaka*)^{xxviii},
 - ‘blade’ (*kartariya*)^{xxix},
 - wild mustard (*sauryaka*)^{xxx},
 - emetic nut (*karaghāṭa* → *karahāṭa?* → *madana*)^{xxxi},
 - thorn apple (*karambha*)^{xxxii},
 - wild asparagus (*nandana* → *bahuputrā?*)^{xxxiii}, and
 - munj grass (*nārācaka*)^{xxxiv};¹⁴
- the three milky sap (*kṣīra*)-poisons are:
 - purple calotropis (*kumudaghnī* → *arka?*)^{xxxv},¹⁵
 - oleander spurge (*snuhī*)^{xxxvi}, and

14 The bark of wild asparagus (*Asparagus racemosus*, Willd.) is toxic.

15 The name of this poison, *kumuda-ghnī*, means ‘lotus killer’. In Sanskrit literature, the *kumuda* lotus is associated with the moon, since it blossoms by night. Since the sun causes this lotus to close, it is therefore an ‘enemy’ of the lotus. One of the chief words for the sun, *arka*, is also the name of *Calotropis gigantea*, which indeed has a milky juice which is a violent purgative, poison and abortifacient.

xxiv *Anthocephalus cadamba*, Miq.; see NK #204

xxv *Piper nigrum*, L.?; see NK #1929; Rā.6.115, Dha.4.85, Dha.2.88

xxvi *Datura metel*, L.; see AVS 2.305 (cf. *Abhidhānamañjarī*), NK #796 ff., Potter 292 f., ADPS 132.

xxvii *Datura metel*, L.?; see AVS 2.305 (cf. *Abhidhānamañjarī*), NK #796 ff., Potter 292 f., ADPS 132.

xxviii unknown; see ?

xxix unknown; see ?

xxx *Cleome viscosa*, L.? (cf. Rā.4.144); see AVS 2.116, NK #615

xxxi *Randia dumetorum*, Lamk.; see NK #2091

xxxi *Datura metel*, L.; see AVS 2.305 (cf. *Abhidhānamañjarī*), NK #796 ff., Potter 292 f., ADPS 132.

xxxii *Asparagus racemosus*, Willd.; see ADPS 441, AVS 1.218, NK #264, IGP 103, IMP 4.249ff., Dymock 482ff.

xxxiii *Saccharum bengalense*, Retz.; see NK #2184

xxxiv *Calotropis gigantea*, (L.) R. Br.; see ADPS 52, AVS 1.341, NK #427, Potter 63

xxxv *Euphorbia neriifolia*, L., or *E. antiquorum*, L.; see ADPS 448, AVS (2.388), 3.1, NK #988, IGP 457b

- ‘web-milk’ (*jālakṣīri*)^{xxxvii};
- the two element (*dhātu*)-poisons are:
 - ‘foam-stone’ (*phenāśma*)^{xxxviii}, and
 - orpiment (*haritāla*)^{xxxix},¹⁶
- the thirteen tuber-poisons are:
 - jequirity (*kālakūṭa*)^{xl},¹⁷
 - wolfsbane (*vatsanābha*)^{xli},
 - Indian mustard (*sarṣapa*)^{xlii},
 - leadwort (*pālaka* → *citraka*)^{xliii},
 - ‘muddy’ (*kardama*)^{xliv}, the
 - ‘Virāṭa’s plant’ (*vairāṭaka*)^{xlvi},
 - nutgrass (*mustaka*)^{xlvi},
 - atis root (*śṛṅgīviṣa*)^{xlvi},
 - sacred lotus (*prapuṇḍarīka*)^{xlvi},

16 **dutt-1922** conjectured that ‘foam-stone’ may be impure white arsenic obtained by roasting orpiment.

17 The much later (perhaps sixteenth century) alchemical *Rasaratnasamuccaya* of pseudo-Vāgbhaṭa (21.14) says that the *kālakūṭa* poison, here translated as ‘jequirity’, is similar to ‘*kākacañcu*’ or ‘Crow’s Beak’, which is indeed a name for the plant jequirity or *Abrus precatorius*, L., more commonly called *guñjā* (not to be confused with *gañjā*). The black seed-pod is described as having a ‘sharp deflexed beak’ in botanical descriptions, so the Sanskrit name is quite graphic and appropriate. The poisonous scarlet seeds of *A. precatorius* can have a distinct black dot or tip, which could perhaps be translated ‘*kāla-kūṭa*’, or ‘Black Tip’.

The *Rājanighaṇṭupariśiṣṭa* (9.35) gives *kālakūṭaka* as a synonym for *kāraskara*, or *Strychnos nux-vomica*, L., whose seeds are notoriously poisonous.

xxxv unknown; see ?

xxxvi unknown; see ?

xxxvii *Arsenii trisulphidum*; see NK v. 2, p. 20 ff.

xl *Abrus precatorius*, L.? Cf. RRS 21.14.; see AVS 1.10, NK #6, Potter 168.

xli *Aconitum napellus*, L.; see AVS 1.47, NK #42, Potter 4 f.

xlii *Brassica juncea*, Czern. & Coss.; see AVS 1.301, NK #378

xliii *Plumbago zeylanica* (indica? rosea?), L.; see Rā. 6.124, ADPS 119, NK #1966, 1967

xliv unknown; see ?

xlvi unknown; see ?

xlvi *Cyperus rotundus*, L.; see ADPS 316, AVS 2.296, NK #782

xlvi *Aconitum heterophyllum*, Wall. ex Royle; see AVS 1.42, NK #39

xlvi *Nelumbo nucifera*, Gaertn.; see Dutt 110, NK #1698

- radish (*mūlaka*)^{xlix},
- ‘alas, alas’ (*hālāhala*)^l,
- ‘big poison’ (*mahāviṣa*)^{li}, and
- galls (*karkaṭa*)^{lii}.¹⁸

Thus, there are fifty-five stationary poisons.

- 6 There are believed to be four kinds of wolfsbane, two kinds of *mustaka*, and six kinds of Indian *sarṣapa*. But the rest are said to be unique types.

The effects of poisons

- 7–10 People should know that root-poisons cause writhing (*udveṣṭana*), ranting (*pralāpa*), and delirium (*moha*), and leaf-poisons cause yawning, writhing, and wheezing (*śvāsa*).

Fruit-poisons cause swelling of the scrotum, a burning feeling and writhing. Flower-poisons will cause vomiting, distension (*ādhmāna*) and sleep (*svāpa*).

The consumption of poisons from bark, pith (*sāra*) and resin (*niryāsa*) will cause foul breath, hoarseness (*pāruṣya*), a headache, and a discharge of phlegm (*kapha*).¹⁹

The milky sap (*kṣīra*)-poisons make one froth at the mouth, cause loose stool, and make the tongue feel heavy.²⁰ The element (*dhātu*)-poisons

- 18 Leadwort root is a powerful poison. Nutgrass is tuberous, but non-toxic. Atis has highly toxic tuberous roots. Neither sacred lotus nor galls are toxic. The ‘alas, alas’ poison (*hālāhala*) is the mythical poison produced from the churning of the ocean at the time of creation: it occurs in medical texts such as the present one, and commentators identify it with one or other of the lethal poisons such as wolfsbane or jequirity. **agra-indi** makes the intriguing suggestion that the word *hālāhala*, possibly to be identified with Pāṇini’s *hailihila* (P.6.2.38), may be of Semitic origin, although his evidence seems uncertain (**stei-pers** cites Persian *halāhil* ‘deadly (poison)’ as a loan from Sanskrit). **mayr-kurz** also cites a claim for an Austro-Asiatic origin for the word.
- 19 At 1.2.6 (**vulgate**), Ḍalhaṇa glosses hoarseness (*pāruṣya*) as *vāgrūkṣatā*, “a rough, dry voice.”
- 20 At 6.54.10 (**vulgate**), Ḍalhaṇa glosses loose stool (*viḍbheda*) as *dravapurīṣatā*, “having liquid stool.”

xlix Raphanus sativus, L.; see NK #2098

l unknown; see Cf. Soḍhalanighantu p.43 (sub bola) = stomaka = vatsanābha

li unknown; see ?

lii Rhus succedanea, L.; see NK #2136

give one a crushing pain in the chest, make one faint and cause a burning feeling on the palate.
These poisons are classified as ones which are generally speaking lethal after a period of time.

11–17 Symptoms of tuber poisoning

The tuber-poisons, though, are severe. I shall talk about them in detail. With jequirity (*kālakūṭa*)^{liii}, there is numbness and very severe trembling. With wolfsbane (*vatsanābha*)^{liv}, there is rigidity of the neck, and the faeces, and urine become yellow.

With *sārṣapa* (*sārṣapa*),²¹ the wind becomes defective (*vātavaiguṇya*), there is constipation (*ānāha*), and lumps (*granthi*) start to appear. With leadwort (*pālaka* → *citraka*)^{lv}, there is weakness in the neck, and speech gets jumbled.²²

With the one called ‘muddy’ (*kardama*)^{lvi}, there is a discharge (*praseka*), the faeces pour out, and the eyes turn yellow. The ‘Virāṭa’s plant’ (*vairāṭaka*)^{lvii} causes pain in the body and illness in the head. Paralysis of one’s arms and legs and trembling are said to be caused by *mustaka* (*mustaka*).²³

15b With great aconite (*mahāviṣa*) one’s limbs grow weak, there is a burning

-> *ativiṣa*

- 21 *Sārṣapa* would normally mean “connected with mustard,” and excessive consumption of mustard oil can be harmful. However, the *Sauśrutaniḥṣaṇṭu* (156) gives *raṅṣoghnā* as a synonym for *sārṣapā*. This can be *Semecarpus anacardium*, L.f., which has some poisonous parts.
- 22 The verse in the Nepalese version ends with a plural verb that does not agree with the dual of the sentence subject.
- 23 The substitution in MS NAK 5-333 affecting 15cd is caused by an eye-skip to the word *viṣeṇa* in 2.17. *Mustaka* commonly refers to *Cyperus rotundus*, L.; the root is used in āyurveda but is not poisonous. However other dictionaries list *mustaka* amongst serious poisons, for example *Rājanighaṇṭu* (22 v. 42) and *Rasaratnasamuccaya* 16, v. 80. However, its ancient identity is still doubtful.

liii *Abrus precatorius*, L.? Cf. RRS 21.14.; see AVS 1.10, NK #6, Potter 168.

liv *Aconitum napellus*, L.; see AVS 1.47, NK #38, Potter 4 f.

lv *Plumbago zeylanica* (*indica?* *rosea?*), L.; see Rā. 6.124, ADPS 119, NK #1966, 1967

lvi unknown; see ?

lvii unknown; see ?

- feeling and swelling of the belly.²⁴
- 16a With puṇḍarika (*puṇḍarika*), one's eyes go red, and one's belly becomes distended.²⁵
- 16b With mūlaka (*mūlaka*), one's body is drained of colour and the limbs are paralysed.²⁶
- 17a With 'alas, alas' (*hālāhala*)^{lviii}, a man turns reddish black, and starts to gasp.
- 17b With atis root (*śṛṅgīviṣa*)^{lix}, one gets violent knots (*granthi*) and stabbing pains in the heart.
- 18a With 'monkey' (*markaṭa*)^{lx}, one leaps up, laughs, and bites.
- 18b-19a Experts said that the thirteen cited highly potent tuber-poisons should be known to have possessed ten features:
- 19b-20a dry (*rūkṣa*), hot, sharp, rarified (*sūkṣma*), fast-acting, pervasive, expansive (*vikāśin*), limpid (*viśada*), light, and indigestible are the ten.
- 20b Because of their dryness they cause inflammation of the wind; their heat inflames the choler and blood. Because of their sharpness they unhinge the mind, and they cut through the connections with the sensitive points (*marman*). Because of being rarified they infiltrate and disconnect the parts of the body. Because they are fast-acting they kill quickly, and because of their pervasiveness they blend with one's physical constitution (*prakṛti*). Because they expand they destroy the humour (*doṣa*)s, element (*dhātu*)s, and the impurities. Because they are limpid they overflow, because they are light they are difficult to cure, and because they are indigestible they are hard to eliminate. And so they cause long suffering.

Look up
the ca. ref-
erence.

24 The poisonous root great poison (*mahāviṣa*) is not clearly identifiable, although *viṣa* is commonly aconite. Verse 6 above notes that there are several kinds of aconite.

25 The word *puṇḍarika* very commonly means sacred lotus, *Nelumbo nucifera*, Gaertn. The entire plant is edible and cannot be the poison intended here. **sing-1972** noted that this poison is unidentified and that it is also listed as a poison in *Carakasamhitā*.23.12.

26 The word *mūlaka* very commonly means the radish, *Raphanus sativus*, L. The root is edible and cannot be the poison intended here. **sing-1972** noted that this poison is unidentified.

lviii unknown; see Cf. Soḍhalanighantu p.43 (sub bola) = stomaka = vatsanābha

lix *Aconitum heterophyllum*, Wall. ex Royle; see AVS 1.42, NK #39

lx unknown; see

- 24 One can be certain that any poison which is instantly lethal, whether it be stationary, mobile, or artificial, will have all ten of these features.

Slow-acting poison

- 25 A poison, whether it be stationary, mobile, or artificial, which has not completely gone from the body, but which is worn out or damaged by anti-toxic medicine, or else dried up by blazing fire, wind, or sunshine, or which has just lost its virulence by itself, becomes a 'slow-acting poison' (*dūṣṭviṣa*). Because it has lost its potency it is no longer lethal. It is surrounded by phlegm (*kapha*) and has an aftermath that lasts for years.
- 27 If he is suffering from this, his stools and complexion deteriorate, he gets bad breath and a nasty taste in his mouth, and is very thirsty. He faints, vomits, his speech is slurred, and he is depressed. Also, he has the symptoms of contaminated dropsy (*duṣyodara*).²⁷
- 28 If it lodges in his stomach (*āmāśaya*), his wind and phlegm become diseased; if it lodges in his intestines (*pakvāśaya*), his wind and choler become diseased. The man's hair and body are ruined, and he looks like a bird whose wings have been chopped off.
- 29a-c If it lodges in one of the body tissue (*dhātu*)s such as the chyle (*rasa*), it causes the diseases that were described as arising from the elements, and it rapidly becomes inflamed on nasty days which are cold and windy.
- 29d-31 Now listen to the preliminary signs of such a case: sleepiness, heaviness, yawning, slackness (*viśleṣa*) and exhilaration (*harṣa*), and a chafing of the limbs (*aṅgamarda*). Next, it causes food-mania (*annamada*) and indigestion, appetite-loss (*arocaka*), round blotches (*maṇḍala*), skin disease (*koṭha*), and delirium (*moha*). The body tissues dwindle away (*kṣaya*), the feet, hands, and face get swollen, dropsy develops, and there is vomiting and diarrhoea. Perhaps his colour may drain away and he may faint or have irregular fever (*viṣamajvara*). It may cause heightened, powerful thirst.
- 32 These various disorders are of many different types: one poison may

²⁷ 'Contaminated dropsy' (*duṣyodara* or *dūṣyudara*) is described elsewhere as a condition which arises when women of ill-character mix nail clippings, hair, urine, faeces, or menstrual blood with a man's food, in order to gain power over him (2.7.11–13).

produce madness, while another one may cause constipation (*ānāha*), and yet another may deplete the semen. One may cause slurred speech, while another pallid skin disease (*kuṣṭha*).

- 33 Traditionally, 'slow-acting poison' (*dūṣī-viṣa*) is so called because it corrupts (*dūṣayate*) the body tissue (*dhātu*)s. This corruption is caused by repetitively keeping to certain locations, times, foods, and sleeping in the daytime.

34- The stages of slow poisoning

In the first shock of having taken a stationary poison, a person goes a brown colour, his tongue becomes stiff, he grows faint, and starts to gasp.

- 35 In the second, he trembles, collapses, has a burning feeling, as well as a sore throat. When the poison reaches the stomach (*āmāśaya*), it causes pain in the chest (*hṛd*).

- 36 In the third, the roof of his mouth goes dry, he gets violent shooting pains (*śūla*) in the stomach (*āmāśaya*), and his eyes swell up and go a nasty, yellow colour.

- 37 In the fourth shock, it causes the stomach and intestines to sting (*toda*), he gets hiccups, a cough, a rumbling in the gut (*antra*), and his head becomes very heavy.

- 38 In the fifth he dribbles phlegm (*kapha*), is drained of colour, his joints crack (*parvabheda*), all his humours are inflamed, and he also has a pain in his belly (*pakvādhāna*).

- 39a In the sixth, his consciousness is annihilated and he completely loses control of his bowels.

- 39b In the seventh, his shoulders, back and loins break, and he is finished.

Remedies for the stages of slow poisoning

- 40 In the first shock of the poison, he should vomit and be sprinkled with cold water. Then he should be made to drink an antidote (*agada*) together with honey and ghee.

- 41a In the second, he should vomit as before, and then be given a purgative to drink.

- 41b In the third, it is good for him to drink an antidote and take a nasal medicine (*nasya*) as well as an eye salve (*añjana*).
- 42a In the fourth, he should drink a medical antidote mixed with oil.
- 42b In the fifth, he should be prescribed the antidote together with a decoction (*kvātha*) of honey and liquorice (*madhuka*)^{lxi}.
- 43 In the sixth, the cure is the same as for diarrhoea. And in the seventh, he should have medicated powder blown up his nose, and after having a 'crow's foot' (*kākapada*)²⁸ cut made on his head, he should have a piece of bloody meat put on it.
- 44 In the intervals between each shock, assuming that the above actions have been performed, one should give the patient cold porridge together with ghee and honey, to take away the poison.
- 45-46 Both kinds of poison are destroyed by a porridge prepared with the stewed juice (*niṣkvātha*) of the following: luffa (*koṣātakya*)^{lxii}, migraine tree (*agnimantha*)^{lxiii}, velvet-leaf (*pāṭhā*)^{lxiv}, 'sun-creeper' (*sūryavallī* → *jīvanti?*)^{lxv}, heart-leaved moonseed (*amṛtā*)^{lxvi}, myrobalan (*abhayā*)^{lxvii}s, siris (*śirīṣa*)^{lxviii}, white siris (*kiṇihī*)^{lxix}, selu plum (*śelu*)^{lxx}, white clitoria (*giryāhvā*)^{lxxi}, the two kinds of turmeric (*ra-*

28 Suśruta explains the term *avapīḍa* 'medicated nasal powder' as the procedure either of administering nasal drops (*avapīḍa*), or blowing medicated powder into the nose (4.40.44-46): it is particularly recommended for unconscious or incapable patients. The 'crow's-foot' procedure is also recommended later in the 'Section on Procedures' (5.5.24a) in cases of snake-bite. It is also described by Caraka (see p. ?? below).

lxi Glycyrrhiza glabra, L.; see AVS 3.84, NK #1136

lxii Luffa cylindrica, (L.) M. J. Roem. or L. acutangula, (L.) Roxb.; see ADPS 252, NK #1514 etc.

lxiii Premna corymbosa, Rottl.; see IMP 1927, ADPS 21, NK #2025, AVS 4.348; GJM 523: = P. integrifolia/serratifolia, L.

lxiv Cissampelos pariera, L.; see ADPS 366, NK #592, GJM 573, IMP 1.95; cf. AVS 2.277

lxv Holostemma ada-kodien, Schultes; see ADPS 195, AVS 3.167, NK #1242, IMP 3.1619

lxvi Tinospora cordifolia, (Willd.) Hook.f. & Thoms.; see ADPS 38, NK #2472 & 624, Dastur #229

lxvii Terminalia chebula, Retz.; see ADPS 172, NK #2451, Potter 214

lxviii Albizia lebbeck, Benth.; see AVS 1.81, NK #91

lxix Albizia procera, (Roxb.) Benth.; see GVDB 98, NK #93

lxx Cordia myxa, L. non Forssk.; see GJM 529 (2), IGP 291b, cf. IMP 3.1677f; cf. AVS 2.180 (C. dichotoma, Forst.f.), NK #672 (C. latifolia, Roxb.)

lxxi Clitoria ternatea, L.; see AVS 2.129, NK #621

janī)^{lxxii}, the two hogweed (*punarnavā*)^{lxxiii}s (red and white), black cardamom (*hareṇu*)^{lxxiv}, the three pungent spices (*trikaṭu*) (dried ginger (*śuṇṭhī*)^{lxxv}, long pepper (*pippalī*)^{lxxvi}, and black pepper (*marica*)^{lxxvii}), the two Indian sarsaparillas (*sārive*) (country sarsaparilla (*anantā*)^{lxxviii} and black creeper (*pālindī*)^{lxxix}) and country mallow (*balā*)^{lxxx}.

47–49 The ‘invincible’ ghee

There is a famous ghee called ‘Invincible’ (*ajeya*). It rapidly destroys all poisons and ‘always conquers’. It is made with a mash (*kalka*) of the following plants: liquorice (*madhuka*)^{lxxxi}, Indian rosebay (*tagara*)^{lxxxii}, costus (*kuṣṭha*)^{lxxxiii}, deodar (*bhadradāru*)^{lxxxiv}, black cardamom (*hareṇu*)^{lxxxv}, Alexandrian laurel (*punnāga*)^{lxxxvi}, cherry (*elavāluka*)^{lxxxvii}, cobra’s saffron (*nāgapuṣpa*)^{lxxxviii}, water-lily (*utpala*)^{lxxxix}, white clitoria (*sitā* → *śvetā?*)^{xc}, embelia (*viḍaṅga*)^{xci}, sandalwood (*candana*)^{xcii}, cassia cinnamon (*patra*)^{xciii}, ‘going-to-my-

lxxiiCurcuma longa, L.; see ADPS 169, AVS 2.259, NK #750

lxxxiiBoerhaavia diffusa, L.; see ADPS 387, AVS 1.281, NK #363

lxxivAmomum subulatum, Roxb.?; see PVS Caraka 2.734, AVS 1.128, NK #154

lxxvZingiber officinale, Roscoe.; see ADPS 50, NK #2658, AVS 5.435, IGP 1232

lxxvPiper longum, L.; see ADPS 374, NK #1928

lxxvPiper nigrum, L.; see ADPS 294, NK #1929

lxxviiHemidesmus indicus, (L.) R. Br.; see ADPS 434, AVS 3.141–5, NK #1210

lxxixIchnocarpus frutescens, (L.) R.Br. or Cryptolepis buchanani, Roemer & Schultes; see AVS 3.141, 3.145, 3.203, NK #1283, #1210, ADPS 434

lxxxSida cordifolia, L.; see ADPS 71, NK #2297

lxxxGlycyrrhiza glabra, L.; see AVS 3.84, NK #1136

lxxxIIabernaemontana divaricata (L.) R.Br. ex Roem. & Schultes.; see GJM 557, AVS 5.232

lxxxIIaSaussurea costus, Clarke; see NK #2239

lxxxIIIGedrus deodara, (Roxb.ex D.Don) G. Don; see AVS 41, NK #516

lxxxIIIIAmomum subulatum, Roxb.?; see PVS Caraka 2.734, AVS 1.128, NK #154

lxxxIIICalophyllum inophyllum, L.; see AVS 1.338, NK #425

lxxxIIIIPrunus cerasus, L.?; see BVDB 58, NK #2037

lxxxIIIMisua ferrea, L.; see NK #1595

lxxxIIINymphaea stellata, Willd.; see GJM 528, IGP 790; Dutt 110, NK #1726

xc Clitoria ternatea, L.; see AVS 2.129, NK #621

xci Embelia ribes, Burm. f.; see ADPS 507, AVS 2.368, NK #929, Potter 113

xcii Santalum album, L.; see ADPS 111, NK #2217

xciiiCinnamomum tamala, (Buch.-Ham.) Nees; see AVS 2.84, NK #

darling' (*priyaṅgu*)^{xciv}, rosha grass (*dhyāmaka*)^{xcv}, the two turmeric (ordinary turmeric (*rajanī*)^{xcvi} and Indian barberry (*dāruharidrā*)^{xcvii}), the two Indian nightshade (*br̥hatī*)s (poison berry (*br̥hatī*)^{xcviii} and yellow-berried nightshade (*kṣudrā*)^{xcix}), the two Indian sarsaparillas (*sārīve*) (country sarsaparilla (*anantā*)^c and black creeper (*pālindī*)^{ci}), beggarweed (*sthirā* → *śālaparṇī*)^{cii}, and 'spotted-leaf' (*sahā* → *pr̥śni-parṇī*)^{ciii}.

50–52 Curing the 'slow-acting' poison

Someone suffering from 'slow-acting poison' (*dūṣṭviṣa*)^c should be well sweated, and purged both top and bottom. Then he should in all cases be made to drink the following antidote which removes 'slow-acting poison':

Take long pepper (*pippalī*)^{civ}, rosha grass (*dhyāmaka*)^{cv}, spikenard (*māmṣī*)^{cvi}, lodh tree (*śāvara* → *lodhra*)^{cvi}, nutgrass (*paripelava* → *plava* → *mustā*)^{cvi}, soda crystals (*suvarcikā* → *suvarjikā*)^{cix}, cardamom (*sūkṣmailā*)^{cx}, 'scented pavonia' (*toya* → *bālaka*)^{cxi}, and 'gold-chalk'

xciv *Callicarpa macrophylla*, Vahl.; see AVS 1.334, NK #420

xcv *Cymbopogon martinii* (Roxb.) Wats; see AVS 2.285, NK #177

xcvi *Curcuma longa*, L.; see ADPS 169, AVS 2.259, NK #750

xcvii *Berberis aristata*, DC.; see Dymock 1.65, NK #685, GJM 562, IGP 141

xcviii *Bolanum violaceum*, Ortega; see ADPS 100, NK #2329, AVS 5.151

xcix *Solanum virginianum*, L.; see ADPS 100, NK #2329, AVS 5.164

c *Hemidesmus indicus*, (L.) R. Br.; see ADPS 434, AVS 3.141–5, NK #1210

ci *Ichnocarpus frutescens*, (L.) R.Br. or *Cryptolepis buechanani*, Roemer & Schultes; see AVS 3.141, 3.145, 3.203, NK #1283, #1210, ADPS 434

cii *Desmodium gangeticum* (L.) DC; see Dymock 1.428, GJM 602, NK #1192; ADPS 382, 414 and AVS 2.319, 4.366 are confusing

ciii *Uraria lagopoides*, DC; see GJM 577, Dymock 1.426, IMP 1.750ff., NK #2542; ADPS 382, AVS 2.319 4.366 are confusing

civ *Piper longum*, L.; see ADPS 374, NK #1928

cv *Cymbopogon martinii* (Roxb.) Wats; see AVS 2.285, NK #177

cvi *Nardostachys grandiflora*, DC.; see NK #1691

cvi *Symplocos racemosa*, Roxb.; see ADPS 279, NK #2420

cvi *Cyperus rotundus*, L.; see ADPS 316, AVS 2.296, NK #782

cix Sodium carbonate; see NK 2, p. 101

cx *Elettaria cardamomum*, Maton; see AVS 2.360, NK #924, Potter 66

cxi *Pavonia odorata*, Willd.; see ADPS 498, NK #1822

ochre (*kanakagairika*). This antitoxin, taken with honey, eliminates 'slow-acting poison'. It is called 'slow-acting poison antidote (*dūṣīviṣāri*)', and there is no situation where it is not recommended.

- 53-54 If there are any side-effect (*upadrava*)s, such as fever, a burning feeling, hiccups, constipation (*ānāha*), depletion of the semen, distension, diarrhoea, fainting, illness in the heart, bellyache (*jaṭhara*), madness, trembling, or others, then one should treat each one in its own terms, as well as using the anti-toxic medicines.
- 55 'Slow-acting poison' is curable (*sādhya*) if caught immediately; it is treatable (*yāpya*) if it is of a year's standing; but it cannot be cured in someone who has unhealthy habits or who is weak (*kṣīṇa*).

Thus ends the second chapter, called 'on the knowledge of stationary poisons', in the Procedures Section of Suśruta's *Compendium*.

Todo list

Expected (pill-2010):	
Croton tiglium, L. = Naepala, Jayapala, kanakaphala, tit-	
teriphala (NL #720); Calotropis spp.;	
Citrullus colocynthus (colocynth);	
Ricinus communis (castor);	5
Note about Gayī's edition.	5
-> ativiṣa	10
Look up the ca. reference.	11

Draft of March 9, 2022 for private study only