

Cucumber Report

21 Mar, 2023 3:31:25 PM

Start : Mar 21, 3:31:24.230 PM

End : Mar 21, 3:31:24.671 PM

Duration : 0.441 s

Features



Scenarios

Steps

PASSED - 4
FAILED - 0
SKIPPED - 0


PASSED - 15
FAILED - 0
SKIPPED - 0

PASSED - 60
FAILED - 0
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login into application</u>	0.043 s	5	5	0	0	20	20	0	0
<u>Login in to application from Excel</u>	0.380 s	5	5	0	0	20	20	0	0
<u>Login in to application from DataTable</u>	0.005 s	4	4	0	0	16	16	0	0
<u>Create an account in TimesJob portal</u>	0.001 s	1	1	0	0	4	4	0	0


Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@yahoo	5	5	0	0	1	1	0	0
@gmail	5	5	0	0	1	1	0	0
@param	5	5	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Login into application</u>	5	5	0	0	0.043 s
2	<u>Login in to application from Excel</u>	5	5	0	0	0.380 s
3	<u>Login in to application from DataTable</u>	4	4	0	0	0.005 s
4	<u>Create an account in TimesJob portal</u>	1	1	0	0	0.001 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login into application</u>	<u>Login into application with valid credentials</u>	4	4	0	0	0.017 s
2	<u>Login into application</u>	<u>Login into application with invalid credentials</u>	4	4	0	0	0.002 s
3	<u>Login into application</u>	<u>Login into application with valid credentials</u>	4	4	0	0	0.002 s
4	<u>Login into application</u>	<u>Login into application with valid credentials</u>	4	4	0	0	0.001 s
5	<u>Login into application</u>	<u>Login into application with valid credentials</u>	4	4	0	0	0.003 s
6	<u>Login in to application from Excel</u>	<u>Login into application with different sets of Data from excel</u>	4	4	0	0	0.306 s
7	<u>Login in to application from Excel</u>	<u>Login into application with different sets of Data from excel</u>	4	4	0	0	0.021 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Login in to application from Excel</u>	<u>Login into application with different sets of Data from excel</u>	4	4	0	0	0.019 s
9	<u>Login in to application from Excel</u>	<u>Login into application with different sets of Data from excel</u>	4	4	0	0	0.016 s
10	<u>Login in to application from Excel</u>	<u>Login into application with different sets of Data from excel</u>	4	4	0	0	0.012 s
11	<u>Login in to application from DataTable</u>	<u>Login into application with different sets of Data from datatable</u>	4	4	0	0	0.000 s
12	<u>Login in to application from DataTable</u>	<u>Login into application with different sets of Data from datatable</u>	4	4	0	0	0.001 s
13	<u>Login in to application from DataTable</u>	<u>Login into application with different sets of Data from datatable</u>	4	4	0	0	0.000 s
14	<u>Login in to application from DataTable</u>	<u>Login into application with different sets of Data from datatable</u>	4	4	0	0	0.000 s
15	<u>Create an account in TimesJob portal</u>	<u>Create an account</u>	4	4	0	0	0.001 s

Login into application



PASSED	DURATION - 0.043 s	Scenarios		Steps	
/ 3:31:24.230 PM // 3:31:24.273 PM /		Total - 5		Total - 20	
		Pass - 5		Pass - 20	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Login into application with valid credentials

<div>PASSED</div>	<div>DURATION - 0.017 s</div>	<div></div>	<div>Steps</div>	<div></div>
<div>/ 3:31:24.236 PM // 3:31:24.253 PM /</div>			<div>Total - 4</div>	
<div>Login into application</div>			<div>Pass - 4</div>	
<div>@yahoo @gmail</div>			<div>Fail - 0</div>	
			<div>Skip - 0</div>	

#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered valid username and password	PASSED	0.000 s
3	And click on signin button	PASSED	0.001 s
4	Then sucessfully should login	PASSED	0.000 s

Login into application with invalid credentials

<div>PASSED</div> <div>DURATION - 0.002 s</div>		Steps	
/ 3:31:24.257 PM // 3:31:24.259 PM /		Total - 4	
Login into application		Pass - 4	
@yahoo @gmail		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered invalid username and password	PASSED	0.000 s
3	And click on sign button	PASSED	0.000 s
4	Then sucessfully should not login	PASSED	0.000 s

Login into application with valid credentials

PASSED	DURATION - 0.002 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 3:31:24.262 PM // 3:31:24.264 PM /				
Login into application				
@yahoo @gmail				

#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered valid username as "Name1" and password as "pwd1"	PASSED	0.000 s
3	And click on sign button	PASSED	0.000 s
4	Then sucessfully should login	PASSED	0.000 s



Login into application with valid credentials

PASSED	DURATION - 0.001 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 3:31:24.266 PM // 3:31:24.267 PM /				
Login into application				
@yahoo @gmail				

#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered valid username as "Name2" and password as "pwd2"	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
3	And click on sign button	PASSED	0.000 s
4	Then sucessfully should login	PASSED	0.000 s

Login into application with valid credentials

PASSED	DURATION - 0.003 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 3:31:24.270 PM // 3:31:24.273 PM /				
Login into application				
@yahoo @gmail				

#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered valid username as "Name3" and password as "pwd3"	PASSED	0.000 s
3	And click on signin button	PASSED	0.000 s
4	Then sucessfully should login	PASSED	0.000 s

Login in to application from Excel

PASSED	DURATION - 0.380 s	<div>Scenarios</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 20</div> <div>Pass - 20</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 3:31:24.279 PM // 3:31:24.659 PM /					

Login into application with different sets of Data from excel

PASSED	DURATION - 0.306 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 3:31:24.280 PM // 3:31:24.586 PM /				
Login in to application from Excel				
@param				

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 2	PASSED	0.303 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s

Login into application with different sets of Data from excel

PASSED	DURATION - 0.021 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 3:31:24.587 PM // 3:31:24.608 PM /				
Login in to application from Excel				
@param				

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 3	PASSED	0.018 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s

Login into application with different sets of Data from excel

PASSED	DURATION - 0.019 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 3:31:24.610 PM // 3:31:24.629 PM /				
Login in to application from Excel				
@param				


#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 4	PASSED	0.017 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s

Login into application with different sets of Data from excel

PASSED	DURATION - 0.016 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 3:31:24.630 PM // 3:31:24.646 PM /				
Login in to application from Excel				
@param				


#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 5	PASSED	0.014 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s

Login into application with different sets of Data from excel




#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 6	PASSED	0.010 s
3	And clicks on login button	PASSED	0.001 s
4	Then should sucessfully login into application	PASSED	0.000 s

Login in to application from DataTable





Login into application with different sets of Data from datatable



#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
2	When user enter user name as Name1 and password as Password1	PASSED	0.000 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s

Login into application with different sets of Data from datatable

PASSED	DURATION - 0.001 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 3:31:24.663 PM // 3:31:24.664 PM /				
Login in to application from DataTable				

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name as Name2 and password as Password2	PASSED	0.000 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.001 s



Login into application with different sets of Data from datatable

PASSED	DURATION - 0.000 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 3:31:24.665 PM // 3:31:24.665 PM /				
Login in to application from DataTable				

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name as Name3 and password as Password3	PASSED	0.000 s
3	And clicks on login button	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
4	Then should sucessfully login into application	PASSED	0.000 s

Login into application with different sets of Data from datatable

PASSED	DURATION - 0.000 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 3:31:24.666 PM // 3:31:24.666 PM /				
Login in to application from DataTable				

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name as Name4 and password as Password4	PASSED	0.000 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s

Create an account in TimesJob portal

PASSED	DURATION - 0.001 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 3:31:24.670 PM // 3:31:24.671 PM /					

Create an account

PASSED	DURATION - 0.001 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 3:31:24.670 PM // 3:31:24.671 PM /				
Create an account in TimesJob portal				

#	Step / Hook Details	Status	Duration
1	Given user is in the register page for Timesjob portal	PASSED	0.000 s
2	When user enter following details	PASSED	0.001 s
	<div>srinivas</div> <div>Narayan</div> <div>9972278770</div> <div>srinivas.narayan97@gmail.com</div> <div>Bangalore</div>		
3	And click on register button	PASSED	0.000 s
4	Then sucessfully an account should be created	PASSED	0.000 s