

# Cucumber Report

21 Mar, 2023 4:39:18 PM

Start : Mar 21, 4:39:17.159 PM

End : Mar 21, 4:39:17.612 PM

Duration : 0.453 s

Features




Scenarios

Steps

PASSED - 3  
FAILED - 1  
SKIPPED - 0


PASSED - 10  
FAILED - 5  
SKIPPED - 0

PASSED - 45  
FAILED - 5  
SKIPPED - 10




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login into application</u>	0.045 s	5	5	0	0	20	20	0	0
<u>Login in to application from Excel</u>	0.388 s	5	0	5	0	20	5	5	10
<u>Login in to application from DataTable</u>	0.009 s	4	4	0	0	16	16	0	0
<u>Create an account in TimesJob portal</u>	0.001 s	1	1	0	0	4	4	0	0


<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@yahoo	5	5	0	0	1	1	0	0
@gmail	5	5	0	0	1	1	0	0
@param	5	0	5	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Login into application</u>	5	5	0	0	0.045 s
2	<u>Login in to application from Excel</u>	5	0	5	0	0.388 s
3	<u>Login in to application from DataTable</u>	4	4	0	0	0.009 s
4	<u>Create an account in TimesJob portal</u>	1	1	0	0	0.001 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login into application</u>	<u>Login into application with valid credentials</u>	4	4	0	0	0.020 s
2	<u>Login into application</u>	<u>Login into application with invalid credentials</u>	4	4	0	0	0.003 s
3	<u>Login into application</u>	<u>Login into application with valid credentials</u>	4	4	0	0	0.002 s
4	<u>Login into application</u>	<u>Login into application with valid credentials</u>	4	4	0	0	0.002 s
5	<u>Login into application</u>	<u>Login into application with valid credentials</u>	4	4	0	0	0.001 s
6	<u>Login in to application from Excel</u>	<u>Login into application with different sets of Data from excel</u>	4	1	1	2	0.311 s
7	<u>Login in to application from Excel</u>	<u>Login into application with different sets of Data from excel</u>	4	1	1	2	0.025 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Login in to application from Excel</u>	<u>Login into application with different sets of Data from excel</u>	4	1	1	2	0.018 s
9	<u>Login in to application from Excel</u>	<u>Login into application with different sets of Data from excel</u>	4	1	1	2	0.014 s
10	<u>Login in to application from Excel</u>	<u>Login into application with different sets of Data from excel</u>	4	1	1	2	0.012 s
11	<u>Login in to application from DataTable</u>	<u>Login into application with different sets of Data from datatable</u>	4	4	0	0	0.001 s
12	<u>Login in to application from DataTable</u>	<u>Login into application with different sets of Data from datatable</u>	4	4	0	0	0.001 s
13	<u>Login in to application from DataTable</u>	<u>Login into application with different sets of Data from datatable</u>	4	4	0	0	0.001 s
14	<u>Login in to application from DataTable</u>	<u>Login into application with different sets of Data from datatable</u>	4	4	0	0	0.000 s
15	<u>Create an account in TimesJob portal</u>	<u>Create an account</u>	4	4	0	0	0.001 s

## Login into application



<b>PASSED</b>	DURATION - 0.045 s	Scenarios		Steps	
/ 4:39:17.159 PM // 4:39:17.204 PM /		Total - 5		Total - 20	
		Pass - 5		Pass - 20	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Login into application with valid credentials

<b>PASSED</b>	DURATION - 0.020 s		Steps	
/ 4:39:17.162 PM // 4:39:17.182 PM /			Total - 4	
Login into application			Pass - 4	
@yahoo @gmail			Fail - 0	
		Skip - 0		



#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered valid username and password	PASSED	0.000 s
3	And click on signin button	PASSED	0.001 s
4	Then sucessfully should login	PASSED	0.000 s

## Login into application with invalid credentials

<b>PASSED</b>		DURATION - 0.003 s		Steps	
/ 4:39:17.187 PM // 4:39:17.190 PM /				Total - 4	
Login into application				Pass - 4	
@yahoo @gmail				Fail - 0	
				Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered invalid username and password	PASSED	0.000 s
3	And click on sign button	PASSED	0.001 s
4	Then sucessfully should not login	PASSED	0.000 s

### Login into application with valid credentials

PASSED	DURATION - 0.002 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:39:17.195 PM // 4:39:17.197 PM /				
Login into application				
@yahoo @gmail				

#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered valid username as "Name1" and password as "pwd1"	PASSED	0.000 s
3	And click on sign button	PASSED	0.000 s
4	Then sucessfully should login	PASSED	0.000 s

### Login into application with valid credentials



PASSED		DURATION - 0.002 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0		
/ 4:39:17.198 PM // 4:39:17.200 PM /							
Login into application							
@yahoo @gmail							

#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered valid username as "Name2" and password as "pwd2"	PASSED	0.000 s





#	Step / Hook Details	Status	Duration
3	And click on sign button	PASSED	0.000 s
4	Then sucessfully should login	PASSED	0.000 s

### Login into application with valid credentials



<div>PASSED</div> <div>DURATION - 0.001 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 4:39:17.203 PM // 4:39:17.204 PM /</div>			
<div>Login into application</div>			
<div>@yahoo @gmail</div>			

#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered valid username as "Name3" and password as "pwd3"	PASSED	0.000 s
3	And click on signin button	PASSED	0.000 s
4	Then sucessfully should login	PASSED	0.000 s

### Login in to application from Excel



<div>FAILED</div> <div>DURATION - 0.388 s</div>		<div>Scenarios</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 5</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 20</div> <div>Pass - 5</div> <div>Fail - 5</div> <div>Skip - 10</div>	<div></div>
/ 4:39:17.208 PM // 4:39:17.596 PM /					

### Login into application with different sets of Data from excel

<b>FAILED</b>	<b>DURATION - 0.311 s</b>		<b>Steps</b> Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 4:39:17.209 PM // 4:39:17.520 PM /				
Login in to application from Excel				
@param				

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 2 <pre> java.lang.AssertionError: expected [20] but found [10]     at org.testng.Assert.fail(Assert.java:96)     at org.testng.Assert.failNotEquals(Assert.java:776)     at org.testng.Assert.assertEqualsImpl(Assert.java:137)     at org.testng.Assert.assertEquals(Assert.java:118)     at org.testng.Assert.assertEquals(Assert.java:652)     at org.testng.Assert.assertEquals(Assert.java:662)     at stepDefinations.ParamWithExcelSteps.user_enter_user_name_and_password_from(ParamWithExcelSteps.java:21)     at ?.user enter user name and password from 2(file:///C:/SeleniumWorkSpaces/March2022_BDDCucumber_synechron/Cucumber_Synechron/src/test/java/features/ParamWithCexcel.feature:7)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.308 s
3	And clicks on login button	SKIPPED	0.000 s
4	Then should sucessfully login into application	SKIPPED	0.000 s

### Login into application with different sets of Data from excel

<b>FAILED</b>	<b>DURATION - 0.025 s</b>		<b>Steps</b> Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 4:39:17.523 PM // 4:39:17.548 PM /				
Login in to application from Excel				
@param				

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 3  <pre>java.lang.AssertionError: expected [20] but found [10]     at org.testng.Assert.fail(Assert.java:96)     at org.testng.Assert.failNotEquals(Assert.java:776)     at org.testng.Assert.assertEqualsImpl(Assert.java:137)     at org.testng.Assert.assertEquals(Assert.java:118)     at org.testng.Assert.assertEquals(Assert.java:652)     at org.testng.Assert.assertEquals(Assert.java:662)     at stepDefinations.ParamWithExcelSteps.user_enter_user_name_and_password_from(ParamWithExcelSteps.java:21)     at ?.user enter user name and password from 3(file:///C:/SeleniumWorkSpaces/March2022_BDDCucumber_synechron/Cucumber_Synechron/src/test/java/features/ParamWithCexcel.feature:7)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.023 s
3	And clicks on login button	SKIPPED	0.001 s
4	Then should sucessfully login into application	SKIPPED	0.000 s



### Login into application with different sets of Data from excel

<b>FAILED</b> DURATION - 0.018 s / 4:39:17.550 PM // 4:39:17.568 PM / Login in to application from Excel @param		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 4  <pre>java.lang.AssertionError: expected [20] but found [10]     at org.testng.Assert.fail(Assert.java:96)     at org.testng.Assert.failNotEquals(Assert.java:776)     at org.testng.Assert.assertEqualsImpl(Assert.java:137)     at org.testng.Assert.assertEquals(Assert.java:118)     at org.testng.Assert.assertEquals(Assert.java:652)     at org.testng.Assert.assertEquals(Assert.java:662)     at stepDefinations.ParamWithExcelSteps.user_enter_user_name_and_password_from(ParamWithExcelSteps.java:21) </pre>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	at ?.user enter user name and password from 4(file:///C:/SeleniumWorkSpaces/March2022_BDDCucumber_synechron/Cucumber_Synechron/src/test/java/features/ParamWithCexcel.feature:7) * Not displayable characters are replaced by '?'. And clicks on login button		
3	And clicks on login button	SKIPPED	0.000 s
4	Then should sucessfully login into application	SKIPPED	0.000 s

### Login into application with different sets of Data from excel

FAILED	DURATION - 0.014 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 4:39:17.569 PM // 4:39:17.583 PM /				
Login in to application from Excel				
@param				

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 5 java.lang.AssertionError: expected [20] but found [10] at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.failNotEquals(Assert.java:776) at org.testng.Assert.assertEqualsImpl(Assert.java:137) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:652) at org.testng.Assert.assertEquals(Assert.java:662) at stepDefinations.ParamWithExcelSteps.user_enter_user_name_and_password_from(ParamWithExcelSteps.java:21) at ?.user enter user name and password from 5(file:///C:/SeleniumWorkSpaces/March2022_BDDCucumber_synechron/Cucumber_Synechron/src/test/java/features/ParamWithCexcel.feature:7) * Not displayable characters are replaced by '?'. And clicks on login button	FAILED	0.012 s
3	And clicks on login button	SKIPPED	0.000 s
4	Then should sucessfully login into application	SKIPPED	0.000 s

### Login into application with different sets of Data from excel



<b>FAILED</b>	DURATION - 0.012 s		<b>Steps</b> Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 4:39:17.584 PM // 4:39:17.596 PM /				
Login in to application from Excel				
@param				

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 6 <pre>java.lang.AssertionError: expected [20] but found [10]     at org.testng.Assert.fail(Assert.java:96)     at org.testng.Assert.failNotEquals(Assert.java:776)     at org.testng.Assert.assertEqualsImpl(Assert.java:137)     at org.testng.Assert.assertEquals(Assert.java:118)     at org.testng.Assert.assertEquals(Assert.java:652)     at org.testng.Assert.assertEquals(Assert.java:662)     at stepDefinations.ParamWithExcelSteps.user_enter_user_name_and_password_from(ParamWithExcelSteps.java:21)     at ?.user enter user name and password from 6(file:///C:/SeleniumWorkSpaces/March2022_BDDCucumber_synechron/Cucumber_Synechron/src/test/java/features/ParamWithCexcel.feature:7)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.010 s
3	And clicks on login button	SKIPPED	0.000 s
4	Then should sucessfully login into application	SKIPPED	0.000 s

### Login in to application from DataTable



<b>PASSED</b>	DURATION - 0.009 s	<b>Scenarios</b> Total - 4 Pass - 4 Fail - 0 Skip - 0		<b>Steps</b> Total - 16 Pass - 16 Fail - 0 Skip - 0	
/ 4:39:17.598 PM // 4:39:17.607 PM /					

### Login into application with different sets of Data from datatable

<b>PASSED</b>	DURATION - 0.001 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:39:17.598 PM // 4:39:17.599 PM /				
Login in to application from DataTable				



#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name as Name1 and password as Password1	PASSED	0.000 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s

### Login into application with different sets of Data from datatable

<b>PASSED</b>	DURATION - 0.001 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:39:17.601 PM // 4:39:17.602 PM /				
Login in to application from DataTable				



#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name as Name2 and password as Password2	PASSED	0.000 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s

### Login into application with different sets of Data from datatable

<b>PASSED</b>	DURATION - 0.001 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:39:17.604 PM // 4:39:17.605 PM /				
Login in to application from DataTable				



#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name as Name3 and password as Password3	PASSED	0.000 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s

### Login into application with different sets of Data from datatable



<b>PASSED</b>	DURATION - 0.000 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:39:17.607 PM // 4:39:17.607 PM /				
Login in to application from DataTable				

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name as Name4 and password as Password4	PASSED	0.000 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s

### Create an account in TimesJob portal

<b>PASSED</b>	DURATION - 0.001 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:39:17.611 PM // 4:39:17.612 PM /					

**Create an account**

<div>PASSED</div>	<div>DURATION - 0.001 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:39:17.611 PM // 4:39:17.612 PM /				
Create an account in TimesJob portal				

#	Step / Hook Details	Status	Duration
1	Given user is in the register page for Timesjob portal	PASSED	0.001 s
2	When user enter following details	PASSED	0.000 s
	srinivas Narayan 9972278770 srinivas.narayan97@gmail.com Bangalore		
3	And click on register button	PASSED	0.000 s
4	Then sucessfully an account should be created	PASSED	0.000 s