
Start: Mar 21, 4:42:49.382 PM End: Mar 21, 4:42:50.067 PM **Duration** : 0.685 s Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 60 SKIPPED - 0 SKIPPED - 0 SKIPPED - 0 15 60 40 50 60 40 50 60 40 50 60 30 Pass % 70 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 100

Feature			Scei	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Login into application	0.066 s	5	0	5	0	20	20	0	0
Login in to application from Excel	0.578 s	5	0	5	0	20	20	0	0
Login in to application from DataTable	0.018 s	4	0	4	0	16	16	0	0
Create an account in TimesJob portal	0.003 s	1	0	1	0	4	4	0	0


Tag		Scer	nario		Feature			
Name	T	P	F	S	T	P	F	S
@yahoo	5	0	5	0	1	0	1	0
@gmail	5	0	5	0	1	0	1	0
@param	5	0	5	0	1	0	1	0

FEATURES SUMMARY




#	Feature Name	T	P	F	S	Duration
1	Login into application	5	0	5	0	0.066 s
2	Login in to application from Excel	5	0	5	0	0.578 s
3	Login in to application from DataTable	4	0	4	0	0.018 s
4	Create an account in TimesJob portal	1	0	1	0	0.003 s

SCENARIOS SUMMARY -- 5 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login into application	Login into application with valid credentials	4	4	0	0	0.029 s
2	Login into application	Login into application with invalid credentials	4	4	0	0	0.003 s
3	Login into application	Login into application with valid credentials	4	4	0	0	0.003 s
4	Login into application	Login into application with valid credentials	4	4	0	0	0.003 s
5	Login into application	Login into application with valid credentials	4	4	0	0	0.004 s
6	Login in to application from Excel	Login into application with different sets of Data from excel	4	4	0	0	0.455 s
7	Login in to application from Excel	Login into application with different sets of Data from excel	4	4	0	0	0.036 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Login in to application from Excel	Login into application with different sets of Data from excel	4	4	0	0	0.027 s
9	Login in to application from Excel	Login into application with different sets of Data from excel	4	4	0	0	0.026 s
10	Login in to application from Excel	Login into application with different sets of Data from excel	4	4	0	0	0.021 s
11	Login in to application from DataTable	Login into application with different sets of Data from datatable	4	4	0	0	0.003 s
12	Login in to application from DataTable	Login into application with different sets of Data from datatable	4	4	0	0	0.003 s
13	Login in to application from DataTable	Login into application with different sets of Data from datatable	4	4	0	0	0.002 s
14	Login in to application from DataTable	Login into application with different sets of Data from datatable	4	4	0	0	0.002 s
15	Create an account in TimesJob portal	Create an account	4	4	0	0	0.003 s

DETAILED SECTION -- 7 -

Login into application

FAILED	DURATION - 0.066 s	Scenarios		Steps	
		Total - 5		Total - 20	
/ 4:42:49.382 PI	M // 4:42:49.448 PM /	Pass - 0	5	Pass - 20	20
		Fail - 5	, J	Fail - 0	20
		Skip - 0		Skip - 0	


Login into application with valid credentials



#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered valid username and password	PASSED	0.001 s
3	And click on sigin button	PASSED	0.000 s
4	Then sucessfully should login	PASSED	0.001 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.004 s
	java.lang.NullPointerException at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		


Login into application with invalid credentials

DETAILED SECTION -- 8 --



#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered invalid username and password	PASSED	0.000 s
3	And click on sigin button	PASSED	0.000 s
4	Then sucessfully should not login	PASSED	0.000 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.001 s
	java.lang.NullPointerException at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		


Login into application with valid credentials



#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.001 s
2	When user entered valid username as "Name1" and password as "pwd1"	PASSED	0.000 s
3	And click on sigin button	PASSED	0.000 s
4	Then sucessfully should login	PASSED	0.000 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.001 s
	java.lang.NullPointerException		


#	Step / Hook Details	Status	Duration
	at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		

Login into application with valid credentials



#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered valid username as "Name2" and password as "pwd2"	PASSED	0.000 s
3	And click on sigin button	PASSED	0.002 s
4	Then sucessfully should login	PASSED	0.000 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.001 s
	java.lang.NullPointerException at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		

Login into application with valid credentials



#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered valid username as "Name3" and password as "pwd3"	PASSED	0.001 s


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
3	And click on sigin button	PASSED	0.000 s
4	Then sucessfully should login	PASSED	0.000 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.001 s
	java.lang.NullPointerException at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		

Login in to application from Excel

FAILED	DURATION - 0.578 s	Scenarios		Steps	
		Total - 5		Total - 20	
/ 4:42:49.457 PM // 4	:42:50.035 PM /	Pass - 0	5	Pass - 20	20
		Fail - 5		Fail - 0	
		Skip - 0		Skip - 0	


Login into application with different sets of Data from excel



#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.001 s
2	When user enter user name and password from 2	PASSED	0.450 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.001 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.001 s
	java.lang.AssertionError: The following asserts failed: expected [20] but found [10] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		


DETAILED SECTION -- 11 --

Login into application with different sets of Data from excel



#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 3	PASSED	0.031 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.001 s
	java.lang.AssertionError: The following asserts failed: expected [20] but found [10] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		


Login into application with different sets of Data from excel



#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 4	PASSED	0.022 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.001 s
	java.lang.AssertionError: The following asserts failed: expected [20] but found [10]		
	at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)		
	at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		

Login into application with different sets of Data from excel



#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 5	PASSED	0.021 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.001 s
	java.lang.AssertionError: The following asserts failed: expected [20] but found [10] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		

Login into application with different sets of Data from excel




DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 6	PASSED	0.017 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.001 s
	java.lang.AssertionError: The following asserts failed: expected [20] but found [10] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		

Login in to application from DataTable

FAILED	DURATION - 0.018 s	Scenarios		Steps	
		Total - 4		Total - 16	
/ 4:42:50.039 PN	Л // 4:42:50.057 PM /	Pass - 0	4	Pass - 16	16
		Fail - 4		Fail - 0	
		Skip - 0		Skip - 0	


Login into application with different sets of Data from datatable



#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name as Name1 and password as Password1	PASSED	0.000 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	java.lang.AssertionError: The following asserts failed: expected [20] but found [10]		
	at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)		
	at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		

Login into application with different sets of Data from datatable



#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name as Name2 and password as Password2	PASSED	0.001 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.001 s
	java.lang.AssertionError: The following asserts failed: expected [20] but found [10] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		


Login into application with different sets of Data from datatable



DETAILED SECTION -- 15 --

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name as Name3 and password as Password3	PASSED	0.000 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.001 s
	java.lang.AssertionError: The following asserts failed: expected [20] but found [10] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		

Login into application with different sets of Data from datatable




#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name as Name4 and password as Password4	PASSED	0.000 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.001 s
	java.lang.AssertionError: The following asserts failed: expected [20] but found [10] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		

Create an account in TimesJob portal

FAILED	DURATION - 0.003 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 4:42:50.064 PM // 4	:42:50.067 PM /	Pass - 0	1	Pass - 4	4
				Fail - 0	
		Skip - 0		Skip - 0	

Create an account



#	Step / Hook Details	Status	Duration
1	Given user is in the register page for Timesjob portal	PASSED	0.000 s
2	When user enter following details	PASSED	0.001 s
	srinivas Narayan 9972278770 srinivas.narayan97@gmail.com Bangalore		
3	And click on register button	PASSED	0.000 s
4	Then sucessfully an account should be created	PASSED	0.001 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.000 s
	java.lang.AssertionError: The following asserts failed: expected [20] but found [10] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		