

Cucumber Report

21 Mar, 2023 4:46:14 PM

Start : Mar 21, 4:46:13.260 PM

End : Mar 21, 4:46:13.840 PM

Duration : 0.580 s

Features



Scenarios

Steps

PASSED - 3
FAILED - 1
SKIPPED - 0


PASSED - 10
FAILED - 5
SKIPPED - 0

PASSED - 60
FAILED - 0
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login into application</u>	0.039 s	5	5	0	0	20	20	0	0
<u>Login in to application from Excel</u>	0.514 s	5	0	5	0	20	20	0	0
<u>Login in to application from DataTable</u>	0.007 s	4	4	0	0	16	16	0	0
<u>Create an account in TimesJob portal</u>	0.002 s	1	1	0	0	4	4	0	0


Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@yahoo	5	5	0	0	1	1	0	0
@gmail	5	5	0	0	1	1	0	0
@param	5	0	5	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Login into application</u>	5	5	0	0	0.039 s
2	<u>Login in to application from Excel</u>	5	0	5	0	0.514 s
3	<u>Login in to application from DataTable</u>	4	4	0	0	0.007 s
4	<u>Create an account in TimesJob portal</u>	1	1	0	0	0.002 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login into application</u>	<u>Login into application with valid credentials</u>	4	4	0	0	0.016 s
2	<u>Login into application</u>	<u>Login into application with invalid credentials</u>	4	4	0	0	0.001 s
3	<u>Login into application</u>	<u>Login into application with valid credentials</u>	4	4	0	0	0.001 s
4	<u>Login into application</u>	<u>Login into application with valid credentials</u>	4	4	0	0	0.000 s
5	<u>Login into application</u>	<u>Login into application with valid credentials</u>	4	4	0	0	0.001 s
6	<u>Login in to application from Excel</u>	<u>Login into application with different sets of Data from excel</u>	4	4	0	0	0.407 s
7	<u>Login in to application from Excel</u>	<u>Login into application with different sets of Data from excel</u>	4	4	0	0	0.031 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Login in to application from Excel</u>	<u>Login into application with different sets of Data from excel</u>	4	4	0	0	0.025 s
9	<u>Login in to application from Excel</u>	<u>Login into application with different sets of Data from excel</u>	4	4	0	0	0.020 s
10	<u>Login in to application from Excel</u>	<u>Login into application with different sets of Data from excel</u>	4	4	0	0	0.021 s
11	<u>Login in to application from DataTable</u>	<u>Login into application with different sets of Data from datatable</u>	4	4	0	0	0.000 s
12	<u>Login in to application from DataTable</u>	<u>Login into application with different sets of Data from datatable</u>	4	4	0	0	0.000 s
13	<u>Login in to application from DataTable</u>	<u>Login into application with different sets of Data from datatable</u>	4	4	0	0	0.001 s
14	<u>Login in to application from DataTable</u>	<u>Login into application with different sets of Data from datatable</u>	4	4	0	0	0.001 s
15	<u>Create an account in TimesJob portal</u>	<u>Create an account</u>	4	4	0	0	0.002 s

Login into application



PASSED	DURATION - 0.039 s	Scenarios		Steps	
/ 4:46:13.260 PM // 4:46:13.299 PM /		Total - 5		Total - 20	
		Pass - 5		Pass - 20	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Login into application with valid credentials

<div>PASSED</div>	<div>DURATION - 0.016 s</div>		Steps	
<div>/ 4:46:13.265 PM // 4:46:13.281 PM /</div>			Total - 4	
<div>Login into application</div>			Pass - 4	
<div>@yahoo @gmail</div>			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.002 s
2	When user entered valid username and password	PASSED	0.000 s
3	And click on signin button	PASSED	0.000 s
4	Then sucessfully should login	PASSED	0.000 s

Login into application with invalid credentials

<div>PASSED</div>	<div>DURATION - 0.001 s</div>		Steps	
<div>/ 4:46:13.287 PM // 4:46:13.288 PM /</div>			Total - 4	
<div>Login into application</div>			Pass - 4	
<div>@yahoo @gmail</div>			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.001 s
2	When user entered invalid username and password	PASSED	0.000 s
3	And click on sign button	PASSED	0.000 s
4	Then sucessfully should not login	PASSED	0.000 s

Login into application with valid credentials

PASSED	DURATION - 0.001 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:46:13.293 PM // 4:46:13.294 PM /				
Login into application				
@yahoo @gmail				

#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered valid username as "Name1" and password as "pwd1"	PASSED	0.000 s
3	And click on sign button	PASSED	0.000 s
4	Then sucessfully should login	PASSED	0.000 s



Login into application with valid credentials

PASSED	DURATION - 0.000 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:46:13.296 PM // 4:46:13.296 PM /				
Login into application				
@yahoo @gmail				

#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered valid username as "Name2" and password as "pwd2"	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
3	And click on sign button	PASSED	0.000 s
4	Then sucessfully should login	PASSED	0.000 s

Login into application with valid credentials

PASSED	DURATION - 0.001 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:46:13.298 PM // 4:46:13.299 PM /				
Login into application				
@yahoo @gmail				

#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered valid username as "Name3" and password as "pwd3"	PASSED	0.000 s
3	And click on signin button	PASSED	0.000 s
4	Then sucessfully should login	PASSED	0.000 s

Login in to application from Excel

FAILED		DURATION - 0.514 s		Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0		Steps Total - 20 Pass - 20 Fail - 0 Skip - 0			
/ 4:46:13.304 PM // 4:46:13.818 PM /									

Login into application with different sets of Data from excel

FAILED	DURATION - 0.407 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:46:13.305 PM // 4:46:13.712 PM /				
Login in to application from Excel				
@param				

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 2	PASSED	0.398 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.003 s
	java.lang.AssertionError: The following asserts failed: expected [20] but found [10] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		



Login into application with different sets of Data from excel

FAILED	DURATION - 0.031 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:46:13.715 PM // 4:46:13.746 PM /				
Login in to application from Excel				
@param				

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 3	PASSED	0.027 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.000 s



#	Step / Hook Details	Status	Duration
	java.lang.AssertionError: The following asserts failed: expected [20] but found [10] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		

Login into application with different sets of Data from excel

FAILED	DURATION - 0.025 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:46:13.749 PM // 4:46:13.774 PM /				
Login in to application from Excel				
@param				



#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 4	PASSED	0.020 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.001 s
	java.lang.AssertionError: The following asserts failed: expected [20] but found [10] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		

Login into application with different sets of Data from excel

FAILED	DURATION - 0.020 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:46:13.776 PM // 4:46:13.796 PM /				
Login in to application from Excel				
@param				



#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 5	PASSED	0.016 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1() java.lang.AssertionError: The following asserts failed: expected [20] but found [10] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)	FAILED	0.001 s

Login into application with different sets of Data from excel



FAILED	DURATION - 0.021 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:46:13.797 PM // 4:46:13.818 PM /				
Login in to application from Excel				
@param				

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 6	PASSED	0.018 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1() java.lang.AssertionError: The following asserts failed: expected [20] but found [10] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)	FAILED	0.001 s

Login in to application from DataTable



PASSED	DURATION - 0.007 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0		Steps Total - 16 Pass - 16 Fail - 0 Skip - 0	
/ 4:46:13.821 PM // 4:46:13.828 PM /					

Login into application with different sets of Data from datatable

<div>PASSED</div>	<div>DURATION - 0.000 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:46:13.821 PM // 4:46:13.821 PM /</div>				
<div>Login in to application from DataTable</div>				

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name as Name1 and password as Password1	PASSED	0.000 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s



Login into application with different sets of Data from datatable

<div>PASSED</div>	<div>DURATION - 0.000 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:46:13.823 PM // 4:46:13.823 PM /</div>				
<div>Login in to application from DataTable</div>				

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
2	When user enter user name as Name2 and password as Password2	PASSED	0.000 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s

Login into application with different sets of Data from datatable

PASSED	DURATION - 0.001 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:46:13.824 PM // 4:46:13.825 PM /				
Login in to application from DataTable				

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name as Name3 and password as Password3	PASSED	0.000 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s



Login into application with different sets of Data from datatable

PASSED	DURATION - 0.001 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:46:13.827 PM // 4:46:13.828 PM /				
Login in to application from DataTable				



#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name as Name4 and password as Password4	PASSED	0.000 s
3	And clicks on login button	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
4	Then should sucessfully login into application	PASSED	0.000 s

Create an account in TimesJob portal

PASSED	DURATION - 0.002 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:46:13.838 PM // 4:46:13.840 PM /					

Create an account

PASSED	DURATION - 0.002 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:46:13.838 PM // 4:46:13.840 PM /				
Create an account in TimesJob portal				

#	Step / Hook Details	Status	Duration
1	Given user is in the register page for Timesjob portal	PASSED	0.000 s
2	When user enter following details	PASSED	0.001 s
	srinivas Narayan 9972278770 srinivas.narayan97@gmail.com Bangalore		
3	And click on register button	PASSED	0.000 s
4	Then sucessfully an account should be created	PASSED	0.000 s