

## 2.1

**Q2.1.1 Short Answer:** Define a neuron.

**Q2.1.2 Multiple Choice:** Which cell type forms the myelin sheath in the CNS?

- |                      |                     |
|----------------------|---------------------|
| (A) Oligodendrocytes | (B) Schwann Cells   |
| (C) Astrocytes       | (D) Satellite Cells |

**Q2.1.3 Fill in the Blank:** The process by which microglia remove debris is called \_\_\_\_\_.

**Q2.1.4 Short Answer:** Name two functions of astrocytes.

**Q2.1.5 Fill in the Blank:** \_\_\_\_\_ are responsible for myelination in the PNS.

**Q2.1.6 Multiple Choice:** What is one function of myelin?

- |                               |                         |
|-------------------------------|-------------------------|
| (A) Insulate axons            | (B) Synthesize proteins |
| (C) Produce neurotransmitters | (D) Break down debris   |

**Q2.1.7 Fill in the Blank:** Glial cells compose about half of nervous tissue volume, but are approximately \_\_\_\_\_ times more numerous than neurons.

**Q2.1.8 Short Answer:** What are two similarities between neurons and other animal cells?

**Q2.1.9 Short Answer:** In neurons, what is the primary role of mitochondria?

**Q2.1.10 Fill in the Blank:** The organelle responsible for protein synthesis in neurons is the \_\_\_\_\_.

**Q2.1.11 Fill in the Blank:** The \_\_\_\_\_ packages neurotransmitters for transport.



**Q2.1.12 Fill in the Blank:** Organelles that break down waste products in neurons are called \_\_\_\_\_.

**Q2.1.13 Short Answer:** What distinguishes the morphology of neurons from typical animal cells?

**Q2.1.14 Fill in the Blank:** Neurons communicate via an \_\_\_\_\_ process.

**Q2.1.15 Multiple Choice:** Which cell type is primarily responsible for debris removal in the CNS?

- |                      |                     |
|----------------------|---------------------|
| (A) Astrocytes       | (B) Microglia       |
| (C) Oligodendrocytes | (D) Satellite Cells |

**Q2.1.16 Multiple Choice:** Which cells line the ventricles and help form CSF?

- |                   |                    |
|-------------------|--------------------|
| (A) Astrocytes    | (B) Ependymal Glia |
| (C) Schwann Cells | (D) Microglia      |

**Q2.1.17 Short Answer:** What is the function of satellite cells in the PNS?

**Q2.1.18 Multiple Choice:** Which glial cell in the PNS is notably associated with neuronal regeneration?

- |                      |                     |
|----------------------|---------------------|
| (A) Oligodendrocytes | (B) Schwann Cells   |
| (C) Microglia        | (D) Satellite Cells |

**Q2.1.19 Short Answer:** What is the purpose of *phagocytosis* in the nervous system?

**Q2.1.20 Multiple Choice:** What happens during maintenance of internal consistency?

- (A) Microglia remove cellular debris.
- (B) Oligodendrocytes myelinate axons.
- (C) Astrocytes absorb excess potassium ions.
- (D) Schwann cells provide nutrients to neurons.

**Q2.1.21 Long Answer:** What evidence supports the notion that glial cells' malfunctioning may be contributing to Alzheimer's Disease? (Your answer needs to include beta amyloid, Tau, and the possible cause of Alzheimer's Disease.)



---

## 2.2

**Q2.2.1 Fill in the Blank:** The three structural classifications of neurons are \_\_\_\_\_, \_\_\_\_\_, and \_\_\_\_\_.

**Q2.2.2 Fill in the Blank:** Neurons are based on \_\_\_\_\_ and \_\_\_\_\_.

**Q2.2.3 Fill in the Blank:** Sensory neurons carry information from the \_\_\_\_\_ to the \_\_\_\_\_.

**Q2.2.4 Short Answer:** What is the primary function of motor neurons?

**Q2.2.5 Multiple Choice:** What does “Efferent” mean?

- (A) Incoming      (B) Outgoing      (C) Sensory      (D) Motor
- 

## 2.3

**Q2.3.1 Short Answer:** What are the 2 systems of neuronal communication?

**Q2.3.2 Fill in the Blank:** A stronger-than-normal stimulus is required to cause another action potential during the \_\_\_\_\_ because of hyperpolarization.

**Q2.3.3 Fill in the Blank:** The *phospholipid bilayer* is made up of \_\_\_\_\_ and \_\_\_\_\_.

**Q2.3.4 Fill in the Blank:** The period during which no amount of stimulation can cause another action potential is called the \_\_\_\_\_.

**Q2.3.5 Short Answer:** What is *diffusion*? What else is it also known as?

**Q2.3.6 Short Answer:** What is the threshold of excitation, and what happens when it is reached?



**Q2.3.7 Matching:** Match the following terms with their definitions.


**Choices**

- (a) Ions move toward the opposing charge.
- (b) The charge the ion “prefers” to be at.
- (c) Cell is resistant to reexcitation for some time after AP.
- (d) The cell membrane is more open to some ions than others.
- (e)  $-70$  mV (relative to outside).
- (f) The overshoot of negative voltage after an AP.
- (g) Costs 1 ATP.
- (h) The phase where there is a jump in voltage after  $+15$  mV is reached.
- (i) The minimum amount needed to generate an action potential. ( $+15$  mV)
- (j) \_\_\_\_\_

- (1) Differential Permeability ..... \_\_\_\_\_
- (2) Resting Membrane Potential ..... \_\_\_\_\_
- (3) Threshold of Excitation ..... \_\_\_\_\_
- (4) Depolarization ..... \_\_\_\_\_
- (5) Repolarization ..... \_\_\_\_\_
- (6) Hyperpolarization ..... \_\_\_\_\_
- (7) Electrostatic Pressure ..... \_\_\_\_\_
- (8) Equilibrium Potential ..... \_\_\_\_\_
- (9) Sodium Potassium Pump ..... \_\_\_\_\_
- (10) Refractory Period ..... \_\_\_\_\_



**Q2.3.8 Fill in the Blank:** Fill out the following diagram of the resting membrane potential of a neuron. Draw the size of each and permeability ion to “scale”, and draw the diffusion and electric arrows with the appropriate directions.



**Q2.3.9 Short Answer:** Why don't the  $\text{Na}^+$  channels reopen during repolarization?

**Q2.3.10 Multiple Choice:** During which phase of the action potential is a neuron unable to fire another action potential, no matter how strong the stimulus?

- |                                |                                |
|--------------------------------|--------------------------------|
| (A) Depolarization             | (B) Repolarization             |
| (C) Absolute refractory period | (D) Relative refractory period |

**Q2.3.11 Multiple Choice:** How can an all-or-none action potential signal convey information about stimulus intensity?

- (A) By increasing the amplitude of the action potentials
- (B) By decreasing the duration of action potentials
- (C) By changing the direction of action potentials
- (D) By increasing the frequency of action potentials

**Q2.3.12 Fill in the Blank:** The ratio of  $\text{Na}^+$  to  $\text{K}^+$  for the sodium-potassium pump is \_\_\_ out for \_\_\_ in.


**Q2.3.13 Short Answer:** What is the total voltage difference during an action potential and what does it mean?



- Q2.3.14 Short Answer:** What happens in a failed attempt at an action potential?
- Q2.3.15 Short Answer:** What role does electrostatic pressure play in neuronal membrane potential?
- Q2.3.16 Short Answer:** State the equilibrium values for  $K^+$  and  $Na^+$ .
- Q2.3.17 Short Answer:** “Saltatory conduction” is the process of action potentials “jumping” from node to node. Why do people describe this process as “jumping”?
- Q2.3.18 Short Answer:** What is the resting membrane potential (RMP) of a neuron and what does it represent?
- Q2.3.19 Short Answer:** Name two key components of the cell membrane that help maintain the RMP.
- Q2.3.20 Short Answer:** What is meant by semipermeability in the context of the cell membrane?
- Q2.3.21 Short Answer:** List the four main functions of embedded proteins in the cell membrane.
- Q2.3.22 Multiple Choice:** Differential permeability says that this ion is more permeable than others.  
(A)  $Na^+$                       (B)  $K^+$                       (C)  $Cl^-$                       (D)  $Ca^{+2}$
- Q2.3.23 Short Answer:** How does diffusion contribute to the RMP?
- Q2.3.24 Multiple Choice:** What is the rate law?  
(A) The speed at which a neuron conducts an action potential along its axon.  
(B) The time delay between the onset of a stimulus and the initiation of an action potential.  
(C) The relationship between the amplitude of an action potential and the strength of the stimulus.  
(D) Variations in the intensity of a stimulus are represented by the rate of action potentials.  
(E) None of the above.



**Q2.3.25 Matching:** For the diagram below, identify the processes of an action potential at each labeled phase.



### Choices

- (a) Potassium channels close.
- (b) Resting potential.
- (c) Potassium channels open.
- (d) Opens sodium channels.
- (e) Sodium channels close.

- (1) -70 mV ..... \_\_\_\_\_
- (2) -55 mV ..... \_\_\_\_\_
- (3) +35 mV ..... \_\_\_\_\_
- (4) +40 mV ..... \_\_\_\_\_
- (5) -80 mV ..... \_\_\_\_\_



**Q2.3.26 Multiple Choice:** What is the main advantage of saltatory conduction in myelinated axons?

- (A) It eliminates the need for  $\text{Na}^+$  channels.
- (B) It increases conduction speed and reduces energy expenditure.
- (C) It allows action potentials to travel in both directions.
- (D) It prevents action potentials from occurring at all.

**Q2.3.27 Fill in the Blank:** The \_\_\_\_\_ is the site of action potential initiation in a neuron.

**Q2.3.28 Short Answer:** What is decremental conduction, and why does it occur?

**Q2.3.29 Short Answer:** Why does the action potential require active regeneration in unmyelinated axons?

**Q2.3.30 Short Answer:** Why can't myelin sheaths extend indefinitely without nodes?

**Q2.3.31 Short Answer:** Explain multiple sclerosis in terms of saltatory conduction.



## 2.4

**Q2.4.1 Multiple Choice:** An *angstrom* ( $\text{\AA}$ ) is a unit of measurement equivalent to

- (A)  $10^{-6}$  mm      (B)  $10^{-5}$  mm      (C)  $10^{-7}$  mm      (D)  $10^{-9}$  mm

**Q2.4.2 Fill in the Blank:** The synaptic cleft is about \_\_\_\_\_ angstroms wide.

**Q2.4.3 Multiple Choice:** What happens FIRST when an action potential reaches the presynaptic terminal?

- (A) Voltage-gated  $\text{Ca}^{+2}$  channels open.
- (B) The  $\text{Na}^+/\text{K}^+$  pump is activated.
- (C) The postsynaptic neuron immediately fires an action potential.
- (D) The synaptic vesicles dissolve.





**Q2.4.4 Fill in the Blank:** Neurotransmitters are released into the \_\_\_\_\_ when synaptic vesicles fuse with the presynaptic membrane.

**Q2.4.5 Short Answer:** What is the function of docking proteins at the presynaptic membrane?



## 2.5

**Q2.5.1 Multiple Choice:** Which of the following is an excitatory postsynaptic potential (EPSP)?

- (A) Opening of  $K^+$  channels
- (B) Binding of neurotransmitters to autoreceptors
- (C) Metabolism of neurotransmitters
- (D) Opening of  $Na^+$  channels

**Q2.5.2 Fill in the Blank:** The three possible fates of neurotransmitters after release are \_\_\_\_\_, \_\_\_\_\_, and \_\_\_\_\_.

**Q2.5.3 Fill in the Blank:** When a neurotransmitter causes the opening of  $Na^+$  channels, this creates a(n) \_\_\_\_\_ post-synaptic potential.

**Q2.5.4 Multiple Choice:** What occurs during an inhibitory post-synaptic potential (IPSP)?

- (A) Opening of  $K^+$  channels, allowing potassium to enter the cell
- (B) Opening of  $Na^+$  channels, bringing the cell closer to threshold
- (C) Opening of  $K^+$  channels, allowing potassium to leave the cell
- (D) Closing of all ion channels

**Q2.5.5 Short Answer:** Where does the summation of EPSPs and IPSPs occur in a neuron?

**Q2.5.6 Multiple Choice:** What is the primary difference between ionotropic and metabotropic synapses?

- (A) Ionotropic causes direct ion exchange, metabotropic uses secondary messengers
- (B) Ionotropic uses ATP, metabotropic doesn't
- (C) Ionotropic is slower, metabotropic is faster
- (D) Ionotropic uses multiple neurotransmitters, metabotropic uses only one



- Q2.5.7 Short Answer:** How does binding to autoreceptors affect neurotransmitter release?
- Q2.5.8 Fill in the Blank:** The enzyme that breaks down neurotransmitters as part of their post-release fate is involved in \_\_\_\_\_.
- Q2.5.9 Short Answer:** How do ionotropic and metabotropic synapses differ in terms of speed and duration?
- Q2.5.10 Multiple Choice:** What role does cAMP play in metabotropic synapses?
- (A) It binds directly to ion channels to open them.
  - (B) It activates Protein Kinase A, which leads to phosphorylation.
  - (C) It metabolizes excess neurotransmitters.
  - (D) It breaks down ATP into ADP.
- Q2.5.11 Fill in the Blank:** The enzyme \_\_\_\_\_ converts ATP into cAMP in metabotropic signaling.
- Q2.5.12 Short Answer:** What enzyme converts ATP to cAMP in the metabotropic signaling pathway?
- Q2.5.13 Fill in the Blank:** The enzyme that metabolizes residual cAMP is called \_\_\_\_\_.
- Q2.5.14 Fill in the Blank:** \_\_\_\_\_ removes the phosphate and resets the channel in the metabotropic pathway.
- Q2.5.15 Short Answer:** Give an example of a neurotransmitter that works through an ionotropic synapse.
- Q2.5.16 Short Answer:** Give an example of a neuromodulator that works through a metabotropic synapse.
- Q2.5.17 Fill in the Blank:** The fine tuning of electrical signals is accomplished through presynaptic \_\_\_\_\_ and \_\_\_\_\_.
- Q2.5.18 Short Answer:** What happens during presynaptic inhibition?



**Q2.5.19 Matching:** Match each characteristic with either ionotropic or metabotropic synapses.

**Choices**

- (a) No change in metabolism
- (b) Variable duration (can be very long)
- (c) At least 2 neuromodulator molecules bind to receptor
- (d) Fixed duration (rapid and short)
- (e) Direct change of ions
- (f) Indirect exchange of ions
- (g) 1 neurotransmitter binds to 1 receptor
- (h) Actual change in cellular metabolism

- (1) Ionotropic ..... \_\_\_\_\_
- (2) Metabotropic ..... \_\_\_\_\_

**Q2.5.20 Fill in the Blank:** In the metabotropic signaling pathway, the \_\_\_\_\_ subunit of the G-protein binds to adenylate cyclase.

**Q2.5.21 Multiple Choice:** What is the function of Protein Kinase A in metabotropic signaling?

- (A) It causes subunits to dissociate and converts ATP to ADP
- (B) It converts ATP to cAMP
- (C) It opens ion channels directly
- (D) It breaks down excess neurotransmitters

**Q2.5.22 Short Answer:** How does presynaptic facilitation affect neurotransmitter release?

**Q2.5.23 Multiple Choice:** In gap junctions (electrical synapses), what crosses between neurons?

- (A) Neurotransmitters
- (B) Channels that allow direct electrical transmission
- (C) Neuromodulators
- (D) G-proteins



**Q2.5.24 Multiple Choice:** Which of the following is NOT a characteristic of electrical synapses?

- (A) They are very fast
- (B) They lack neurotransmitters
- (C) They cannot be facilitated or inhibited
- (D) They are common in the mammalian brain

**Q2.5.25 Short Answer:** Give an example of where electrical synapses are more common than in mammals.



## 2.6

**Q2.6.1 Matching:** Match each characteristic with either the somatic or autonomic nervous system.

### Choices

- (a) Voluntary control
- (b) Purely motor
- (c) Innervates striated muscles
- (d) Functions as a whole
- (e) More differentiated
- (f) Relatively involuntary
- (g) Contains both sensory and motor neurons
- (h) Innervates smooth muscle, cardiac muscle, glands

(1) Somatic .....

(2) Autonomic .....

**Q2.6.2 Short Answer:** What types of tissues does the autonomic nervous system innervate?

**Q2.6.3 Fill in the Blank:** Unlike the autonomic nervous system, the somatic nervous system includes both \_\_\_\_\_ and \_\_\_\_\_ neurons.



**Q2.6.4 Multiple Choice:** Which system has more voluntary control?

- (A) Somatic nervous system                      (B) Autonomic nervous system  
(C) Both have equal voluntary control      (D) Neither has voluntary control



## 2.7

**Q2.7.1 Matching:** Match each sensory system with its receptor or mechanism.

### Choices

- (a) Light waves hit photoreceptors
- (b) Chemicals bind to receptors (in the nose)
- (c) Sound waves vibrate hair cells
- (d) Sense of body position
- (e) Chemicals bind to receptors (in the mouth)
- (f) Sense of movement
- (g) Balance
- (h) Touch, temperature, pain

- (1) Vision ..... \_\_\_\_\_
- (2) Vestibular Sensation ..... \_\_\_\_\_
- (3) Audition ..... \_\_\_\_\_
- (4) Kinesthesia ..... \_\_\_\_\_
- (5) Olfaction ..... \_\_\_\_\_
- (6) Gustation ..... \_\_\_\_\_
- (7) Proprioception ..... \_\_\_\_\_
- (8) Cutaneous Senses ..... \_\_\_\_\_



**Q2.7.2 Short Answer:** Where are photoreceptors located in the visual system?

**Q2.7.3 Short Answer:** Where are hair cells found in the auditory system?

**Q2.7.4 Fill in the Blank:** \_\_\_\_\_ and \_\_\_\_\_ are both chemical senses that rely on chemicals binding to receptors.

**Q2.7.5 Multiple Choice:** Which of the following is NOT a component of the somatosensory system?

(A) Proprioception

(B) Cutaneous senses

(C) Gustation

(D) Vestibular sensation

**Q2.7.6 Short Answer:** Why are psychologists interested in sensory systems?

**Q2.7.7 Fill in the Blank:** The difference between a physicist and psychologist studying sensory systems is that the physicist measures \_\_\_\_\_ while the psychologist measures \_\_\_\_\_.

**Q2.7.8 Short Answer:** According to the notes, why is it important to understand that perceptions don't exactly match stimuli?



## 2.8

**Q2.8.1 Multiple Choice:** What process might affect calcium channels during presynaptic inhibition?

(A) Some  $\text{Ca}^{+2}$  channels that would normally open remain closed

(B) More  $\text{Ca}^{+2}$  channels open than usual

(C)  $\text{Ca}^{+2}$  is pumped out of the cell more quickly

(D)  $\text{Ca}^{+2}$  channels are replaced with  $\text{Na}^{+}$  channels

**Q2.8.2 Short Answer:** Compare and contrast the duration of effects in ionotropic versus metabotropic synapses.

**Q2.8.3 Fill in the Blank:** In an analogy explaining presynaptic facilitation, instead of 3 APs, the effect would seem like \_\_\_\_\_ APs.



**Q2.8.4 Multiple Choice:** Which of these statements best explains why sensory systems are important in psychology?

- (A) Perceptions from sensory systems form the basis for behavior
- (B) Sensory systems are the only way to measure brain activity
- (C) All psychological disorders involve sensory system dysfunction
- (D) Sensory systems are the most complex part of the nervous system

**Q2.8.5 Long Answer:** Describe the complete sequence of events in a metabotropic synapse, from neuromodulator binding to the resetting of the channel.