

Worksheet 1. From Newton and Maxwell, to Schrödinger

1. What is the momentum of an γ -ray with a wavelength of 1×10^{-13} m?

2. The Hamiltonian operator corresponds to which observable property of a system?

3. Rydberg's law for the wavelengths of absorption by a 1-electron atom (or ion) with atomic number Z is

$$\frac{1}{\lambda} = (1.0974 \cdot 10^7 \text{ m}^{-1}) Z^2 \left(\frac{1}{n_1^2} - \frac{1}{n_2^2} \right) \quad 1 \leq n_1 < n_2 < \infty$$

Suppose you are given the Hydrogen atom in its ground state, $n_1 = 1$. **What is the lowest absorption frequency?**

4. What is the time-dependent Schrödinger equation for the complex conjugate of a wavefunction, $\Psi^*(x, t)$?

5. What is the quantum mechanical operator for the kinetic energy?

6. What is the complex conjugate of $\Psi(x, t) = Ae^{(a+bi)(kx-\omega t)}$?

7. Which of the following experimental results are often cited as examples of the “wave-likeness” of particles like electrons?

- (a) blackbody radiation
- (b) discrete emission lines in the hydrogen spectrum.

- (c) photoelectric effect
- (d) Compton scattering of light by a particle.
- (e) electron scattering from a crystal.

8. Which of the following experiments are often cited as examples of the “particle-likeness of radiation” like light?

- (a) blackbody radiation
- (b) discrete emission lines in the hydrogen spectrum.

- (c) photoelectric effect
- (d) Compton scattering of light by a particle.
- (e) electron scattering from a crystal.

9. The Davisson-Germer experiment demonstrated that if you shine a beam of electrons on a metal crystal, the result is

- (a) the electrons are absorbed at “critical energies” similar to the optical (light) absorption spectrum.
- (b) the electrons scatter according to the Bragg law for X-ray scattering.
- (c) the electrons go right through the metal.
- (d) the metal gets very hot and becomes a dull red color.

10. Suppose you are given a photon with energy 2 eV. What is its momentum? What is its frequency?