

Write Test

277 sec.[Home](#) [Write Test](#) [Write Program](#) [Result](#) [Change](#)[Password](#) [Logout](#)

1.

```
var obj={n1:10,n2:20}
```

obj has n1 property key or not , how we can check ?

- ☐ obj.get("n1")
- ☒ obj.hasOwnProperty("n1")
- ☐ obj.myProperty("n1")
- ☐ Object.hasOwnproperty(obj)

Ans: B

2.

```
var arr=[22,33,44,55]
```

```
arr.filter((val)=>{  
  return val>35  
})
```

?

- ☒ [44,55]
- ☐ 44,55
- ☐ Error

Ans: A

3.

```
function A(){
```

Hi...Buddy

How can I help you ?

277 sec.

```
this.n2=20;  
this.sum=function(){  
  console.log(this.n1+this.n2);  
}  
}  
A.prototype.sub=function(){  
  console.log(this.n1-this.n2)  
}  
var obj=new A();  
obj.sub()
```

- ☐ Error
☒ -10
☐ NaN

Ans: B

4.

```
function A(){  
  console.log("A");  
  this.n1=10  
  this.n2=20  
}  
var obj=new A()  
what message print in the console ?
```

- ☐ undefined
☐ null
☒ A
☐ Error

Ans: C

Hi...Buddy
How can I help you ?

5

277 sec.

```
function fn(){  
  const res=await <promise object>  
}
```

is it valid syntax

- ☐ Yes
☒ No

Ans: B

6.

```
(function(){  
  console.log("called")  
})();  
output?
```

- ☒ called
☐ Runtime Error
☐ Syntax Error
☐ None of the above

Ans: A

7.

localStorage data always available, until we clear it manually ---

- ☒ Yes
☐ No

Ans: A

8.

```
var name="Sachin"
```

here name refer as an object of which class ?

Hi...Buddy
How can I help you ?

277 sec.

- ☐ Number
- ☒ String
- ☐ Boolean
- ☐ Function

Ans: B

9.

`console.log(0015)`

- ☒ 15
- ☐ 0015
- ☐ 13
- ☐ Error

Ans: C

10.

`var a="Sachin";``if(a){``console.log("statements");``}`

statements printed or not ?

- ☐ No
- ☒ Yes

Ans: B

11.

Below which are browser storages?

- ☒ localStorage
- ☒ sessionStorage
- ☒ cookies
- ☐ document

Hi...Buddy
How can I help you ?

Ans: ABC**277 sec.**

12.

```
var a="";
```

```
if(a){
```

```
  console.log("statements");
```

```
}
```

statements printed or not ?

☒ No☐ Yes**Ans: A**

13.

document.cookie data type

☐ string☒ object☐ array**Ans: A**

14.

```
var a=10;
```

```
var b=6
```

```
a%b ?
```

☒ 4☐ 1**Ans: A**

Hi...Buddy

How can I help you ?

277 sec.

15.

```
function f1(){  
  const n1=n2=100  
}  
f1()  
console.log(n1)  
output ?
```

- ☐ 0
☒ 100
☐ n1 is not defined
☐ ""

Ans: C

16.

```
try{  
  console.log(1);  
  var loc="Mumbai"  
  console.log(loc.length)  
}catch(e){  
  console.log("catch");  
}  
finally{  
  console.log("finally")  
}
```

output in console. ?

- ☐ 1 catch finally
☒ 1 6 finally
☐ 1 finally 6
☐ 6 1 finally

Hi...Buddy
How can I help you ?

Ans: B**277 sec.**

17.

```
class A{  
  sum(a,b){  
    console.log(a+b);  
  }  
  sum(a,b,c){  
    console.log(a+b+c);  
  }  
  sum(a){  
    console.log(a);  
  }  
}  
var obj=new A();  
obj.sum(1,2,3)
```

- ☒ 6
☐ 1
☐ Error
☐ NaN

Ans: B

18.

```
function fn(...data){  
  
}
```

type of data

- ☐ number

Hi...Buddy
How can I help you ?

- ☐ string
- ☐ array

277 sec.**Ans: D**

19.

```
function f1(){  
  var n1=10  
}  
f1()  
console.log(n1)
```

output ?

- ☐ 10
- ☐ ""
- ☒ n1 is not defined
- ☐ 0

Ans: C

20.

```
const arr=[22,11,10,33,55]
```

arr.slice() ?

- ☒ [22,11,10,33,55]
- ☐ Error

Ans: A

WRITE AGAIN

Hi...Buddy
How can I help you ?