

# Write Test

**318 sec.**[Home](#) [Write Test](#) [Write Program](#) [Result](#) [Change](#)[Password](#) [Logout](#)

1.

```
function A(){  
  this.n1=10;  
  this.n2=20;  
  this.sum=function(){  
    console.log(this.n1+this.n2);  
  }  
}  
var obj=new A();  
obj.sum()
```

- ☒ 30  
☐ Error  
☐ undefined  
☐ NaN

**Ans: A**

2.

array filter method return type

- ☐ number  
☒ array  
☐ boolean  
☐ string

**Ans: B**

Hi...Buddy  
How can I help you ?

318 sec.

3.

```
function f1(){  
  const n1=10  
  if(true){  
    n1=100;  
  }  
  console.log(n1)  
}
```

f1()

output ?

- ☐ 10  
☐ 100  
☒ Assignment to constant variable  
☐ n1 is not defined

Ans: C

4.

```
var a="";  
if(a){  
  console.log("statements");  
}
```

statements printed or not ?

- ☒ No  
☐ Yes

Ans: A

5.

Array indexOf method return type?

Hi...Buddy

How can I help you ?

318 sec.

- ☐ string
- ☒ number
- ☐ array
- ☐ object

**Ans: B**

6.

```
var arr=[1,2,3];
```

```
var x=arr.pop();
```

x?

- ☐ 2
- ☐ 1
- ☒ 3
- ☐ None

**Ans: C**

7.

bind method return type

- ☐ number
- ☒ function

**Ans: B**

8.

Lexical scope is owns the parent scope ?

- ☒ Yes
- ☐ No

**Ans: A**

Hi...Buddy  
How can I help you ?

318 sec.

9.

```
try{  
  }finally{  
  }catch(e){  
  }
```

is it valid combination ?

- ☐ Yes  
☒ No

Ans: B

10.

```
var arr=[22,33,44,55]
```

```
arr.map((val)=>{  
  return val>35  
})
```

?

- ☐ [false, false, true, true]  
☐ [22,33,44,55]  
☒ None Of the Above

Ans: A

11.

How we can represent the object inside the class ?

- ☒ this  
☐ class Name  
☐ window  
☐ self

Hi...Buddy  
How can I help you ?

**Ans: A****318 sec.**

12.

How many ways we can access anonymous functions ?

- ☒ self invoking
- ☒ assign to one variable and call the variable
- ☒ pass as a callback function
- ☐ using name

**Ans: ABC**

13.

How many ways we can insert the data in the JSON object ?

- ☒ dot notation
- ☒ [] notation
- ☐ # notation
- ☐ {} notation

**Ans: AB**

14.

`var a=10;``var b=6``a%b ?`

- ☒ 4
- ☐ 1

**Ans: A**

15.

**Hi...Buddy**  
How can I help you ?

318 sec.

```
function f1(){  
  let n1=10  
  if(true){  
    console.log(n1)  
  }  
}  
f1()  
output ?
```

- ☐ 0  
☐ ""  
☐ n1 is not defined  
☒ 10

**Ans: D**

16.

```
var obj={n1:10,n2:20,n3:30}
```

```
const {n4}=obj;
```

n4 value?

- ☒ undefined  
☐ n4 is not defined  
☐ null

**Ans: A**

17.

```
var obj={name:"Sachin"}
```

```
obj["loc"]="Mumbai"
```

is it valid ?

Hi...Buddy  
How can I help you ?

☐ No

Ans: A

318 sec.

18.

```
function f1(){  
  const n1=n2=100  
}
```

f1()  
console.log(n1)  
output ?

- ☐ 0  
☐ 100  
☒ n1 is not defined  
☐ ""

Ans: C

19.

```
function f1(){  
  let n1=10  
  if(true){  
    n1=100;  
  }  
  console.log(n1)  
}
```

f1()  
output ?

- ☐ 10  
☒ 100  
☐ 0  
☐ n1 is not defined

Hi...Buddy  
How can I help you ?

**Ans: B****318 sec.**

20.

f1()

```
var f1=function(){  
  console.log("called");  
}
```

what is output

- ☒ error  
☐ called

**Ans: A**

WRITE AGAIN

Hi...Buddy  
How can I help you ?