

- ☒ url
- ☒ request method
- ☐ request headers

Ans: AB

2.

```
function f1(){  
  return function(){  
    console.log("inner function");  
  }  
}  
f1()()  
output?
```

- ☐ undefined
- ☒ inner function
- ☐ Runtime Error
- ☐ Syntax Error

Ans: B

3.

```
var obj={n1:"10"}
```

true || true = true

true || false = true

false || true = true

false || false = false

is above Statements are correct ?

☒ Yes

☐ No

Ans: A

5.

```
console.log(1)
```

```
setTimeout(()=>{
```

```
console.log(2)
```

```
},0)
```

```
console.log(3)
```

output order in console

☒ element object

☐ null

Ans: C

7.

```
var obj={name:"Sachin"}
```

```
obj.full name="SRT"
```

is it valid?

☒ No

☐ Yes

Ans: A

8.

How we can send request from client to server ?

☒ using XMLHttpRequest

☒ fetch

☒ axios

☐ promise

```
}  
  
function sum(a){  
  console.log(a)  
}
```

sum(1,2,3)

- ☒ 1
- ☐ 6
- ☐ Error

Ans: A

10.

In the Array, Using pop method we can ?

- ☒ remove element from last index
- ☐ remove element from first index

Ans: A

11.

Event travelling from inner most to outer most ?

- ☒ event bubbling

output ?

- ☒ 10
- ☐ ""
- ☐ n1 is not defined
- ☐ 0

Ans: C

13.

return type of array includes method ?

- ☐ number
- ☒ boolean
- ☐ array
- ☐ string

Ans: B

14.

Below which methods are inside document object

- ☒ getElementById
- ☐ getId
- ☒ querySelector
- ☐ getDocument

☒ No

Ans: B

16.

How many ways we can pass the data from client to server ?

- ☒ query parameters
- ☒ path parameters
- ☒ request headers
- ☒ request body

Ans: ABCD

17.

array filter method return type

- ☐ number
- ☒ array
- ☐ boolean
- ☐ string

Ans: B

18.

- ☐ 10
- ☒ 100
- ☐ 0
- ☐ ""

Ans: B

19.

```
class A{  
  n1=10  
}
```

A.n1?

- ☒ 10
- ☐ undefined

Ans: B

20.

```
class A{  
  n1=10  
  n2=20  
  sum(){  
    console.log(this.n1+this["n2"]);
```

