

PeaPod - Requirements

Outlining the Requirements for a Design Submission to the
NASA/CSA Deep Space Food Challenge

Jayden Lefebvre - Founder, Lead Engineer

Port Hope, ON, Canada

Nathan Chareunsouk - Design Lead

Toronto, ON, Canada

Navin Vanderwert - Design Engineer

BASc Engineering Science (Anticipated 2024), University of Toronto, Toronto, ON, Canada

Jonas Marshall - Electronics Engineer

BASc Computer Engineering (Anticipated 2024), Queen's University, Kingston, ON, Canada

Primary Contact Email: contact@peapodtech.com

Revision 1.0

PeaPod Technologies Inc.

July 12th, 2022

Contents

1	Introduction	2
1.1	Purpose	2
1.2	Framing Structure	2
1.3	Scope and Justification	3
1.4	Definitions	5
2	Framing	6
2.1	Opportunity	6
2.2	Challenge Requirements	6
2.3	Stakeholders	7
2.4	Objectives	7
2.4.1	High-Level	7
2.4.2	Low-Level	7
2.5	Metrics	8
2.6	Constraints	10
2.7	Criteria	11
3	Reference Designs	12
3.1	Open Agriculture Initiative - Personal Food Computer	12
3.1.1	Overview	12
3.1.2	Analysis	12
3.1.3	Assessment	13
	Appendices	14
A	Requirements Graph	14

1 Introduction

1.1 Purpose

The purpose of this document is to outline both the *categorical* requirements (Section 2.2) for a design submission to the NASA/CSA Deep Space Food Challenge (DSFC) [1], as well as the *scoped* requirements (Section 1.3) for the specific design being proposed by PeaPod Technologies Inc.

The goal of the DSFC is for participants to "Create novel food production technologies or systems that require minimal inputs and maximize safe, nutritious, and palatable food outputs for long-duration space missions, and which have potential to benefit people on Earth." [2]

1.2 Framing Structure

This document achieves its purpose via "top-down" framing (Section 2), with each subsection's entries being derived from the entries of the previous¹.

- **2.1 - Opportunity:** A succinct scoped design statement.
- **2.2 - Challenge Requirements:** Categorical requirements for *any* DSFC submission.
- **2.3 - Stakeholders:** Persons and groups in consideration.
- **2.4.1 - High-Level Objectives (HLOs):** Conceptual aims/"DfX" derived from Requirements and Stakeholders.
- **2.4.2 - Low-Level Objectives (LLOs):** Tactical, practical goals derived from HLOs.
- **2.5 - Metrics:** Granular, quantitative measures of design success, fit, utility, etc. derived from LLOs.
- **2.6 - Constraints:** *Mandatory* requirements, minimums, and maximums (i.e. true/false, pass/fail) of metrics for the proposed design.
- **2.7 - Criteria:** *Graded* (i.e. points-based, more/less is better) metrics for the proposed design.

¹Each objective and metric has a numbered reference to the entry it was derived from (Stakeholder 1 : S1, High-Level Objective 8 : HL8, etc.)

1.3 Scope and Justification

The three underlined criteria in the challenge statement in Section 1.1 have helped to define the scope of the design:

- SC1. The longer the duration of the space mission (up to and including interplanetary travel and permanent colonization) the lesser the feasibility of resupply². The lesser the feasibility of resupply, and the more minimal the input (i.e. launch mass), the less food will be able to be packed at launch, thus the more the design will need to generate net-new food grown on-board during the mission.
- SC2. The minimization of inputs (launch mass), the minimization of other negative criteria such as growth time, design complexity, etc. and the maximization of safety (pathogenic and otherwise) means that the design should focus on food-producing plant growth³. Animal food production has been deemed not feasible, and is outside the scope of this design
- SC3. Spacecraft are not good plant growth systems (lack of water access, proper lighting and nutrition, etc.), thus the design should encompass a plant growth environment that:
 - SC3a. provides of all necessary plant growth inputs (water, nutrients, lighting, etc.);
 - SC3b. contains or otherwise encompasses a viable plant growth environment (temperature, humidity, gas concentrations, airflow, etc.);
 - SC3c. has control over all of both a) and b), collectively referred to as the environment parameters, producing suitable environment conditions.
- SC4. To maximize safety (of both plants and the crew) and redundancy, and to minimize inputs (required human interaction), the environment should be automated and isolated from the spacecraft cabin with regards to all environment conditions (thermal insulation, water-tight, etc.) unless beneficial and efficient (i.e. no loss).

²Minimal resupply is also listed as a constraint directly in the challenge details [2, 3].

³This is primarily an issue in-transit; for colonization, non-plant food production systems should definitely be considered.

- SC5. A greater degree of nutrition and palatability of food outputs implies a greater variety of plants (incl. leafy greens, fruits, root vegetables, legumes, etc.). As such, the food production system should be able to generate a continuous and wide variety of environmental conditions such that virtually any food plants could be grown within.
- SC6. The demand for high plant variety, automation, parameter control, efficiency/input minimization (water, nutrients, footprint per plant), etc. implies the use of an aeroponic plant watering method [4].
- SC7. Output nutrient and yield maximization in a controlled-environment implies environment parameter optimization. This is best accomplished via data collection of both plant-growth and environment metrics and cross-growth-environment networking (data versatility, sharing, and machine intelligence).
- SC8. A solution focussed on palatability (focus on enjoyable plants) and variety (adaptability to many distinct environment requirements) is not suited to high caloric output. Most plants are simply not capable of producing the required daily caloric output in the space allotted (Section 2.6). As such, the scope of our solution places far greater importance on output palatability and variety (both culinary and nutritional) as well as production of critical micronutrients as opposed to pure caloric yield⁴.

DSFC Phase 1 and 2 development, testing, and assessment is scoped to "Earth-like" operating conditions [2, 3]:

- Gravity (9.81 m/s^2);
- Ambient atmospheric pressure (101,325 Pa);
- Ambient atmospheric temperature (22 °C);
- Ambient atmospheric humidity (50 %RH);

⁴The solution "need not meet the full nutritional requirements of future crews, but can contribute significantly to, and integrate with, a comprehensive food system." [2]

1.4 Definitions

A number of useful definitions have emerged from the above scoping:

1. **(Plant Growth) Environment** - The holistic environment with which the plant interacts over the course of its growth.
2. **(Plant Growth) Environment Parameters** - The independent quantitative parameters defining the Environment (i.e. air temperature, CO₂ concentration).
3. **(Plant Growth) Environment Conditions** - The collection of Environment Parameter values at any given time, or, the environment as experienced by the plant.
4. **(Plant) Growth System** - Includes the physical enclosure isolating the plant and Environment from the surroundings, as well as any infrastructure required to control the Environment Parameters and generate the Environment by maintaining Environment Conditions. Satisfies all requirements in this document.
5. **(Plant) Growth Metrics** - The quantitative measures of plant growth, including yield mass, growth rate, compound concentrations (i.e. nutrients, flavour compounds), caloric density, etc.
6. **(Environment) Schedule** - An instruction set outlining the ideal values for each Environment Parameter to be enacted by the Plant Growth System over the course of a growth cycle.

2 Framing

2.1 Opportunity

Design an automated and isolated aeroponic plant growth system for the Deep Space Food Challenge [1], able to generate any environment conditions from a combination of independent environment parameters, with both environment and plant growth metric data collection.

2.2 Challenge Requirements

The following are the overall challenge requirements compiled from DSFC Applicant Guide details [2], the DSFC Phase 2 Instructions [3], and an excerpt from NASA-STD-3001: Section 7.1 Food and Nutrition [5].

- R1. **Must** help fill food gaps for a *three-year* round-trip mission with *no resupply*:
 - (a) **Should** aim to produce food outputs that fulfill **all daily nutritional needs** for a crew of *four (4)* people;
 - (b) **Must** maintain food output *safety* and *nutrition* during *all phases* of the mission;
 - (c) **Must** output food that is *varied, palatable, and acceptable* to the crew for the *duration* of the mission;
 - (d) **Must** produce food outputs that require *no additional processing time*⁵;
- R2. **Should** improve the accessibility of food on Earth by enhancing local production; in particular, via production directly in urban centres and in remote and harsh environments;
- R3. **Must** aim to achieve the *greatest food output* with *minimal inputs* and *minimal waste*;
- R4. **Must** transmit *operational data and limited video* to a remote location, and be able to receive periodic *operational commands*;
- R5. **Must** operate under Earth-like conditions (See Section 1.3);

⁵It is assumed that fresh (or packaged unprepared) edible plant products are already prepared on existing space missions, and that this preparation meets this requirement.

2.3 Stakeholders

- S1. Crew - Time requirement; output safety, palatability, quality
- S2. NASA/CSA Stakeholders - Feasibility; operational safety; input limitation, optimization

2.4 Objectives

2.4.1 High-Level

HL1. Food Output Safety, Suitability (S1, S2, R1, R1a-R1d, R2)	HL3. Environment Control, Automation, and Optimization (S2, R1b, R1d, R2, R3, R4)
HL2. Process Safety, Stability, Reliability (S1, S2, R1b)	HL4. Time and Resource Efficiency (S1, S2, R1d, R2, R3)
	HL5. Feasibility (S2, R2, R5)

2.4.2 Low-Level

LL1. Food Output Variety (HL1)	LL15. Growth Success (HL3, HL4, HL2)
LL2. Food Output Palatability (HL1)	LL16. Automation (HL1, HL4)
LL3. Nutrient Output (HL1, HL4)	LL17. Energy Efficiency (HL4)
LL4. Caloric Output (HL1, HL4)	LL18. Water Usage (HL4)
LL5. Food Output Pathogenic Safety (HL1)	LL19. Growth Time (HL4)
LL6. Food Output Chemical Safety (HL1)	LL20. Time-To-Harvest (HL4)
LL7. Leaf-Zone Thermoregulation (HL3, HL4)	LL21. Pathogenic Hazard Safety (HL1, HL2)
LL8. Leaf-Zone Humidity Control (HL3)	LL22. Chemical Hazard (HL1, HL2)
LL9. Gas Concentration Control (HL3)	LL23. Reliability (HL2)
LL10. Lighting Control (HL3, HL4)	LL24. Input Stability (HL2)
LL11. Insulation, Isolation (HL3, HL1, HL4)	LL25. Output Shelf Life (HL2)
LL12. Air Circulation Control (HL3, HL1)	LL26. Cost (HL5)
LL13. Nutrient Solution Control (HL3)	LL27. Size (HL5)
LL14. Root-Zone Thermoregulation (HL3)	

2.5 Metrics

#	Metric		Units
M1	Plant Species Capability	(LL1)	Y/N (per plant species)
M2	Palatability of Output	(LL2)	1-9 Hedonic (per plant)
M3	Protein Output	(LL3)	g/kg body mass/crewmember/day
M4	Protein Output Calories	(LL3)	kCal/day/crewmember (%TDEI)
M5	Carbohydrate Output Calories	(LL3)	kCal/day/crewmember (%TDEI)
M6	Lipid Output Calories	(LL3)	kCal/day/crewmember (%TDEI)
M7	Ω -6 Fatty Acid Output	(LL3)	g/day/crewmember
M8	Ω -3 Fatty Acid Output	(LL3)	g/day/crewmember
M9	Saturated Fat Output Calories	(LL3)	kCal/day/crewmember (%TDEI)
M10	Trans Fatty Acids Output	(LL3)	kCal/crewmember (%TDEI)
M11	Cholesterol Output	(LL3)	mg/day/crewmember
M12	Fiber Output	(LL3)	g/day/crewmember
M13	Caloric Output	(LL4)	kCal/day/crewmember
M14	Air Temperature Control Range	(LL7)	min, max °C
M15	Air Temperature Control Rate	(LL7)	Δ °C/sec at each °C
M16	Air Temperature Control Stability	(LL7)	\pm °C at each °C
M17	Air Humidity Control Range	(LL8)	min, max %RH
M18	Air Humidity Control Rate	(LL8)	Δ %RH/sec at each %RH
M19	Air Humidity Control Stability	(LL8)	\pm %RH at each %RH
M20	CO ₂ Supplementation Range	(LL9)	max ppm CO ₂
M21	CO ₂ Concentration Control Rate	(LL9)	ppm CO ₂ /sec at each ppm CO ₂
M22	CO ₂ Concentration Control Stability	(LL9)	\pm ppm CO ₂ at each ppm CO ₂
M23	Light Spectrum Wavelength Range	(LL10)	min, max nm
M24	Light Spectrum PAR Match	(LL10)	% (each plant)
M25	Light Intensity Control Range	(LL10)	min, max μ mol m ⁻² sec ⁻¹ at each nm
M26	Light Intensity Control Stability	(LL10)	\pm μ mol m ⁻² sec ⁻¹ at each nm
M27	Light Loss, Capture by Surfaces	(LL11)	%
M28	Outside Light Penetration	(LL11)	%
M29	Heat Loss	(LL11)	\pm W at each °C
M30	Water Loss due to Leaks, Evaporation	(LL11)	mL/hr
M31	Internal Circulation Airflow Control Range	(LL12)	min, max m ³ /min
M32	Gas Exchange due to Leaks	(LL12)	m ³ /min
M33	Maximum Intentional Gas Exchange	(LL12)	m ³ /min
M34	Nutrient Sol'n Delivery Control Range	(LL13)	min, max mL/sec
M35	Nutrient Sol'n Delivery Control Rate	(LL13)	Δ mL/sec ² at each mL/sec
M36	Nutrient Sol'n Delivery Control Stability	(LL13)	\pm mL/sec at each mL/sec
M37	Nutrient Concentrations Control Range	(LL13)	min, max ppm (each nutrient)
M38	Nutrient Concentrations Control Rate	(LL13)	Δ ppm/sec at each ppm (each nutr.)
M39	Nutrient Concentrations Control Stability	(LL13)	\pm ppm at each ppm (each nutrient)

2.5 Metrics (Cont'd)

#	Metric		Units
M40	Nutrient Sol'n Temp. Control Range	(LL14)	min, max °C
M41	Nutrient Sol'n Temp. Control Rate	(LL14)	°C/sec at each °C
M42	Nutrient Sol'n Temp Control Stability	(LL14)	±°C at each °C
M43	Germination Success Rate	(LL15)	%
M44	Time Requirement - Maintenance	(LL16)	hrs/week
M45	Time Requirement - Setup	(LL16)	hrs
M46	Energy Efficiency - Power vs. kCal	(LL17)	%
M47	Necessary Water Waste per Day	(LL18)	L/day
M48	Initial Water Requirement	(LL18)	L
M49	Reharvest Period - Fruiting Plants	(LL20)	days (each plant)
M50	Germination Time	(LL20)	days (each plant)
M51	Time to Harvest	(LL19)	days (each plant)
M52	Chemical Hazard - System Materials	(LL22)	Controlled? Y/N
M53	Chemical Hazard - System Inputs	(LL22)	Controlled? Y/N
M54	Chemical Hazard - System By-Products	(LL22)	Controlled? Y/N
M55	Chemical Hazard - Food Outputs	(LL22)	Controlled? Y/N
M56	Chemical Hazard - Process	(LL22)	Controlled? Y/N
M57	Pathogen Hazard - System Materials	(LL21)	Controlled? Y/N
M58	Pathogen Hazard - System Inputs	(LL21)	Controlled? Y/N
M59	Pathogen Hazard - System By-Products	(LL21)	Controlled? Y/N
M60	Pathogen Hazard - Food Outputs	(LL21)	Controlled? Y/N
M61	Pathogen Hazard - Process	(LL21)	Controlled? Y/N
M62	Loss of Functionality Over 3 Years	(LL23)	%
M63	Input Lifetime while Safe, Useful	(LL24)	Days
M64	Output Shelf Life while Safe, Quality	(LL25)	Days
M65	Cost	(LL26)	CAD
M66	Outer Dimensions	(LL27)	m (W, D, H)
M67	Outer Volume	(LL27)	m ³
M68	Power Consumption	(LL27)	W
M69	Mass	(LL27)	kg

2.6 Constraints

Metric	Constraint	Justification
M2	$\geq 6.0/9.0$ Hedonic	[2, 3]
M3	$\approx 0.27\text{g}$	[2, 3, 5]
M4	$\leq 11.67\%$ TDEI	[2, 3, 5]
M5	50-55% TDEI	[2, 3, 5]
M6	25-35% TDEI	[2, 3, 5]
M7	$\approx 14\text{g}$	[2, 3, 5]
M8	1.1-1.6g	[2, 3, 5]
M9	$< 7\%$ TDEI	[2, 3, 5]
M10	$< 1\%$ TDEI	[2, 3, 5]
M11	$< 300\text{mg}$	[2, 3, 5]
M12	21-38g	[2, 3, 5]
M14	Min $< 15^\circ\text{C}$, Max $> 30^\circ\text{C}$	(SC5)
M17	Min $< 20\%$ RH, Max $> 90\%$ RH	(SC5)
M20	$> 1000\text{ppm}$ (≈ 600 above ambient)	(SC5)
M23	Min $< 300\text{nm}$ (UV), Max $> 700\text{nm}$ (IR)	(SC5, SC7) [6]
M24	$\geq 95\%$ match	(SC5)
M25	Min = 0, Max \geq typical horticulture	(SC5, SC7)
M31	Min = 0 m^3/min , Max $\geq 2\text{ m}^3/\text{min}$	(SC5, SC7)
M34	Min = 0, Max \geq max plant requirement	(SC5, SC7)
M40	Min $< 10^\circ\text{C}$, Max $> 25^\circ\text{C}$	(SC5)
M37	Min = 0, Max \geq max plant requirement	(SC5, SC7)
M44	0.5 hrs/week	[3]
M47	$\leq 4\text{L}/\text{day}$	[3]
M48	$\leq 80\text{L}$	[3]
M52	Controlled	[3]
M53	Controlled	[3]
M54	Controlled	[3]
M55	Controlled	(R1b), [3]
M56	Controlled	[3]
M57	Controlled	[3]
M58	Controlled	[3]
M59	Controlled	[3]
M60	Controlled	(R1b), [3]
M61	Controlled	[3]
M62	$\leq 10\%$	[2, 3]
M63	≥ 3 years (1095 days)	[2, 3]
M64	≥ 3 days	[3]
M66	Fits through 1.07m x 1.90m doorway; W $<1.829\text{m}$, D $<2.438\text{m}$, H $<2.591\text{m}$	[2, 3]
M67	$\leq 2\text{ m}^3$	[2, 3]
M68	Avg. $< 1500\text{W}$; Peak $< 3000\text{W}$	[2, 3]

2.7 Criteria

Metric	Criteria	Justification
M1	Should Maximize	(R1c, R3)
M13	Should Maximize	(R1, R1a, R3)
M15	Should Maximize	(SC5, SC7)
M16	Should Minimize	(SC5, SC7)
M18	Should Maximize	(SC5, SC7)
M19	Should Minimize	(SC5, SC7)
M21	Should Maximize	(SC5, SC7)
M22	Should Minimize	(SC5, SC7)
M26	Should Minimize	(SC5, SC7)
M27	Should Minimize	(R3)
M28	Should Minimize	(SC5)
M29	Should Minimize	(R3)
M30	Should Minimize	(R1b)
M32	Should Minimize	(R3)
M33	Should Maximize	(SC5, SC7)
M35	Should Maximize	(SC5, SC7)
M36	Should Minimize	(SC5, SC7)
M41	Should Maximize	(SC5, SC7)
M42	Should Minimize	(SC5, SC7)
M38	Should Maximize	(SC5, SC7)
M39	Should Minimize	(SC5, SC7)
M43	Should Maximize	(R1, R1b)
M45	Should Minimize	(S1)
M46	Should Maximize	(R3)
M49	Should Minimize	(R1b, R3)
M51	Should Minimize	(R1b)
M51	Should Minimize	(R1b)
M65	Could Minimize	(S2)
M69	Should Minimize	(R3)


3 Reference Designs

3.1 Open Agriculture Initiative - Personal Food Computer


3.1.1 Overview

The Open Agriculture Initiative (OpenAG) was a project launched by the MIT Media Lab with the goal to "Build open resources to enable a global community to accelerate digital agricultural innovation" [7].

One of their primary developments was an open-source controlled-environment agriculture micro-greenhouse, the Personal Food Computer (PFC) [8]. The PFC controls all environmental growing parameters and collects data during the growth cycle. Data can be collected by users and shared between members of the open-source community. This allows for the creation of reproducible "climate recipes" where other devices with similar abilities can reliably generate the same environment and (ideally) attain the same plant growth results.



(a) Assembled PFC v1



(b) PFC component diagram

Figure 1: Personal Food Computer v1 [8]

3.1.2 Analysis

One of the design's major flaws is in its implementation. Despite the claim that the PFC focusses on viable environment generation (Scope SC3a-SC3c) and continuity and range of environment conditions (Scope SC5) [9], in practice, it failed to produce food outputs (Requirement R1) [10]. In addition, the PFC utilizes Deep Water Culture (DWC) hydroponics [8], as opposed to aeroponics, resulting in a lowered water efficiency (Objective LL18) and decreased control over water conditions (Objective LL13).

However, the array of sensors and actuators included in the design (See 1b), as well as the principle of plant phenomenology optimization [7], is informative in meeting Requirement R3 and their attempts can serve as a basis for understanding Scope SC3 and SC5.

3.1.3 Assessment

Objectives Considered: LL1, LL2 (via SC5), LL7, LL8, LL10, LL12, LL13, LL16

Objectives Not Considered: LL4, LL11, ??, LL17, LL18, ??, LL19, ??, ??

Metric	Value	Met?
M2	N/A (Presumed Y)	N
M14	N/A (Presumed Y)	N
M17	N/A (Presumed Y)	N
M20	N/A (Presumed N)	N
M23	448-710nm	N
M24	100%	Y
M25	N/A (Presumed Y)	N
M31	N/A (Presumed Y)	N
M34	N/A (Presumed Y)	N
M40	N/A (Presumed Y)	N
M37	N/A (Presumed Y)	N
M44	N/A (Presumed Y)	N
M47	N/A (Presumed N)	N
M48	N/A (Presumed Y)	N
M52	Y	Y
M53	Y	Y
M54	N	N
M55	N	N
M56	Y	Y
M57	N	N
M58	N	N
M59	N	N
M60	N	N
M61	N	N
M64	N/A (Presumed N)	N
M66	Y	Y
M67	Y	Y
M68	N/A (Presumed Y)	N

Figure 2: Constraint Assessment: 6/40 (15%) met.
Metrics without values omitted for concision.

Appendices

A Requirements Graph




Figure 3: Requirements inheritance graph.

References

- [1] “Deep Space Food Challenge,” Impact Canada, launched by NASA/CSA. [Online]. Available: <https://impact.canada.ca/en/challenges/deep-space-food-challenge>
- [2] “DSFC Applicant Guide,” Impact Canada, launched by NASA/CSA. [Online]. Available: <https://impact.canada.ca/en/challenges/deep-space-food-challenge/application-guide>
- [3] “Deep Space Food Challenge Phase 2 Instructions,” Canadian Space Agency, 12 2021. [Online]. Available: https://impact.canada.ca/system/files/2021-12/CSA_DSFC%20Phase%202%20Instructions_FINAL.pdf
- [4] “NASA Spinoff 2006,” NASA, pp. 64–67, 2006. [Online]. Available: https://www.nasa.gov/pdf/164449main_spinoff_06.pdf
- [5] “Excerpt of NASA-STD-3001: Section 7.1 Food and Nutrition,” 02 2015. [Online]. Available: <https://impact.canada.ca/challenges/deep-space-food-challenge/excerpt>
- [6] S. E. Beck, H. Ryu, L. A. Boczek, J. L. Cashdollar, K. M. Jeanis, J. S. Rosenblum, O. R. Lawal, and K. G. Linden, “Evaluating uv-c led disinfection performance and investigating potential dual-wavelength synergy,” *Water Research*, vol. 109, pp. 207–216, 2017. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0043135416308697>
- [7] C. Harper and M. Siller, “Openag: A globally distributed network of food computing,” *IEEE Pervasive Computing*, vol. 14, no. 4, pp. 24–27, 2015.
- [8] E. Castelló Ferrer, J. Rye, G. Brander, T. Savas, D. Chambers, H. England, and C. Harper, “Personal food computer: A new device for controlled-environment agriculture,” in *Proceedings of the Future Technologies Conference (FTC) 2018*, K. Arai, R. Bhatia, and S. Kapoor, Eds. Springer International Publishing, 2019, pp. 1077–1096.
- [9] “Openag wiki archive - basil recipe for test grow #1,” Open Agriculture Foundation, 04 2020. [Online]. Available: https://openagriculturefoundation.github.io/archived_wiki/contributors/recipes/basil.html
- [10] Harry Goldstein, “MIT Media Lab Scientist Used Syrian Refugees to Tout Food Computers That Didn’t Work,” 10 2019. [Online]. Available: <https://spectrum.ieee.org/tech-talk/at-work/start-ups/mit-media-lab-scientist-used-syrian-refugees-to-tout-food-computers>