


Histogram of stranded vs poly–A paired analysis (k = 1)Total number of genes: 5063 819 genes have p-value < 0.05 4244 genes have p-value >= 0.05 568 genes have BH FDR < 0.05 4495 genes have BH FDR >= 0.05 3 2




Histogram of stranded vs poly–A paired analysis (k = 2)Total number of genes: 5063 1324 genes have p-value < 0.05 3739 genes have p-value >= 0.05 1068 genes have BH FDR < 0.05 3995 genes have BH FDR >= 0.05 4 3 -



Histogram of stranded vs poly–A paired analysis (k = 3)Total number of genes: 5063 853 genes have p-value < 0.05 4210 genes have p-value >= 0.05 559 genes have BH FDR < 0.05 4504 genes have BH FDR >= 0.05 4 3



Histogram of stranded vs poly–A paired analysis (k = 4)
Total number of genes: 5063
1210 genes have p–value < 0.05
3853 genes have p–value >= 0.05
944 genes have BH FDR < 0.05
4119 genes have BH FDR >= 0.05



Histogram of stranded vs poly–A paired analysis (k = 5)
Total number of genes: 5063
1226 genes have p–value < 0.05
3837 genes have p–value >= 0.05
957 genes have BH FDR < 0.05
4106 genes have BH FDR >= 0.05

