

# **The Tale of a Bacteria Battle**

*A study on Staphylococcus aureus, its prevalence, clinical possibilities and  
our fighting tools*

Mar Roca Cugat - 2n Batxillerat A

Tutora: Núria Feliu Pou - Departament de Llengües  
Estrangeres - Ins. JVV



# Contents

<b>1 Prologue</b>	<b>3</b>
<b>2 Theoretical context</b>	<b>7</b>
2.1 Bacteria and bacterial infections . . . . .	7
2.2 The enemy: <i>Staphylococcus aureus</i> . . . . .	8
2.3 The enemy's attacks . . . . .	10
2.4 Our weapons . . . . .	12
<b>3 Physical experimentation</b>	<b>17</b>
3.1 Description . . . . .	17
3.2 Protocol followed . . . . .	17
3.3 Bill of materials . . . . .	19
3.4 Biosecurity and risk mitigation . . . . .	19
3.5 Results and analysis . . . . .	21
<b>4 Computational experimentation</b>	<b>25</b>
4.1 Description . . . . .	25
4.2 Protocol followed . . . . .	25
4.3 Results and analysis . . . . .	26
<b>5 Conclusions</b>	<b>29</b>
5.1 Bibliographic conclusions . . . . .	29
5.2 Experimental conclusions . . . . .	29
5.3 Strengths and weaknesses . . . . .	30
5.4 Possible improvements . . . . .	30
<b>I Appendix</b>	<b>III</b>
<b>Annex 1 – Informed consent given to subjects before sampling</b>	<b>V</b>

<b>Annex 2 – GDPR notice given to subjects before sampling</b>	<b>XI</b>
<b>Annex 3 – Protocol as published in protocols.io</b>	<b>XV</b>
<b>Annex 4 – Bibliography consulted (not referenced)</b>	<b>XXIII</b>

# 1 Prologue

Good writing starts strong. Not with a cliché, not with a banality, but with a contentful observation that provokes curiosity.

---

Stephen King

Our extremities are extremely important, and have been so since the dawn of time. They allow us not only to move about, but to socialize and tend to others, to express ourselves using art, to take care of ourselves, and many more things that we think are a given and thus, pay no attention to. That's why, when parts of them start to fail, humanity looked at its best friend, the brain, and asked it to develop a solution for this problem. And so it did: humans had created the artificial implant. A lot of people who weren't able to walk now could. However, a few months later, doctors realized that the zone around where they implanted the piece was warm to the touch and was starting to swell and redden: typical symptoms of an infection. So, they treated it with broad-spectrum antibiotics, in hopes that this simple treatment fixed the ailment while scientists applied Koch's Pustulates in order to find the cause.. And it did that time. A few years later, after thousands of such infections, one patient stopped responding to antibiotics. And then another. And then a hundred more. The first antibiotic-resistant bacteria were born. So, after much studying, doctors, pharmaceutics, and biologists joined forces and developed a new compound to help fight it. And it helped until, again, there were some cases in which it didn't. So the doctors, with the help of biotechnologists, turned to a fairly old line of research that had been abandoned as soon as penicillin was discovered: the little bacteria-eating vira appropriately named *bacteriophages*.

A few years later, summer of 2021, I was accepted into a program at the Barcelona

Autonomous University, which aimed to divulge microbiology and biotechnology to a group of 50 biology-loving students. That's where I learned in more detail about bacteria, and how a microbiology/biotechnology lab functioned. I fell in love with the discipline at first sight. I wondered how this magical-sounding research works, and so, I thought it was a great fit for my Extended Essay.

This Extended Essay has the objective of studying bibliographically the effects of *Staphylococcus aureus* on the human body, as well as the ways humanity has developed to defeat it. Experimentally, it has two main objectives, and several secondary ones: mainly, I want to find out the natural prevalence of *Staphylococcus Aureus* among my fellow schoolmates; as well as finding out the shape of the bacteriophage used to fight the most resistant strains of it, how it binds to bacteria and then reproduces using it; thus prompting the following questions What is the prevalence of *Staphylococcus aureus* in our school and What structures does the corresponding bacteriophage use to detect and bind to cells, to which my hypotheses are About 30% and An ionic protein. Secondarily, this has the objectives of improving my lab etiquette and fluidity; allowing me to improve my protocols, how I follow them in the lab and how I deal with problems that may arise; forcing me to learn how to work with limited resources; practising my tinction and microscope use; allowing me to practice analogue translation of DNA into amino acids; and last but not least, teaching me and helping me perfect how to use AlphaFold.

This study requires taking samples from live human subjects. This is a one-off sampling process: the subjects are required only once. The results are then communicated to the subjects via e-mail or by being delivered a physical piece of paper. They are informed previously on the process they are going to go through, as well as the purpose of the experiment. Each subject must read and agree to two documents: an informed consent which explains everything about the experiment<sup>1</sup> and a GDPR notice which documents the use of their data as well as an expected timeline for data anonymization and destruction<sup>2</sup>. All participants were screened to be over the age of 16,

---

<sup>1</sup>See annex 1

<sup>2</sup>See annex 2

in order to ease the process and require no previous authorization by parental figures on the data collection. The experimentation followed has no effect on the subjects[1].

Since bacteria were used, some aspects of the experiment must be clarified and discussed. Previously to starting the experiment, I read profusely the WHO's Laboratory Biosafety Manual and Associated Monographs (4th Edition)[2] in order to find ways to mitigate any possible risk. During the experimental phases, there were no accidents or incidents. All plates were accounted for and controlled closely. No person other than me was allowed to come in contact with a plate that had been cultivated or with any used but not disinfected auxilliary material. The cultivated plates were considered Biosecurity Level 2. All possibly infected material was disposed of taking into account the risks that the bacteria in question posed, using fresh bleach.

Before starting the experimentation, and following the guidelines dictated by the IBO about the EE, I had a talk with my coordinator in order to solidify the fact that there was no alternative to taking cutaneous samples from human beings, as well as a discussion on bacteria and the risks that this experiment implies.



# 2 Theoretical context

Each source that I read, I would look through the bibliography and the footnotes, and use that as a map for the next thing I would read.

---

Alexander Chee

## §2.1 Bacteria and bacterial infections

**Bacteria** are prokaryotic organisms, generally single-celled, which are part of the Monera animal kingdom. Their sizes range from between 30  $\mu\text{m}$  and 100  $\mu\text{m}$  and are ubiquitous<sup>1</sup> organisms. This form of life is believed to be the first one to have ever appeared on Earth, as well as the one responsible for the oxygen-rich atmosphere the Earth currently has. Some species are hard to culture in a laboratory environment, but generally, those that can be cultured in a controlled environment are grown in agar plates[3].

**Agar** is used as a base medium to grow bacteria due to the fact that it is indigestible for the majority of bacteria, while keeping them humid. Together with growth mediums, such as Lysogeny Broth, bacteria thrive in this environment, allowing them to proliferate and create colonies, which can be observed without the need of optic magnifying equipment. Sometimes, together with the growth medium, additives such as mannitol or salt are added. These are used to improve or impede bacterial growth, modify their conditions, so they develop differently or as an identification tool. For this research

---

<sup>1</sup>Ubiquitous: found everywhere

MSA (mannitol-salt agar) was used, since *Staphylococcus aureus* ferments the mannitol, producing acid, which in turn decolorizes the plate's integrated pH indicator from red to yellow, whilst the salt prevents the growth of bacteria that are not of interest to the study (since *Staphylococci* are able to sustain high levels of salt concentrations)[4].

**Pathogenic bacteria** are bacteria that have the ability to cause disease<sup>2</sup>. These are not the most common type of bacteria, as the majority of them are either harmless or beneficial to the human body through symbiosis, such as the bacteria that help with digestion in the stomach[3].

## §2.2 The enemy: *Staphylococcus aureus*

*Staphylococcus aureus* (also known as Staph) is a GRAM-positive bacteria, the most studied and one of the most prevalent<sup>3</sup> of its genus. Staph bacteria are usually harmless. However, they can, in some cases, cause serious infections that, in some cases, can lead to sepsis or death. Some of its distinctive characteristics include having a very thick glycopeptide wall, which allows it to withstand extreme temperatures and osmotic pressures, therefore rendering most classic methods of food conservation (such as cooking, smoking, freezing, or salting) completely useless against said bacteria; a protein A capsid, which binds to many eukaryote organisms; as well as thermoresistant enterotoxins. It's an extremely resistant (and thus ubiquitous) bacteria. It can be found in human skin, especially below the nails, and mucous surfaces (such as the mouth or the nose), as well as in certain foods such as ham (even after it's been cooked or curried), eggs, poultry and both raw and cooked dough.

---

<sup>2</sup>A disease is a particular abnormal condition that negatively affects the structure or function of all or part of an organism, and that is not immediately due to any external injury[5].

<sup>3</sup>Prevalence: the percentage of a population that is affected with a disease

*Staphylococcus aureus* has three main parts to its virulence: its cell wall, its membrane-bound factors and its secreted factors. Staph's **cell wall** is made up of three parts, going from inside to the outside of the cell: a plasma membrane, a peptidoglycan layer and a slime (sometimes also called capsule) layer[6]. The plasma membrane consists of a lipid bilayer that is semipermeable<sup>4</sup>, which regulates the transport of materials entering and exiting the cell. Integrated inside them are a type of integral protein<sup>5</sup> called penicillin-binding protein (PBP), amongst other proteins such as protein channels. We will only talk about PBPs because they are the Achilles's Heel of bacteria, as long as one has the proper tools to exploit it. Whilst the name implies PBPs are only sensible to penicillin, the name actually came to be this way because it's how they were discovered, and in fact could be resistant to it but sensible to other similar antibiotic agents. Variations in this protein may lead in some cases to antibiotic resistance, such as MRSA (*Methicillin-Resistant Staphylococcus aureus*), a variation of Staph that is the result of a variation in this protein called PBP2A. The different variations of *Staphylococcus aureus* will be discussed in more detail in a following section.

*Staphylococcus aureus*, like all other members of the *Staphylococcus* family, have very thick peptidoglycan layers. This grants them protection from extreme temperatures and high osmotic pressures, which means these bacteria can colonize cooked food and food that has been salted. The most notable example is ham, either cooked, smoked or cured. Since little to no other bacteria can survive in those conditions, *Staphylococcus aureus* takes advantage of it and starts reproducing, draining the resources available for other bacteria.




Figure 2.1: Parts of *Staphylococcus aureus*[6].

<sup>4</sup>Semipermeable: it lets water and ions through, but not other molecules. This transport will always be in favour of the pressure gradient, which means that it cannot insert any kind of substance into an environment that has a higher pressure than the other side

<sup>5</sup>Integral protein: protein that is situated perpendicularly to the cell wall, allowing for communication between the exterior and interior

## §2.3 The enemy's attacks

*Staphylococcus aureus* is a species that can cause a handful of different diseases, ranging from, most frequently, skin and respiratory tract infections to infective endocarditis, toxic shock syndrome or osteomyelitis. Several variations of this pathogen exist, with increasing levels of antibiotic resistance: MSSA (*Methicillin-Sensitive Staphylococcus aureus*), having no resistance; MRSA (*Methicillin-Resistant Staphylococcus aureus*); and VRSA (*Vancomycin-Resistant Staphylococcus aureus*), the latter for which no antibiotic concoction that can eradicate the infection is known, and the patients have to use experimental treatments. VISA (*Vancomycin-intermediate Staphylococcus aureus*) is a variation that has medium resistance to vancomycin, being an intermediate step between MRSA and VRSA. VISA and VRSA are what we would call a superbug, a microbe that has developed resistance to more quantity of antibiotic than is safe to consume. Studies have discovered that this genetic factor has been developed by different lineages separately, indicating that there is not a common ancestor of MRSA strains. This case is the bacteria equivalent of carcinization<sup>6</sup> or tree leaves<sup>7</sup>

One of Staph's most notorious abilities is using the body's own proteins to disguise itself and thus avoid detection and phagocytosis by the host's immune system. It accomplishes this task by using enzymes called coagulases, which enable the transformation of fibrinogen<sup>8</sup> to fibrin<sup>9</sup>[3]. Only 11 other *Staphylococcus* family members are coagulase-positive. To test for this enzyme in the laboratory there are two main methods which are usually combined: culture of the sample on a Baird-Parker agar medium, a selective and differential medium which contains lithium chloride and tellurite as to inhibit the growth of other microbes; while also including pyruvate and glycine, which promote the growth of *Staphylococci* colonies, showing in colour black and with an opaque zone around the colony. This opaque zone represents the effect of the coagulase. Another

<sup>6</sup>Carcinization: the discovery that several species have evolved into crabs

<sup>7</sup>Tree leaves were developed independently by several species at the same time, in completely different parts of the world.

<sup>8</sup>A glycoproteic complex produced in the liver and present in the blood of all vertebrates.

<sup>9</sup>fibrinogen after being stimulated by either thrombin or *staphylothrombin*, the result of a molecular pathway stimulated by coagulase. It helps in clotting the blood in the event of vascular or tissue injury such as a cut or bruise.

way to test for coagulase is to perform a coagulase test. This test generally requires a small quantity (generally 2 mL) of sheep blood serum, which will gelatinize if coagulase is present.

*Staphylococcus aureus* contains an important quantity of **toxins**, compounds that grant *Staph* most of its pathogenicity. Many of its virulence factors can be described as such. Toxins are usually defined as poisonous substances, which, in our case, means that they have the capacity to mess with the host body directly, without need of a mediating entity. This category doesn't include, for example, those molecules intended to combat the host's defence mechanisms or scavenge reactive oxygen. We'll also exclude those situated on its membrane for the purpose of cell binding. *Staph* has several kinds of toxin in its arsenal: membrane-damaging toxins (which can be receptor-mediated or not), receptor-interfering toxins (not membrane-damaging), enzymes, and pathway blockers.

- Membrane-damaging toxins. Several of *Staphylococcus aureus*' toxins target the cytoplasmic membrane of the host's cells. These lead to pore formation in it, which provokes the outflux of vital molecules of the cell which, in turn, leads to cytology<sup>10</sup>.
  - Receptor-mediated. Many of the cytolytic toxins of *Staphylococcus aureus* have been shown to require receptor interaction for their lytic activity. The best-known toxin of this kind is Alpha-toxin, also known as Alpha-hemolysin, which is its major cytotoxic agent, and is lytic to red blood cells and certain leukocytes, but not to neutrophils. Whilst at low concentrations it has been shown to be dependent on the interaction with cells' ADAM10 receptors, in higher concentrations of this toxin, this interaction is no longer necessary. Other toxins of this type include PVL (Panton-Valentine Leucocidin) and Gamma-toxin.
  - Non-receptor-mediated. In 2007, a toxin family that includes the Delta-toxin called the Phenol-Soluble Modulins (PSMs) was discovered. PSMs trigger an inflammatory response by interacting with the FPR2 receptor, however they can carry cytolytic activity independently of said interaction. Delta-toxin has been linked to allergic

<sup>10</sup>Cytolysis: Cell bursting due to osmotic pressure imbalance between the inside and the outside of it

skin disease and atopic dermatitis by degrading mast cells<sup>11</sup>. This kind of toxin contributes to neutrophil lysis after phagocytosis<sup>12</sup>, which might partly explain why the development of *Staphylococcus aureus* vaccines that work by enhancing a type of phagocytosis have failed so far.

- Receptor-function-interfering toxins. The toxins that fall into this category are enterotoxins<sup>13</sup>. These typically cause vomit and diarrhoea. *S. aureus* strains can produce a wide array (around 20) of entero and entero-like toxins. The most famous *Aureus* super-antigen<sup>14</sup>, the 22-kD toxic shock syndrome toxin (TSST), belongs to this group. TSS is a very severe and potentially fatal disease. *Staphylococcus aureus* also secretes a series of proteins that interfere with leukocyte receptors to evade recognition and thus activation of the immune system. CHIPS (Chemotaxis Inhibitory Protein of *Staphylococcus aureus*), which binds to the C5aR and FPR receptors, impairs the recognition of bacterial formylated peptides by the FPR receiver and blocks the activation of leukocytes via C5aR. *S. aureus* also has other proteins that work similarly to these, such as FLIPr.
- Enzymes. Many enzymes secreted by *Staphylococcus aureus* either degrade host molecules or interfere with its metabolic or signalling cascades. A few of them are proteases, which some non-specific ones have the ability to degrade host proteins in a broad proteins, leading to tissue destruction and necrosis, but may also have some more specific effects, for example the destruction of insulin B. Its two coagulases (staphylocoagulase and Willebrand factor) fall into this category.

## §2.4 Our weapons

The tools we have at our disposal to fight off this infection fall into two main categories: chemical factors and biological factors.

<sup>11</sup>Mast cell: immune cell specific for connective tissue


<sup>12</sup>Phagocytosis is a process done by neutrophils in which the neutrophil consumes the foreign agent

<sup>13</sup>Enterotoxins are those toxins that target the intestines.

<sup>14</sup>Super-antigen: type of antigens that results in excessive activation by the immune system

The chemical factors are drugs, and they depend both in quantity and type on the variation a particular case falls in. It is **extremely important** to find out the level of antibiotic resistance that a specific infection has before administering any antibiotic, as this treatment course will cause side effects such as killing gut bacteria, diminishing defence system capabilities, and increasing the possibility to develop yet more resistant infections. Generally, a large-spectrum antibiotic has an adequate risk-to-benefits ratio of causing the previously mentioned side effects, so they may be used before switching to a more specific (and in some cases even more violent) treatment.

Starting with the treatment to the least resistant strains of *Staphylococcus aureus*, a -lactam antibiotic (such as methicillin, oxacillin, cloxacillin and penicillin) is the weapon of choice to fight against an MSSA infection. This is because this specific chemical part (just a -lactam ring does nothing by itself) has the ability to inhibit cell wall biosynthesis on the bacterial intruder's body. But once the -lactam ring is cut by an enzyme secreted by the bacteria itself, this type of antibiotic suddenly loses effect against them.



That's where vancomycin comes in. It is a type of glycopeptide antibiotic, just like -lactam, and works by blocking the construction of a cell wall, as all of its type do. This treatment is very invasive and only indicated for the treatment of extremely serious, life-threatening infections by Gram-positive bacteria that have shown to be unresponsive to other antibiotics.

Figure 2.2: Organic chemistry structure of penicillin (top) and cephalosporin (bottom). -lactam ring in red.  
Source: WikiMedia

It can be taken as a pill or as an injectable fluid, the latter form proving to be much more effective than the former. This treatment is incompatible with aminoglycosides, a type of antibiotic that inhibit protein synthesis, as it can lead to nephrotoxicity<sup>15</sup>

<sup>15</sup>Nephrotoxicity: damage to the kidneys

and ototoxicity<sup>16</sup>. Vancomycin can induce platelet-reactive antibodies in the patient, leading to internal bleeding, with petechial haemorrhages on the tongue and bruises on most of the body. Unfortunately, even with use of vancomycin, *Staphylococcus aureus* can develop resistance. In this case, no other option than using a biological factor is left. There has been one study in 2020 that discovered that by modifying the bacteria with a cationic oligo peptide<sup>17</sup>, vancomycin resistance could be bypassed. This could be a good solution temporarily as we wait for phage therapy to get improved on and approved, if it was a sufficiently studied option, which is not. This was discovered in 2020, while bacteriophage trials have been ongoing since the mid 2000s.




Figure 2.3: Organic chemistry structure of vancomycin. Source: WikiMedia

The biological factor is a bacteriophage, called P68. It comes from the *Caudovirales* order, which means that it is a bacteriophage with tail. This treatment is still in testing, but it appears to be effective and lead to low adverse results. If possible, it would be preferable to use bacteriophage therapy (shortened to phage therapy) instead of going for antibiotics, as it can lead to less side effects than antibiotics, as it only attacks specific bacteria. This means, unfortunately, that the infection has to be pinpointed with extreme accuracy. The use of this treatment also negates the risk of bacteria developing antibiotic resistance. It is, however, unclear whether the bacteriophage could mutate into a dangerous strain. This class of virus has been studied since the late 19th century after being discovered by accident in

water from a river in India. This research, however, was dropped due to penicillin being discovered and used, sometimes abusively, as the main purpose of this research was to use it on war casualties in order to reduce mortality caused by infections.

<sup>16</sup>Ototoxicity: damage to hearing

<sup>17</sup>Cationic oligo peptide: sequence of two or more amino acids that is positively charged

Bacteriophages work in an interesting manner. They work by detecting one very specific bacteria, just like any other virus does with the type of cell they evolved for, then bind to it and inject their genetic material, which then in turn the bacteria considers as its own, inserts it into its own genetic sequence and starts producing the proteins the virus requires, but it doesn't eject them. Once the bacteria is full of phages, a special lytic compound is released which bursts the cell membrane in such a way that it resembles an explosion, but instead of heating up everything in a radius, spreads millions more of bacteriophages, which then bind to other bacteria and the cycle repeats until there's no more bacteria left. The fight from the bacteria point of view consists mostly on trying to outnumber and outreproduce the phages in order to have a chance of survival, even if minimal. There is no known bacteria that shows resistance to phages. That is probably because, unlike the chemical factors, phages can evolve and improve with each generation.




Figure 2.4: P68 structure.

Source: Own results



# 3 Physical experimentation

A scientist in his laboratory is not a mere technician: he is also a child confronting natural phenomena that impress him as though they were fairy tales.

---

Marie Curie

## §3.1 Description

This experiment is designed to detect and evaluate the prevalence of *Staphylococcus aureus* in a sample of students from our school. The process used involves extracting a sample from underneath a subject's nails by swabbing, cultivating that sample, and then observing the results of said culture to determine the presence or not of *Staphylococcus aureus* as part of the subject's resident bacterial flora. Each sampling iteration of the process took less than two minutes to complete. However, all the safety measures and actions taken need more time to be taken care of properly; as well as taking into account the fact that cultivating is not a task that can be done in just a day, often needing two to three to fully develop.

## §3.2 Protocol followed

The protocol followed was designed based on a similar protocol used in many university laboratories[7], modified to fit the needs of this research paper, peer-reviewed by Olga Sánchez, and uploaded to the Protocols.io platform, to make it easier to follow the days of that the experiment took place in. This protocol underwent 10 different revisions[rocacugatStaphilococcusAureusSampling2022a]. It dictates the following

steps:

- 1) Prepare yourself for the experimentation: wash your hands, put on gloves, put on the lab coat, mask, and goggles. Wash your hands again (gloves still on). Set up the work area; the Bunsen burner should be turned on in such a way that it can cover an acceptable surface to work. Turn it on and try not to break scrub<sup>1</sup>.
- 2) Divide each Petri dish in 2 parts. A ruler should be used for this part. Get your subject to wash their hands and observe them. If the nails are extremely short, it may be worth it to take the sample nasally. If the hands don't seem clean enough, teach them proper hand washing techniques.
- 3) Note down their information, crack open a sterile swab pack, dip one of the swabs in Ringer solution and swab away at under their nails or nose. Then, populate the dish with this sample.
- 4) Incubate for 32-48h and observe the results.
- 5) Observe the bacteria under a microscope after a GRAM tinction.




Figure 3.1: Transferring a sample to the agar plate

<sup>1</sup>Breaking scrub: breaking the sterile field

### §3.3 Bill of materials

The materials used, as well as the quantities used, can be found in the following table. On the left, laboratory equipment and, on the right, reagents, tinction agents, and consumables used:

Qty	Material/consumable	Qty	Reagent
x80	Sterile cotton swabs	~30mL	Bleach
x1	Kolle handle	~10mL	Methyl violet
x1	Optic microscope	~10mL	Iodine
x1	Binocular magnifier	~10mL	Alcoholic safranin
x1	Dissection tray	~10mL	Methanol
x1	Bunsen burner	<1mL	Ether
x1	Lab coat	x40	Agar MSA plates
x1	Lab goggles	>1L	Ringer solution (9% saline)
x8	Non-powdered gloves		
x10	Slides and slide covers		

### §3.4 Biosecurity and risk mitigation

Staph is considered a Biosecurity Level (BSL) 2 pathogenic bacteria[8]. This means that it is associated with a human disease that can pose a moderate human health hazard. In a laboratory where BSL-2 pathogens are handled, usual lab rules should be followed (mechanical pipetting only, surgical handwashing, prohibition of the consumption of food and drinks in the lab, proper PPE use as well as avoiding splashes or aerosols, adhering biohazard warning signs present on all material used, as well as proper surface and material disinfection via the use of autoclave or proper alternative decontamination method.


The risks associated with this bacterium were assessed following the protocol designated by the World Health Organization, and proper security measures were followed at all times when handling biohazardous material. No incidents occurred during the research part of this project, and the protocol defined previous to the start was followed extremely closely. While the laboratory used may not be the most ideal type of laboratory for this type of research, it was certainly adequate to perform a research project like this one, especially after the temporary signage that was temporarily installed[2].

## §3.5 Results and analysis

The results obtained can be found in the following raw data table:

Group	Plate	Result	Group	Plate	Result
1BAT A	E1	Positive	FAM	A5	Positive
4ESO B	B12	Negative	FAM	A9	Unknown
1BAT A	C2	Negative	FAM	A10	Unknown
PROF	B4	Positive	FAM	A11	Negative
PROF	F4	Negative	FAM	A12	Positive
1BAT A	E2	Negative	PROF	B1	Positive
1BAT A	E5	Negative	PROF	B3	Positive
1BAT A	E7	Positive	4ESO B	B7	Negative
1BAT A	E6	Positive	4ESO B	B8	Negative
PROF	C1	Negative	4ESO B	B9	Negative
PROF	B2	Negative	4ESO D	B10	Negative
1BAT A	E8	Positive	4ESO D	B11	Positive
1BAT A	E4	Positive	4ESO D	B13	Positive
FAM	D1	Positive	4ESO D	B14	Negative
1BAT A	E3	Negative	PROF	C3	Positive
PROF	B5	Positive	FAM	D2	Negative
FAM	A1	Negative	PROFJ	F1	Positive
FAM	A2	Positive	PROFJ	F2	Positive
FAM	A3	Negative	1 Bat A	F3	Negative
FAM	A4	Positive	1 Bat A	E9	Negative
FAM	A6	Negative	1 Bat A	E10	Negative
FAM	A7	Negative	1BAT A	E11	Negative
FAM	A8	Positive	1BAT A	E12	Positive
		PROF	A9		Positive

The data was then recounted and graphed into the following pie chart:




(a) Counts of the result cases.

(b) Pie graph of the result cases.

Figure 3.2: Data processed from results

As we can see, almost 50% of the samples taken tested positive for *Staphylococcus aureus*, compared to the expected 30%[9]. We can, however, see in the UK's Public Health bacteremia data that Staph infections have been on the rise lately, so it may not be a case of wrong data[10]. On top of that, both of my advisers, Olga and Margarita, have also found their experiments resulting in a higher prevalence than usual of this bacterium, and are finding cases that were once negative but turned positive in the last few years. Most of these results were not only confirmed by the highly-specific detection of the MSA plate, but also by taking the morphological observation into account, both of the colonies and microscopically.



(a) *Staphylococcus aureus* as seen below  
the microscope. x4000, GRAM stain  
(b) Colonies of *Staphylococcus aureus*  
seen under a magnifying glass

Figure 3.3: Photographies of the results, as collected from my own experimentation (own data).

There may be several reasons for the infection rate and thus natural prevalence to be increasing. One of them could be that since antibiotic abuse is growing with each passing year, the usual resident microbiota is getting killed, leaving more resources for Staph to thrive in that environment. To confirm this theory, we will look at the infection rates of a country that is facing extreme antibiotic abuse (the United States of America) and compare it to another that is controlling their antibiotics a bit better

(the United Kingdom). The former have seen a 210% increase in *Staphylococcus aureus* cases since 2006. However, superfluous antibiotic prescriptions have increased by barely 1%[11]. In the United Kingdom, they have seen a 160% increase in *Staphylococcus aureus* infections[10], and their superfluous antibiotic prescriptions have gone down by 20%. Even though this is very little data to extract conclusions from, there may be a correlation between these two factors.

The other could be climate change. An increase of ambient temperatures could mean a more suitable breeding ground for this specific species and thus leading to a higher-than-usual prevalence. *Staphylococcus aureus*' optimal breeding temperature is between 35°C and 37°C. The global average temperature has increased by 1,1°C[12] in the last 120 years. And *Staphylococcus aureus* has a specific temperature growth curve, just like any other bacteria:




Figure 3.4: Graphs relating the temperature of growth of *Staphylococcus aureus* and the increase of temperature of the Earth.

So, this correlation may not be completely incorrect, and in fact some scientists warn about an increased number of infectious diseases resurging due to climate change. One only data point is not enough significant data, so further study is needed on this front.



# 4 Computational experimentation

Remember that all models are wrong;  
the practical question is how wrong do  
they have to be to not be useful.

---

Norman Richard Draper

## §4.1 Description

This second experiment looks at computing the shape of a *Staphylococcus aureus* P-68 bacteriophage starting from its DNA sequence. This will analyse the process of protein translation, as well as looking at the process of using AlphaFold[15]. To compute the secondary, tertiary and quaternary structures of the proteic parts of the virus we will use the Google CoLaboratory version of AlphaFold[GoogleColaboratoryAlpha1970], as it allows for far more computer power than available on a simple laptop.

## §4.2 Protocol followed

The protocol followed is very simple, as AlphaFold, the Artificial Intelligence model used, does the hardest part of the work for us: calculating the secondary, tertiary and quaternary structures.

- 1) Convert the DNA sequence of one of the proteins to an mRNA sequence, by taking into account the fact that there's base complementarity.
- 2) Convert the mRNA sequence to an amino acid sequence of the proteins by using the genetic universal code table.

- 3) Feed the amino acid sequences to AlphaFold, and obtain the PDB models for each protein.
- 4) Assemble the bacteriophage.
- 5) Print, polish and paint a 3D physical model of the bacteriophage to illustrate better how it functions.

The AlphaFold Jupiter notebook[16] used is optimized for use with the NVIDIA Tesla T4 computing engine GPU, an extremely powerful graphics card, like the ones used in computers to render extremely detailed polygons in video games or 3D animations. That's the one I used when folding<sup>1</sup> the proteins. The genomic sequence used is NC\_004679.1, which leads to the PDB structure 6Q3G.

### §4.3 Results and analysis

The gene codified for a total of 22 separate proteins. After BLASTing<sup>2</sup> all of them, I got the following list:


---

<sup>1</sup>Folding a protein: calculating, by using the theoretical intermolecular forces, the shape of the protein

<sup>2</sup>BLAST: digital service that takes a sequence of DNA in the FASTA format and attempts to find the organism and/or protein that it codifies

hypothetical protein phiP68_01	holin
hypothetical protein phiP68_02	tail protein
hypothetical protein phiP68_03	minor tail protein
hypothetical protein phiP68_04	holin
hypothetical protein phiP68_05	SH3 domain-containing protein
hypothetical protein phiP68_06	minor structural protein
hypothetical protein phiP68_07	putative lower collar protein
hypothetical protein phiP68_08	putative upper collar protein
encapsidation protein	capsid protein
DNA polymerase	hypothetical protein phiP68_21
CHAP domain-containing protein	hypothetical protein phiP68_22


Which then assembled into the following figure:



These three views allow us to see the capsid, the collar, and sheath, the tail fibres, and the spikes, which are integrated into the collar. We can also see that the tail fibres, which

are the detectors of cells, are electrically charged, thus making them ionic proteins. The tail fibres act exactly like the Coronavirus spike proteins: they bind to a specific compound on the surface of the bacteria, but they don't access it. They only bind to the surface, perforate it using the spikes and then, due to a difference in pressures, the genetic material is injected into the cell. Then, it uses the fact that bacteria will integrate strands of genetic material floating in the environment into its own hereditary material in order to force the host to reproduce the virus.

Using the PDB2STL pymol<sup>3</sup> tool, I managed to create a printable 3D model of the virus, which was then polished using a wire brush and painted gray so the details can be seen with more clarity. Then, a white filament strand was added to symbolize the genetic material being oozed into a cell:



<sup>3</sup>Pymol: program that takes a protein database and displays it as a comprehensible 3D model

# 5 Conclusions

Our reliance on the validity of a scientific conclusion depends ultimately on a judgment of coherence; and as there can exist no strict criterion for coherence, our judgment of it must always remain a qualitative, non-formal, tacit, personal judgment.

---

Michael Polanyi

## §5.1 Bibliographic conclusions

While *Staphylococcus aureus* is a dangerous bacterium given the right conditions However, most times, the immune system can get rid of it before it becomes too large of a problem. However, in some cases, when the entire body gets infected and the infection stops being localized, then that's when there is a problem. There are several strains of *Staphylococcus aureus*, classified by their resistance to antibiotics: MSSA (sensitive to methicillin), MRSA (resistant to methicillin), VISA (intermediate resistance to vancomycin) and VRSA (resistant to vancomycin). While there is no antibiotic that can deal with VRSA, an alternative in the form of a bacteriophage virus, P-68, of the order of the *Caudovirales*

## §5.2 Experimental conclusions

This study has concluded that the prevalence of *Staphylococcus aureus* in our high school is 48,8%, one and a half times the expected results. As explored previously, this could mostly be due to climate change or antibiotic abuse, however there may also be other

reasons for why this is happening. Thus, our hypothesis (About 30%) was false. It has also managed to produce a 3D printed figure of the bacteriophage that can help eradicate *Staphylococcus aureus*, regardless of antibiotic resistance, as well as discovering how the proteins bind to the surface of a bacterium, injects its DNA and then proceeds to its hosted reproduction. The detector and binder are both proteins, both being ionic proteins. Thus, our hypothesis (An ionic protein) was true.

### §5.3 Strengths and weaknesses

This research was not without its strengths, but neither was it without its weaknesses.

**Strengths** The protocol was adapted fairly well to the environment it was run in, and no incidents took place during the realization of the experimentation. The cost of the experimentation was relatively cheap, taking into account that reagents in microbiology can quickly get expensive. Reliability was also high, and the questions were answered, hypotheses verified and refused.

**Weaknesses** While the Agar plates used were definitely adequate for the purpose they were used for, a much more appropriate growth medium called Baird-Parker (BP) could've been used.

### §5.4 Possible improvements

This research could've been improved by running an antibiogram on the samples, thus checking for antibiotic resistance. While this is fairly safe if adequate protections are taken, it is yet another point that could fail and result in a biosafety incident.

It could have also been improved by obtaining even a larger sample of the population, in order to get an even more significative result. The bacteria could have been sequenced,

allowing us to trace back the bacterium one by one, comparing it to locations where a similar strain had been found, tracing back its travels.





# Works referenced

- [1] *What Is GDPR, the EU's New Data Protection Law?* <https://gdpr.eu/what-is-gdpr/>. Nov. 2018.
- [2] World Health Organization. *Laboratory Biosafety Manual*. 4th ed. Laboratory Biosafety Manual, Fourth Edition and Associated Monographs; Geneva: World Health Organization, 2020. Chap. The Portuguese version is published by PAHO: <https://iris.paho.org/handle/10665.2/54521>. ISBN: 978-92-4-001131-1.
- [3] Patrick R Murray, Ken S Rosenthal and Michael A Pfaller. *Microbiología médica*. Barcelona: Elsevier, 2013. ISBN: 978-84-9022-411-3.
- [4] Carlos Gamazo, Ramón Díaz and Ignacio López-Goñi. *Manual práctico de microbiología*. Barcelona: Elsevier Masson, 2010. ISBN: 978-84-458-1519-9.
- [5] *Dorlands Medical Dictionary:Disease*. [https://web.archive.org/web/20100411075617/http://www.mercksource.com/pp/us/cns/cns\\_hl\\_dorlands\\_split.jsp?pg=/ppdocs/us/common/dorlands/dorland/three/000030493.htm](https://web.archive.org/web/20100411075617/http://www.mercksource.com/pp/us/cns/cns_hl_dorlands_split.jsp?pg=/ppdocs/us/common/dorlands/dorland/three/000030493.htm). Apr. 2010.
- [6] Eric F. Kong, Jennifer K. Johnson and Mary Ann Jabra-Rizk. 'Community-Associated Methicillin-Resistant Staphylococcus Aureus: An Enemy amidst Us'. In: *PLOS Pathogens* 12.10 (Oct. 2016). Ed. by John M Leong, e1005837. ISSN: 1553-7374. DOI: [10/gdm3tb](https://doi.org/10/gdm3tb).
- [7] William M. O'Leary, ed. *Practical Handbook of Microbiology*. Boca Raton, Fla: CRC Press, 1989. ISBN: 978-0-8493-3704-8.
- [8] Gordon Y. C. Cheung, Justin S. Bae and Michael Otto. 'Pathogenicity and Virulence of Staphylococcus Aureus'. In: *Virulence* 12.1 (Dec. 2021), pp. 547–569. ISSN: 2150-5608. DOI: [10/gm3xqz](https://doi.org/10/gm3xqz).
- [9] *Staphylococcus Aureus in Healthcare Settings | HAI | CDC*. <https://www.cdc.gov/hai/organisms/staph.html>. Dec. 2020.
- [10] Public Health England. *MSSA Bacteraemia: Annual Data*. <https://www.gov.uk/government/statistics/mssa-bacteraemia-annual-data>. Sept. 2021.

- [11] James Baggs et al. ‘Estimating National Trends in Inpatient Antibiotic Use Among US Hospitals From 2006 to 2012’. In: *JAMA Internal Medicine* 176.11 (Nov. 2016), pp. 1639–1648. ISSN: 2168-6106. DOI: [10/ggqsvf](https://doi.org/10/ggqsvf).
- [12] NASA’s GMS. *GMS: Annual Global Temperature, 1880-2015*. <https://svs.gsfc.nasa.gov/12133>. Jan. 2016.
- [13] *Fig. 2. Effect of Temperature on the Growth of S. Aureus*. [https://www.researchgate.net/figure/Effect-of-temperature-on-the-growth-of-S-aureus\\_fig6\\_266137314](https://www.researchgate.net/figure/Effect-of-temperature-on-the-growth-of-S-aureus_fig6_266137314). Sept. 2022.
- [14] *Global Warming*. <https://earthobservatory.nasa.gov/features/GlobalWarming/page2.php>. Text.Article. June 2010.
- [15] John Jumper et al. ‘Highly Accurate Protein Structure Prediction with AlphaFold’. In: *Nature* 596.7873 (2021), pp. 583–589. DOI: [10/gk7nfp](https://doi.org/10/gk7nfp).
- [16] *Google Colaboratory - Alpha Fold 2*. <https://colab.research.google.com/github/sokrypton/-ColabFold/blob/main/AlphaFold2.ipynb#scrollTo=kOblAo-xetgx>. -.

# I

## Appendix



# **Annex 1 – Informed consent given to subjects before sampling**

## CONSENT TO BE PART OF A RESEARCH STUDY

### 1. KEY INFORMATION ABOUT THE RESEARCHERS AND THIS STUDY

**Study title:** A study on the affection and effects of Staphylococcus Aureus

**Principal Investigator:** Pol Roca Cugat (ORCID: 0000-0001-8796-8396)

**UDG Advisor:** [TBD]

**UAB Advisor:** Olga Sanchez (NIU: 1004137)

**Study Coordinator:** Núria Feliu Pou, Departament de Llengües estrangeres.

You are invited to take part in a research study. This form contains information that will help you decide whether to join the study.

If you choose to participate, you will be asked to go to the Biology Laboratory PN22, wash profusely your hands and have a sample taken from the subungual tissue. This poses no risk andd will take around 2 to 7 minutes.The results will be delivered to you in 24-48 hours, in paper form. There are no other direct benefits.

Taking part in this research project is voluntary. You do not have to participate and you can stop at any time. Please take time to read this entire form and ask questions before deciding whether to take part in this research project.

### 2. PURPOSE OF THIS STUDY

The purpose of this study is to evaluate the percentage of students whose reseident bacterioflora include *Staphylococcus aureus*, as well as a genomic analysis of a random one of the positive samples.

We may use the subungual tissue collected for this study for whole bacterial genome sequencing which involves mapping all of the bacteria DNA to screen for MRSA and MSSA.

### 3. WHO CAN PARTICIPATE IN THE STUDY

**3.1 Who can take part in this study?** There is no application criteria.

**3.2 How many people are expected to take part in this study?** About 40-60 people are expected to take part in this study.

### 4. INFORMATION ABOUT STUDY PARTICIPATION

#### 4.1 What will happen to me in this study?

- You will be called to the Biology Laboratory
- You will be asked to follow simple instructions to wash your hands
- A sample from below your nails will be taken and cultured
- If positive, your sample may be chosen for sequencing.
- You will be given all your results 24-48h after sampling in paper form.

The process can be found in detail at [dx.doi.org/10.17504/protocols.io.81wgb6pk1lpk/v6](https://dx.doi.org/10.17504/protocols.io.81wgb6pk1lpk/v6)

**4.2 How much of my time will be needed to take part in this study?** This will take one day, 5-10 minutes total maximum.

**4.3 If I decide not to take part in this study, what other options do I have?**  
Leave and not get your results.

## **5. INFORMATION ABOUT STUDY RISKS AND BENEFITS**

**5.1 What risks will I face by taking part in the study? What will the researchers do to protect me against these risks?**

There are no known risks.

**5.2 How could I benefit if I take part in this study? How could others benefit?**

You may not receive any personal benefits from being in this study. However, others may benefit from the knowledge gained from this study. You will receive your results.

**5.2.1 Will the researchers provide information to me about what they learn from analyzing my [type of biospecimen]?** We may learn things about your health as part of the research. If this happens, this information will be provided to you. [Insert a description of the types of research results that may be returned, under what circumstances participants will be provided research results, and how participants will be notified.] You may need to meet with professionals with expertise to help you learn more about your research results. The study team/study will not cover the costs of any follow-up consultations or actions.

**5.3 Will the researchers tell me if they learn of new information that could change my willingness to stay in this study?** Yes, the researchers will tell you if they learn of important new information that may change your willingness to stay in this study.

## **6. ENDING THE STUDY**

**6.1 If I want to stop participating in the study, what should I do?**

You are free to leave the study at any time. If you leave the study before it is finished, there will be no penalty to you. You will not lose any benefits to which you may otherwise be entitled. If you decide to leave the study before it is finished, please tell one of the persons listed in Section 9 "Contact Information". If you choose to tell the researchers why you are leaving the study, your reasons may be kept as part of the study record. The researchers will keep the information [and type of biospecimen] collected about you for the research unless you ask us to remove the information from our records and destroy the [type of biospecimen]. If the researchers have already used your information in a research analysis, it will not be possible to remove your information.

## **7. FINANCIAL INFORMATION**

No money will be transferred.

## **8. PROTECTING AND SHARING RESEARCH INFORMATION [AND BIOSPECIMENS]**

**8.1 How will the researchers protect my information? Following GDPR regulations.**

**8.2 Who will have access to my research records?**

There are reasons why information about you may be used or seen by the researchers or others during or after this study. Examples include:

- University, government officials, study sponsors or funders, auditors, and/or the Institutional Review Board (IRB) may need the information to make sure that the study is done in a safe and proper manner.

**8.3 What will happen to the information and/or biospecimens collected in this study?**

We will keep the information and/or biospecimens we collect about you during the research, [including information we learn from analyzing your sample, for future research projects and for study recordkeeping. Your name and other information that can directly identify you will be stored securely and separately from the research information we collected from you..

The results of this study could be published in an article or presentation, but will not include any information that would let others know who you are.

**8.4 Will my information and/or biospecimens be used for future research or shared with others?**

We may use or share your research information and/or biospecimen for future research studies. If we share your information and/or biospecimen with other researchers it will be de-identified, which means that it will not contain your name or other information that can directly identify you. This research may be similar to this study or completely different. We will not ask for your additional informed consent for these studies.

We would like to share your identifiable information or biospecimen with other researchers for future research. We will ask for your consent to do so at the end of this consent document. You can be a part of this current research project without agreeing to this future use of your identifiable information or biospecimen.

## 9. CONTACT INFORMATION

### Who can I contact about this study?

Please contact the researchers listed below to:

- Obtain more information about the study
- Ask a question about the study procedures
- Report an illness, injury, or other problem (you may also need to tell your regular doctors)
- Leave the study before it is finished
- Express a concern about the study

**Principal Investigator:** Pol Roca Cugat (ORCID: 0000-0001-8796-8396)

**Email:** proca001@jvvgirona.eu

**Study Coordinator:** Núria Feliu Pou

**Email:** nfeliu001@jvvgirona.eu



## **Annex 2 – GDPR notice given to subjects before sampling**

## **GDPR NOTICE**

You are receiving this notice in connection with your participation in the following research study:

**Title of Study:** A study on the affectation and effects of Staphylococcus Aureus

**Principal Investigator:** Pol Roca Cugat (ORCID: 0000-0001-8796-8396)

The above-named research study involves the collection of *sensitive personal data* that can identify you. The General Data Protection Regulation ("GDPR") requires researchers to provide this notice to you when we collect and use research data about people located within the European Union (EU) or the European Economic Area (EEA). This notice outlines what personal data we will collect, how we intend to use and protect this information, and your rights with respect to your personal data for purposes of GDPR.

NOTE: The GDPR may apply to *personal data* that you provide while physically located in the EU/EEA. It does not apply to information provided while located outside of the EU/EEA (e.g., while in the United States). GDPR data protection requirements do not apply to your personal data that is rendered anonymous such that you are not identifiable or can no longer be identified.

### **Personal data – what we will collect**

As part of this research study, we will create and obtain information related to your participation in the study from you so we can conduct this research. Research study data will include: contact information and physiological data that arises from the test, which will include the presence or not of bacteria and the concentration of it.

### **How we will use your Personal Data**

The personal data you provide will be used for the following purposes:

- To fulfill study objectives as described within the Study Informed Consent Form
- To provide study compensation and complying with compensation-related reporting requirements
- To comply with legal and regulatory requirements, including requirements to share data with regulatory agencies overseeing the research
- To confirm proper conduct of the study and research integrity

Your personal data may be transferred to the United States in condition of storage. The United States does not have the same laws to protect your personal data as in the EU/EEA. However, we are committed to protecting the confidentiality of the personal data you give us. The *Study Informed Consent form* further describes the protections in place to protect the confidentiality of your personal data. Transfer and use of your personal data is on the basis of your consent.

### **Retention of your personal data**

We may retain your personal data for as long as necessary to fulfill the objectives of

the research and to ensure the integrity of the research. We will delete your personal data when it is no longer needed for the study or if you withdraw your consent provided such deletion does not render impossible or seriously impair the achievement of the objectives of the research project. However, your information will be retained as necessary to comply with legal or regulatory requirements. Your data will be anonymized as soon as the results of your test have been sent to you by using a unique randomized identifier. No non-anonymized data will be used for future studies.

### **Your rights with respect to your personal data**

If you participate in this study within the EU/EEA the GDPR affords you certain rights with respect to your personal data, including the right to:

- Access, correct, withdraw, or delete your personal data; however, the research team may need to keep your personal data as long as it is necessary to achieve the purpose of this research;
- Restrict the types of activities the research team can do with your personal data;
- Object to using your personal data for specific types of activities; or
- Withdraw your consent to use your personal data for the purposes outlined in the *Study Informed Consent form* and in this document. (However, this withdrawal will only apply to new personal data not yet collected or created. Personal data already collected or created may continue to be used as outlined in the *Study Informed Consent form* and this document.)

To exercise your rights, please use the contact information below to submit a request. When you submit a request, please indicate your name, the name of this project, your reasons for making the request, if necessary, and other details you think will be useful for us to comply with your request.

### **Where to address your questions or concerns about your personal data**

If you want to make a request relating to the rights listed above or if you have any concerns about how your personal data is being handled, please contact:

Pol Roca Cugat, 1Bat A Ins JVV. Email at [proca001@jvvgirona.eu](mailto:proca001@jvvgirona.eu) or for urgent contact send a private message via Discord at Peipr#8989.

### **Your Consent**

**Your consent is entirely voluntary, but declining to provide consent may impede your ability to participate in this research project.**

By clicking below, you indicate that you have read and understood how your personal data will be processed, your related rights, and that you consent to the processing of your data as provided in this document. In addition, you acknowledge


that this information was explained to you, your questions have been answered, and that you wish to continue participating in the study. If any new questions arise, you can contact the research team using the information provided above.

You may print a copy of this form for your files.

Name:

I acknowledge that this new information was explained to me, my questions have been answered to my satisfaction, and I wish to participate in this study.

# **Annex 3 – Protocol as published in protocols.io**



# Staphylococcus Aureus Sampling V.10

Mar Roca Cugat<sup>1</sup>, Olga Sánchez<sup>2</sup>

<sup>1</sup>Institut Jaume Vicens Vives; <sup>2</sup>Universitat Autònoma de Barcelona

Olga Sánchez: Peer review;

Version 10 ▾

Sep 19, 2022

[dx.doi.org/10.17504/protocols.io.81wgb6pk1lpk/v10](https://dx.doi.org/10.17504/protocols.io.81wgb6pk1lpk/v10)



Mar Roca Cugat

Institut Jaume Vicens Vives, Universitat de Girona

## DISCLAIMER

### DISCLAIMER – FOR INFORMATIONAL PURPOSES ONLY; USE AT YOUR OWN RISK

The protocol content here is for informational purposes only and does not constitute legal, medical, clinical, or safety advice, or otherwise; content added to [protocols.io](#) is not peer reviewed and may not have undergone a formal approval of any kind. Information presented in this protocol should not substitute for independent professional judgment, advice, diagnosis, or treatment. Any action you take or refrain from taking using or relying upon the information presented here is strictly at your own risk. You agree that neither the Company nor any of the authors, contributors, administrators, or anyone else associated with [protocols.io](#), can be held responsible for your use of the information contained in or linked to this protocol or any of our Sites/Apps and Services.

## ABSTRACT

This protocol is intended to study the affection of *Staphylococcus Aureus*, including the MRSA, VISA and VRSA variants, even if it makes the test more difficult to perform. It outlines the basic protocol for a multi-subject study, while using basic and minimal resources found in almost every biology lab.

## DOI

[dx.doi.org/10.17504/protocols.io.81wgb6pk1lpk/v10](https://dx.doi.org/10.17504/protocols.io.81wgb6pk1lpk/v10)

## PROTOCOL CITATION

Mar Roca Cugat, Olga Sánchez 2022. Staphylococcus Aureus Sampling.  
**protocols.io**  
<https://protocols.io/view/staphylococcus-aureus-sampling-cguctwsw>  
Version created by [Mar Roca Cugat](#)

## KEYWORDS

Microbiology, sampling, swab, staphilococcus aureus

## LICENSE



This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

## CREATED

Jan 12, 2022

## LAST MODIFIED

Sep 19, 2022

## PROTOCOL INTEGER ID

70244

## GUIDELINES

This protocol is intended to study the affection of *Staphylococcus Aureus*, which is a Biosecurity Level 2 bacterial agent. As such, the laboratory should be adequately to those standards or take measures in order to prevent infection, cross-contamination, or leaks.

## MATERIALS TEXT

### PPE

- Face shield or protective goggles
- FFP2/KN95 or higher-rated mask
- Latex, non-powdered gloves
- Lab coat

### Sampling material

- Clean and sterile cotton swabs ( $n+n/10$  being n the number of tests required)
- MSA Agar Petri dishes ( $n/(2 \text{ to } 4)$  being n the number of dishes required)
- Sterile Ringer solution
- Permanent marker

### Support material

- Bunsen burner
- Incubator
- Ethanol: >80%
- Bleach solution at 50%v in water.
- Reagents to make LB
- Inactivation buffer
- Photospectrometer

## SAFETY WARNINGS

This protocol requires interaction with people, possibly infected with a pathogen (especially in 2022, when this protocol was written and put into practice, as COVID-19 was still going strong). As such, there is a risk of infection which can be minimized with proper PPE use.

Proper ventilation is recommended at all times, even when the pandemic situation is over. However, the sterile field must be preserved at all costs, so try to direct the airflow in order for it not to affect the results.

DISCLAIMER:

DISCLAIMER – FOR INFORMATIONAL PURPOSES ONLY; USE AT YOUR OWN RISK

The protocol content here is for informational purposes only and does not constitute legal, medical, clinical, or safety advice, or otherwise; content added to [protocols.io](#) is not peer reviewed and may not have undergone a formal approval of any kind. Information presented in this protocol should not substitute for independent professional judgment, advice, diagnosis, or treatment. Any action you take or refrain from taking using or relying upon the information presented here is strictly at your own risk. You agree that neither the Company nor any of the authors, contributors, administrators, or anyone else associated with [protocols.io](#), can be held responsible for your use of the information contained in or linked to this protocol or any of our Sites/Apps and Services.

Preparation

1h

10m



Wash your hands with soap. Put on your lab coat, your mask, and your goggles or face shield. Make sure your mask is airtight and air cannot escape through the sides.

**1.1** Prepare the area where you are going to work. Disinfect the surfaces with the bleach solution.

The subjects should not be able to walk behind you, only to the side or to the front. Make sure to leave enough distance between the sampler and the subject, but not enough distance as for the sampling to be uncomfortable. The environment should be comfortable, within the following range of temperatures: **20 °C – 35 °C**

You should have a plastic, sealable box to your side or on the table to store the sampled Petri dishes.

The Bunsen burner should be to the front of you, within a hand of distance. The fresh swabs and Petri dishes should never be accessible by the subjects.

**1.2** Using a permanent marker, divide each plate into two to four equal parts. You should help yourself by using a guide, such as a ruler.

- 2 Observe the subject's hands. If their nails are longer than 1-4 mm (the white part of the nail that can overgrow).  
Bitten-down nails could lead to invalid results. Too long nails could lead to cross-contamination.  
Ask the subject for their identificative and contact information if this has not been done previously.
- 3 Place a Petri dish on the side of the Bunsen burner. The burner will be the center of our sterile field.



Watch out so as not to break the sterile field

Step 3 includes a Step case.

### Nail sampling

### Nose sampling

---

step case

---

### Nail sampling

For cases where the nails are 3-6mm long

- 4 Ask the subject to wash their hands thoroughly and below the nails with soap and lukewarm water. Note their subject ID on the bottom (agar side) of the Petri dish.
  - 4.1 Bring the subject's hands below the sterile area generated by the Bunsen burner. Open the Ringer solution and soak the swab. Proceed by swabbing below every nail in both hands. Once done, the subject can be dismissed.
  - 4.2 "Paint" one half of the Petri dish with the swab, softly so as not to break the agar but firmly as to get the sample to transfer to the plate.

5



1d

### ⌚ Repeat n times

Once the plate has 3 samples, place it in the full plates box.


Once there are 20 plates in the box, group them together with tape, write an identificative group number and place it in the incubator.

The incubator should be set to **⌚ 37 °C** and left to incubate for **⌚ 24:00:00**.

Study

1d 2h

6



© 2013 Pearson Education, Inc.

It is expected to one of these results. A bright red colour means the sample was uninoculated. A pinkish colour with translucent streaks means there is *Staphylococcus epidermidis* present. A faint yellow colour or a bright yellow colour means there is *Staphylococcus aureus* present

The samples should be taken out of the incubator, the results introduced into the database and communicated to the subject.

7



Using one of the extra MSA Agar plates, culture and purify a sample of *Staphilococcus Aureus*. This can then be treated with GRAM tinture in order to observe it under an optical microscope (ideally at x1000-x1200).



Watch out for impurities/contaminations



## **Annex 4 – Bibliography consulted (not referenced)**

- [1] G. Verger, Ll Carbó and Fundació Dr Antoni Esteve. *Problemas que se plantean en el tratamiento de infecciones graves por S. Aureus* / [editores]: G. Verger, Ll. Carbó. Barcelona, 1986.
- [2] William M. O'Leary, ed. *Practical Handbook of Microbiology*. Boca Raton, Fla: CRC Press, 1989. ISBN: 978-0-8493-3704-8.
- [3] Alan J. Lacey, ed. *Light Microscopy in Biology: A Practical Approach*. 2. ed. The Practical Approach Series 195. Oxford: Oxford Univ. Press, 1999. ISBN: 978-0-19-963669-3 978-0-19-963670-9.
- [4] Anthony J. F. Griffiths, ed. *Modern Genetic Analysis*. 3rd print. New York, NY: W. H. Freeman, 2000. ISBN: 978-0-7167-3597-7 978-0-7167-3118-4 978-0-7167-3347-8.
- [5] Anna Claret i Coma. ‘Resistència antibiòtica en les poblacions de lactobacils, estafilococs i entreococs aïllats de productes lleugerament fermentats.’ Projecte/Treball de Final de Carrera. Girona: Universitat de Girona, May 2004.
- [6] David W. Mount. *Bioinformatics: Sequence and Genome Analysis*. 2nd ed. Cold Spring Harbor, N.Y: Cold Spring Harbor Laboratory Press, 2004. ISBN: 978-0-87969-687-0 978-0-87969-712-9.
- [7] Matthew J. Kuehnert et al. ‘Prevalence of Staphylococcus Aureus Nasal Colonization in the United States, 2001-2002’. In: *The Journal of Infectious Diseases* 193.2 (Jan. 2006), pp. 172–179. ISSN: 0022-1899. DOI: [10/c8985p](https://doi.org/10/c8985p).
- [8] BAIRD-PARKER Agar (*Staphylococcus Selective Agar Base Acc. to BAIRD-PARKER*). [https://web.archive.org/web/20080501041929/http://www.emdchemicals.com/analytics/Micro\\_Manual/TEDIS-data/prods/1\\_05406\\_0500.html](https://web.archive.org/web/20080501041929/http://www.emdchemicals.com/analytics/Micro_Manual/TEDIS-data/prods/1_05406_0500.html). May 2008.
- [9] Dong Xu and Yang Zhang. ‘Generating Triangulated Macromolecular Surfaces by Euclidean Distance Transform’. In: *PLoS ONE* 4.12 (Dec. 2009). Ed. by Markus J. Buehler, e8140. ISSN: 1932-6203. DOI: [10/d6tf9f](https://doi.org/10/d6tf9f).
- [10] Dorlands Medical Dictionary:Disease. [https://web.archive.org/web/20100411075617/http://www.mercksource.com/pp/us/cns/cns\\_hl\\_dorlands\\_split.jsp?pg=/ppdocs/us/common/dorlands/dorland/three/000030493.htm](https://web.archive.org/web/20100411075617/http://www.mercksource.com/pp/us/cns/cns_hl_dorlands_split.jsp?pg=/ppdocs/us/common/dorlands/dorland/three/000030493.htm). Apr. 2010.
- [11] Carlos Gamazo, Ramón Díaz and Ignacio López-Goñi. *Manual práctico de microbiología*. Barcelona: Elsevier Masson, 2010. ISBN: 978-84-458-1519-9.
- [12] Global Warming. <https://earthobservatory.nasa.gov/features/GlobalWarming/page2.php>. Text.Article. June 2010.
- [13] John T. Moore and Richard Langley. *Biochemistry for Dummies*. 2nd ed. –For Dummies. Hoboken, NJ: Wiley Pub, 2011. ISBN: 978-1-118-02174-3.
- [14] Gloria Inés Puerta Quintero. ‘Fundamentos Del Proceso de Fermentación En El Beneficio Del Café’. In: *Avances técnicos Cenicafe* (2012). ISSN: 0120-0178.
- [15] Patrick R Murray, Ken S Rosenthal and Michael A Pfaffer. *Microbiología médica*. Barcelona: Elsevier, 2013. ISBN: 978-84-9022-411-3.

- [16] James Baggs et al. ‘Estimating National Trends in Inpatient Antibiotic Use Among US Hospitals From 2006 to 2012’. In: *JAMA Internal Medicine* 176.11 (Nov. 2016), pp. 1639–1648. ISSN: 2168-6106. DOI: [10/ggqsvf](https://doi.org/10/ggqsvf).
- [17] NASA’s GMS. *GMS: Annual Global Temperature, 1880-2015*. <https://svs.gsfc.nasa.gov/12133>. Jan. 2016.
- [18] Cin Kong, Hui-min Neoh and Sheila Nathan. ‘Targeting Staphylococcus Aureus Toxins: A Potential Form of Anti-Virulence Therapy’. In: *Toxins* 8.3 (Mar. 2016), E72. ISSN: 2072-6651. DOI: [10/f8tnpx](https://doi.org/10/f8tnpx).
- [19] Eric F. Kong, Jennifer K. Johnson and Mary Ann Jabra-Rizk. ‘Community-Associated Methicillin-Resistant Staphylococcus Aureus: An Enemy amidst Us’. In: *PLOS Pathogens* 12.10 (Oct. 2016). Ed. by John M Leong, e1005837. ISSN: 1553-7374. DOI: [10/gdm3tb](https://doi.org/10/gdm3tb).
- [20] Tzu-Sen Yang et al. ‘Disinfection Effects of Undoped and Silver-Doped Ceria Powders of Nanometer Crystallite Size’. In: *International Journal of Nanomedicine* 11 (June 2016), p. 2531. DOI: [10/f8p99f](https://doi.org/10/f8p99f).
- [21] Professor Dave Explains. *Viruses: Molecular Hijackers*. Oct. 2017.
- [22] Xiaopeng Zhang, Xiaomei Hu and Xiancai Rao. ‘Apoptosis Induced by Staphylococcus Aureus Toxins’. In: *Microbiological Research* 205 (Dec. 2017), pp. 19–24. ISSN: 1618-0623. DOI: [10/gcf5pm](https://doi.org/10/gcf5pm).
- [23] SAHIL BATRA. *Biochemical Tests for Staphylococcus Aureus / Bacteriology Notes*. <https://paramedicsworld.com/staphylococcus-aureus/biochemical-tests-staphylococcus-aureus/medical-paramedical-studynotes>. Sept. 2018.
- [24] SAHIL BATRA. *Biochemical Tests For Streptococcus Pneumoniae / Bacteriology Notes*. <https://paramedicsworld.com/streptococcus-pneumoniae-pneumococcus/biochemical-tests-for-streptococcus-pneumoniae/medical-paramedical-studynotes>. Sept. 2018.
- [25] TED. *How a Long-Forgotten Virus Could Help Us Solve the Antibiotics Crisis / Alexander Belcredi*. 2018.
- [26] *What Is GDPR, the EU’s New Data Protection Law?* <https://gdpr.eu/what-is-gdpr/>. Nov. 2018.
- [27] Kaixiang Zhou et al. ‘A Review on Nanosystems as an Effective Approach against Infections of Staphylococcus Aureus’. In: *International Journal of Nanomedicine* 13 (2018), pp. 7333–7347. ISSN: 1178-2013. DOI: [10/gfp2z2](https://doi.org/10/gfp2z2).
- [28] Shayla Hesse and Sankar Adhya. ‘Phage Therapy in the Twenty-First Century: Facing the Decline of the Antibiotic Era; Is It Finally Time for the Age of the Phage?’ In: *Annual Review of Microbiology* 73.1 (Sept. 2019), pp. 155–174. ISSN: 0066-4227, 1545-3251. DOI: [10/gqwcss](https://doi.org/10/gqwcss).
- [29] Dominik Hrebík et al. ‘Structure and Genome Ejection Mechanism of Staphylococcus Aureus Phage P68’. In: *Science Advances* 5.10 (Oct. 2019), eaaw7414. ISSN: 2375-2548. DOI: [10/gm742z](https://doi.org/10/gm742z).

- [30] Dominik Hrebík et al. ‘Structure and Genome Ejection Mechanism of *Staphylococcus Aureus* Phage P68’. In: *Science Advances* 5.10 (Oct. 2019), eaaw7414. ISSN: 2375-2548. DOI: [10/gm742z](https://doi.org/10/gm742z).
- [31] Aleksandra Petrovic Fabijan et al. ‘Safety of Bacteriophage Therapy in Severe *Staphylococcus Aureus* Infection’. In: *Nature Microbiology* 5.3 (Mar. 2020), pp. 465–472. ISSN: 2058-5276. DOI: [10/gqbj7f](https://doi.org/10/gqbj7f).
- [32] *Staphylococcus Aureus in Healthcare Settings | HAI | CDC*. <https://www.cdc.gov/hai/organisms/staph.html>. Dec. 2020.
- [33] World Health Organization. *Laboratory Biosafety Manual*. 4th ed. Laboratory Biosafety Manual, Fourth Edition and Associated Monographs; Geneva: World Health Organization, 2020. Chap. The Portuguese version is published by PAHO: <https://iris.paho.org/handle/10665.2/54521>. ISBN: 978-92-4-001131-1.
- [34] 74 Asamblea Mundial de la Salud. *Mejora de la bioseguridad en los laboratorios*. Tech. rep. Ginebra: Organización Mundial de la Salud, 2021. Chap. 7 p.
- [35] 74 Assemblée mondiale de la Santé. *Renforcement de la sécurité biologique en laboratoire*. Tech. rep. Genève: Organisation mondiale de la Santé, 2021. Chap. 7 p.
- [36] Gordon Y. C. Cheung, Justin S. Bae and Michael Otto. ‘Pathogenicity and Virulence of *Staphylococcus Aureus*’. In: *Virulence* 12.1 (Dec. 2021), pp. 547–569. ISSN: 2150-5608. DOI: [10/gm3xqz](https://doi.org/10/gm3xqz).
- [37] Public Health England. *MSSA Bacteraemia: Annual Data*. <https://www.gov.uk/government/statistics/mssa-bacteraemia-annual-data>. Sept. 2021.
- [38] John Jumper et al. ‘Highly Accurate Protein Structure Prediction with AlphaFold’. In: *Nature* 596.7873 (2021), pp. 583–589. DOI: [10/gk7nfp](https://doi.org/10/gk7nfp).
- [39] Organisation mondiale de la Santé. *Renforcer la résilience du système de santé pour instaurer la couverture sanitaire universelle et la sécurité sanitaire pendant et après la COVID-19 : exposé de la position de l'OMS*. Tech. rep. Genève: Organisation mondiale de la Santé, 2021. Chap. xii, 39 p.
- [40] 74 World Health Assembly. *Enhancement of Laboratory Biosafety*. Tech. rep. Geneva: World Health Organization, 2021. Chap. 6 p.
- [41] World Health Organization. *Guidance Framework for Testing Genetically Modified Mosquitoes*. 2nd ed. Geneva: World Health Organization, 2021. Chap. xxvi, 165 p. ISBN: 978-92-4-002523-3.
- [42] World Health Organization = Organisation mondiale de la Santé. ‘Case Report of Laboratory-Acquired Vaccinia Virus Infection in India Cas d'infection En Laboratoire Par Le Virus de La Vaccine En Inde’. In: *Weekly Epidemiological Record = Relevé épidémiologique hebdomadaire* 96.05/06 (Feb. 2021), pp. 33–39.

- [43] World Health Organization = Organisation mondiale de la Santé. ‘Weekly Epidemiological Record, 2020, Vol. 96, 05/06 [Full Issue]’. In: *Weekly Epidemiological Record = Relevé épidémiologique hebdomadaire* 96.05/06 (Feb. 2021), pp. 33–44.
- [44] Anaïs Eskenazi et al. ‘Combination of Pre-Adapted Bacteriophage Therapy and Antibiotics for Treatment of Fracture-Related Infection Due to Pandrug-Resistant Klebsiella Pneumoniae’. In: *Nature Communications* 13.1 (Dec. 2022), p. 302. ISSN: 2041-1723. DOI: [10/hdbt](https://doi.org/10/hdbt).
- [45] *Fig. 2. Effect of Temperature on the Growth of S. Aureus.* [https://www.researchgate.net/figure/Effect-of-temperature-on-the-growth-of-S-aureus\\_fig6\\_266137314](https://www.researchgate.net/figure/Effect-of-temperature-on-the-growth-of-S-aureus_fig6_266137314). Sept. 2022.
- [46] Organisation mondiale de la Santé. *Analyses en laboratoire pour la détection du virus de la variole du singe (orthopoxvirose simienne) : orientations provisoires*, 23 mai 2022. Tech. rep. Genève: Organisation mondiale de la Santé, 2022. Chap. 7 p.
- [47] Organización Mundial de la Salud. *Pruebas de laboratorio para el virus de la viruela símica: orientaciones provisionales*, 23 de mayo de 2022. Tech. rep. Ginebra: Organización Mundial de la Salud, 2022. Chap. 7 p.
- [48] *Plasma Membrane (Cell Membrane).* <https://www.genome.gov/genetics-glossary/Plasma-Membrane>. Sept. 2022.
- [49] Mar Roca Cugat and Olga Sánchez. ‘Staphilococcus Aureus Sampling V10’. In: *protocols.io* 8 (Sept. 2022). DOI: [10/gqwcst](https://doi.org/10/gqwcst).
- [50] World Health Organization. *Global Guidance Framework for the Responsible Use of the Life Sciences: Mitigating Biorisks and Governing Dual-Use Research*. Geneva: World Health Organization, 2022. ISBN: 978-92-4-005610-7.
- [51] World Health Organization. *Joint External Evaluation Tool: International Health Regulations (2005)*. 3rd ed. Geneva: World Health Organization, 2022. Chap. v, 132 p. ISBN: 978-92-4-005198-0.
- [52] World Health Organization. *Laboratory Testing for the Monkeypox Virus: Interim Guidance, 23 May 2022*. Tech. rep. Geneva: World Health Organization, 2022. Chap. 6 p.
- [53] World Health Organization. Regional Office for South-East Asia. *Programme Budget Performance Assessment: 20202021*. Tech. rep. New Delhi: World Health Organization. Regional Office for South-East Asia, 2022.
- [54] *Definition of PREVALENCE.* <https://www.merriam-webster.com/dictionary/prevalence>. undefined.
- [55] *Diccionari Enciclopèdic de Medicina (DEMCAT). Versió de Treball / TERMCAT.* <https://www.termcat.cat/ca/diccionaris-en-linia/183.->.
- [56] *Google Colaboratory - Alpha Fold 2.* <https://colab.research.google.com/github/sokrypton/-ColabFold/blob/main/AlphaFold2.ipynb#scrollTo=kOblAo-xetgx.->.
- [57] *Immunology - YouTube.* <https://www.youtube.com/>. multiple.

- [58] *Interaction between Streptococcus Pneumoniae and Staphylococcus Aureus Generates ·OH Radicals That Rapidly Kill Staphylococcus Aureus Strains.* <https://journals.asm.org/doi/e-pub/10.1128/JB.00474-19>. -. DOI: [10.1128/JB.00474-19](https://doi.org/10.1128/JB.00474-19).
- [59] *Laboratory Notebook · Benchling.* <https://benchling.com/s/etr-sGhwNi3thI69pBb3Gw1g/edit?m=slm-1ZNe5iE4Txvx812cVgxw>. -.
- [60] *Microbiology/Infectious Diseases - YouTube.* <https://www.youtube.com/playlist?list=PLYbg94GvOJ9HH55n>.
- [61] Center for Food Safety and Applied Nutrition. ‘BAM Chapter 12: Staphylococcus Aureus’. In: FDA (Wed, 05/13/2020 - 17:33).
- [62] *Promoting Biosecurity by Professionalizing Biosecurity.* [https://www.science.org/doi/epdf/10.1126/science.aba0376?adobe\\_mc=MCMID%3D34422769753108397802497074084661275174%7CM-CORGID%3D242B6472541199F70A4C98A6%2540AdobeOrg%7CTS%3D1639589098](https://www.science.org/doi/epdf/10.1126/science.aba0376?adobe_mc=MCMID%3D34422769753108397802497074084661275174%7CM-CORGID%3D242B6472541199F70A4C98A6%2540AdobeOrg%7CTS%3D1639589098). -. DOI: [10.1126/science.aba0376](https://doi.org/10.1126/science.aba0376).
- [63] *Staphylococcus Aureus Toxins | Elsevier Enhanced Reader.* <https://reader.elsevier.com/reader/sd/pii/S1369527413002191?token=A32ABB40B09CB72E7261B7B00541C8BF22151150B0A7472A8940E&ginRegion=eu-west-1&originCreation=20211215173133>. multiple. DOI: [10.1016/j.mib.2013.11.004](https://doi.org/10.1016/j.mib.2013.11.004).