## Computing Infrastructures January 16, 2024

Course Section:	□ Prof. Ardagna	$\Box$ Prof. Palermo	□ Prof. Roveri
Student ID (Codice 2	Persona):		
Last Name:	(LAST NAME I	N CAPITAL LETTER	
First Name:	(FIRST NAME	IN CAPITAL LETTER	

#### Exam Duration: 1hour and 30min

Students are not permitted to use mobile phones and similar connected devices. Course materials and programmable devices (e.g. programmable calculators) cannot be used as well. **Any violation of the rules is considered a cheating action.** 

Answers must be given on the Answer Sheets and in English. Any box filled or answer provided on the other sheets will be ignored. Students must use a pen (black or blue) to mark the answers (no pencil).

Write the LAST and FIRST name in CAPITAL LETTER, and in this order, in all places where requested. Where it is requested only the STUDENT ID (Codice Persona), do not write your name.


Check that the first number of the code for the Answer Sheet is the same as for the other sheets. The code can be found in the top-right corner of each page in the form +NN/KK/XX+. The parts that should correspond is ONLY the first digit NN.

Mark clearly the box corresponding to your answers, without overlapping on other boxes. If you make a mistake on them, circle the word *Question* together with the related number, and write the correct letter to its side.

Numerical exercises require writing the formulas and procedure used to solve the problem just after the question in the left space. Exercises without the procedure used to reach the result will not be considered for the evaluation. Only the numeric answer and its unit should be reported on the corresponding dotted line in the Answer Sheet.

The answers to the *Open Questions* should be written using ONLY the space available on in the boxes within the Answer Sheets. The answers should be readable by the professor. Unreadable answers will not be considered for the evaluation.

Scores: correct answers take positive points, unanswered questions take 0 points, wrong answers can have negative points. An indication of the points is available at the beginning of each section. The final score can be re-modulated at the end of the evaluation.



B False

Open loop (free) cooling refers to the use of cold outside air to either help produce

B False

A True

Question 10

A True

chilled water or directly cool servers.



Correct answer: +2, No answer: 0.

The formulas and procedures used to solve the exercises should be included here close to the question. The numeric answer, and only that, must be given on the ANSWER SHEETS. Any number written only here will be ignored. The correct number is ONLY a necessary condition for a correct answer. If the formulas are not available after each exercise, they will be considered as not answered.

### Question 11

Suppose we have a computer system consisting of 2 critical components ( $C_1$  and  $C_2$ ), both of which must work for the whole system to work. They have the same cost and their reliability after 1 year is  $R_{C1} = 0.8$ ,  $R_{C2} = 0.92$ .

- What is the availability  $A_{SYS}$  of the whole system if the MTTR of both components is 1 day? Use 4 decimal digits for all calculations.
- If the objective is to increase the availability of the system, and there is a budget to add two components to the system, would it be better to (A) replace component  $C_1$  with three components in parallel, or (B) replace components  $C_1$  and  $C_2$  each with simple parallel systems (one extra each)?

#### Question 12

Let us consider a set of requests in the disk queue referring to the following cylinders of the disk: 27, 8, 42, 73, 11. Consider the initial position of the disk head at cylinder 24 and moving from inside (lower cylinder number) to outside (higher cylinder number). Writes the order of the served requests (from the first to the last) if the disk head scheduling algorithm adopted is C-SCAN (Circular SCAN)? Use the cylinder number to refer to the request.



Consider an HDD with a data transfer time of 0.4ms for a 2 KB sector, a rotation speed of 12000 RPM, a mean seek time of 6 ms, and a negligible overhead controller. What minimum locality is required to achieve a mean I/O service time of 8 ms to transfer a 10KB file?


#### Question 14

In a small enterprise dealing in computer graphics, the main storage solution is a distributed file system. N=8 employees access the file system via a front end server (FS), which takes care of writing to two different storage nodes (S1, S2). To evaluate the system performance, a two-hour (2h) monitoring phase has been performed. The following data have been collected:

- total number of system completions, C = 5400;
- system response time, R=4 s;
- front end busy time,  $B_{FS} = 22.5$  min;
- first storage node utilization,  $U_{S1} = 13.5\%$ ;
- first storage node service time,  $S_{S1}$ = 15 ms;
- second storage node service time,  $S_{S2} = 5$  ms;
- visits at the storage layer (i.e., including the two storage nodes only, named SL),  $V_{SL}=32$ ;
- average population for the storage layer (i.e., the average number of jobs for the two storage nodes),  $N_{SL} = 4$ .

Compute: the think time during the measurement phase and the average response time of the storage layer (i.e., including the two storage nodes only)





Consider the same system and scenario analyzed in Question 14, compute: the service demands of all the servers  $(D_{FS}, D_{S1}, D_{S2})$ .

## Question 16

Consider the same system and scenario analyzed in  $Questions\ 14$  and 15, determine the bottleneck by writing the name of the server determining it and the maximum possible throughput.



## **Open Questions**

Correct answer: +5, No answer: 0. Points are modulated considering the written text Write the answer using ONLY the space available in the boxes on the ANSWER SHEETS. The answers should be readable by the professor. Unreadable answers will be considered wrong.

#### Question 17

 $\Rightarrow$  What is the power usage effectiveness (PUE) metric in the context of data centers? Provide the definition, and describe what is the meaning of the different values and their impact.

#### Question 18


⇒ Which are the main differences between IaaS and PaaS solutions?

#### !!!ANY ANSWER PROVIDED ON THIS PAGE WILL BE IGNORED!!!

If needed, you can use the space hereafter to organize your answer.



	Student ID (Codice Persona):
Tr	ue/False Questions
	Question 01: A B
	Question 02: A B
	Question 03: A B
	Question 04: A B
	Question 05: A B
	Question 06: A B
	Question 07: $\square A \triangleright B$
	Question 08: A B
	Question 09: A B
	Question 10: A B
Ex	cercises 0,899
	Question 11: 0,3555
	Question 12: 27-42-73 -8-11
	Question 13: 0,8588 & 85,88 %
	Question 14: \$ = 6.66 Sec Rsc = 0, 166 Sec
	Question 15: Des = 0,25 sec Ds 1= 0,18s = 0,18s = 0,15ec
	Question 16: F.E. SERVER XMAX = 1,11 REQ



Course Section:	□ Prof. Ardagna	□ Prof. Palermo	□ Prof. Roveri
Student ID (Codice 2	Persona):		
Last Name:	(LAST NAME II	N CAPITAL LETTER	
First Name:	(FIRST NAME 1	IN CAPITAL LETTER	

#### Exam Duration: 1hour and 30min

Students are not permitted to use mobile phones and similar connected devices. Course materials and programmable devices (e.g. programmable calculators) cannot be used as well. **Any violation of the rules is considered a cheating action.** 

Answers must be given on the Answer Sheets and in English. Any box filled or answer provided on the other sheets will be ignored. Students must use a pen (black or blue) to mark the answers (no pencil).

Write the LAST and FIRST name in CAPITAL LETTER, and in this order, in all places where requested. Where it is requested only the STUDENT ID (Codice Persona), do not write your name.


Check that the first number of the code for the Answer Sheet is the same as for the other sheets. The code can be found in the top-right corner of each page in the form +NN/KK/XX+. The parts that should correspond is ONLY the first digit NN.

Mark clearly the box corresponding to your answers, without overlapping on other boxes. If you make a mistake on them, circle the word *Question* together with the related number, and write the correct letter to its side.

Numerical exercises require writing the formulas and procedure used to solve the problem just after the question in the left space. Exercises without the procedure used to reach the result will not be considered for the evaluation. Only the numeric answer and its unit should be reported on the corresponding dotted line in the Answer Sheet.

The answers to the *Open Questions* should be written using ONLY the space available on in the boxes within the Answer Sheets. The answers should be readable by the professor. Unreadable answers will not be considered for the evaluation.

Scores: correct answers take positive points, unanswered questions take 0 points, wrong answers can have negative points. An indication of the points is available at the beginning of each section. The final score can be re-modulated at the end of the evaluation.



RAID 0 provides basic data redundancy and fault tolerance.

B False

Question 10

A True



#### Exercises

Correct answer: +2, No answer: 0.

The formulas and procedures used to solve the exercises should be included here close to the question. The numeric answer, and only that, must be given on the ANSWER SHEETS. Any number written only here will be ignored. The correct number is ONLY a necessary condition for a correct answer. If the formulas are not available after each exercise, they will be considered as not answered.

### Question 11

Suppose we have a computer system consisting of 2 critical components ( $C_1$  and  $C_2$ ), both of which must work for the whole system to work. They have the same cost and their reliability after 1 year is  $R_{C1} = 0.8$ ,  $R_{C2} = 0.92$ .

- What is the availability  $A_{SYS}$  of the whole system if the MTTR of both components is 1 day? Use 4 decimal digits for all calculations.
- If the objective is to increase the availability of the system, and there is a budget to add two components to the system, would it be better to (A) replace component  $C_1$  with three components in parallel, or (B) replace components  $C_1$  and  $C_2$  each with simple parallel systems (one extra each)?

#### Question 12

Let us consider a set of requests in the disk queue referring to the following cylinders of the disk: 27, 8, 42, 73, 11. Consider the initial position of the disk head at cylinder 24 and moving from inside (lower cylinder number) to outside (higher cylinder number). Writes the order of the served requests (from the first to the last) if the disk head scheduling algorithm adopted is C-SCAN (Circular SCAN)? Use the cylinder number to refer to the request.




Consider an HDD with a data transfer time of 0.4ms for a 2 KB sector, a rotation speed of 10000 RPM, a mean seek time of 6 ms, and a negligible overhead controller. What minimum locality is required to achieve a mean I/O service time of 6 ms to transfer a 10KB file?

#### Question 14

In a small enterprise dealing in computer graphics, the main storage solution is a distributed file system. N=6 employees access the file system via a front end server (FS), which takes care of writing to two different storage nodes (S1, S2). To evaluate the system performance, a two-hour (2h) monitoring phase has been performed. The following data have been collected:

- total number of system completions, C = 5400;
- system response time, R=4 s;
- front end busy time,  $B_{FS} = 22.5$  min;
- first storage node utilization,  $U_{S1} = 7.5\%$ ;
- first storage node service time,  $S_{S1}$ = 10 ms;
- second storage node service time,  $S_{S2} = 5$  ms;
- visits at the storage layer (i.e., including the two storage nodes only, named SL),  $V_{SL}=32$ ;
- average population for the storage layer (i.e., the average number of jobs for the two storage nodes),  $N_{SL} = 4$ .

Compute: the think time during the measurement phase and the average response time of the storage layer (i.e., including the two storage nodes only)



Consider the same system and scenario analyzed in Question 14, compute: the service demands of all the servers  $(D_{FS}, D_{S1}, D_{S2})$ .

## Question 16

Consider the same system and scenario analyzed in *Questions 14 and 15*, determine the bottleneck by writing the name of the server determining it and the maximum possible throughput.



## **Open Questions**

Correct answer: +5, No answer: 0. Points are modulated considering the written text Write the answer using ONLY the space available in the boxes on the ANSWER SHEETS. The answers should be readable by the professor. Unreadable answers will be considered wrong.

#### Question 17


 $\Rightarrow$  What is the power usage effectiveness (PUE) metric in the context of data centers? Provide the definition, and describe what is the meaning of the different values and their impact.

#### Question 18

⇒ Which are the main differences between IaaS and PaaS solutions?


#### !!!ANY ANSWER PROVIDED ON THIS PAGE WILL BE IGNORED!!!

If needed, you can use the space hereafter to organize your answer.



# Computing Infrastructures - January 16, 2024 Answer Sheets (Page 3)

	Student ID (Codice Persona): Solve(OVE
$\mathbf{Tr}$	ue/False Questions
	Question 01: A B
	Question 02: AB
	Question 03: A B
	Question 04: A B
	Question 05: A B
	Question 06: XA B
	Question 07: A B
	Question 08: $\square$ A $\triangleright$ B
	Question 09: $\square$ A $\triangleright$ B
	Question 10: A B
Ex	xercises
	Question 11: 0, 9998
	Question 12: 27-42-73-8-11
	Question 13: 0,9(11 & 91,11 %
	Question 14: $\mathcal{E} = 4$ Sec $R_{SL} = 0,166$ Sec
	Question 15: Dp = 0,25 sec D1 = 0,1 sec D2 = 0,11 sec
	Question 16: F.E. SERVER XMX = 1,345 REQ
	656



Course Section:	□ Prof. Ardagna	$\Box$ Prof. Palermo	□ Prof. Roveri
Student ID (Codice 2	Persona):		
Last Name:	(LAST NAME I	N CAPITAL LETTER	
First Name:	(FIRST NAME	IN CAPITAL LETTER	

#### Exam Duration: 1hour and 30min

Students are not permitted to use mobile phones and similar connected devices. Course materials and programmable devices (e.g. programmable calculators) cannot be used as well. **Any violation of the rules is considered a cheating action.** 

Answers must be given on the Answer Sheets and in English. Any box filled or answer provided on the other sheets will be ignored. Students must use a pen (black or blue) to mark the answers (no pencil).

Write the LAST and FIRST name in CAPITAL LETTER, and in this order, in all places where requested. Where it is requested only the STUDENT ID (Codice Persona), do not write your name.


Check that the first number of the code for the Answer Sheet is the same as for the other sheets. The code can be found in the top-right corner of each page in the form +NN/KK/XX+. The parts that should correspond is ONLY the first digit NN.

Mark clearly the box corresponding to your answers, without overlapping on other boxes. If you make a mistake on them, circle the word *Question* together with the related number, and write the correct letter to its side.

Numerical exercises require writing the formulas and procedure used to solve the problem just after the question in the left space. Exercises without the procedure used to reach the result will not be considered for the evaluation. Only the numeric answer and its unit should be reported on the corresponding dotted line in the Answer Sheet.

The answers to the *Open Questions* should be written using ONLY the space available on in the boxes within the Answer Sheets. The answers should be readable by the professor. Unreadable answers will not be considered for the evaluation.

Scores: correct answers take positive points, unanswered questions take 0 points, wrong answers can have negative points. An indication of the points is available at the beginning of each section. The final score can be re-modulated at the end of the evaluation.



B False

A True



Correct answer: +2, No answer: 0.

The formulas and procedures used to solve the exercises should be included here close to the question. The numeric answer, and only that, must be given on the ANSWER SHEETS. Any number written only here will be ignored. The correct number is ONLY a necessary condition for a correct answer. If the formulas are not available after each exercise, they will be considered as not answered.


#### Question 11

Suppose we have a computer system consisting of 2 critical components ( $C_1$  and  $C_2$ ), both of which must work for the whole system to work. They have the same cost and their reliability after 1 year is  $R_{C1} = 0.8$ ,  $R_{C2} = 0.92$ .

- What is the availability  $A_{SYS}$  of the whole system if the MTTR of both components is 1 day? Use 4 decimal digits for all calculations.
- If the objective is to increase the availability of the system, and there is a budget to add two components to the system, would it be better to (A) replace component  $C_1$  with three components in parallel, or (B) replace components  $C_1$  and  $C_2$  each with simple parallel systems (one extra each)?

#### Question 12

Let us consider a set of requests in the disk queue referring to the following cylinders of the disk: 37, 12, 52, 83, 21. Consider the initial position of the disk head at cylinder 34 and moving from inside (lower cylinder number) to outside (higher cylinder number). Writes the order of the served requests (from the first to the last) if the disk head scheduling algorithm adopted is C-SCAN (Circular SCAN)? Use the cylinder number to refer to the request.



Consider an HDD with a data transfer time of 0.4ms for a 4 KB sector, a rotation speed of 10000 RPM, a mean seek time of 6 ms, and a negligible overhead controller. What minimum locality is required to achieve a mean I/O service time of 4 ms to transfer a 10KB file?

#### Question 14

In a small enterprise dealing in computer graphics, the main storage solution is a distributed file system. N=6 employees access the file system via a front end server (FS), which takes care of writing to two different storage nodes (S1, S2). To evaluate the system performance, a two-hour (2h) monitoring phase has been performed. The following data have been collected:

- total number of system completions, C = 5400;
- system response time, R=4 s;
- front end busy time,  $B_{FS} = 22.5$  min;
- first storage node utilization,  $U_{S1} = 7.5\%$ ;
- first storage node service time,  $S_{S1}$ = 10 ms;
- second storage node service time,  $S_{S2} = 5$  ms;
- visits at the storage layer (i.e., including the two storage nodes only, named SL),  $V_{SL}=32$ ;
- average population for the storage layer (i.e., the average number of jobs for the two storage nodes),  $N_{SL} = 4$ .


Compute: the think time during the measurement phase and the average response time of the storage layer (i.e., including the two storage nodes only)



Consider the same system and scenario analyzed in Question 14, compute: the service demands of all the servers  $(D_{FS}, D_{S1}, D_{S2})$ .

## Question 16

Consider the same system and scenario analyzed in  $Questions\ 14$  and 15, determine the bottleneck by writing the name of the server determining it and the maximum possible throughput.



## **Open Questions**

Correct answer: +5, No answer: 0. Points are modulated considering the written text Write the answer using ONLY the space available in the boxes on the ANSWER SHEETS. The answers should be readable by the professor. Unreadable answers will be considered wrong.

#### Question 17


 $\Rightarrow$  What is the power usage effectiveness (PUE) metric in the context of data centers? Provide the definition, and describe what is the meaning of the different values and their impact.

#### Question 18

⇒ Which are the main differences between IaaS and PaaS solutions?

#### !!!ANY ANSWER PROVIDED ON THIS PAGE WILL BE IGNORED!!!

If needed, you can use the space hereafter to organize your answer.



Student ID (Codice Persona):	LUEIONE
rue/False Questions	
Question 01: A B	
Question 02: A B	
Question 03: A B	
Question 04: A B	
Question 05 : A B	
Question 06: A B	
Question 07: A B	
Question 08 : A B	
Question 09: XA B	
Question 10: A B	
xercises O & 992	
Question 11:	<u>ال</u>
Question 12: 37-52-83-1	2-21
Question 13: 86, 67%	~ 0,8667
Question 14: Z= 4.SEC.	Sc= 0, 166 SEC
Question 15: $DFS = 0.25$ sec	D1 = 91szc D=0,11
Question 16: FE SERVER X	HAX = 1,345 Rea SEC
	SC

## Computing Infrastructures January 16, 2024

Course Section:	□ Prof. Ardagna	□ Prof. Palermo	□ Prof. Roveri
Student ID (Codice 2	Persona):		
Last Name:	(LAST NAME II	N CAPITAL LETTER	
First Name:	(FIRST NAME 1	IN CAPITAL LETTER	

#### Exam Duration: 1hour and 30min

Students are not permitted to use mobile phones and similar connected devices. Course materials and programmable devices (e.g. programmable calculators) cannot be used as well. **Any violation of the rules is considered a cheating action.** 

Answers must be given on the Answer Sheets and in English. Any box filled or answer provided on the other sheets will be ignored. Students must use a pen (black or blue) to mark the answers (no pencil).

Write the LAST and FIRST name in CAPITAL LETTER, and in this order, in all places where requested. Where it is requested only the STUDENT ID (Codice Persona), do not write your name.


Check that the first number of the code for the Answer Sheet is the same as for the other sheets. The code can be found in the top-right corner of each page in the form +NN/KK/XX+. The parts that should correspond is ONLY the first digit NN.

Mark clearly the box corresponding to your answers, without overlapping on other boxes. If you make a mistake on them, circle the word *Question* together with the related number, and write the correct letter to its side.

Numerical exercises require writing the formulas and procedure used to solve the problem just after the question in the left space. Exercises without the procedure used to reach the result will not be considered for the evaluation. Only the numeric answer and its unit should be reported on the corresponding dotted line in the Answer Sheet.


The answers to the *Open Questions* should be written using ONLY the space available on in the boxes within the Answer Sheets. The answers should be readable by the professor. Unreadable answers will not be considered for the evaluation.

Scores: correct answers take positive points, unanswered questions take 0 points, wrong answers can have negative points. An indication of the points is available at the beginning of each section. The final score can be re-modulated at the end of the evaluation.



B False

A True



#### Exercises

Correct answer: +2, No answer: 0.

The formulas and procedures used to solve the exercises should be included here close to the question. The numeric answer, and only that, must be given on the ANSWER SHEETS. Any number written only here will be ignored. The correct number is ONLY a necessary condition for a correct answer. If the formulas are not available after each exercise, they will be considered as not answered.

#### Question 11

Suppose we have a computer system consisting of 2 critical components ( $C_1$  and  $C_2$ ), both of which must work for the whole system to work. They have the same cost and their reliability after 1 year is  $R_{C1} = 0.8$ ,  $R_{C2} = 0.92$ .

- What is the availability  $A_{SYS}$  of the whole system if the MTTR of both components is 1 day? Use 4 decimal digits for all calculations.
- If the objective is to increase the availability of the system, and there is a budget to add two components to the system, would it be better to (A) replace component  $C_1$  with three components in parallel, or (B) replace components  $C_1$  and  $C_2$  each with simple parallel systems (one extra each)?

#### Question 12

Let us consider a set of requests in the disk queue referring to the following cylinders of the disk: 27, 8, 42, 73, 11. Consider the initial position of the disk head at cylinder 24 and moving from inside (lower cylinder number) to outside (higher cylinder number). Writes the order of the served requests (from the first to the last) if the disk head scheduling algorithm adopted is C-SCAN (Circular SCAN)? Use the cylinder number to refer to the request.



Consider an HDD with a data transfer time of 0.4ms for a 4 KB sector, a rotation speed of 10000 RPM, a mean seek time of 6 ms, and a negligible overhead controller. What minimum locality is required to achieve a mean I/O service time of 4 ms to transfer a 10KB file?

#### Question 14

In a small enterprise dealing in computer graphics, the main storage solution is a distributed file system. N=6 employees access the file system via a front end server (FS), which takes care of writing to two different storage nodes (S1, S2). To evaluate the system performance, a two-hour (2h) monitoring phase has been performed. The following data have been collected:

- total number of system completions, C = 5400;
- system response time, R=4 s;
- front end busy time,  $B_{FS} = 22.5$  min;
- first storage node utilization,  $U_{S1} = 7.5\%$ ;
- first storage node service time,  $S_{S1}$ = 10 ms;
- second storage node service time,  $S_{S2} = 5$  ms;
- visits at the storage layer (i.e., including the two storage nodes only, named SL),  $V_{SL}=32$ ;
- average population for the storage layer (i.e., the average number of jobs for the two storage nodes),  $N_{SL} = 4$ .


Compute: the think time during the measurement phase and the average response time of the storage layer (i.e., including the two storage nodes only)



Consider the same system and scenario analyzed in Question 14, compute: the service demands of all the servers  $(D_{FS}, D_{S1}, D_{S2})$ .

## Question 16

Consider the same system and scenario analyzed in  $Questions\ 14$  and 15, determine the bottleneck by writing the name of the server determining it and the maximum possible throughput.



## **Open Questions**

Correct answer: +5, No answer: 0. Points are modulated considering the written text Write the answer using ONLY the space available in the boxes on the ANSWER SHEETS. The answers should be readable by the professor. Unreadable answers will be considered wrong.

#### Question 17


 $\Rightarrow$  What is the power usage effectiveness (PUE) metric in the context of data centers? Provide the definition, and describe what is the meaning of the different values and their impact.

#### Question 18

⇒ Which are the main differences between IaaS and PaaS solutions?


#### !!!ANY ANSWER PROVIDED ON THIS PAGE WILL BE IGNORED!!!

If needed, you can use the space hereafter to organize your answer.



## Computing Infrastructures - January 16, 2024 Answer Sheets (Page 3)

	Student ID (Codice Persona):
Tri	ne/False Questions
	Question 01: A K
	Question 02: AB
	Question 03: A B
	Question 04: A B
	Question 05: XA B
	Question 06: A MB
	Question 07: 📈 A 🔲 B
	Question 08: XA B
	Question 09: A B
	Question 10: A B
Ex	ercises 000 Q Z
	Question 11: Question 11:
	Question 12: 34436 1851 1872   Z7-42-73-8-11
	Question 13: 0,8667 & 86,67%
	Question 14: = 45EC RSC = 0, 166 SEC
	Question 15: $D_{5} = 0,25$ sic $D_{1} = 0,1$ sec $D_{2} = 0,1$ sec
	Question 16: FE SERVER XHAZ=1,345 REQ



Course Section:	□ Prof. Ardagna	$\Box$ Prof. Palermo	□ Prof. Roveri
Student ID (Codice	Persona):		
Last Name:	(LAST NAME I	 N CAPITAL LETTER	
First Name:	(FIRST NAME	IN CAPITAL LETTE	

#### Exam Duration: 1hour and 30min

Students are not permitted to use mobile phones and similar connected devices. Course materials and programmable devices (e.g. programmable calculators) cannot be used as well. **Any violation of the rules is considered a cheating action.** 

Answers must be given on the Answer Sheets and in English. Any box filled or answer provided on the other sheets will be ignored. Students must use a pen (black or blue) to mark the answers (no pencil).

Write the LAST and FIRST name in CAPITAL LETTER, and in this order, in all places where requested. Where it is requested only the STUDENT ID (Codice Persona), do not write your name.


Check that the first number of the code for the Answer Sheet is the same as for the other sheets. The code can be found in the top-right corner of each page in the form +NN/KK/XX+. The parts that should correspond is ONLY the first digit NN.

Mark clearly the box corresponding to your answers, without overlapping on other boxes. If you make a mistake on them, circle the word *Question* together with the related number, and write the correct letter to its side.

Numerical exercises require writing the formulas and procedure used to solve the problem just after the question in the left space. Exercises without the procedure used to reach the result will not be considered for the evaluation. Only the numeric answer and its unit should be reported on the corresponding dotted line in the Answer Sheet.

The answers to the *Open Questions* should be written using ONLY the space available on in the boxes within the Answer Sheets. The answers should be readable by the professor. Unreadable answers will not be considered for the evaluation.

Scores: correct answers take positive points, unanswered questions take 0 points, wrong answers can have negative points. An indication of the points is available at the beginning of each section. The final score can be re-modulated at the end of the evaluation.



B False

SANs typically use Fibre Channel or iSCSI to connect servers to storage devices.

B True

GPUs are generally less expensive to deploy and maintain compared to CPUs in

B False

B True

B True

GPUs (Graphics Processing Units) are primarily used in datacenters for acceler-

RAID 0 provides basic data redundancy and fault tolerance.

A True

Question 7

A False

Question 8

A True

Question 9

A False

Question 10

A False

datacenter environments.

ating graphical applications and gaming.



#### Exercises

Correct answer: +2, No answer: 0.

The formulas and procedures used to solve the exercises should be included here close to the question. The numeric answer, and only that, must be given on the ANSWER SHEETS. Any number written only here will be ignored. The correct number is ONLY a necessary condition for a correct answer. If the formulas are not available after each exercise, they will be considered as not answered.


#### Question 11

Suppose we have a computer system consisting of 2 critical components ( $C_1$  and  $C_2$ ), both of which must work for the whole system to work. They have the same cost and their reliability after 2 years is  $R_{C1} = 0.8$ ,  $R_{C2} = 0.92$ .

- What is the availability  $A_{SYS}$  of the whole system if the MTTR of both components is 1 day? Use 4 decimal digits for all calculations.
- If the objective is to increase the availability of the system, and there is a budget to add two components to the system, would it be better to (A) replace component  $C_1$  with three components in parallel, or (B) replace components  $C_1$  and  $C_2$  each with simple parallel systems (one extra each)?

#### Question 12

Let us consider a set of requests in the disk queue referring to the following cylinders of the disk: 27, 8, 42, 73, 11. Consider the initial position of the disk head at cylinder 24 and moving from inside (lower cylinder number) to outside (higher cylinder number). Writes the order of the served requests (from the first to the last) if the disk head scheduling algorithm adopted is C-SCAN (Circular SCAN)? Use the cylinder number to refer to the request.



Consider an HDD with a data transfer time of 0.4 ms for a 2 KB sector, a rotation speed of 10000 RPM, a mean seek time of 6 ms, and a negligible overhead controller. What minimum locality is required to achieve a mean I/O service time of 6 ms to transfer a 10 KB file?

#### Question 14

In a small enterprise dealing in computer graphics, the main storage solution is a distributed file system. N=6 employees access the file system via a front end server (FS), which takes care of writing to two different storage nodes (S1, S2). To evaluate the system performance, a two-hour (2h) monitoring phase has been performed. The following data have been collected:

- total number of system completions, C = 5400;
- system response time, R=4 s;
- front end busy time,  $B_{FS} = 22.5$  min;
- first storage node utilization,  $U_{S1} = 7.5\%$ ;
- first storage node service time,  $S_{S1}$ = 10 ms;
- second storage node service time,  $S_{S2} = 5$  ms;
- visits at the storage layer (i.e., including the two storage nodes only, named SL),  $V_{SL}=32$ ;
- average population for the storage layer (i.e., the average number of jobs for the two storage nodes),  $N_{SL} = 4$ .


Compute: the think time during the measurement phase and the average response time of the storage layer (i.e., including the two storage nodes only)



Consider the same system and scenario analyzed in Question 14, compute: the service demands of all the servers  $(D_{FS}, D_{S1}, D_{S2})$ .

## Question 16

Consider the same system and scenario analyzed in  $Questions\ 14$  and 15, determine the bottleneck by writing the name of the server determining it and the maximum possible throughput.



## **Open Questions**

Correct answer: +5, No answer: 0. Points are modulated considering the written text Write the answer using ONLY the space available in the boxes on the ANSWER SHEETS. The answers should be readable by the professor. Unreadable answers will be considered wrong.

#### Question 17


 $\Rightarrow$  What is the power usage effectiveness (PUE) metric in the context of data centers? Provide the definition, and describe what is the meaning of the different values and their impact.

#### Question 18

⇒ Which are the main differences between IaaS and PaaS solutions?


#### !!!ANY ANSWER PROVIDED ON THIS PAGE WILL BE IGNORED!!!

If needed, you can use the space hereafter to organize your answer.



## Computing Infrastructures - January 16, 2024 Answer Sheets (Page 3)

Student I	ID (Codice Persona): SOLUTIONE
True/False 0	Questions
Question 0	01 : 🔼 A 🔲 B
Question 0	02: A B
Question 0	03: 🔼 A 🔲 B
Question 0	04:
Question 0	05: A B
Question 0	06:
Question 0	07: □A ⊠B
Question 0	08: □A 🎽B
Question 0	99: <b>∀</b> A □B
Question 1	0 : ☑A ☐B
Exercises	
Question 1	1. 0,9336
Question 1	2. 27-42-73-8-11
Question 1	3.0,3111 0 91,1195
Question 1	4. F= 65c RSC = 0,166 SEC
Question 1	5: DFS=0,25 SEC D,=0.1 SEC DZ=0.11 SE
Question 1	6 FE SERVER XHAX = 1,345 REQ



Course Section:	$\Box$ Prof. Ardagna	□ Prof. Palermo	□ Prof. Roveri
Student ID (Codice l	Persona):		
Last Name:	(LAST NAME IN	N CAPITAL LETTERS	
First Name:	(FIRST NAME I	N CAPITAL LETTER	

#### Exam Duration: 1hour and 30min

Students are not permitted to use mobile phones and similar connected devices. Course materials and programmable devices (e.g. programmable calculators) cannot be used as well. **Any violation of the rules is considered a cheating action.** 

Answers must be given on the Answer Sheets and in English. Any box filled or answer provided on the other sheets will be ignored. Students must use a pen (black or blue) to mark the answers (no pencil).

Write the LAST and FIRST name in CAPITAL LETTER, and in this order, in all places where requested. Where it is requested only the STUDENT ID (Codice Persona), do not write your name.


Check that the first number of the code for the Answer Sheet is the same as for the other sheets. The code can be found in the top-right corner of each page in the form +NN/KK/XX+. The parts that should correspond is ONLY the first digit NN.

Mark clearly the box corresponding to your answers, without overlapping on other boxes. If you make a mistake on them, circle the word *Question* together with the related number, and write the correct letter to its side.

Numerical exercises require writing the formulas and procedure used to solve the problem just after the question in the left space. Exercises without the procedure used to reach the result will not be considered for the evaluation. Only the numeric answer and its unit should be reported on the corresponding dotted line in the Answer Sheet.

The answers to the *Open Questions* should be written using ONLY the space available on in the boxes within the Answer Sheets. The answers should be readable by the professor. Unreadable answers will not be considered for the evaluation.

Scores: correct answers take positive points, unanswered questions take 0 points, wrong answers can have negative points. An indication of the points is available at the beginning of each section. The final score can be re-modulated at the end of the evaluation.



Hypervisors are only used in cloud computing environments.

B True

Question 10

A False



#### Exercises

Correct answer: +2, No answer: 0.

The formulas and procedures used to solve the exercises should be included here close to the question. The numeric answer, and only that, must be given on the ANSWER SHEETS. Any number written only here will be ignored. The correct number is ONLY a necessary condition for a correct answer. If the formulas are not available after each exercise, they will be considered as not answered.

### Question 11

Suppose we have a computer system consisting of 2 critical components ( $C_1$  and  $C_2$ ), both of which must work for the whole system to work. They have the same cost and their reliability after 2 years is  $R_{C1} = 0.7$ ,  $R_{C2} = 0.95$ .

- What is the availability  $A_{SYS}$  of the whole system if the MTTR of both components is 1 day? Use 4 decimal digits for all calculations.
- If the objective is to increase the availability of the system, and there is a budget to add two components to the system, would it be better to (A) replace component  $C_1$  with three components in parallel, or (B) replace components  $C_1$  and  $C_2$  each with simple parallel systems (one extra each)?

#### Question 12

Let us consider a set of requests in the disk queue referring to the following cylinders of the disk: 27, 8, 42, 73, 11. Consider the initial position of the disk head at cylinder 24 and moving from inside (lower cylinder number) to outside (higher cylinder number). Writes the order of the served requests (from the first to the last) if the disk head scheduling algorithm adopted is C-SCAN (Circular SCAN)? Use the cylinder number to refer to the request.




Consider an HDD with a data transfer time of 0.4ms for a 2 KB sector, a rotation speed of 10000 RPM, a mean seek time of 6 ms, and a negligible overhead controller. What minimum locality is required to achieve a mean I/O service time of 6 ms to transfer a 10KB file?

#### Question 14

In a small enterprise dealing in computer graphics, the main storage solution is a distributed file system. N=8 employees access the file system via a front end server (FS), which takes care of writing to two different storage nodes (S1, S2). To evaluate the system performance, a two-hour (2h) monitoring phase has been performed. The following data have been collected:

- total number of system completions, C = 5400;
- system response time, R=4 s;
- front end busy time,  $B_{FS} = 22.5$  min;
- first storage node utilization,  $U_{S1} = 13.5\%$ ;
- first storage node service time,  $S_{S1}$ = 15 ms;
- second storage node service time,  $S_{S2} = 5$  ms;
- visits at the storage layer (i.e., including the two storage nodes only, named SL),  $V_{SL}=32$ ;
- average population for the storage layer (i.e., the average number of jobs for the two storage nodes),  $N_{SL} = 4$ .


Compute: the think time during the measurement phase and the average response time of the storage layer (i.e., including the two storage nodes only)



Consider the same system and scenario analyzed in Question 14, compute: the service demands of all the servers  $(D_{FS}, D_{S1}, D_{S2})$ .

## Question 16

Consider the same system and scenario analyzed in  $Questions\ 14$  and 15, determine the bottleneck by writing the name of the server determining it and the maximum possible throughput.



## **Open Questions**

Correct answer: +5, No answer: 0. Points are modulated considering the written text Write the answer using ONLY the space available in the boxes on the ANSWER SHEETS. The answers should be readable by the professor. Unreadable answers will be considered wrong.

#### Question 17


 $\Rightarrow$  What is the power usage effectiveness (PUE) metric in the context of data centers? Provide the definition, and describe what is the meaning of the different values and their impact.

#### Question 18

⇒ Which are the main differences between IaaS and PaaS solutions?

#### !!!ANY ANSWER PROVIDED ON THIS PAGE WILL BE IGNORED!!!

If needed, you can use the space hereafter to organize your answer.



## Computing Infrastructures - January $16,\,2024$

Answer Sheets (Page 3)

	Student ID (Codice Persona):
Tr	ue/False Questions
	Question 01: A B
	Question $02: \square A \bowtie B$
	Question 03: A B
	Question 04: KA B
	Question 05: A B
	Question 06: A B
	Question 07: A B
	Question 08: A B
	Question 09: A B
	Question 10: A B
Ex	cercises
	Question 11: 0,3986
	Question 12: 27-42-73-8-11
	Question 13: 0, 3111 8 31, 11%
	Question 14: Z=6.66 SEC RSL= 0.166 SEC
	Question 15: DFS=0,25 SEC DS1 =018 SEC DS2=01 SEC
	Question 16: TE SERVER XMX = 1.11 REQ