


Lab 1: Crawling, indexation and webpage search

In this web mining laboratory, we will implement a crawler that visits a website and push the data to a Solr server. We will also create some fields for indexing interesting data. Then we will create a searcher in Java that query data from the Solr server. The architecture is represented below:



To implement the crawler, we used the library called Crawler4j and to parse the HTML we used Jsoup. These dependencies are automatically downloaded from Maven Central using Gradle. The following command runs our application:

\$ gradle run

To simplify the installation, we used docker-solr as docker image for our Solr.

1 Crawler

1.1 Core

We started by creating a core for Solr, named *core one* using the following commands:

\$ docker exec -u 0 -it docker-solr bash to attach to the docker bash

then

\$ bin/solr create -c core_one to create a default core.properties

As we set update.autoCreateFields to **false** in our core. We had to create two custom fields: doc_title_en and doc_body_en , which will be used to store the title and the body of each retained pages by the crawler.

1.2 Crawler4j

We configured our crawler, **MyCrawler.java** to work with our Solr core *core_one*. Concerning our first crawler configuration:

- starting page: wikipedia.org at "Veganism" page
- domain limitation: yes

• maximum pages to fetch: 70

• maximum deepness: 3

• politeness delay: 500

• https: yes

• FILTERS: custom binary files

1.2.1 shouldVisit function

We are applying the **FILTERS** pattern matching on the URL and verify that the domain.

1.2.2 visit function

The crawler retrieves the HTML page and parses them with jSoup. It creates a Solr document with the id field (hashcode of the page), the doc_title_en (title from the page), and doc_body_en (body content from the page) and finally adds the document into the current Solr instance.

To avoid Solr overloads, we set a loader for the commits. Indeed, the program will stock 50 documents before committing them to the Solr as a batch.

Each visited page has its content indexed by Solr.

1.3 Tries and fails

- We first indexed **Vegan.com**, but the pages were not meaningful from a feature point of view, indeed it had no categories.
- We then indexed arxiv.org, but their "robots.txt" policy was not allowing us to go anywhere.

2 Specific Indexation

As a continuation of our work on the crawler, and a starting point for a more advanced specification, we duplicated our class **MyCrawler** into **MyCrawler2**. Indeed, the purpose here is to upgrade our crawler to gather more meaningful information.

In a will to make our indexation more performant, we increased the page limit to 2000 and removed the deepness limit.

We are parsing the following elements:

- en doc title: The title of the page (Fig. 1)
- en_doc_body: The body of the page, its content
- en_doc_categories: The categories of the page (Fig. 2)
- en_doc_topics: The topics of the page, the <h3> (Fig. 3)
- en_doc_infobox: The infobox of the page (Fig. 4)
- en_doc_language: The language of the page
- en_doc_navigations: The navigation of the page (Fig. 5)
- en_doc_url: The URL of the page





Figure 1: Wikipedia Title

Categories: Veganism | 1944 introductions | Applied ethics | Vegetarian diets | Ethical theories | Intentional living | Lifestyles | Sustainable food system

Figure 2: Wikipedia Categories

Origins

Further information: History of vegetarianism

Vegetarian etymology

The term "vegetarian" has been in use since around 18 on scientific linguistic principles explain its origin as an humanitarian).[38] The earliest-known written use is attri plantation in 1838-1839.[i]

History

The practice can be traced to Indus Valley Civilization in Pakistan. [44] Early vegetarians included Indian philosop Chandragupta Maurya and Ashoka; Greek philosophers playwright Seneca the Younger. [45][46] The Greek sage is disputed whether he ever advocated any form of veg woolen garments.[49] Eudoxus of Cnidus, a student of A killers that he not only abstained from animal foods, but al-Ma'arri (c. 973 – c. 1057).[a][50] Their arguments were Abstinentia ab Esu Animalium ("On Abstinence from Ar

Vegetarianism established itself as a significant movem entirely.[52] In 1813, the poet Percy Bysshe Shelley pub 1815, William Lambe, a London physician, claimed that a "habitual irritation", and argued that "milk eating and f Graham's meatless Graham diet-mostly fruit, vegetab 1830s in the United States.^[55] Several vegan communi Louisa May Alcott, opened the Temple School in 1834 a community at Alcott House on Ham Common, in 1838.[

Vegetarian Society

Further information: Vegetarian Society

Figure 3: Wikipedia Topics



Figure 4: Wikipedia Infobox



V.1.E		Veganism and vegetarianism	[hide]
Perspectives	Veganism	Animal-free agriculture • Fruitarianism • History • Juice fasting • Low-carbon diet • Raw veganism • Nutrition • Vegan organic gardenin Vegan studies	ıg•
	Vegetarianism	Economic vegetarianism · Environmental vegetarianism · History · Lacto vegetarianism · Ovo vegetarianism · Ovo-lacto vegetarianism · Cuisine · Vegetarian Diet Pyramid · Ecofeminism · Nutrition · By country	
	Lists	Vegans ⋅ Vegetarians ⋅ Vegetarian festivals ⋅ Vegetarian organizations ⋅ Vegetarian restaurants	
Ethics	Secular	Animal rights · Animal welfare · Carnism · Deep ecology · Environmental vegetarianism · Ethics of eating meat · Meat paradox · Not Sentientism · Speciesism · Tirukkural	nviolence
	Religious	Buddhism · Christianity · Hinduism (Sattvic · Ahimsa) · Jainism · Judaism · Pythagoreanism · Rastafari · Sikhism	
Food, drink	Agar · Agave nectar · Meat analogue (List of meat substitutes) · Miso · Mochi · Mock duck · Nutritional yeast · Plant cream · Plant milk · Qui Soy yogurt · Tempeh · Tofu · Tofurkey · Cheese · Vegepet · Hot dog · Vegetarian mark · Sausage · Beer · Wine · Veggie burger		· Seitan ·
Groups and events	Vegan	American Vegan Society · Beauty Without Cruelty · Food Empowerment Project · <i>Go Vegan</i> · Movement for Compassionate Living Physicians Committee for Responsible Medicine · Plamil Foods · Vegan Awareness Foundation · Vegan flag · Vegan Ireland · Vegan Outreach · Vegan Prisoners Support Group · The Vegan Society · Veganuary · Veganz · World Vegan Day	
	Vegetarian	American Vegetarian Party · Boston Vegetarian Society · Christian Vegetarian Association · European Vegetarian Union · Happidog Hare Krishna Food for Life · International Vegetarian Union · Jewish Veg · Meat-free days (Meatless Monday · Friday Fast) · Swissy Toronto Vegetarian Association · Vegetarian Society · Vegetarian Society (Singapore) · Veggie Pride · Viva! Health · World Esperantist Vegetarian Association · World Vegetarian Day	
Companies	List of vegetarian and vegan companies		
Books, reports	Thirty-nine Reasons Why I Am a Vegetarian (1903) • The Benefits of Vegetarianism (1927) • Ten Talents (1968) • Diet for a Small Planet (1971) • Moosewood Cookbook (1977) • Fit for Life (1985) • Diet for a New America (1987) • The Sexual Politics of Meat (1990) • Vegetarian Cooking for Everyone (1997) • The China Study (2004) • Skinny Bitch (2005) • Livestock's Long Shadow (2006) • Eating Animals (2009) • Why We Love Dogs, Eat Pigs, and Wear Cows (2009) • Meat Atlas (annual)		,
Films	Meet Your Meat (2002) · Peaceable Kingdom (2004) · Earthlings (2005) · A Sacred Duty (2007) · Fat, Sick and Nearly Dead (2010) · Planeat (2010) · Forks Over (2011) · Vegucated (2011) · Live and Let Live (2013) · Cowspiracy (2014) · What the Health (2017) · Carnage (2017)		ver Knive
Magazines	Naked Food · Vegetarian Times · VegNews		
Physicians, academics	Carol J. Adams · Neal D. Barnard · Rynn Berry · T. Colin Campbell · Caldwell Esselstyn · Gary L. Francione · Joel Fuhrman · Greta Gaard · Michael Gregor Melanie Joy · Michael Klaper · John A. McDougall · Reed Mangels · Jack Norris · Dean Ornish · Richard H. Schwartz · Laura Wright		eger •
Related	Semi-vegetarianism (Macrobiotic diet · Pescetarianism) · Vegetarian and vegan dog diet · Vegetarian and vegan symbolism		
V•T•E		Animal rights	[show]

Figure 5: Wikipedia Navigation

Search 3

Based on our MyCrawler2, we have asked to index up to 2000 webpages. Using the Solr web interface, we found out that 1995 documents were indeed indexed.

Continuing with Solr web interface, we can also search with a specific query such as Lactose into a specific field we extracted via our crawler. For example: en_doc_body:Lactose.

We implemented a searcher, Searcher, java, which also returns the score for each returned document. Moreover, we are using a weighting system on each extracted features. Indeed, the meaningfulness of each feature is not equivalent.

After some tweaking, we came out with the following formula, where <query> is the user's query:

```
q: (en_doc_title:<query>)^6 (en_doc_topics:<query>)^5 (en_doc_infobox:<query>)^4
(en_doc_categories:<query>)^3 (en_doc_navigations:<query>)^2 (en_doc_body:<query>)^1
```

We gave a weight of 6 for the title, a weight of 5 for the topics and so one. The lower is the weight; the lower is the importance is.

The following are query examples:



Figure 6: Search Query: meat

Figure 8: Search Query: dog food

Figure 7: Search Query: lactose

```
OUERY: School
DOCUMENTS FOUND: 697
TOTAL INDEX: 1995

TITLE: [School neal programs in the United States]
score: 75.741776
url: [https://en.wikipedia.org/wiki/School meal programs in the United States]
score: 46.44328
url: [https://en.wikipedia.org/wiki/National Film and Television School]
score: 46.02695
url: [https://en.wikipedia.org/wiki/National Film and Television School]
title: [National School Lunch Act]
score: 46.02695
url: [https://en.wikipedia.org/wiki/National School Lunch Program]
title: [Temple School (Massachusetts)]
score: 35.03066
url: [https://en.wikipedia.org/wiki/Temple School (Massachusetts)]
title: [Alasdair Cochrane]
score: 34.837685
url: [https://en.wikipedia.org/wiki/Gary_Francione]
title: [Gary L. Francione]
score: 31.54172
url: [https://en.wikipedia.org/wiki/Gary_L. Francione]
title: [Joe Fuhrman]
score: 30.111942
url: [https://en.wikipedia.org/wiki/Joel Fuhrman]
title: [Alice Crary]
score: 29.522297
url: [https://en.wikipedia.org/wiki/Alice_Crary]
title: [Tom Beauchamp]
score: 29.522297
url: [https://en.wikipedia.org/wiki/Tom_Beauchamp]
```

Figure 9: Search Query: School



4 Theorical questions

Please explain what strategy should be adopted for indexing pages in several languages (each page is composed of only one language, but the corpus includes pages in several languages). What should you watch out for? Please explain the process you propose.

We could imagine different solutions to handle multiple languages with Solr:

- The first solution is to defined different schema fields for every language like "title_fr" or "title_en" and applying filters to each language. The downside of this solution is the high memory consumption and complexity when many languages are present.
- The second solution is to use a collection of same fields for all languages, add a field to store the langue and then apply a filter on it (e.g. fq=language:english). The downside of this solution is that we cannot use language specific features like lemmatization and stemming.
- The third solution is to create a Solr core for each language and route the queries to the right core.
- A fourth solution would be to index specific subdomains with specific tags or cores, such as en.wikipedia.org, fr.wikipedia.org, de.wikipedia.org, etc.
- In a fifth solution, we could try to modify Crawler's header by asking a specific language.

If we have a few languages to querying, we recommend to use the first solution, but if we have many languages, we recommend the third or fourth solution.

Solr allows by default to do a fuzzy search. Please explain what it is and how Solr implements it. Some first names may have a lot of spelling variations (eg Caitlin: Caitlin, Caitlen, Caitlinn, Caitlyn, Caitlyne, Caitlynn, Catelynn, Catelynn, Catelynn, Catelynn, Catelynn, Catlinn, Catlinn, Catlinn, Catlinn, Catlynn, Kaitlynn, Kaitlynn, Katelynn, Katelynn, Each, Catlynn, Each, Catlynn, Kaitlynn, Kaitlynn, Katelynn, Katelynn, Each, Catlynn, Each, Each,

The fuzzy search matches a term when the edit distance between the query and the document's term is under an arbitrary threshold. According to the JavaDoc, this threshold is by default at 2.

Yes, it is possible to use the fuzzy search and keeping good performance. Solr is based on Lucene, and from version 4, its library uses a Levenshtein Automaton, a deterministic automaton (DFA) that accepts only the terms within edit distance N. It is possible to compute this automaton of degree N for an input word W time linear in the length of W.

Concerning the Caitlin example, by using the ~ operator, we can specify a distance, for exemple aitlin ~ 2. If it's still not enough, we can combine the fuzzy search with the **OR** operator: aitlin ~ 2 OR Kaitlynn ~ 2. However, in most of the cases, stemming gives similar results to the fuzzy search, and we could also mention the lemmatization.

For more informations: http://citeseerx.ist.psu.edu/viewdoc/summary?doi=10.1.1.16.652

4.1 Conclusion

We learned a lot on the principle of webpage crawling with the help of this laboratory. Indeed, it was nice to see how Solr builds an index based on the crawled, and how it is possible to tweak the extracted features to make the indexation even better.

Finally, we were pleasantly surprised about how well the search based on the Solr indexation work, we didn't expect to have such meaningful matchings.