

SC-Database

Software version = 5.81 Data version = 4.62

Experiment list contains 2635 experiments for
(no ligands specified)

Metal : Ca++

(no references specified)

(no experimental details specified)

e- HL Electron (442)
Electron;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	EMF	none	25°C	0.00	U				1974LMb (252)	1
K(Ca+2e=CaHg)=-67.730(-2.0034V)										
Ca++	oth	oth/un	25°C	0.0	U	I			1972C0a (253)	2
K(Ca+2e=Ca(s))=-96.79(-2.863)										
Method: Estimated. MeOH: -94.97(-2.809V).EtOH: -92.02(-2.722V).BuOH: -93.48(-2.765).PentOH: -91.28(-2.700V).Me2CO: -92.77(-2.744V)										
Ca++	oth	oth/un	25°C	0.0	U	I			1972C0a (254)	3
K(Ca+2e=Ca(s))=-96.79(-2.863V)										
Method: Estimated. MeCN: -88.37(-2.614V).HCOOH: -103.01(-3.047V). Also NH3,N2H4										
Ca++	EMF	none	25°C	0.00	U				1972KKb (255)	4
K(Ca+2e=Ca/Hg)=-65.93(-1.950V)										
Ca++	EMF	none	25°C	0.00	U	T			1971MPc (256)	5
K(Ca+2e=Ca/Hg)=-67.53(-1.9974V)										
K=-64.59(-2.0065V,40 C), -61.78(-2.0111V,55 C), -59.38(-2.0213V,70 C)										
Ca++	oth	none	25°C	0.0	M				1968BUc (257)	6
K(Ca+2e=CaHg)=-67.48, -1996 mV										
K(Ca+2e=Ca(s))<-94.27,<-2809mV										
Evaluated from literature data										
Ca++	EMF	none	25°C	0.0	M				1967BHd (258)	7
K(Ca+2e=CaHg)=-67.42, -1994 mV										
Ca++	oth	none	25°C	0.0	U	I			1962JTa (259)	8
K(Ca+2e)=-96.97(-2868 mV)										
Method:combination of thermodynamic data. In MeOH: K=-99.03(-2929 mV)										
Ca++	EMF	oth/un	17°C	1.0M	U				1925TAa (260)	9
K(Ca+2e)=-95.7(-2760 mV)										

AsO2- HL Arsenite CAS 14102-45-5 (2616)

Arsenite; As(OH)₄⁻ or AsO₂⁻

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	NaCl	25°C	0.50M	U		K1=0.2	1995MPb (1081)	10
Method: Ca electrode									

AsO4---		H3L		Arsenate			CAS 7778-39-4	(1557)	
Arsenate;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	none	40°C	0	U		K1=4.3 K(Ca+H ₂ AsO ₄)=1.39 K(Ca+HAsO ₄)=2.75	1995MKa (1120)	11
Ca++	oth	oth/un	25°C	0.0	U			1990SAa (1121)	12
							*K(Ca ₃ L ₂ (s)+2H=3Ca+2HL)=-1.91		
Calculated from thermodynamic data.									

Ca++	sol	NaNO ₃	35°C	0.16M	U	T H		1987MMd (1122)	13
							Kso(Ca ₁₀ (AsO ₄) ₆ (OH) ₂)=-90.40		
Kso at 40 C: -90.57; at 45 C: -90.68; at 50 C: -90.92. At 35 C, DH=-52.3 kJ mol ⁻¹ ; DS=-1900									
Ca++	sol	oth/un	20°C	var	U			1956CHd (1123)	14
							Kso(Ca ₃ L ₂)=-18.17		

AsW11039-----		H7L					(2468)		
alpha-Heteromonoarseno-polytungstate;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaNO ₃	25°C	1.00M	U		K1=4.06	1984COa (1172)	15

As2W17H2O61-----		H8L					(2469)		
alpha-Heteropolydiarseno-polytungstate;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaNO ₃	25°C	1.00M	U		K1=3.40 K1=4.01 (alpha2 isomer)	1984COa (1183)	16

B04H4-		HL		Borate			CAS 10043-35-3	(991)	
Borate; B(OH) ₄ ⁻									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	EMF	oth/un	25°C	0.0	C	TIH	K1=1.901	1999SYa (1287)	17
Method: Pt/H ₂ electrode. Data for 5-45 C. Medium: CaCl ₂ , 0.004-0.06 m.									

DH(K1)=1.0 kJ mol⁻¹, DS(K1)=39.7 J K⁻¹ mol⁻¹.

Ca++	gl	NaCl	25°C	0.70M	U	K1=1.06	1988RbBa	(1288)	18
------	----	------	------	-------	---	---------	----------	--------	----

Ca++	EMF	NaCl04	25°C	3.00M	C		1976FRb	(1289)	19
------	-----	--------	------	-------	---	--	---------	--------	----

K(Ca+HL=CaL+H)=-8.032

Ca++	gl	none	25°C	0.0	M	TIH	1976REa	(1290)	20
------	----	------	------	-----	---	-----	---------	--------	----

K(Ca+H2BO3)=1.80

Calculated from data for 0.02-0.16 M CaCl2. Data for 10-50 C.

DH(Ca+H2BO3)=3.7 kJ mol⁻¹, DS=46.9 J K⁻¹ mol⁻¹.

Ca++	EMF	NaCl	25°C	0.68M	U	K1=1.11	1974BKd	(1291)	21
------	-----	------	------	-------	---	---------	---------	--------	----

Ca++	oth	NaCl	25°C	0.70M	U	K1=0.73	1972DH a	(1292)	22
------	-----	------	------	-------	---	---------	----------	--------	----

Method: estimated value

BrO3-		HL	Bromate	(6017)
-------	--	----	---------	--------

Bromate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	dis	NaCl04	25°C	1.00M	U	H	K1=-0.07	1992CKb	(2404)	23
------	-----	--------	------	-------	---	---	----------	---------	--------	----

DH(K1)=-1.2 kJ mol⁻¹; DS=-5 J K⁻¹ mol⁻¹

CN-		HL	Cyanide	CAS 74-90-8	(230)
-----	--	----	---------	-------------	-------

Cyanide;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	cal	oth/un	25°C	0.03M	C	I		1981HWb	(2575)	24
------	-----	--------	------	-------	---	---	--	---------	--------	----

DH(Ca + Fe(CN)6)=11.8 kJ mol⁻¹. Fe is Fe(II). Data for I = 0.02-0.08 M.

CO3--		H2L	Carbonate	CAS 465-79-6	(268)
-------	--	-----	-----------	--------------	-------

Carbonate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	sol	none	25°C	0.0	C			2003DVa	(3008)	25
------	-----	------	------	-----	---	--	--	---------	--------	----

Kso(CaCO3)=-8.485 (calcite)
Kso(CaCO3)=-7.927 (vaterite)
Kso(CaCO3)=-8.331 (aragonite)

Application of Pitzer theory to literature data.

Ca++	gl	NaCl04	25°C	0.0	C			1999GP a	(3009)	26
------	----	--------	------	-----	---	--	--	----------	--------	----

K(CdCO3(otavite)+2H=Cd+CO2+H2O)=6.14. Data for 0.15-5.3 m NaCl04 at 25 C and 1.0 m NaCl04 at 25-75 C.

Ca++	sol	none	25°C	0	M	T		1993BNa	(3010)	27
------	-----	------	------	---	---	---	--	---------	--------	----

Kso(CaL.6H2O)=-7.461

Ca++	sol	oth/un	20°C	0.72M	C	I	1988OKa	(3011)	28
							Kso(calcite)=-6.16		
							Kso(aragonite)=-6.03		
							Kso(protodolomite)=-10.30.		
Medium: seawater. Data for 0-35% salinity. At I=0.0 M, Kso(calcite)=-8.50, Kso(aragonite)=-8.37, Kso(protodolomite*)=-14.91. *=Ca1.06Mg0.94(CO3)2.									
Ca++	sol	oth/un	25°C	0.70M	M		1984MMf	(3012)	29
							K(CaL(s)=Ca+L)=-6.59		
Solubility of calcite in seawater with various Mg concs. also studied									
Ca++	sol	NaCl	25°C	1.0M	C	I	1984MTb	(3013)	30
							K(CaL(s)=Ca+L)=-6.79		
I=0.1-6 M.Activity coeff. estimated from Pitzer's eq. At I=0 corr:K=-8.46									
Ca++	sol	none	25°C	0.0	U		1983Lda	(3014)	31
							K1=4.44		
							K(Ca+HCO3)=1.14		
							Kso=-8.48		
Ca++	sol	oth/un	25°C	44%	U	TI	1983MUa	(3015)	32
							Kso=-6.26 (calcite)		
							Kso=-6.07 (aragonite)		
Data is also available for a range of temperatures (T=5 to 40) and a variety of salinities (medium: sea water).									
Ca++	sol	none	25°C	0.0	U		1983Sma	(3016)	33
							Kso=-8.48 (calcite)		
							Kso=-8.30 (aragonite)		
Ca++	oth	none	25°C	0.0	C	T H	1982PBb	(3017)	34
							Kso(CaCO3)=-8.480 (calcite)		
							Kso(CaCO3)=-8.336 (aragonite)		
							Kso(CaCO3)=-7.913 (vaterite)		
Analysis of literature data. Values for 0-90 C. DH(Kso(calcite))=-9.61 kJ mol-1, DH(Kso(aragonite))=-10.83, DH(Kso(vaterite))=-15.79									
Ca++	gl	none	25°C	0.0	M	T	1982PBb	(3018)	35
							K1=3.22		
							K(Ca+HCO3)=1.32		
Values for 0-90 C. From solubility of aragonite as a function of pCO2, K(Ca+HCO3)=1.11									
Ca++	oth	none	25°C	0.0	M		1982PSe	(3019)	36
							K1=3.15		
							Ks(calcite)=-6.34		
							Ks(aragonite)=-6.19		
Analysis of activity coefficients, based on literature data. Ks: [Ca]T.[CO3]T. Ks values on molar scale.									
Ca++	sol	oth/un	25°C	3.5%	U		1980MMc	(3020)	37

Kso=-6.18 (aragonite)

Kso=-6.36 (calcite)

Medium: Synthetic sea water; 3.5% salinity.

Ca++ sol oth/un 25°C 35% C IH 1980PJ a (3021) 38

Kso(CaCO₃)=-6.33

Medium: seawater (35‰) and dil seawater. CaCO₃: calcite. Data for 5-25 C

Kso: CaCO₃(s)=CO₃(tot)+CO₂(tot). DH(Kso)=-2.37 kJ mol⁻¹. At 5 C, Kso=-6.32

Ca++ sol oth/un 25°C 0.72M C 1980PP b (3022) 39

Kso(CaCO₃)=-6.06

CaCO₃ is natural oolite (aragonite). Medium: seawater, S=32.6.

Ca++ con none 25°C 0.0 U T 1974JL a (3023) 40

K(Ca+HL)=1.0

K=0.7(0 C), 1.35(50 C)

Ca++ oth none 25°C 0.0 U K1=3.2 1974JL a (3024) 41

Method: Estimated data.

Ca++ oth none 25°C 0.0 U T 1974JL a (3025) 42

Kso=13.870-3059/T-0.04035T

Method: Estimated data. Temperature range 5-50 C, (calcite)

Ca++ sol oth/un 200°C var U T B2=4.5 1974MD a (3026) 43

B2=3.8(300 C), 3.3(350 C). In NaCl(var. conc.): K(Ca+HL)=1.15(150 C), 1.76(225 C)

Ca++ sol none 1°C 0.0 U 1974MN b (3027) 44

Kso=-8.19(p=95atm), -7.98(p=260), -7.86(p=390), -7.64(p=590), -7.52(p=685), -7.41(p=795), -7.31(p=875)

Ca++ sol none 8°C 0.0 U 1974MN b (3028) 45

Kso=-8.26(p=35atm), -8.08(p=185), -7.88(p=350), -7.76(p=505), -7.59(p=640), -7.40(p=815)

Ca++ sol none 23°C 0.0 U 1974MN b (3029) 46

Kso=-8.31(p=45atm), -8.32(p=55), -8.16(p=200), -8.17(p=225), -8.10(p=300), -8.03(p=330), -7.97(p=405), -7.89(p=495), -7.87(p=510), -7.76(p=605)

Ca++ sol none 23°C 0.0 U T 1974MN b (3030) 47

Kso=-7.72(p=640), -7.59(p=790), -7.55(p=845); -8.39(p=25), -8.17(p=250), -8.00(p=410), -7.87(p=518), -7.68(p=690), -7.45(p=950)(25 C, calcite)

Ca++ EMF oth/un 25°C 0.70M U M 1974PH c (3031) 48

B(MgCaL₂)=3.02

Medium: synthetic seawater

Ca++ EMF oth/un 25°C 0.70M U K1=2.21 1974PH c (3032) 49

K(Ca+HL)=0.29

Medium: Synthetic seawater

Ca++ sol none 25°C 0.0 U M K1=8.49 1974PMa (3033) 50
Data also on many Ca:Mg mixtures in $\text{CaMg}(x-1)\text{CO}_3$, e.g. B=7.36 when $x=0.733$

Ca++ gl none 25°C 0.0 U T K1=3.15 1974RLa (3034) 51
 $K1 = -27.393 + 4114/T + 0.0561T$

Ca++ sol none 25°C 0.0 U Kso(CaL(H2O))=-7.60 1973HTb (3035) 52

Ca++ sol oth/un 25°C ? U T Kso=-6.34 1973ICa (3036) 53

Medium: synthetic seawater(3.5% salinity); Kso=-6.32(2-13 C)

Ca++ oth NaCl 25°C 0.70M U K1=1.5 1972DHa (3037) 54
 $K(\text{Ca}+\text{HCO}_3)=0.02$

Method: Estimated data.

Ca++ oth none 25°C 0.0 U T Kpso(p)/Kpso(l)=0.48 1972EMa (3038) 55

Method: Estimated data, 0 corr. at 500 bar. Kpso: $\text{CaCO}_3(\text{s}) + \text{CO}_2 + \text{H}_2\text{O} = \text{Ca} + 2\text{HCO}_3$
 $\text{Kpso}(\text{p})/\text{Kpso}(\text{l}) = 0.43(100 \text{ C}); 0.54(200 \text{ C}); 0.66(250 \text{ C})$

Ca++ oth none 25°C 0.0 U T Kpso(p)/Kpso(l)=1.33 1972EMa (3039) 56

Method: Estimated data at 1500 bar. Kpso: $\text{CaCO}_3(\text{s}) + \text{CO}_2 + \text{H}_2\text{O} = \text{Ca} + 2\text{HCO}_3$
 $\text{Kpso}(\text{p})/\text{Kpso}(\text{l}) = 1.19(100 \text{ C}); 1.54(200 \text{ C}); 1.92(250 \text{ C})$

Ca++ ISE none 22°C 0.0 U T K1=4.39 1972MVa (3040) 57
 $K1 = 5.34(60 \text{ C}), 5.55(70 \text{ C}), 5.74(80 \text{ C}), 5.82(90 \text{ C}), 6.00(98 \text{ C})$

Ca++ EMF none 22°C 0.0 U T K(Ca+HL)=1.27 1972MVa (3041) 58
 $K(\text{Ca}+\text{HL}) = 1.65(60 \text{ C}), 1.77(70 \text{ C}), 1.82(80 \text{ C}), 1.94(90 \text{ C}), 2.01(98 \text{ C})$
 $K = 4.85 - 1070/T$

Ca++ ISE none 25°C 0.0 U Kso=-8.49(ion selective electrode(Ca), glass electrode, Partial pressure CO2),
Kso=-8.43(glass electrode, Partial pressure of CO2) 1972NAe (3042) 59

Ca++ sol none 25°C 0.0 U T M Kso(MgCaL2)=-17.0 1971LAa (3043) 60
 $Kso = -16.56(0 \text{ C}), -16.63(5 \text{ C}), -16.71(10 \text{ C}), -16.79(15 \text{ C}), -16.89(20 \text{ C})$

Ca++ sol none 25°C 0.0 U T Kso=-8.4 1971LAa (3044) 61
 $Kso = -8.34(0 \text{ C}), -8.345(5 \text{ C}), -8.355(10 \text{ C, calcite}), -8.37(15 \text{ C}), -8.385(20 \text{ C})$

Ca++ sol none 22°C 0.0 U T 1971MVa (3045) 62

K_{so} = -8.36

K_{so} = -9.17(60 °C), -9.38(70 °C), -9.54(80 °C), -9.70(90 °C), -9.82(98 °C).
K_{so} = -15.43 + 2083/T

Ca++	sol	none	25°C	0.0	U	K1=3.1	1970LAc	(3047)	64
------	-----	------	------	-----	---	--------	---------	--------	----

$$K(\text{Ca}+\text{HL})=1.15$$

Kso=-8.0 (resin membrane electrode)

$$K_{SO} = -8.62$$
$$K(\text{CaMg}(\text{CO}_3)_2(\text{s}) + 4\text{H} = \text{Mg} + \text{Ca} + 2\text{CO}_2(\text{g}) + 2\text{H}_2\text{O}) = 18.16 (\text{dolomite})$$

Medium: sea water, $K_{so}(p)/K_{so}(1)=0.32(p=500\text{atm})$, $0.63(p=1000)$ (2 C), $0.26(p=500)$, $0.50(p=1000)$ (22 C) (aragonite), also $DV(K_{so}(p)/K_{so}(1))$

$$K_{SO} = -8.22$$

Kso=-8.46(50 C), -9.15(100 C), -10.03(150 C), -11.03(200 C)

$$K(\text{Ca}+\text{HL})=1.25$$

Method: several; Kso = -8.31 (glass electrode, partial pressure of CO₂, ion selective electrode for Ca)

$$K_{so}(\text{aragonite}) = -8.10$$
$$K_{SO} = -12.96$$

Medium:0 corr. Kso=-9.62(100 C), -10.06(125 C), -10.54(150 C), -11.62(200 C)
Also data for 0.2, 0.5 and 1.0m NaCl

$$K_{so}(MgCaL2) = -16.7$$
$$K_{so}(\text{CaL}) = -8.29$$

Method:chemical analysis. $K(2CaL(s)+Mg=MgCaL_2(s)+Ca)=0.11$

Ca++	gl	none	25°C	0.0	U	K(Ca+HL)=1.26	1962GTa	(3058)	75
Ca++	sol	none	25°C	0.0	U	K1=3.2 Kso(CaCO3(s))=-8.35 (calcite) Kso(CaCO3(s))=-8.22(aragonite)	1962GTa	(3059)	76
Ca++	sol	none	100°C	0.0	U T	+Kpso=-7.62 I=0 corr. +Kpso: CaCO3(s)+CO2(g)+H2O=Ca+2HCO3. +Kpso=-8.14(125 C), -8.74(150 C), -9.89(200 C), -11.19(250 C). Ks(CaL(s)=CaL)=-4.30 at all temps	1962SHb	(3060)	77
Ca++	sol	none	25°C	0.0	U	Kso(CaCO3(s))=-8.54	1960BGB	(3061)	78
Ca++	sol	none	100°C	0.0	U T	Kso(CaCO3(s))=-9.37 +Kpso=-7.40 I=0 corr. Kso=-10.42(150 C), -11.54(200 C), -12.77(250 C). +Kpso: CaCO3(s)+ CO2(g)+H2O=Ca+2HCO3. +Kpso=-8.45(150 C), -9.56(200 C), -10.72(250 C)	1959ELb	(3062)	79
Ca++	sol	oth/un	5°C	3.5%	U TI	Kso(CaCO3(s))=-5.55 ? Medium: sea water, 3.5% salinity. Kso=-5.40?(at 4.5% salinity), -5.36?(6.0%). At 25 C: Kso=-6.19(3.5%), -5.85(4.5%), -5.74(6.0%)	1959KRd	(3063)	80
Ca++	sol	NaCl04	25°C	3.50M	U TI	Ks(CaCO3(s)+CO2(g))=-5.50 Ks: CaCO3(s)+CO2(g)+H2O=Ca+2HCO3. Ks=-5.80(35 C), -6.49(75 C). In 1 M NaCl04: Ks=-4.91(25 C), -5.10(35 C), -5.56(75 C)	1958NRa	(3064)	81
Ca++	sol	none	25°C	0.0	U T	Ks=-2.55 I=0 corr. Ks: CaCO3(s)+2OH=Ca(OH)2(s)+CO3. Ks=-2.74(100 C), -2.91(200 C)	1957SEa	(3065)	82
Ca++	sol	none	25°C	0.0	U	Ks(CaCO3+H2CO3=Ca+2HCO3)=-4.41	1957SHA	(3066)	83
Ca++	gl	NaCl	22°C	.152M	U	K(Ca+HL)=0.81 K(CaL+H)=7.90	1941GRa	(3067)	84
Ca++	sol	none	38°C	0.0	U	Kso(CaCO3(s) aragonite)=-8.42	1937BHa	(3068)	85
Ca++	sol	none	39°C	0.0	U	Kso(CaCO3(s))=-8.42	1935HRa	(3069)	86
Ca++	sol	none	25°C	0.0	U	Kso(CaCO3(s))=-8.32	1935KAa	(3070)	87

$K(\text{CaCO}_3(\text{s}) + \text{CO}_2(\text{g})) = -5.83$

I=0 corr. K: $\text{CaCO}_3(\text{s}) + \text{CO}_2(\text{g}) + \text{H}_2\text{O} = \text{Ca} + 2\text{HCO}_3$.

Ca++ cal oth/un 50°C 2.0M U H 1928RCa (3071) 88
Medium: HCl. $\text{DH}(\text{CaCO}_3(\text{s}) + 2\text{H} = \text{Ca} + \text{H}_2\text{O} + \text{CO}_2(\text{g})) = -15.4 \text{ kJ mol}^{-1}$ (calcite)
 $\text{DH} = -15.2$ (aragonite).

Ca++ sol none 25°C 0.0 U 1923MIa (3072) 89
 $K(\text{CaCO}_3(\text{s}) + \text{H}_2\text{CO}_3) = -4.28$
I=0 corr. K: $\text{CaCO}_3(\text{s}) + \text{H}_2\text{CO}_3 = \text{Ca} + 2\text{HCO}_3$.

Ca++ sol none 25°C 0.0 U 19220Sa (3073) 90
 $K_{\text{so}}(\text{CaCO}_3(\text{s})) = -8.14$

Ca++ sol none 25°C 0.0 U T 1921BAa (3074) 91
 $K_{\text{s}}(\text{aragonite})/K_{\text{s}}(\text{calcite}) = 0.14$
I=0 corr. $K_{\text{s}}(\text{aragonite})/K_{\text{s}}(\text{calcite}) = 0.12(9 \text{ C}), 0.15(35 \text{ C})$. $K_{\text{s}} = K_{\text{so}}(\text{CaCO}_3(\text{s}))$

Ca++ sol none 25°C 0.0 U 1917SLb (3075) 92
 $K_{\text{so}}(\text{CaCO}_3(\text{s})) = -8.14$

Ca++ oth oth/un 25°C dil U T 1916JWa (3076) 93
 $K_{\text{so}}(\text{CaCO}_3(\text{s})) = -8.06$
From thermodynamic data. $K_{\text{so}} = -7.91(0 \text{ C}), -7.94(5 \text{ C}), -7.97(10 \text{ C}), -8.00(15 \text{ C}), -8.03(20 \text{ C}), -8.09(30 \text{ C})$

Ca++ sol none 16°C 0.0 U 1915JOa (3077) 94
 $K_{\text{so}}(\text{CaCO}_3(\text{s})) = -8.01$
+Kso=-4.26
+Kpso=-5.62
I=0 corr. +Kso: $\text{CaCO}_3(\text{s}) + \text{H}_2\text{CO}_3 = \text{Ca} + 2\text{HCO}_3$, +Kpso: $\text{CaCO}_3(\text{s}) + \text{CO}_2(\text{g}) + \text{H}_2\text{O} = \text{Ca} + 2\text{HCO}_3$

Ca++ sol none 25°C 0.0 U 1911MSa (3078) 95
 $K_{\text{so}}(\text{CaCO}_3(\text{s})) = -8.03$
+Kso=-4.29
I=0 corr. +Kso: $\text{CaCO}_3(\text{s}) + \text{H}_2\text{CO}_3 = \text{Ca} + 2\text{HCO}_3$

Ca++ sol none 16°C 0.0 U 1900BOa (3079) 96
 $K_{\text{so}}(\text{CaCO}_3(\text{s})) = -8.55$

C6N6Fe---- H4L (2191)
Hexacyanoferrate (II); $\text{Fe}(\text{II})(\text{CN})_6$ ----

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	0.10M	C	TIH	K1=2.66 B(Ca2Fe(CN)6)=3.28 B(CaHFe(CN)6)=5.34	1986CDc (3536)	97

Data for 10-35 C and 0.05-1.0 M CaCl2. $\text{DH}(K_1) = 11.3 \text{ kJ mol}^{-1}$, $\text{DS}(K_1) = 117 \text{ J K}^{-1} \text{ mol}^{-1}$; $\text{DH}(\text{Ca}_2\text{Fe}(\text{CN})_6) = 8.8$, $\text{DS} = 134$; $\text{DH}(\text{CaHFe}(\text{CN})_6) = 15.9$, $\text{DS} = 188$

 Ca++ ISE oth/un 25°C 0.00 U H K1=3.68 1975JLa (3537) 98
 DH=13.0 kJ mol-1

Ca++ EMF oth/un 25°C 3.0M U K1=2.10 1975LMd (3538) 99
 Background salt: LiClO4

Ca++ ISE none 15°C 0.00 U T H K1=3.57 1974HIa (3539) 100
 K1=3.60(20 C), 3.63(25 C), 3.65(30 C), 3.67(35 C). DH(K1)=8.4 kJ mol-1,
 DS=105 J K-1 mol-1. At 25 C: I=0.07 DH(calorimetry)=8.8. I=0.0135, K1=2.85

Ca++ oth oth/un 25°C 0.0 U K1=3.59 1966NSa (3540) 101
 Method:electrical migration or transference number.

Ca++ con none 25°C 0.0 U K1=3.77 1949JAa (3541) 102
 K(Ca+CaL)=1.43

 C6N6Fe--- H3L Ferricyanide (2491)
 Hexacyanoferrate (III); Fe(III)(CN)6---

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	cal	oth/un	25°C	0.10M	U		K1=1.48	1982ARa	(3616) 103
------	-----	--------	------	-------	---	--	---------	---------	------------

Ca++	EMF	oth/un	25°C	3.0M	U		K1=0.59	1975LMd	(3617) 104
------	-----	--------	------	------	---	--	---------	---------	------------

Background salt: LiClO4

Ca++	ISE	oth/un	25°C	1.30M	U TI		K1=2.850	1974HIa	(3618) 105
------	-----	--------	------	-------	------	--	----------	---------	------------

At 15 C, I=0: K1=3.57; 20 C, I=0: 3.60

Ca++	ISE	oth/un	25°C	0.00	U T		K1=2.630	1974HIa	(3619) 106
------	-----	--------	------	------	-----	--	----------	---------	------------

At 15 C: K1=2.60; 35 C: 2.66

Ca++	ISE	none	15°C	0.00	U T H		K1=2.60	1974HIa	(3620) 107
------	-----	------	------	------	-------	--	---------	---------	------------

K1=2.60(20 C), 2.63(25 C), 2.65(30 C), 2.66(35 C). DH(K1)=5.9 kJ mol-1
 By calorimetry, I=0.07 M) DH(K1)=6.7

Ca++	sol	oth/un	25°C	3.0M	U		K1=0.15	1967RMd	(3621) 108
------	-----	--------	------	------	---	--	---------	---------	------------

Medium: LiNO3

Ca++	con	none	25°C	0.0	U		K1=2.83	1952GMb	(3622) 109
------	-----	------	------	-----	---	--	---------	---------	------------

C6O3 L Benzenetrioxide CAS 264911-91-3 (6002)
 cis-Benzenetrioxide;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	nmr	alc/w	25°C	100%	U		K1=1.34	1987BBc	(3697) 110
------	-----	-------	------	------	---	--	---------	---------	------------

Cl- HL Chloride CAS 7647-01-0 (50)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	NaNO3	25°C	0	C	TI	K1=0.42	1998RSa (4194)	111
Method: Cl-ISE, extrapolated to I=0									
Ca++	sol	none	600°C	0.00	C	T	K3=1.32	1995RBa (4195)	112
K(CaAl2Si2O8(s)+2HCl=CaCl2+SiO2(s)+H2O)=7.38 (400 C), 4.173 (500 C), 1.846 (600 C). Method: solubility of anorthite.									
Ca++	ISE	none	25°C	0	C	I	K1=0.43	1995RGa (4196)	113
I=0.16 (Me4N.X) K1=0.07.									
Ca++	cal	none	250°C	0.0	C	TIH	K1=1.85	1992GOa (4197)	114
Calculated from data for 0.24-1.0 m CaCl2. Data for 250-325 C. DH(K1)=82 kJ mol-1, DS(K1)=192 J K-1 mol-1.									
Ca++	con	none	20°C	0	C	TI	K1=0.468	1989PRa (4198)	115
Data for 0-90% CH3CN/H2O. Also data for 10 and 30 C.									
Ca++	sol	oth/un	150°C	var	U	TI	K1=-0.07 B2=0.24	1989WSa (4199)	116
100-360 C, I=0.3-3.0 M Cl-. Constants at I=0									
Ca++	con	alc/w	25°C	100%	C	T H	K1=2.61	1987DWa (4200)	117
Medium: MeOH, DH(K1)=20.6 kJ mol-1, DS(K1)=119 J K-1 mol-1									
Ca++	ISE	alc/w	25°C	100%	U		K1=2.48	1984DMa (4201)	118
Medium: MeOH, 0.05 M NaClO4									
Ca++	gl	KN03	25°C	3.00M	U	T	K1=-0.17	1982MSb (4202)	119
K1=-0.28(15 C), K1=-0.2(45 C), K1=-0.09(65 C), K1=-0.01(85 C) DH=4.85 kJ mol-1, DS=12.1 J mol-1 K-1									
Ca++	vlt	NaClO4	20°C	1.00M	U		K1=1.44 B2=1.46 B3=1.66	1981TCa (4203)	120
Using convolution voltammetry									
Ca++	sol	oth/un	25°C	0.70M	C		K1=0.08	1975EWa (4204)	121
Mixed medium of NaCl, KCl, MgCl2, NaClO4, Mg(ClO4)2, Na2SO4. Method: solubility of gypsum.									
Ca++	EMF	NaNO3	25°C	0.10M	C	T H	K1=-0.11	1975SCd (4205)	122
Method: Ag,AgCl electrode. Data for 15-60 C. DH(K1)=-7.19 kJ mol-1, DS(K1)=-26.4 J K-1 mol-1.									
Ca++	con	non-aq	25°C	100%	U		K1=2.7	1974KKc (4206)	123
Medium: 50% w/w EtOH/acetone. K1=2.59 to 2.80(depending upon eqn)									

Ca++ ix NaClO4 ? 1.0M U K1=-0.22 1969PSa (4207) 124

Ca++ con non-aq 25°C 100% U I K2=10.39 1960SRb (4208) 125
Medium: 40% BuOH in C6H14. K2=18.41 (12.65% BuOH), 14.28 (25% BuOH)

ClO3- HL Chlorate CAS 7790-93-4 (971)
Chlorate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ dis NaClO4 25°C 1.00M U H K1=-0.52 1992CKb (6024) 126
DH(K1)=-2.3 kJ mol⁻¹; DS=-18 J K⁻¹ mol⁻¹

ClO4- HL Perchlorate CAS 7001-90-3 (287)
Perchlorate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ con mixed 25°C 20% C K1=0.72 2003SIa (6131) 127
Medium: 20% w/w propylene carbonate/ethylene carbonate.

Ca++ con non-aq 25°C 100% C K1=1.15 1992STa (6132) 128
Medium: propylene carbonate.

Ca++ con alc/w 30°C 100% C TIH K1=2.27 1990D0d (6133) 129
Medium: MeOH. DH(K1)=14.6 kJ mol⁻¹, DS=96 J K⁻¹ mol⁻¹. Also in MeOH/ethylene glycol mixtures (0, 20, 40, 60, 80, 100%)

Ca++ con alc/w 25°C 100% C T H K1=2.40 1987DWa (6134) 130
Medium: MeOH, DH(K1)=14.8 kJ mol⁻¹, DS(K1)= 96 J K⁻¹ mol⁻¹

Ca++ dis oth/un ? var U Kd(Ca+2L=CaL2(in TBP))=2.3 1968LGa (6135) 131

Medium:HL var. Kd=1.85(Sr), 1.62(Ba)

CrO4-- H2L Chromate CAS 7738-94-5 (2382)
Chromate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ kin oth/un 300°C 100% U 1958DIb (6469) 132
Kso=-4.92(kinetic methods)
Kso=-3.77(solubility)

Medium:(Na,K)NO3(liquid,eutectic);in m units

F- HL Fluoride CAS 7644-39-3 (201)
Fluoride;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sol NaCl 25°C 0.10M C I 2004GMa (6633) 133
 $K_{so}(\text{CaF}_2) = -9.870$
 Spectrophotometric determination of fluoride. Data for 0.00074-0.73 m NaCl and artificial seawater. At I=0, $K_{so}(\text{CaF}_2) = -10.15$. CaF_2 : fluorite.

Ca++ ISE none 25°C 0.0 C B2=5.7 2000FGa (6634) 134
 Calculated from data for I=0.10 M (TISAB).

Ca++ ISE none 25°C 0.0 C 1993DPd (6635) 135
 $K_{so}(\text{CaF}_2) = -9.73$
 Method: double membrane F ion selective electrode.

Ca++ ISE alc/w 25°C 100% C B2=13.7 1988TIa (6636) 136

Ca++ gl KNO3 25°C 3.00M U T H K1=0.68 1982MSb (6637) 137
 $K_1 = 0.66(15^\circ\text{C})$, $K_1 = 0.76(45^\circ\text{C})$, $K_1 = 0.88(65^\circ\text{C})$, $K_1 = 0.99(85^\circ\text{C})$
 $\text{DH} = 5.43 \text{ kJ mol}^{-1}$, $\text{DS} = 31.4 \text{ J mol}^{-1} \text{ K}^{-1}$

Ca++ sol none 22°C 0.0 C 1981GNa (6638) 138
 $K_{so}(\text{CaF}_2) = -10.60$
 Method: F- ion selective electrode.

Ca++ sol none 25°C 0.0 U T 1979RHb (6639) 139
 $K_{so} = -11.9$
 Data also available for T=23 to 260.

Ca++ ISE alc/w 25°C 100% C I K1=3.64 1978BBc (6640) 140
 Medium: MeOH, 0.05 M Et4NClO4. In H2O, 0.05 M NaClO4
 $K_1 = 1.52$, in 1.0 M $K_1 = 1.80$. In 0.05 M Et4NClO4 $K_1 = 1.56$

Ca++ ISE none 25°C 0.0 M 1977MBa (6641) 141
 $K_{so} = -10.51$

Ca++ ISE none 25°C 0.0 C 1977VKb (6642) 142
 $K_{so} = -10.45$
 Ca and F ion selective electrodes.

Ca++ sol KCl 25°C 0.0 C K2=0.12 1976SBb (6643) 143
 $K_s(\text{CaF}_2) = \text{ca.} -11.2$
 Method: fluoride ISE. Dissolution of CaF_2 in ca 0.6 M acetate buffer, pH 5.9. K_s is an apparent constant which varies with $a(\text{F})$ and $a(\text{Ca})$.

Ca++ sol none 25°C 0.0 U I 1974MNb (6644) 144
 $K_{so}(\text{CaF}_2(\text{s}) = \text{Ca} + 2\text{F}) = -10.66$
 At 25 atm. $K_{so} = -10.36(410 \text{ atm})$, $-10.26(518 \text{ atm})$, $-10.20(690 \text{ atm})$, $-9.97(950 \text{ atm})$

Ca++ ISE NaClO4 25°C 1.0M U T K1=0.53 1971BHc (6645) 145
 $K_1 = 0.43(2^\circ\text{C})$, $0.74(35^\circ\text{C})$

Ca++ ISE NaNO3 25°C 1.0M U T H K1=0.57 1971CVa (6646) 146
DH(K1)=9.6 kJ mol⁻¹, DS=42.7 J K⁻¹ mol⁻¹. K1=0.52(15 C), 0.62(35 C)

Ca++ ISE NaCl 25°C 0.10M U I K1=0.82 1970ELd (6647) 147
K1=0.77(I=0.2), 0.70(I=0.4), 0.64(I=0.6), 0.63(I=0.7), 0.61(I=0.8), 0.59(I=1)

Ca++ ISE NaClO4 25°C 0.50M U K1=0.70 1969ALa (6648) 148

Ca++ ISE NaClO4 25°C 1.0M U T H K1=0.63 1968TWa (6649) 149
DH(K1)=15.9 kJ mol⁻¹, DS(K1)=66.9 J K⁻¹ mol⁻¹. K1=0.41(2 C), 0.79(39 C)

Ca++ cal NaClO4 25°C 1.0M U H 1968TWa (6650) 150
DH(K1)=14.6 kJ mol⁻¹, DS=62.8 J K⁻¹ mol⁻¹

Ca++ sol none 25°C 0.0 U 1962SEa (6651) 151
Kso(CaF2(fluorite))=-10.57

Ca++ sol non-aq 0°C 100% U 1961KCa (6652) 152
Kso(CaF2)=-2.82

Medium: liquid HF corrected to I=0

Ca++ EMF none 25°C 0.0 U I K1=<1.04 1955PAa (6653) 153
At I=0.5 M NaClO4 K1 < 0.51

Ca++ con none 18°C 0.0 U 1937JEa (6654) 154
Kso(CaF2)=-10.5

Ca++ sol none 25°C 0.0 U T 1925AUa (6655) 155
K(CaF2(s)+2H=Ca+2HF)=-2.76
Kso(CaF2)=-10.31

*Kso=-2.83 at 15 C

Ca++ con none 18°C 0.0 U T 1923BOa (6656) 156
Kso(CaF2,fluorspar)=-10.57
Kso=-10.75(0.05 C), -10.44(40 C). Kso=-10.47(18 C), 10.40(26 C) (p'ptation)

GeW11039----- H8L CAS 37369-86-1 (2466)

alpha-Heteromonogermanium-polytungstate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 1.00M U K1=4.59 1984COa (7464) 157

H2NPO3-- H2L CAS 20171-51-1 (6306)

Amidophosphate; H2NPO3--. Also (H2N)2PO2-, (H2H)2POS-

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ oth R4N.X 25°C 1.00M U TIH K1=4.59 1961ICa (7531) 158
K(Ca+HL)=3.15

Ligand:Imidodiphosphate,03PNHPO3 4-, Medium:Me4NBr,Method:tyndallometry,
At I=0.1: K1=5.59,K(Ca+HL)=3.33; I=0: K1=6.07,K=3.4. DH(K1)=-23.8 kJ mol-1

Ca++ oth R4N.X 25°C 1.00M U TIH K1=5.66 1961ICa (7532) 159
K(Ca+HL)=4.16

Ligand:Diimidotriphosphate,P308(NH)2 5-, Medium:Me4NBr,Method:tyndallometry,
At I=0.1 M: K1=6.74,K(Ca+HL)=4.44; I=0: K1=7.10, K=4.6. Also 37, 50 C

I- HL Iodide CAS 10034-85-2 (20)

Iodide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ dis oth/un var U 1968LKa (7796) 160

Kd(Ca+2I=CaI2(in TBP))=0.39

I03- HL Iodate CAS 7782-68-5 (1257)

Iodate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl04 25°C 3.0M M I K1=-0.13 1995POa (8473) 161

Kso=-4.671

At I=0: K=0.55

Ca++ dis NaCl04 25°C 1.00M U H K1=0.52 1992CKb (8474) 162

DH(K1)=2.6 kJ mol-1; DS=19 J K-1 mol-1

Ca++ sol NaCl04 25°C 1.00M U K1=1.22 B2=1.84 1985KSb (8475) 163

Ca++ sol NaCl04 25°C 0.50M U I 1974FRf (8476) 164

Kso(CaL2(s))=-5.07

Medium: LiCl04; Kso=-4.89(I=1), -4.70(I=2), -4.84(I=3), -5.06(I=4)

Kso=-6.00 (0 corr)

Ca++ sol none 25°C 0.0 U T 1969BMa (8477) 165

Kso(CaL2(H2O)6)=-6.16

Kso'(CaL2(H2O))=-5.57 (40 C)

Kso"(CaL2)=-5.39 (60 C)

Kso=-6.68(14 C), -6.28(22 C), -5.90(30 C), =5.55(38 C). Kso'=-5.48(47 C),

-5.40(55 C); Kso"=-5.35(70 C), -5.29(79 C), -5.25(86 C)

Ca++ sol none 25°C 0.0 U T 1953BGb (8478) 166

Kso(CaL2(H2O)6)=-6.15

I=0 corr. Kso=-7.54(0 C). Kso(CaL2.H2O)=-5.61(40 C)

Ca++ sol none 25°C 0.0 U 1949DWa (8479) 167

Kso(CaL2)=-6.15

Ca++ con none 18°C 0.0 U K1=0.89 1938WDa (8480) 168

I=0 corr. By solubility, 25 C, Kso(CaL2)=-6.16

Ca++ sol none 25°C 0.0 U T 1934KIa (8481) 169
Kso(CaL2)=-6.13

I=0 corr. Kso=-6.48(18 C), -5.87(30 C)

Ca++ sol none 18°C 0.0 U T 1923BOa (8482) 170
Kso(CaL2)=-6.19

I=0 corr. Kso=-7.31(0 C), -6.65(10 C)

MoO4-- H2L Molybdate (443)

Molybdate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp oth/un 25°C ? U M 1997STa (8702) 171
K(Ca+H2L=CaL+2H)=-2.8

Ligand: nano-Molibdenomanganate, MnMo9032-----

Ca++ sol oth/un 28°C var C I 1992FRa (8703) 172
Kso(CaMoO4)=-7.93

CaMoO4 is powellite. Analyses by ICP(Ca) and ICP-MS(Mo). Kso derived from solubility data up to 1.0 M CaCl2, Ca(NO3) and Na2MoO4.

Ca++ sol none 25°C 0.00 U T 1972ZMa (8704) 173
Kso(CaL2(s))=-8.36

Kso=-8.16(50 C), -8.00(75 C), -8.22(100 C), -8.3(150 C), -8.9(200 C),
-9.6(250 C), -10.1(300 C)

Ca++ cal none 25°C 0.0 U H 1958MHa (8705) 174
DH(Kso(CaL))=-2.9 kJ mol-1, DS=-162.8 J K-1 M-1

Ca++ sol none 22°C 0.0 U 1958SSb (8706) 175
Kso(CaL)=-7.38

NH3 L Ammonia CAS 7664-41-7 (414)

Ammonia

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ dis oth/un 25°C 0.5M C TI K1=0.05 B2=-0.28 1990PSb (9050) 176
K3=-0.60

Medium: 0.5 M NH4ClO4; Also for I=1.5 K1=-0.12; K2=-0.49; K3=-0.76; K4=-1.0
For I= 1.0 K1=-0.03; K2=-0.42; K3=-0.69; K4=-0.93

Ca++ gl R4N.X 23°C 2.0M U K1=-0.2 B2=-0.8 1941BJa (9051) 177
K3=-0.8
K4=-1.1
K5=-1.3
K6=-1.7

Medium: NH4NO3.

NO3- HL Nitrate CAS 7697-37-2 (288)
Nitrate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	cal	NaClO4	25°C	1.00M	U	TI	K1=-0.22	1985VBa (9526)	178
DH1 = -7.56 kJ mol-1									
Ca++	sp	oth/un	25°C	5.80M	U		K1=0.52 B2=0.18	1980BDa (9527)	179
Ca++	sol	NaClO4	25°C	0.50M	U	I	K1=0.06 B2=-0.3	1974FRf (9528)	180
Medium: LiClO4. K1=-0.06,B2=-0.5(I=1). K1=-0.02,B2=-0.4(I=2). K1=0.04, B2=-0.4,B3=-1.1(I=3). K1=0.08,B2=-0.4,B3=-0.7(I=4). 0 corr:K1=0.68, B2=0.65									
Ca++	con	non-aq	25°C	100%	U		K1=2.75	1974KKc (9529)	181
Medium: 1:1 EtOH/Me2CO K1=2.64 to 2.89 depending upon equation									
Ca++	ix	NaClO4	25°C	1.0M	U		K1=-0.22	1969PSa (9530)	182
Ca++	oth	oth/un	25°C	0.0	U		K1=0.6	1966MBb (9531)	183
Ca++	ix	mixed	23°C	90%	U		K1=0.57 B2=0.85	1966WFa (9532)	184
Medium: 90% i-PrOH, 0.5 M HL									
Ca++	oth	R4N.X	94°C	25.0M	U	T	K1=-0.85	1964HPb (9533)	185
Method:Raman spectra. Medium:10-40 M NH4ClO4. K1=0.78(26 C), -0.82(48, 70 C)									
Ca++	con	oth/un	25°C	0.0	U	T H	K1=0.31	1963VWa (9534)	186
Medium: 0 corr. K1=0.41(18 C). DH(K1)=-23.8 kJ mol-1, DS=-75 J K-1 mol-1									
Ca++	oth	oth/un	26°C	var	U	H	K1=-0.8	1962HEa (9535)	187
Method: Raman spectra., Medium:2-13 M CaL2. DH(K1)=0									
Ca++	con	oth/un	18°C	0.0	U		K1=0.28	1930RDa (9536)	188

N2H4 L Hydrazine CAS 302-01-2 (2117)
Hydrazine; H2N.NH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	dis	oth/un	25°C	0.80M	U		K1=-0.16 B2=-1.80	1954SEa (10069)	189
							K3=-1.11		

Medium: Ca(NO3)2

OH- HL Hydroxide (57)
Hydroxide;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ oth none 25°C 0.0 U K1=1.15 B2= 3.14 1998GLa (10751) 190
Calculated from literature data. Kso(Ca(OH)2)=-5.35

Ca++ sol none 400°C 0.00 C T K1=1.87 1995Rba (10752) 191
Method: solubility of anorthite.
At 500 C, K1=6.21; at 600 C, K1=9.55

Ca++ sol oth/un 200°C var U T 1991SSa (10753) 192
*K1=-8.20
100-350 C.P=500 bars. Constants at I=0

Ca++ oth none 0°C 0.0 U K1=1.22 1987BSb (10754) 193
Calculated values

Ca++ sol oth/un 300°C var U T 1986WAa (10755) 194
*Kso=13.45
300-600 C, P=1-3 kbar. Constant at I=0

Ca++ gl KNO3 25°C 0.15M C I K1=0.99 1983DDa (10756) 195

Ca++ gl NaCl04 25°C 3.00M U 1973FJa (10757) 196
*K1=-13.36
Kw=-14.22

Ca++ gl none 25°C 0.00 U T K1=1.301 1972Mva (10758) 197
K1=2.796(60 C), 3.056(70 C), 3.503(80 C), 3.564(90 C), 3.876(98 C).
K1=14.36-3877/T

Ca++ gl KNO3 37°C 0.15M U 1970CHc (10759) 198
*K1=-11.7

Ca++ oth none 0°C 0.0 U T 1968KRa (10760) 199
Kso=-4.97
Method:Estimated data.Temp Range 0-350.Kso=-5.24(50C), -6.00(100C), -6.98(150C),
-8.00(200C), -9.31((250C), -10.60(300C), -11.94(350C)

Ca++ sol none 0°C 0.0 M T H 1967YMa (10761) 200
Kso=-4.88
Kso=-5.03(25 C), -5.25(50 C), -5.83(100C), -6.57(150C), -7.43(200C), -8.37(250C),
-9.38(300 C), -10.45(350 C). DH(Kso)=-12.5(25 C), -131.25(300 C) kJ mol-1

Ca++ gl oth/un 75°C ? U 1965CTa (10762) 201
*K1=-10.3
Ks=-1 to -1.3
Medium: Ca(NO3)2(H2O)4. Ks: K(0.5Ca(OH)2(s)+0.5Ca=CaOH)

Ca++ cal none 25°C 0.0 M H 1965Hwd (10763) 202
DH(Kso)=-18.2 kJ mol-1, DS=-160 J K-1 mol-1. DH(K1)=8.4

Ca++	EMF	NaClO4	25°C	3.0M	C		K1=0.64		1961C0d (10764)	203
Ca++	EMF	none	25°C	0.0	C T		K1=1.2		1959BBc (10765)	204
K1=1.02-1.14(0 C),1.12-1.24(10 C),1.36-1.45(40 C). Method: H electrode										
Ca++	kin	none	25°C	0.0	U		K1=1.46		1956BPa (10766)	205
Ca++	EMF	none	25°C	0.0	C T H		K1=1.37		1954GMb (10767)	206
DH(K1)=5.2 kJ mol-1, DS(K1)=47.3(25 C); K1=1.34(15 C), 1.40(35 C). Method: H electrode										
Ca++	sol	none	25°C	0.0	U T H		K1=1.40		1953BGb (10768)	207
DH(K1)=5.0 kJ mol-1, DS(K1)=43.5(25 C); K1=1.37(0 C), 1.48(40 C)										
Ca++	sol	none	25°C	0.0	U		K1=1.30		1951DHa (10769)	208
Ca++	sol	none	0°C	0.0	U		K1=1.3		1950BWa (10770)	209
By kinetics K1=1.3										
Ca++	kin	oth/un	25°C	0.02M	U I		K1=0.96		1949BPb (10771)	210
Medium:0.02-0.04 M. At I=0 corr K1=1.29										
Ca++	sol	none	25°C	0.0	U		K1=1.51		1938DAa (10772)	211
Ca++	sol	none	25°C	0.0	U		K1=1.40		1934KIa (10773)	212
Kso(Ca(OH)2)=-5.26										
Ca++	sp	oth/un	18°C	var	U		K1=1.07		1923K0a (10774)	213

PO4---			H3L	Phosphate			CAS 7664-38-2	(176)		
Phosphate;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values		Reference	ExptNo
Ca++	gl	NaNO3	25°C	0.10M	M				1996SSa (12995)	214
K(Ca+HL)=1.64										
Ca++	gl	NaClO4	25°C	0	M I		K1=0.96	B2=1.69	1995P0a (12996)	215
In 3.0 M NaClO4: K1=0.40, B2=0.6										
Ca++	oth	NaCl	25°C	0.15M	U T		K1=1.3		1993GMa (12997)	216
Method: Coulometric titration. K1=1.4 (37 C)										
Ca++	gl	NaClO4	25°C	3.0M	M I				1991CIa (12998)	217
K(Ca+2H2L)=0.33										
K(Ca+2H2L=CaHL+H3L)=-3.61										
K(Ca+3H2L=CaH3L2+H3L)=-2.98										
In 0 M (extrapolation using SIT): K(Ca+2H2L)=1.36, K(Ca+HL)=2.54,										
K(Ca+H2L+HL)=3.18										

Ca++	gl	oth/un	37°C	0.00	M	I	K1=6.13 K(Ca+HL)=2.77 K(Ca+H2L)=1.44	1991ZEa (12999)	218
Ca++	gl	KCl	37°C	0.15M	C		K(Ca+HL)=1.94 K(Ca+H+HL)=7.90	1985DSa (13000)	219
Ca++	gl	R4N.X	37°C	0.10M	C	I	K(Ca+H2PO4)=1.11 K(Ca+HPO4)=2.02	1982DRc (13001)	220
Additional method: Ca ion selective electrode. Data for 0.03-0.50 M Et4NI. At I=0.0 M, K(Ca+H2PO4)=1.52.									
Ca++	ISE	NaCl	25°C	0.10M	U	I	K(Ca+HPO4)=1.87	1979CMb (13002)	221
Ca++	oth	none	25°C	0.0	U		B(Ca3L2)=28.92	1977VL a (13003)	222
Ca++	gl	oth/un	25°C	0.68M	C		K1=4.98 K(Ca+HPO4)=1.25 K(Ca+H2PO4)=0.24	1976ACc (13004)	223
Medium: NaCl/CaCl2 and KCl/CaCl2 mixtures.									
Ca++	sol	none	25°C	0.0	U		Kso(CaHL(H2O)2)=-6.55	1976BAc (13005)	224
Ca++	gl	NaClO4	25°C	0.10M	U	M	K(Ca+HPO4)=6.27 K(Ca+citrate+HPO4)=10.72 K(Ca+Cys+HPO4)=8.49 K(Ca+NTA+HPO4)=14.50	1975RMa (13006)	225
Ca++	sol	none	25°C	0.0	U	T	Kso=-28.921. -29.012(5 C), -28.775(15 C), -29.548(37 C). Kso=-45723.26/T+287.4536-0.54763*T (Beta-Ca3(P04)2)	1974GMe (13007)	226
Ca++	sol	none	25°C	0.0	U		Kso(Ca(HL)(H2O)2)=-6.60(brushite)	1974PGa (13008)	227
Ca++	sol	none	5°C	0.0	U	T H	K'(Ca+H2L)=0.7 K''(Ca+HL)=2.38 DH(K')=15.0 kJ mol ⁻¹ , DS=67 J K ⁻¹ mol ⁻¹ ; DH(K'')=13.8, DS=96.0 K''=2.28(15 C), 2.58(25 C), 2.59(37 C). Kso(CaHL)=-6.71. 37 C: -7.04. DH=-17	1971MBb (13009)	228
Ca++	gl	KNO3	37°C	0.15M	U		K(Ca+H2L)=0.6 K(Ca+HL)=1.3	1970CHc (13010)	229

						$K(\text{CaH}_2\text{L}+\text{HL})=2.5$	
						$K(2\text{CaHL}=(\text{CaHL})_2)=3.7$	
Ca++	sol none	25°C	0.0	U T		1970GMg (13011)	230
						$K'(\text{Ca}+\text{H}_2\text{L})=0.6$	
						$K''(\text{Ca}+\text{HL})=2.41$	
						$K'=1.00, K''=2.67(5\text{ C}). 0.75, 2.44(15\text{ C}). 0.6, 2.61(37.5\text{ C}). K_{\text{so}}(\text{Ca}(\text{HL})(\text{H}_2\text{O})_2)=-6.63(5\text{ C}); -6.60(15\text{ C}), -6.59(25\text{ C}), -6.63(37.5\text{ C})$	
Ca++	gl none	37°C	0.0	U		1970MAa (13012)	231
						$K_{\text{so}}(\text{Ca}(\text{HL})(\text{H}_2\text{O})_2)=-6.646$	
						$K(\text{Ca}_4\text{HL}_3(\text{H}_2\text{O})_3(\text{s})+2\text{H}=4\text{Ca}+3\text{HL})=-11.59$	
Ca++	sol none	25°C	0.0	U		1969MNa (13013)	232
						$K_{\text{so}}(\text{Ca}(\text{HL})(\text{H}_2\text{O})_2)=-6.68$	
Ca++	gl oth/un	25°C	0.0	U T H	$K_1=6.46$	1968CMc (13014)	233
						$K(\text{Ca}+\text{H}_2\text{L})=1.41$	
						$K(\text{Ca}+\text{HL})=2.74$	
						Medium:0 corr. $K(\text{Ca}+\text{H}_2\text{L})=1.50(37\text{ C}), \text{DH}=14.2\text{ kJ mol}^{-1}, \text{DS}=75.2\text{ J K}^{-1}\text{ mol}^{-1}$ $K(\text{Ca}+\text{HL})=2.83(37\text{ C}), \text{DH}=13.8, \text{DS}=96.1, K_1=6.54(37\text{ C}), \text{DH}(K_1)=13.0, \text{DS}=167.2$	
Ca++	oth oth/un	37°C	0.0	U	$K_1=6.3$	1967WBa (13015)	234
Ca++	sol oth/un	38°C	0.0	U		1966MGB (13016)	235
						$K_{\text{s}}(\text{CaHL}(\text{H}_2\text{O})_2)=-6.66$	
						$K(\text{Ca}+\text{H}_2\text{L})=0.87$	
						$K(\text{Ca}+\text{HL})=2.77$	
Ca++	sol oth/un	40°C	0.0	U		1964DRb (13017)	236
						$K_{\text{s}}(\text{Ca}_2(\text{HL})(\text{H}_2\text{O}))=-28$	
						K_{s} for "surface complex" on surface of hydroxyapatite, $\text{Ca}_5\text{L}_3\text{OH}(\text{s})$	
Ca++	sol none	18°C	0.0	U T		1964PCa (13018)	237
						$K_{\text{s}}(\text{CaHL}(\text{H}_2\text{O})_2=\text{Ca}+\text{HL}+2\text{H}_2\text{O})=-6.57(18\text{ C}), -6.62(37\text{ C}).$ Solubilities of other mixed Cu/HL/H ₂ O complexes, 18 to 37 C	
Ca++	EMF oth/un	18°C	dil	U		1963GRb (13019)	238
						$K(\text{Ca}+\text{HPO}_4)=2.6$	
						$K(\text{CaPO}_4+\text{H})=8.5$	
						Methods: H electrode, quinhydrone electrode.	
Ca++	sol none	25°C	0.0	U M		1962FEa (13020)	239
						$K_{\text{so}}(\text{Ca}_{10}\text{L}_6\text{F}_2)=-120.86$	
Ca++	sol NaCl	24°C	0.17M	U		1962MEa (13021)	240
						$K_{\text{so}}(\text{Ca}_2(\text{HL})(\text{OH})_2)=-27.0$	
						Surface complexes. $K_{\text{s}}(\text{Ca}_5\text{L}_3(\text{OH})(\text{s})+3\text{H}_2\text{O}=2\text{Ca}_2(\text{HL})(\text{OH})_2(\text{surface})+\text{Ca}+\text{HL})=-8.52$	
Ca++	sol none	25°C	0.0	U T		1962RDa (13022)	241

$$K_{so}(Ca_2(HL)(OH)_2) = -27.3$$

Solubility of hydroxyapatite determined by surface complex $Ca_2HL(OH)_2$

$$K_{so} = -25.1(40\text{ }^{\circ}\text{C})$$

Ca++	gl	oth/un	21°C	0.08M	U		1961BMb (13023)	242
							$K_s(Ca_4HL_3=4Ca+H+3L) = -40.92(\text{gr})$	
							$K_s = -37.83$ (gelatinous)	

Ca++	sol	none	25°C	0.0	U		1960MBa (13024)	243
							$K_{so}(Ca(HL)(H_2O)_2) = -6.56$	
							$K_s(Ca_4HL_3=4Ca+H+3L) = -46.90$	
							$K_s(Ca_4(HL)_3H-2) = -9.93$	

Ca++	sol	none	90°C	0.0	U		1960MMA (13025)	244
							$K_{so}(Ca(HL)) = -7.9$	

Ca++	cal	none	25°C	0.0	U	HM	1957ELa (13026)	245
$DH(K_{so}(Ca(H_2L)_2(H_2O))) = -12 \text{ to } -16 \text{ kJ mol}^{-1}$								

Ca++	sol	none	25°C	0.0	U		1957SNa (13027)	246
							$K_{so}(Ca(HL)(H_2O)_2) = -6.57$	

Ca++	gl	R4N.X	25°C	0.20M	U		1956SAa (13028)	247
							$K(Ca+HL) = 1.70$	

Medium: Pr_4NCl

Ca++	sol	none	25°C	0.0	U		1955CLa (13029)	248
							$K_{so}(Ca_5L_3(OH)) = -57.8$	

Ca++	sol	none	25°C	0.0	U		1953DHa (13030)	249
							$K(Ca+HL) = 2.70$	
							$K(Ca+H_2L) = 1.08$	
							$K(CaHL+H) = 5.59$	

Ca++	ix	NaCl	37°C	0.15M	U		1953GCa (13031)	250
							$K(Ca+HL) = 1.86$	

Ca++	sol	oth/un	18°C	var	U T		1951ZAa (13032)	251
							$K_{so}(Ca_5L_3(OH)) = -44.51$	

$$K_{so} = -40.64(40\text{ }^{\circ}\text{C})$$

Ca++	sol	oth/un	18°C	var	U		1951ZHa (13033)	252
							$K_{so}(Ca_3L_2) = -28.70$	

Ca++	sol	none	25°C	0.0	U		1950FAa (13034)	253
							$K_s(Ca(H_2L)_2(s) = Ca+2H_2L) = -1.14$	
							$K_s(CaHL(s) = Ca+HL) = -6.66$	
							$K_{so}(Ca_5L_3OH) = -55.91$	

Ca++	sol	NaCl	22°C	0.16M	U	M	1945GRa (13035)	254
------	-----	------	------	-------	---	---	-----------------	-----

B(Ca₂(HL)(HCO₃)H-1)=1.33
K(Ca₂LCO₃+H)=8.3

Ca++ EMF KCl 25°C 0.20M U I 1940GRa (13036) 255

K(Ca+HL)=1.50

Method: H electrode. K=2.20 (glass electrode, 22 C, I=0.006 M)

Ca++ sol none 40°C 0.0 U 1931LUb (13037) 256

Ks(CaHL(s)=Ca+HL)=-6.56

Ca++ sol oth/un 19°C dil U 1925DSa (13038) 257

Ks(CaHL(s)=Ca+HL)=-6.25

Ca++ sol none 38°C 0.0 U 1925HMa (13039) 258

Kso(Ca₃L₂)=-32.5

Ks(CaHL(s)=Ca+HL)=-6.4

Ca++ sol oth/un 25°C var U 1917BAa (13040) 259

Kso(Ca₃L₂)=-25

Ks(CaHL(s)=Ca+HL)=-5.3

PW11039----- H7L (2467)

alpha-Heteromonophospho-polytungstate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO₃ 25°C 1.00M U K1=3.84 1984COa (13396) 260

P206---- H4L Hypophosphate CAS 9803-60-3 (199)

Hypophosphate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.50M U K1=2.27 1967CMc (13412) 261

Ligand: O3POPHO2---. Medium: Me4NCl

P207---- H4L Pyrophosphate CAS 2466-09-3 (198)

Diphosphate; from (HO)2PO.O.PO(OH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ISE NaCl 25°C 0.10M U K1=4.33 B2=7.21 1979Cmb (13528) 262

Ca++ kin R4N.X 30°C 0.10M U K1=5.23 1978KH a (13529) 263

Medium: 0.10 M NH₄NO₃

Ca++ sol oth/un ? var U I 1971WIa (13530) 264

B(Ca₂L)=2.80

Kso=-12.87

Ca++ oth R4N.X 25°C 1.00M U TI K1=4.89 1960ICa (13531) 265

K(Ca+HL)=2.22

Medium: Me4NBr, Method:tydallometry. K1=4.63(37 C), 4.31(50 C). In 0.1 M:
25 C: K1=5.39, K(Ca+HL)=3.32. K1=5.44(37 C), 5.39(50 C).

Ca++ oth none 25°C 0.0 U TIH K1=5.60 1960ICa (13532) 266

K(Ca+HL)=3.6

I=0 corr. Method: tydallometry. K1=5.75(37 C), 5.86(50 C).

DH(K1)=19.2 kJ mol⁻¹, DS=192 J K⁻¹ mol⁻¹

Ca++ gl R4N.X 25°C 1.00M U K1=5.55 1959WLa (13533) 267

K(Ca+HL)=2.28

Medium: Me4NCl

Ca++ gl R4N.X 25°C 1.00M U K1=4.95 1959WLa (13534) 268

K(Ca+HL)=2.30

Medium: Me4NCl

Ca++ gl none 25°C 0.0 U T K1=6.8 1959W0a (13535) 269

B(Ca(OH)L)=8.9

Ks(Ca+CaL)=-7.9

At 40 C: K1=6.5, Ks=-7.9

Ca++ sp oth/un 19°C var U K1=5.00 1956YVb (13536) 270

Ca++ ix NaCl 37°C 0.15M U K1=3.7 1953GCa (13537) 271

Method: cation exchange at pH 7.4

P208---- H4L CAS 13825-81-5 (2402)

Peroxodiphosphate, also cyclic metaposphates, thiophosphates etc.;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ix NaCl04 20°C 0.05M U I K1=3.75 1974K0a (13684) 272

Ligand:metaphosphate,cyclic;(P03)4 4-, Additional ionic strength:

K1=3.28(I=0.10),2.98(I=0.15),2.90(I=0.20),5.1(I=0)

Ca++ ix NaCl04 20°C 0.05M U I K1=5.13 1974K0a (13685) 273

Ligand:metaphosphate,cyclic;(P03)6 6-, Additional ionic strength:

K1=4.59(I=0.10),4.31(I=0.15),4.11(I=0.20),6.9(I=0)

Ca++ ix NaCl04 20°C 0.05M U I K1=5.79 1974K0a (13686) 274

Ligand:metaphosphate,cyclic;(P03)8 8-, Additional ionic strength:

K1=5.18(I=0.10),4.84(I=0.15),4.62(I=0.20),8.1(I=0)

P2W17061----- Polytungstate (2102)

alpha-Heterodiphospho-polytungstate (usually alpha1 isomer)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 1.00M U K1=2.96 1984COa (13704) 275
K1=3.89 (alpha2 isomer)

P3010----- H5L CAS 10380-08-2 (1001)

Tripolyphosphate; from (HO)2PO.O.PO(OH).O.PO(OH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ ISE NaCl 25°C 0.10M U K1=5.05 B2=9.41 1979CMb (13795) 276

Ca++ kin oth/un 30°C 0.10M U I K1=5.69 1978KHa (13796) 277

Ca++ cal oth/un 25°C var C H K1=6.4 1977RLb (13797) 278
K(Ca+CaL)=3.0
K(Ca2L+Na)=4.0

Medium 0.02 M CaCl2 or Na5P3010. DH(K1)=14.2 kJ mol⁻¹, DS=172 J K⁻¹ mol⁻¹.
DH(Ca+CaL)=-6.28, DS(Ca+CaL)=38. DH(Ca2L+Na)=33.5, DS(Ca2L+Na)=188.

Ca++ gl KNO3 25°C 0.10M U T H K1=4.80 1973TRa (13798) 279
K(Ca+HL)=3.28

At 2 C: K1=5.80, K(Ca+HL)=3.00; 35 C: K1=5.74, K=3.34. DH(K1)=-27.6 kJ mol⁻¹
DH(Ca+HL)=-3.3

Ca++ gl KNO3 45°C 0.10M U K1=4.73 1971TRa (13799) 280
K(Ca+HL)=3.07

Ca++ gl R4N.X 20°C 0.10M U H K1=6.31 1965ANa (13800) 281
K(Ca+HL)=4.02
K(CaL+H)=6.54

Medium: Me4NNO3. By calorimetry: DH(K1)=13.8 kJ mol⁻¹, DS=167 J K⁻¹ mol⁻¹

Ca++ gl KCl 25°C 0.10M U K1=5.20 1964EMb (13801) 282
K(Ca+HL)=3.04
K(CaL+H)=5.90

Ca++ gl R4N.X ? 0.10M U K1=4.6 1962RKa (13802) 283
K(Ca+HL)=3.3

Medium: K,NH4Cl

Ca++ oth R4N.X 25°C 1.00M U TIH K1=5.36 1960ICa (13803) 284
K(Ca+HL)=3.30
K(Ca+H2L)=2.77

Medium: Me4NBr. K1=5.25(37 C), 5.18(50 C). In 0.1 M, 25 C: K1=6.41, K(Ca+HL)=3.78. I=0 corr: K1=6.90, 6.80(37 C), 6.72(50 C). DH(K1)=-13 kJ mol⁻¹, DS=88

Ca++ gl R4N.X 25°C 1.00M U K1=5.44 1959WLa (13804) 285
K(Ca+HL)=3.01

Medium: Me4NCl

Ca++ gl none 25°C 0.0 U T K1=8.1 1959WOa (13805) 286

B(Ca(OH)L)=10.4

At 40 C: K1=7.8, B(Ca(OH)L)=9.8

Ca++	gl	KCl	20°C	0.10M	U	K1=4.95 K(Ca+HL)=3.1	1956MSa (13806)	287
------	----	-----	------	-------	---	-------------------------	-----------------	-----

Ca++	sol	oth/un	30°C	var	U T	K1=6.51	1954QUa (13807)	288
------	-----	--------	------	-----	-----	---------	-----------------	-----

K1=6.68(60 C)

Ca++	ix	NaCl	37°C	0.15M	U	Keff(Ca+HL)=4,32	1953GCa (13808)	289
------	----	------	------	-------	---	------------------	-----------------	-----

pH 7.4

Ca++	sol	oth/un	25°C	0.02M	U	K1=6.41	1949TOa (13809)	290
------	-----	--------	------	-------	---	---------	-----------------	-----

P309--- H3L CAS 13566-25-1 (235)
Cyclotrimetaphosphate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ix	NaCl04	20°C	0.10M	U	I	K1=2.06	1974K0a (13934)	291

Ionic strength from 0 (K1=3.4) to 0.2 (K1=1.81)

Ca++	ISE	R4N.X	25°C	1.00M	U	K1=1.64	1969WKa (13935)	292
------	-----	-------	------	-------	---	---------	-----------------	-----

Medium: Me4NCl

Ca++	sp	R4N.X	?	0.10M	U	K1=1.68	1962RKa (13936)	293
------	----	-------	---	-------	---	---------	-----------------	-----

Medium: NH4Cl

Ca++	ix	NaCl	37°C	0.15M	U	K1eff=2.50 at pH 7.4	1953GCa (13937)	294
------	----	------	------	-------	---	----------------------	-----------------	-----

Ca++	sol	none	25°C	0.0	U	K1=3.48	1949DMa (13938)	295
------	-----	------	------	-----	---	---------	-----------------	-----

Ca++	con	none	25°C	0.0	U	K1=3.45	1949JMa (13939)	296
------	-----	------	------	-----	---	---------	-----------------	-----

P4012---- H4L CAS 13598-74-8 (234)
Cyclotetrametaphosphate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ix	NaCl04	20°C	0.10M	U	I	K1=3.28	1974K0a (13986)	297

Ionic strength from 0 (K1=5.1) to 0.20 (K1=2.90)

Ca++	ISE	R4N.X	25°C	1.00M	U	K1=3.10	1969WKa (13987)	298
------	-----	-------	------	-------	---	---------	-----------------	-----

Medium: Me4NCl. Polarography also used

Ca++	sp	R4N.X	?	0.10M	U	K1=3.77	1962RKa (13988)	299
------	----	-------	---	-------	---	---------	-----------------	-----

Medium: NH4Cl

Ca++	ix	NaCl	37°C	0.15M	U		1953GCa (13989)	300
------	----	------	------	-------	---	--	-----------------	-----

K1eff=3.66 pH 7.4

Ca++ con none 25°C 0.0 U K1=5.42 1950JMb (13990) 301
K(CaL+Ca)=2.70
B(CaNaL)=5.7

By solubility K1=5.32, K(CaL+Ca)=2.60

Ca++ sol none 25°C 0.0 U K1=4.89 1949DMa (13991) 302
K(CaL+Ca)=2.66

P4013----- H6L Tetraphosphate (1102)

Tetraphosphate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ kin oth/un 30°C 0.10M U K1=7.11 1978KHa (14037) 303

Ca++ ISE R4N.X 25°C 1.00M U K1=5.45 1969WKa (14038) 304
K(Ca+CaL)=3.35
K(Ca+HL)=3.31

Medium: Me4NCl

Ca++ gl R4N.X 25°C 1.0M U K1=5.46 1968WMc (14039) 305
K(Ca+HL)=3.54
K(Ca+CaL)=3.07

Medium: Me4NCl

P6012----- H6L CAS 25268-83-1 (6590)

Dodecaoxohexaphosphate(III); anion of (PO.OH)₆

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp R4N.X 25°C 0.10M C K1=8.8 1999Nwa (14055) 306

Method: competition with EDTA. Medium: 0.10 M Me4NCl, pH 7.

P6018----- H6L (233)

Cyclohexametaphosphate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ix NaCl04 20°C 0.10M U I K1=4.59 1974K0a (14067) 307

Ionic strength from 0 (K1=6.9) to 0.23 (K1=2.62)

P8024----- H8L (232)

Cyclooctametaphosphate;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ix NaCl04 20°C 0.10M U I K1=5.18 1974K0a (14079) 308

Ionic strengths from 0 (K1=8.1) to 0.23 (K1=3.65)

S-- H2L Sulfide CAS 7783-06-4 (705)
Sulfide;

Derived from thermodynamic data and $K(H+S=HS)=17.3$.

Calculated from data for 0.0002 to 0.4 M CaCl₂ using Pitzer model.

Molality units. $K_{so} = -5.05(35\text{ C})$, $-5.57(75\text{ C})$. At $I = 1.0$: $K_{so} = -4.80(25\text{ C})$, $-4.87(35\text{ C})$, $-5.17(75\text{ C})$

Ca++ sol NaClO4 25°C 1.0M U TI 1958RbA (15428) 314
Kso(CaL)/Kso(CaSO4)=-1.88
Molality units. Kso(CaL)/Kso(CaSO4)=-1.96(35 C), -2.23(75 C). At I=0 corr.,
25 C: Kso(CaL)=-6.5

S04-- H2L Sulfate CAS 7664-93-9 (15)
Sulfate;

Literature review. CaSO₄: anhydrite; CaSO₄.2H₂O: gypsum. Data for 0-300C (anhydrite) and 0-120C (gypsum).

Ca++	sol none	25°C	0.0	U	K1=2.35	1985LDb (15803)	317
Ca++	oth none	25°C	0.00	U	Kso(CaSO4.H2O)=-4.59 Kso(CaSO4)=-4.36	1985LMa (15804)	318
Derived from literature data. CaSO4.H2O: gypsum. CaSO4: anhydrite.							
Ca++	oth none	25°C	0.0	C H	K1=2.19	1981YYa (15805)	319
Calcd from published osmotic coefficient data. From UV-spectrometry (competition with Cu), K1=2.12. From conductivity, DH(K1)=5.92 kJ mol ⁻¹							
Ca++	ISE NaCl	25°C	0.10M	U	K1=1.39	1979CMb (15806)	320
Ca++	ISE NaCl	25°C	0.70M	C I	K1=1.40	1979EWa (15807)	321
Medium: NaCl/Na2SO4/CaCl2 mixtures. Method: Ca ISE.							
Ca++	con none	25°C	0.0	C T	K1=2.35	1979FFc (15808)	322
Data for 10-30 C. Also data at 1000 and 2000 atm. K expressed on molal scale.							
Ca++	ISE none	25°C	0.0	M T H	K1=2.29	1978EFb (15809)	323
Method: divalent cation electrode, dil NaCl medium. At 15 C, K1=2.24; at at 35 C, K1=2.34. DH(K1)=9.20 kJ mol ⁻¹ , DS=75 J K ⁻¹ mol ⁻¹ .							
Ca++	con mixed	25°C	?	U T H	K1=2.17	1976KAa (15810)	324
K1=2.10 (0 C); 2.16 (20 C); 2.20 (30 C); 2.25 (40 C); 2.27 (45 C) Medium: Water-ethylene glycol mixture							
Ca++	sol oth/un	25°C	0.70M	C	K1=1.49 Kso(CaSO4)=-3.54	1975EWa (15811)	325
Mixed medium of NaCl, KCl, MgCl2, NaClO4, Mg(ClO4)2, Na2SO4. Method: solubility of gypsum.							
Ca++	sp none	25°C	0.0	C	K1=2.03	1975YYa (15812)	326
By vapour pressure osmometry, K1=2.13							
Ca++	ISE oth/un	25°C	?	U	K1=2.370	1974HIa (15813)	327
Ca++	EMF oth/un	25°C	0.0	U T H	K1=2.31	1973AIa (15814)	328
K1=2.38(40 C), 2.44(50 C). DH(K1)=6.3(25 C) to 13(50 C).							
Ca++	sol NaClO4	0°C	0.47M	U TI	K1=1.13	1973KYa (15815)	329
K1=0.90(I=1.95), 0.77(I=5.88). Kso(CaSO4(H2O)2)=-3.38(I=0.47), -3.116(I=1.95), -3.693(I=5.88)							
Ca++	sol NaClO4	25°C	0.47M	U TI	K1=1.12	1973KYa (15816)	330
K1=0.94(I=2.01), 0.86(I=5.92). Kso(CaSO4(H2O)2)=-3.33(I=0.47), -3.64(I=5.92) Data also at 150, 250, 350 C							

Ca++	cal oth/un	25°C	0.0	U	H	1973POa (15817)	331
DH(K1)=7.7-8.0 kJ mol ⁻¹							

Ca++	con none	15°C	0.0	U	T	K1=2.15	1972ISa (15818) 332
At p=200 kg/cm ² . K1=2.11(p=400), 2.09(p=600), 2.00(p=800), 1.92(p=1200).							
Also to 40 C. DH=19.6 kJ mol ⁻¹							

Ca++	oth none	25°C	0.0	C		K1=2.49 B2= 2.31	1972PIa (15819) 333
Calculated from published osmotic coefficient data.							

Ca++	sol NaNO3	25°C	0.50M	U	I	K1=0.76	1972YMa (15820) 334
K1=0.26(I=2.1), 0.13(I=6). In LiCl: K1=0.79(I=0.5), 0.61(I=2.1), 0.43(I=6).							
Also Na2SO4-NaCl and Li2SO4-LiNO3 mixtures							

Ca++	sol oth/un	0°C	0.0	U	T		1970GGb (15821) 335
Kso(CaSO4(H2O)2)=-4.68(0 C), -4.62(20 C), -4.67(40 C), -4.76(60 C), -4.89(80 C),							
-5.06(100 C), -5.18(110 C). Kso(CaSO4)=-5.46(100 C), -6.43(150 C), -7.43(200 C)							

Ca++	cal none	25°C	0.0	C	H		1970LAe (15822) 336
DH(K1)=6.3 kJ mol ⁻¹ , DS(K1)=65.3 J K ⁻¹ mol ⁻¹ .							
Method: heat of dilution measurements.							

Ca++	ISE oth/un	25°C	0.0	U		K1=2.23	1970LNd (15823) 337
By solubility: Kso(CaSO4)=-4.6(25 C)							

Ca++	sol NaClO4	25°C	0.20M	U		K1=1.54	1969DIa (15824) 338
Kso=-3.78							

Ca++	ISE oth/un	30°C	0.0	U			1969GSb (15825) 339
Method: resin membrane electrode. Kso=-4.9							

Ca++	cal oth/un	25°C	0.0	U	H	K1=2.43	1969IEa (15826) 340
DH(K1)=3.4 kJ mol ⁻¹ , DS=57.3 J K ⁻¹ mol ⁻¹							

Ca++	sol oth/un	0°C	0.0	U	T H		1969YMb (15827) 341
Ks=-1.97(0 C), -2.23(25 C), -2.46(50 C), -2.86(100 C), -3.27(150 C),							
-3.71(200 C), -4.21(250 C), -5.42(350 C). Ks: K(CaL2(s))=CaL+L							

Ca++	sol oth/un	0°C	0.0	U	T H		1969YMb (15828) 342
Kso(CaSO4(H2O)2)=-4.54(0 C), -4.52(25 C). Kso=-3.91(0 C), -4.27(25 C), -5.36							
(100 C), -7.07(200 C), -10.3(350 C)(anhydrite)(m unit) also thermod. data							

Ca++	ISE oth/un	25°C	dil	U		K1=2.57	1968GFd (15829) 343

Ca++	sol oth/un	115°C	0.0	U	T		1968MSd (15830) 344
Medium:0 corr. 30-200 C. Equations for Kso for CaSO4(H2O)2, CaSO4 and hemi-							
hydrate and in seawater at various salinities							

Ca++	oth oth/un	25°C	0.0	U	H	K1=2.31	1967HEb (15831) 345
DH(K1)=8.1 kJ mol ⁻¹ , DS=71.5 J K ⁻¹ mol ⁻¹ (or DH=7.4, DS=69)							

S203-- H2L Thiosulfate CAS 73686-28-7 (177)
Thiosulfate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	cal	R4N.X	25°C	0.50M	U		K1=0.68	1997MKa (16756)	359
DH(K1)=2.71 kJ mol-1									
Ca++	cal	R4N.X	25°C	0.50M	U	H	K1=0.70	1974ARa (16757)	360
DH=2.68 kJ mol-1.									
Ca++	ISE	oth/un	25°C	dil	U		K1=1.90 B2=3.98	1968GFd (16758)	361
Ca++	con	alc/w	25°C	44%	U		K1=3.49	1956BMa (16759)	362
Medium: 44% EtOH									
Ca++	sp	none	25°C	0.0	U		K1=1.91	1955GMa (16760)	363
Ca++	sol	none	25°C	0.0	U		K1=1.98	1951DMb (16761)	364
Ca++	sol	none	25°C	0.0	U		K1=2.05	1949DWa (16762)	365

Se03-- H2L Selenite CAS 7783-00-8 (2391)
Selenite;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	con	oth/un	18°C	dil	U			1968RVa (17028)	366
							Kso=-5.74		
Ca++	sol	oth/un	20°C	var	U			1956CHe (17029)	367
							Kso(CaL)=-5.53		

Se04-- H2L Selenate CAS 7783-08-6 (459)
Selenate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	cal	oth/un	25°C	dil	U	H		1959SSb (17093)	368
DH(so(CaL(H2O)2))=-8.5 kJ mol-1									
Ca++	sol	none	25°C	0.0	U	T H		1958SEb (17094)	369
							Kso(CaL)=-3.09		
I=0 corr. T. 0-100 C. DH(so)=-8.2 kJ mol-1(sat. soln)									

Si03-- H2L Silicate CAS 7699-41-4 (747)
Silicate; Si02(OH)2--

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

 Ca++ EMF NaClO4 25°C 1.0M U K1=3.09 1974SSc (17176) 370
 K(Ca+HL)=0.39
 K(Ca+2HL)=2.89

Method: H electrode

 Ca++ oth none 150°C 0.0 U T 1969HEa (17177) 371
 *Ks(CaAl2Si2O8+8H)=9.79

Method:est.data.(CaAl2Si2O8).*Ks=19.32 (60 C),1.12 (300 C); montmorillonite:
 *Ks=2.89(60 C),-7.73(300 C). Also other data for 60-300 C

 Ca++ sol oth/un 25°C 0.0 U 1965GCa (17178) 372
 Kso(CaL)=-7.0 to -7.3

 Ca++ sol none 25°C 0.0 U T K2=9.83 1960Gcb (17179) 373
 K(CaSiO3(s)=Ca+SiO3)=-7.0

Also glass electrode. I=0 corr. K2=9.7(30 C), 9.6(40 C)

 Ca++ sol oth/un 100°C var U 1958AKa (17180) 374
 K(CaSiO3(s)=Ca+SiO3)=ca.-7

 Ca++ oth none 25°C 0.0 U 1957BAa (17181) 375
 From thermodynamic data. Ks(CaSiO3(s)+H2O=SiO2(s)+Ca+2OH)=-11.08

 Ca++ sol none 30°C 0.0 U 1940REa (17182) 376
 K(CaSiO3(s)=Ca+SiO3)=-7.60
 Ks(Ca3(HL2)2(s)=3Ca+2HL)=-20.9

SiW11039----- H8L (2464)
 alpha-Heterosilicon-polytungstate;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Ca++ gl NaNO3 25°C 1.00M U K1=4.09 1984COa (17230) 377
 K(beta1 isomer)=4.24
 K(beta2 isomer)=4.35
 K(beta3 isomer)=4.27

TeO4-- H2L Tellurate (5750)
 Tellurate(VI); TeO4-- or TeO2(OH)4--

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Ca++ sol oth/un 20°C var U 1970KBd (17304) 378
 Kso=-13.1
 Kso(3Ca+TeO6)=-15.7

V04--- H3L CAS 15457-75-7 (1586)
 Vanadate; V02(OH)3-- or polymers

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl04	25°C	1.00M	U			1975KIc (17372)	379
							K(Ca+H7PV12036)=3.57		

Ca++	sol	NaCl	20°C	1.00M	U	I		1974IGa (17373)	380
							K(Ca+V4012(4-))=0.43		
							Ks(2Ca(V03)2(H2O)4)=-4.65		
							I=3, K=0.34, Ks(2Ca(V03)2(H2O)4=2Ca + V4012----)=-3.94. I=0.045, Ks=-6.68;		
							I=0.2, Ks=-5.69; I=0.33, Ks=-5.31		

W04--		H2L		Tungstate			CAS 13783-36-3	(445)	
-------	--	-----	--	-----------	--	--	----------------	-------	--

Tungstate;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	con	oth/un	18°C	dil	U			1933BHa (17428)	381
							Kso(CaL)=-8.06		

CH03F3S		HL					CAS 1493-13-6	(6755)	
---------	--	----	--	--	--	--	---------------	--------	--

Trifluoromethanesulfonic acid; CF3SO3H

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	non-aq	25°C	100%	C	I	K1=4.01	1997NMa (17458)	382
							Method: polyacrylamide/15-crown-5 sensor. Medium: acetonitrile.		
							Also data for DMF (K1=2.53), DMSO (K1=2.24) and PC (K1=2.45).		

CH202		HL		Formic acid			CAS 64-18-6	(37)	
-------	--	----	--	-------------	--	--	-------------	------	--

Methanoic acid; H.CO0H

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	NaCl	25°C	0.03M	U	TIH	K1=0.75	1981EFa (17561)	383
							At 35 C: I=0.045: K1=0.87; 45 C, I=0.45: 0.38; 25 C. I=0.45: 0.92		
							DH=13.2 kJ mol-1, DS=62.7 J K-1 mol-1		

Ca++	sol	NaCl04	25°C	0.5M	U	I	K1=0.26	1976KFa (17562)	384
							For I=1.0 M K1= 0.45; I=6.0 M K1=0.48		

Ca++	gl	NaNO3	30°C	0.40M	U		K1=0.27	1970BTa (17563)	385
------	----	-------	------	-------	---	--	---------	-----------------	-----

Ca++	vlt	NaCl04	25°C	2.0M	U		K1=0.48 B2=1.11 B3=1.34 B4=1.20	1957HBa (17564)	386
------	-----	--------	------	------	---	--	--	-----------------	-----

Ca++	gl	oth/un	25°C	0.0	U	T H	K1=1.43	1956NAa (17565)	387
							Medium: 0 corr. K(35 C)=1.46, DH(K1)=4.09 kJ mol-1, DS1=41.8 J K-1 mol-1		

Ca++	sol	none	25°C	0.0	U		K1=0.80	1952CMF (17566)	388
------	-----	------	------	-----	---	--	---------	-----------------	-----

Ca++ gl oth/un 25°C 0.0 U K1=1.43 1948SCa (17567) 389

CH2O3Cl3P H2L CAS 5994-41-2 (1970)
Trichloromethylphosphonic acid; Cl3C.PO3H2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M U K1=1.25 1979WNa (17666) 390

CH3O3Cl2P H2L CAS 13113-88-7 (1972)
Dichloromethylphosphonic acid; Cl2CH.PO3H2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M U K1=1.26 1979WNa (17688) 391

CH3O5P H3L Phosphonoformic CAS 4428-95-9 (5654)
Phosphonoformic Acid; O:P(OH)2.CO2H

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M C K1=3.57 1994SCa (17694) 392
K(Ca+HL)=1.71
K(CaL+H)=5.71

Ca++ ISE R4N.X 25°C 0.05M C K1=3.55 1981FHa (17695) 393
K(Ca+HL)=1.84

Medium: 0.05 M Et4NClO4. Method: Ca ion selective electrode.

CH4N2O L Urea CAS 57-13-6 (2018)
Carbamide, Urea; (H2N)2CO

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp NaClO4 23°C 2.00M U I K1=-0.28 B2=-0.89 1970KLf (17711) 394
Temperature range 20 - 23C
Ionic strength 4.0: K1=-0.05, B2=-0.60

CH4O3BrP H2L CAS 7582-40-3 (1974)
Bromomethylphosphonic acid; Br.CH2.PO3H2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M U K1=1.34 1979WNa (17915) 395

CH4O3ClP H2L CAS 2565-58-4 (1973)
Chloromethylphosphonic acid; Cl.CH2.PO3H2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++	gl	KNO3	25°C	0.10M	U		K1=1.38	1979WNa (17923)	396
Ca++	EMF	NaNO3	25°C	0.10M	U		K1=1.47	1970TNa (17924)	397

CH403IP			H2L				CAS 13298-02-7	(1976)	
Iodomethylphosphonic acid; I.CH2.PO3H2									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U		K1=1.37	1979WNa (17933)	398

CH406Cl2P2			H4L				CAS 10596-23-3	(2370)	
Dichloromethanediphosphonic acid; Cl2.C(P03H2)2									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	C	I	R K1=5.9	2001PRa (17946)	399
							K(Ca+HL)=3.15		
IUPAC Recommended values									
Ca++	gl	R4N.X	25°C	0.10M	C	H	K1=5.77	1993KLa (17947)	400
							K(Ca+HL)=3.09		
DH(K1)=5.1 kJ mol ⁻¹ , DS=128 J K ⁻¹ mol ⁻¹									
Ca++	gl	R4N.X	25°C	0.10M	U		K1=5.95	1984CLb (17948)	401
							K(Ca+HL)=3.2		
							K(CaL+Ca)=3.0		
Medium: Me4NNO3									
Ca++	ISE	oth/un	25°C	0.10M	M	I	K1=4.49	1983FBa (17949)	402
							K(Ca+HL)=3.74		
For 0.1 M NH4Cl medium									
Ca++	gl	KCl	25°C	0.10M	U		K1=4.71	1976DGe (17950)	403
							K(Ca+HL)=2.86		

CH406F2P2			H4L				CAS 10596-32-4	(7848)	
Difluoromethylenediphosphonic acid;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	oth/un	25°C	0.10M	M		K1=4.36	1983FBa (17956)	404
							K(CaL+Ca)=1.56		
For 0.1 M NH4Cl medium									

CH503P			H2L				CAS 13590-71-1	(1752)	
Methylphosphonic acid; CH3.PO3H2									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo

Ca++	gl	KNO3	25°C	0.10M	C	I	R	K1=1.6	2001PRa (18113)	405
------	----	------	------	-------	---	---	---	--------	-----------------	-----

IUPAC Recommended values

Ca++	gl	NaNO3	25°C	0.10M	M			K1=1.64	1992SCa (18114)	406
------	----	-------	------	-------	---	--	--	---------	-----------------	-----

Ca++	gl	KCl	25°C	0.10M	U			K1=1.79	1986NIa (18115)	407
------	----	-----	------	-------	---	--	--	---------	-----------------	-----

Ca++	gl	KNO3	25°C	0.10M	U			K1=1.51	1979WNa (18116)	408
------	----	------	------	-------	---	--	--	---------	-----------------	-----

CH5O4P	H2L	CAS	2617-47-2	(1977)
--------	-----	-----	-----------	--------

Hydroxymethylphosphonic acid; HO.CH2.PO3H2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KNO3	25°C	0.10M	U			K1=1.68	1979WNa (18143)	409
------	----	------	------	-------	---	--	--	---------	-----------------	-----

Ca++	gl	R4N.X	25°C	0.10M	U			K1=1.87	1972WFa (18144)	410
------	----	-------	------	-------	---	--	--	---------	-----------------	-----

Medium: (CH3)4NCl

CH5O4P	H2L	CAS	86703-09-5	(1751)
--------	-----	-----	------------	--------

Methylphosphoric acid; CH3OP(O)(OH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	NaNO3	25°C	0.10M	M			K1=1.49	1996SSa (18164)	411
------	----	-------	------	-------	---	--	--	---------	-----------------	-----

Ca++	gl	NaCl	25°C	0.15M	U			K1=1.394	1990KLb (18165)	412
------	----	------	------	-------	---	--	--	----------	-----------------	-----

B(CaH-1L)=-7.09

Ca++	sp	oth/un	20°C	0.10M	U	T		K1=1.49	1965BRb (18166)	413
------	----	--------	------	-------	---	---	--	---------	-----------------	-----

K1(65 C)=1.74

CH6NO3P	H2L	AMPA	CAS	1066-51-3	(1981)
---------	-----	------	-----	-----------	--------

Aminomethylphosphonic acid; H2N.CH2.PO3H2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KNO3	25°C	0.10M	C	I	R	K1=1.67	2001PRa (18211)	414
------	----	------	------	-------	---	---	---	---------	-----------------	-----

K(Ca+HL)=1.06

IUPAC Recommended values

Ca++	gl	NaNO3	25°C	0.10M	C			K1=1.62	1994SCa (18212)	415
------	----	-------	------	-------	---	--	--	---------	-----------------	-----

K(Ca+HL)=1.03
K(CaL+H)=9.49

Ca++	gl	KNO3	25°C	0.10M	U			K1=1.71	1979WNb (18213)	416
------	----	------	------	-------	---	--	--	---------	-----------------	-----

B(CaHL)=11.14

Ca++	gl	KNO3	25°C	0.10M	U			K1=1.84	1971Wnc (18214)	417
------	----	------	------	-------	---	--	--	---------	-----------------	-----

B(CaHL)=11.01

CH606P2 H4L Medronic acid CAS 1984-15-2 (2384)
Methanediphosphonic acid; CH₂(PO₃H₂)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaCl	37°C	0.15M	C			K1=4.86 K(CaL+H)=7.83 K(CaL+Ca)=3.53	1997ZJa (18261)	418
Ca++	gl	R4N.X	25°C	0.10M	U			K1=5.97 K(Ca+HL)=2.89 K(CaL+Ca)=3.84	1984CLb (18262)	419

Medium: Me4NNO₃

Ca++	gl	R4N.X	25°C	0.50M	U			K1=4.70 K(Ca+HL)=2.46	1968CIa (18263)	420
------	----	-------	------	-------	---	--	--	--------------------------	-----------------	-----

Medium: (CH₃)₄NCl

Ca++	gl	KCl	25°C	0.10M	U			K1=6.03 K(Ca+HL)=3.88	1967KLa (18264)	421
------	----	-----	------	-------	---	--	--	--------------------------	-----------------	-----

Ca++	gl	oth/un	25°C	0.10M	U			K1=5.51 K(Ca+HL)=2.76 K(Ca+CaL)=3.31	1963KEa (18265)	422
------	----	--------	------	-------	---	--	--	--	-----------------	-----

Ca++	oth	R4N.X	25°C	1.0M	U	IH		K1=5.01	1962IMb (18266)	423
------	-----	-------	------	------	---	----	--	---------	-----------------	-----

Method: nephelometric. Medium: 0-1 M Me4NBr. K1=6.5(I=0), 6.02(I=0.1)
At I=0 corr: DH(K1)=0 kJ mol⁻¹, DS=92 J K⁻¹ mol⁻¹

Ca++	oth	R4N.X	50°C	1.0M	U	I		K1=4.77	1962IMb (18267)	424
------	-----	-------	------	------	---	---	--	---------	-----------------	-----

Method: nephelometric. Medium: 0.1-1 M Me4NBr. K1=5.93(I=0.1)

CH607P2 H3L CAS 56399-35-0 (7664)
Methyldiphosphoric acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaNO ₃	25°C	0.10M	M			K1=2.87	1999SSa (18305)	425

C2H2O₄ H2L Oxalic acid CAS 144-62-7 (24)
Ethanedioic acid; (COOH)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	ISE	NaCl	25°C	0.10M	U	TI			1998STa (18662)	426
								Kso(monohydrate)=1.15 Kso(dihydrate)=1.88 Kso(trihydrate)=2.17		

Atomic absorption also used. At 37 C Kso(mono)=1.38, Kso(di)=2.58, Kso(tri)=2.98. Data for 20-40 C, I=0.02-0.2 M

Ca++ EMF none 37°C 0 C TI 1997KTa (18663) 427

Kso=-8.02

I=0 to 0.2 M and urine models. At 25 C: Kso=8.24, 40 C: Kso=7.97. For mono-hydrate: Kso=8.77(25 C),8.65(37 C),8.62(40 C). For dihydrate: 8.34,8.17,8.13

Ca++ oth NaCl 25°C 0.15M U T K1=1.46 1993GMa (18664) 428

Method: Coulometric titration. K1=1.47 (37 C)

Ca++ sol NaCl 37°C dil C I 1989SIb (18665) 429

Kso(CaL.H2O)=-8.66

Calculated from data for 0.0-0.15 M NaCl solutions.

Ca++ gl KCl 37°C 0.15M C K1=2.36 1985DSa (18666) 430

Ca++ vlt NaNO3 25°C 1.00M U K1=2.69 B2=4.04 1985KIa (18667) 431
B3=5.16

By linear sweep voltammetry

Ca++ gl KNO3 35°C 0.10M C M K1=4.85 1985RRc (18668) 432

B(CaL(cytidine))=8.80

Ca++ gl KNO3 35°C 0.10M C K1=4.85 1985RRh (18669) 433

Ca++ ISE oth/un 37°C 0.10M U I K1=2.46 1982DMa (18670) 434

Medium: 0.03-0.5 M Et4NI

Ca++ ISE none 37°C 0.0 C K1=3.39 1982RAB (18671) 435

Method: Ca ion selective electrode. At I=0.0015 M, K1=3.24

Ca++ ISE NaCl 25°C 0.10M U I K1=2.54 1979CMb (18672) 436

Ca++ dis R4N.X 25°C 0.50M U K1=1.95 1976MKa (18673) 437

Ca++ ix oth/un 25°C 0.10M U 1973ADa (18674) 438

K(Ca+HL)=1.38

B(Ca+2HL)=1.85

Ca++ sp oth/un ? ? U K1=3.37 1973FSb (18675) 439

Ca++ ix NaClO4 25°C 0.02M U I K1=2.08 1972ADa (18676) 440

K1(0.06)=2.11, K1(0.10)=2.10, K1(0.20)=2.06

Ca++ sol oth/un 20°C 0.10M U B2=3.49 1971PSf (18677) 441

Medium : 0.1 - 1.5 HNO3

Ca++ oth KNO3 25°C 0.10M U K1=2.30 1970SPg (18678) 442

Method : ionic migration

Ca++	dis	NaClO4	25°C	1.0M	U		K1=1.66	B2=2.69	1967HMa (18679)	443

Ca++	dis	oth/un	20°C	0.10M	U				1963STc (18680)	444
							Kso=-7.9			
Medium: KClO4										

Ca++	gl	oth/un	25°C	0.10M	U		K1=3.0		1958GHc (18681)	445

Ca++	con	none	18°C	0.0	U		K1=3.00		1932MDa (18682)	446

C2H3NO4			HL				CAS 625-75-2		(2968)	
Nitroacetic acid; O2N.CH2.COOH										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values		Reference	ExptNo

Ca++	kin	oth/un	18°C	0.20M	U		K1=-0.30		1949PEa (19202)	447
Medium: Ba(NO3)2										

C2H3N3			HL			1,2,4-Triazole	CAS 288-88-0		(381)	
1,2,4-Triazole; cyclo(-NH.N:CH.N:CH-) C2H3N3										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values		Reference	ExptNo

Ca++	gl	none	25°C	0.0	U				1991ASa (19225)	448
							K(Ca+HL)=0.76			
							B(CaHL)=9.8			

C2H3O2Br			HL			Bromoacetic acid	CAS 79-08-3		(1309)	
Bromoethanoic acid; Br.CH2.COOH										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values		Reference	ExptNo

Ca++	sol	oth/un	25°C	->0	U		K1=0.41		1952CMf (19275)	449

Ca++	sol	oth/un	25°C	->0	U		K1=0.55		1949DWa (19276)	450

C2H3O2Cl			HL			Chloroacetic	CAS 79-11-8		(34)	
Chloroethanoic acid; ClCH2.COOH										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values		Reference	ExptNo

Ca++	gl	NaNO3	30°C	0.40M	U		K1=0.14		1970BTa (19344)	451

C2H4N2O4			H2L				CAS 1687-60-1		(2969)	
Oxalldihydroxamic acid; (CO.NH.OH)2										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values		Reference	ExptNo

Ca++	gl	oth/un	25°C	0.10M	U				1957MJa (19446)	452

Kso=7.75

C2H4N4 HL CAS 61-82-5 (1265)
3-Amino-1,2,4-triazole; C2H2N3.NH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U	I	K(Ca+HL)=1.41	1997DBa (19472)	453

Data also for I=0.5 and 1.0 M

C2H4O2 HL Acetic acid CAS 64-19-7 (36)
Ethanoic acid; CH3.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	none	25°C	0	C	I	K1=1.12	1995RGa (19792)	454
I=0.15 (CaCl) K1=0.76.									
Ca++	oth	none	25°C	0	U	T H	K1=1.71	1994SHd (19793)	455
Data also at 35, 45 55 C. DH(K1)=3.1 KJ mol ⁻¹ , DS=43.3 J K ⁻¹ mol ⁻¹									
Ca++	oth	NaCl	25°C	0.15M	U	T	K1=0.48	1993GMa (19794)	456
Method: Coulometric titration. K1=0.57(37 C)									
Ca++	sol	oth/un	80°C	var	U		K1=1.2	1991FEa (19795)	457
Portlandite(Ca(OH)2) solubility measurements.Constants at I=0									
Ca++	sol	oth/un	200°C	var	U	T	K1=2.53	1991SSa (19796)	458
100-350 C.P=500 bars. Constants at I=0									
Ca++	gl	alc/w	25°C	100%	M		K1=4.7 B2=7.2	1988PPa (19797)	459
Medium: MeOH									
Ca++	gl	R4N.X	25°C	0.25M	C	TIH	K1=0.57	1985DRa (19798)	460
I=0.02-1 M Et4NI. 10-45 C. DH = 3.5 kJ mol ⁻¹									
Ca++	gl	R4N.X	25°C	0.16M	U	I	K1=0.57	1985RSa (19799)	461
At 10 C: K1=0.68 (I=0.04); 35 C: 0.61 (0.25); 45 C: 0.70 (0.49)									
Ca++	gl	KNO3	25°C	0.15M	C	I	K1=0.59	1983DDa (19800)	462
Ca++	ISE	NaCl	25°C	0.03M	U	TIH	K1=0.87	1981EFa (19801)	463
At 35 C, I=0.045: K1=0.88; 45 C, I=0.3: 0.61; 45 C, I=0.45: 0.40 DH=7.3 kJ mol ⁻¹ , DS=45.1 J K ⁻¹ mol ⁻¹									
Ca++	ISE	NaCl	25°C	0.11M	C	T	K1=0.74	1979EFc (19802)	464
Method: divalent ion selective electrode. Data for 15-35 C and for I=0.025-0.105 M NaCl. At I=0, K1=1.04.									

Ca++ sol NaClO4 25°C 0.5M U I K1=0.26 1976KFa (19803) 465
For I=1.0 M K1= 0.39; I=6.0 M K1=0.45

Ca++ dis R4N.X 25°C 0.50M U K1=0.74 1976MKa (19804) 466

Ca++ gl NaNO3 30°C 0.40M U K1=0.50 1970BTa (19805) 467

Ca++ gl none 25°C 0.0 U K1=1.12 1964AMa (19806) 468

Ca++ gl non-aq 25°C 100% U K2=6.77 1964KLa (19807) 469
Medium: ethanoic acid

Ca++ gl oth/un 25°C 0.0 U T H K1=1.24 1956NAa (19808) 470
Medium: 0 corr. K1(35 C)=1.26, DH(K1)=3.8 kJ mol⁻¹, DS=36.4 J K⁻¹ mol⁻¹

Ca++ sol oth/un 25°C 0.0 U K1=0.77 1952CMe (19809) 471

Ca++ ix oth/un 25°C 0.16M U K1=0.62 1952SLa (19810) 472

Ca++ EMF oth/un 25°C 0.15M U K1=0.53 1946JOa (19811) 473

Ca++ EMF KCl 20°C 0.20M U K1=0.53 1938CKa (19812) 474
Method: H electrode

Ca++ con oth/un 18°C 0.0 U K1=0.0 1938DAa (19813) 475

C2H4O3 HL Glycolic acid CAS 79-14-1 (33)
2-Hydroxyethanoic acid; HO.CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	NaClO4	25°C	0.50M	C		K1=0.92	1995PLa (20467)	476
------	----	--------	------	-------	---	--	---------	-----------------	-----

Ca++	ISE	KN03	25°C	0.70M	U		K1=1.11	1986HAe (20468)	477
------	-----	------	------	-------	---	--	---------	-----------------	-----

Ca++	sol	oth/un	25°C	0.0	U T H		K1=1.65	1975DNa (20469)	478
------	-----	--------	------	-----	-------	--	---------	-----------------	-----

DH=35.52 kJ mol⁻¹ and DS=150.75 J mol⁻¹ K⁻¹.
Data also at 30, 35, 40 and 45 C. Medium: glycolate buffer, pH 3.8

Ca++	EMF	oth/un	25°C	->0	U		K1=1.59	1954DMa (20470)	479
------	-----	--------	------	-----	---	--	---------	-----------------	-----

Method: H electrode

Ca++	EMF	KCl	20°C	0.20M	U		K1=1.11	1938CKa (20471)	480
------	-----	-----	------	-------	---	--	---------	-----------------	-----

Method: H electrode

Ca++	sol	oth/un	25°C	->0	U		K1=1.59	1938DAa (20472)	481
------	-----	--------	------	-----	---	--	---------	-----------------	-----

C2H4O6F4P2 H4L (2457)
Tetrafluoroethane-1,2-diphosphonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	R4N.X	25°C	0.10M	C	I	K1=1.76 B(Ca2L)=1.35	1983FBa (20669)	482

Method: Ca ion selective electrode. Medium: 0.10 M NH4Cl.
Also data for 0.10 M NaCl.

C2H5NO2 HL Glycine CAS 56-40-6 (85)
2-Aminoethanoic acid; H2N.CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaNO3	25°C	0.10M	C	M	K1=5.12 K(CaA+L)=3.80 B(CaAL)=8.30	2000KAb (21338)	483

H2A=Dipicolinic acid.

Ca++	gl	oth/un	25°C	0.50M	C		K1=1.04 B(CaHL)=10.07	1995CDc (21339)	484
------	----	--------	------	-------	---	--	--------------------------	-----------------	-----

Medium: 0.50 M CaCl2.

Ca++	gl	NaCl	37°C	0.15M	U		K1=2.03	1995ZWb (21340)	485
------	----	------	------	-------	---	--	---------	-----------------	-----

Ca++	ISE	NaCl	37°C	0.15M	C		K1=1.465	1990MOe (21341)	486
------	-----	------	------	-------	---	--	----------	-----------------	-----

Ca++	gl	NaNO3	25°C	0.10M	C		K1=4.60	1989GAb (21342)	487
------	----	-------	------	-------	---	--	---------	-----------------	-----

Ca++	sp	oth/un	25°C	1.0M	U		K1=0.55	1987HAa (21343)	488
------	----	--------	------	------	---	--	---------	-----------------	-----

Ca++	gl	R4N.X	25°C	0.25M	C	TIH	K1=1.05 B(CaHL)=9.85	1985DRa (21344)	489
------	----	-------	------	-------	---	-----	-------------------------	-----------------	-----

0.02-1 M NEt4I. 10-37 C. DH1=-2; DH(CaHL)=-31 kJ mol-1. DS1=22; DS(CaHL)=87

Ca++	gl	KNO3	35°C	0.10M	C	M	K1=3.58 K(Ca+HL+cytidine)=8.24 K(CaL(cytidine)+H)=3.63	1985RRc (21345)	490
------	----	------	------	-------	---	---	--	-----------------	-----

Ca++	gl	KNO3	35°C	0.10M	C		K1=3.58	1985RRh (21346)	491
------	----	------	------	-------	---	--	---------	-----------------	-----

Ca++	EMF	NaClO4	25°C	3.0M	C		K1=0.75	1982BPc (21347)	492
------	-----	--------	------	------	---	--	---------	-----------------	-----

Method: Pt/H2 electrode.

Ca++	sol	oth/un	25°C	->0	U		K1=1.35	1952CMF (21348)	493
------	-----	--------	------	-----	---	--	---------	-----------------	-----

Ca++	sol	oth/un	25°C	->0	U		K1=1.43	1951MOa (21349)	494
------	-----	--------	------	-----	---	--	---------	-----------------	-----

Ca++	sol	oth/un	25°C	->0	U		K1=1.38	1938DAa (21350)	495
------	-----	--------	------	-----	---	--	---------	-----------------	-----

C2H5NO2 HL Acetohydroxamic CAS 546-88-3 (2766)
Acetohydroxamic acid, N-Hydroxyacetamide; CH3.CO.NHOH

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       gl  KCl    25°C 0.20M C          K1=2.45      1999FEa (21797) 496
*****
C2H5O5P          H2L                      CAS 590-54-5 (1764)
Acetylphosphoric acid; CH3.CO.O.PO3H2
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       gl  KNO3   37°C 0.15M M          K1=3.18  B2=4.38  1979SPb (21869) 497
                                   K(Ca+HL)=1.62
-----

```

```

-----
Ca++       kin oth/un 39°C 0.45M U          K1=1.08      1971KSa (21870) 498
Ionic strength=0.45-0.75
-----

```

```

-----
Ca++       sp  KCl    25°C 1.00M U          K1=1.70      1970BSg (21871) 499
pH 8.0 buffer
-----

```

```

-----
Ca++       kin oth/un 39°C 0.60M U          K1=0.89      19660Ja (21872) 500
*****
C2H5O5P          H3L                      CAS 4408-78-0 (4225)
Phosphonoethanoic acid; HOOC.CH2.PO3H2
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       ISE R4N.X 25°C 0.05M C   H    K1=3.67      1981FHa (21887) 501
                                   K(Ca+HL)=2.10
Medium: 0.05 M Et4NClO4. Data for 0.10-0.25 M.
At I=0.0 M, K1=4.68, DH(K1)=2.5 kJ mol-1, DS(K1)=89.5 J K-1 mol-1.
*****
C2H6OS          L    DMSO          CAS 67-68-5 (329)
Dimethylsulfoxide; (CH3)2.SO
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       ISE non-aq 25°C 100% C          K1=2.72      1997NMa (22087) 502
Method: polyacrylamide/15-crown-5 sensor. Medium: acetonitrile.
*****
C2H6S          L                      CAS 75-18-3 (151)
Dimethyl sulfide; CH3.S.CH3
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       nmr alc/w 34°C 50% C          K1=-1.6      1980SSa (22186) 503
Also in D2O, K1=-1.4
*****
C2H7NO3S          HL    Taurine          CAS 107-35-7 (2214)
2-Aminoethane sulfonic acid; H2N.CH2.CH2.SO3H
-----

```

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	nmr	oth/un	40°C	0.75M	U		K1=0.217 B(CaHL)=8.426	1980IHa (22437)	504

C2H7NS		HL					CAS 60-23-1	(588)	
2-Aminoethanethiol; H2N.CH2.CH2.SH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KN03	25°C	0.10M	U		K1=2.21	1963TAa (22474)	505

C2H7O3P		H2L					CAS 71778-99-9	(1978)	
Ethylphosphonic acid; CH3.CH2.PO3H2									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaN03	25°C	0.10M	M		K1=1.61	1992SCa (22561)	506

Ca++	gl	KN03	25°C	0.10M	U		K1=1.54	1979WNa (22562)	507

C2H8NO3P		H2L					CAS 6323-97-3	(1862)	
1-Aminoethanephosphonic acid; CH3.CH(NH2).PO3H2									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KN03	25°C	0.20M	C		K1=1.43 K(Ca+HL)=1.02	1978MAb (22608)	508

C2H8NO3P		H2L					CAS 2041-14-7	(1863)	
2-Aminoethanephosphonic acid; H2N.CH2.CH2.PO3H2									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KN03	25°C	0.10M	U		K1=1.74 B(CaHL)=12.22	1979WNb (22628)	509

Ca++	gl	KN03	25°C	0.20M	C		K1=1.43 K(Ca+HL)=1.09	1978MAb (22629)	510

C2H8NO4P		H2L					CAS 1071-23-4	(1864)	
2-Aminoethyl-dihydrogenphosphoric acid; H2N.CH2.CH2.OP03H2									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U		K1=1.48	1987BPb (22658)	511

Ca++	gl	KN03	25°C	0.20M	C		K1=1.54 K(Ca+HL)=1.16	1978MAb (22659)	512

Ca++ gl KNO3 25°C 0.20M C K1=1.54 1978MAc (22660) 513
K(Ca+HL)=1.16
K(CaL+H)=9.74

Ca++ gl R4N.X 20°C 0.10M U T K1=2.0 1965HFb (22661) 514
K(Ca+HL)=1.4

Medium: (C3H7)4NI

Ca++ gl KCl 25°C 0.15M U K1=1.57 19620Sa (22662) 515
K(Ca+HL)=1.11

C2H8N2 L Ethylenediamine CAS 107-15-7 (23)
1,2-Diaminoethane; H2N.CH2.CH2.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl 25°C 0.0 C K1=0.15 1999SFc (23052) 516
K(Ca+HL)=-0.28

Extrapolated from data for 0.03-0.96 M NaCl using the Pitzer equation.

Ca++ sp alc/w 25°C 95% U K1=1.1 1993GSa (23053) 517
Medium: 95% w/w EtOH/H2O, 0.05 M Et4NClO4, by competitive spectrophotometry

Ca++ gl oth/un 25°C 0.10M C I K1=0.03 1990CDb (23054) 518
Medium: 0.10 M CaCl2. Data for I=0.25-1.0 M.

C2H8O6P2 H4L CAS 6145-31-9 (2579)
1,2-Ethylenediphosphonic acid; H2O3P.CH2.CH2.PO3H2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 1.0M U K1=2.80 1962IMb (23257) 519
K(Ca+HL)=2.60

Medium: Me4NBr

C2H8O6P2 H4L CAS 6145-33-1 (3543)
Ethane-1,1-diphosphonic acid; CH3.CH(PO3H2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.50M U K1=5.21 1968CIa (23264) 520
K(Ca+HL)=2.74

Medium: (CH3)4NCl

C2H8O7P2 H4L HEDPA CAS 2809-21-4 (436)
1-Hydroxyethane-1,1-diphosphonic acid; CH3.C(OH)(PO3H2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M C I T K1=6.4 2001PRa (23323) 521

K(Ca+HL)=3.3
K(Ca+CaL)=4.6

IUPAC Provisional values

Ca++	gl	KNO3	25°C	0.10M	C	K1=6.2 K(CaL+H)=7.67 K(CaL+Ca)=4.5	1997DBb (23324)	522
Ca++	gl	NaCl	37°C	0.15M	C	K1=5.34 K(CaL+H)=7.83 K(CaL+Ca)=4.19	1997ZJa (23325)	523
Ca++	cal	NaCl	25°C	0.50M	U H	DH(Ca2L)=2 kJ mol ⁻¹ , DS=204 J K ⁻¹ mol ⁻¹	1986VKa (23326)	524
Ca++	cal	R4N.X	25°C	0.50M	U H	K1=5.7 Medium: Et4N.Cl. DH1=0.1 kJ mol ⁻¹ , DS1=109 J K ⁻¹ mol ⁻¹	1986VKb (23327)	525
Ca++	gl	NaCl	25°C	0.02M	U	K1=7.50 K(Ca+HL)=4.73 B(Ca2L)=12.02	1986VZa (23328)	526
Ca++	gl	R4N.X	25°C	0.10M	M	K1=6.18 K(Ca+HL)=3.12 K(CaL+Ca)=4.63	1984CLb (23329)	527
Ca++	cal	KCl	25°C	0.02M	U T H	K(Ca+HL)=3.30 DH=11.00 kJ mol ⁻¹ ; DS=99.6 J mol ⁻¹ K ⁻¹ .	1984VKd (23330)	528
Ca++	ISE	oth/un	25°C	0.10M	M I	K(Ca+HL)=5.37 For 0.1 M NH4Cl medium	1983FBa (23331)	529
Ca++	gl	KNO3	25°C	0.10M	U	K1=6.48 K(Ca+HL)=4.20 K(Ca+H2L)=2.63	1980ZRc (23332)	530
Ca++	gl	KCl	25°C	0.10M	U	K1=6.0 K(Ca+HL)=3.0	1976DGe (23333)	531
Ca++	gl	R4N.X	25°C	0.10M	U	K1=6.6 K(Ca+HL)=3.54 B(2Ca+L)=12.2 Medium: (CH3)4NCl	1972WFa (23334)	532
Ca++	gl	R4N.X	25°C	0.10M	U	K1=5.52 B(3Ca+2L)=18.78 B(4Ca+3L)=29.0 B(7Ca+4L)=48.2	1971GCa (23335)	533

Medium: (CH3)4NC1

Ca++ gl R4N.X 25°C 0.50M U K1=5.74 1968CIa (23336) 534
K(Ca+HL)=3.58

Medium: (CH3)4NC1

Ca++ gl KCl 25°C 0.10M U K1=6.04 1967KLa (23337) 535
K(2Ca+H-1L)=15.59
K(2Ca+L)=9.67

C2H9NO6P2 H4L (6773)
(Aminoethylene)diphosphonic acid, 1-Aminoethane-1,1-di(phosphonic acid);
H2N.C(CH3)(PO3H2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M C K1=4.31 1980KLa (23419) 536

C2H9NO6P2 H4L IDPA CAS 32545-63-4 (1335)
Imino-N,N-bis(methylenephosphonic acid); HN(CH2PO3H2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.20M C K1=3.11 1999MKa (23442) 537
B(CaHL)=12.42
B(CaH2L)=17.09
B(CaH-1L)=-8.68

Ca++ gl KNO3 25°C 0.1M C K1=3.85 1985MMa (23443) 538
B(CaHL)=13.22
B(CaH2L)=18.58

Ca++ gl KNO3 25°C 1.00M M K1=2.79 1982BGb (23444) 539
K(Ca+HL)=1.57

C2H9NO6P2 H4L (6889)
N-Methylaminomethylenedi(phosphonic acid); CH3.NH.CH(PO3H2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M M K1=4.66 1978GMf (23462) 540
K(Ca+HL)=4.65

C3H3NO2 HL Cyanoacetic CAS 372-09-8 (38)
Cyanoethanoic acid; NC.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl oth/un 25°C ->0 U K1=0.55 1938DAa (23508) 541

C3H4N2 L Imidazole CAS 288-32-4 (90)
1,3-Diazole, imidazole; C3H4N2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaNO3	25°C	0.50M	M		K1=-0.17	1998KSa (23795)	542
Ca++	gl	oth/un	25°C	0.15M	C TI		K1=-0.14	1989DDb (23796)	543

Medium: CaCl2. Also data for I=0.3-1.0 M. By Ca ion selective electrode, at 25 C, I=0.04, K1=-0.08; at 37 C, I=0.04, K1=-0.05.

C3H4O3 HL Pyruvic acid CAS 127-17-3 (1152)
2-Oxopropanoic acid; CH3.CO.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaClO4	30°C	1.0M	U	M	K1=2.23 K(Ca(cit)+L)=2.56	1988GMd (24034)	544
Ca++	gl	NaClO4	25°C	3.00M	C	I	K1=0.59	1978FGa (24035)	545
Ca++	ix	oth/un	25°C	0.16M	U		K1=0.8	1950SRa (24036)	546
Ca++	sol	oth/un	25°C	->0	U		K1=1.08	1938DAa (24037)	547

C3H4O4 H2L Malonic acid CAS 141-82-2 (79)
Propanedioic acid; CH2(COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sol	none	35°C	0.00	C T		K1=2.4	1995FYa (24316)	548

Method: atomic absorption and ion chromatography. Also data at 80 C (K1=2.9) and 25 C (K1=2.4).

Ca++	ISE	none	25°C	0	C I		K1=2.50	1995RGa (24317)	549
------	-----	------	------	---	-----	--	---------	-----------------	-----

I=0.1 (Me4N.X) K1=1.83; I=0.16 (Me4N.X) K1=1.76.

Ca++	gl	NaCl	25°C	1.00M	C		K1=1.15	1988BSa (24318)	550
Ca++	gl	R4N.X	25°C	0.25M	C TIH		K1=1.64 B(CaHL)=5.90	1985DRa (24319)	551

I=0.02-1 M Et4NI. T=10-45. DH(K1)=7; DH(CaHL)=5 kJ mol⁻¹. DS1=69; DS(CaHL)=143

Ca++	ISE	NaCl	25°C	0.10M	U		K1=1.52	1979CMb (24320)	552
Ca++	ISE	NaClO4	25°C	0.1M	U		K1=1.42	1976KMd (24321)	553
Ca++	sp	none	25°C	0.0	U T		K1=2.50	1976K0a (24322)	554

Also data at 15,30,35 C. By competition with bromocresol purple

Ca++ sol KCl 25°C 0.10M U T K1=2.50 1970Gnc (24323) 555
30 C: K1=2.58; 35 C: K1=2.66; 40 C: K1=2.74

Ca++ gl NaCl04 25°C 0.10M U K1=1.51 19680Va (24324) 556

Ca++ gl NaCl04 20°C 0.10M U K1=1.85 1963CAa (24325) 557
K(Ca+HL)=0.80

Ca++ EMF oth/un 25°C 0.04M U K1=2.49 1949SDa (24326) 558

Ca++ EMF KCl 25°C 0.20M U K1=1.46 1938CKa (24327) 559
K(Ca+HL)=0.47

C3H4O5 H2L Tartronic acid CAS 80-69-3 (839)
Hydroxypropanedioic acid; HO.CH(COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl04 20°C 0.10M U K1=2.27 1963CAa (24610) 560
K(Ca+HL)=1.30

C3H5NO4 H2L Aminomalonic ac CAS 1068-84-4 (2980)
2-Aminopropanedioic acid; HOOC.CH(NH2).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ EMF oth/un 20°C ->0 U K1=2.51 1945SKa (24668) 561
Method: H electrode

C3H6O2 HL Propionic acid CAS 79-09-4 (35)
Propanoic acid; CH3.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ oth none 25°C 0 U T H K1=2.39 1994SHd (24958) 562
Data also at 35, 45 55 C. DH(K1)=1.7 KJ mol-1, DS=51.5 J K-1 mol-1

Ca++ ISE NaCl 25°C 0.03M U TIH K1=1.21 1981EFa (24959) 563
At 35 C, I=0.045: K1=1.17; 45 C, I=0.45: 0.48; 25 C, I=0.45: 1.33
DH=3.4 kJ mol-1, DS=36.4 J K-1 mol-1

Ca++ sol NaCl04 25°C 0.5M U I K1=0.12 1976KFa (24960) 564
For I=1.0 M K1= 0.32; I=6.0 M K1=0.11

Ca++ sol oth/un 25°C ->0 U K1=0.68 1952CMf (24961) 565

Ca++ EMF KCl 20°C 0.20M U K1=0.50 1938CKa (24962) 566
Method: H electrode

C3H6O3 HL L-Lactic acid CAS 79-33-4 (82)

L-2-Hydroxypropanoic acid; $\text{CH}_3\text{CH}(\text{OH})\text{COOH}$

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K	values	Reference	ExptNo
Ca++	gl	NaCl04	25°C	0.5M	C		K1=1.05		1995PLa (25359)	567
Ca++	oth	NaCl	25°C	0.15M	U T		K1=0.48		1993GMa (25360)	568
Method: Coulometric titration. K1=0.61 (37 C)										
Ca++	ISE	NaCl	25°C	0.50M	U		K1=0.92	B2=1.62	1981MVa (25361)	569
Ca++	EMF	alc/w	25°C	10%	M TIH		K1=1.51		1977SGa (25362)	570
Method: Pt/H2 electrode. Medium: 10% w/w MeOH/H2O. Data for 15-40 C and for 10-90% w/w MeOH/H2O and EtOH/H2O. DH(K1)=29.92 kJ mol-1										
Ca++	sol	KCl	25°C	0.10M	U		K1=1.55		1970GNc (25363)	571
30 C: K1=1.69. 35 C: 1.78. 40 C: 1.94. 45 C: 2.05										
Ca++	EMF	oth/un	25°C	1.0M	U		K1=0.90	B2=1.24	1965VTa (25364)	572
Method: quinhydrone electrode.										
Ca++	EMF	oth/un	25°C	->0	U		K1=1.42		1954DMb (25365)	573
Method: H electrode										
Ca++	ix	oth/un	25°C	0.16M	U		K1=0.8		1952SLa (25366)	574
Ca++	EMF	oth/un	25°C	0.15M	U		K1=0.82		1946JOa (25367)	575
Ca++	EMF	KCl	20°C	0.20M	U		K1=1.07		1938CKa (25368)	576
Method: H electrode										
Ca++	sol	oth/un	25°C	->0	U		K1=1.47		1938DAa (25369)	577

C3H6O3		HL		Methoxyacetic		CAS 625-45-6		(29)		
Methoxyethanoic acid; CH3.O.CH2.COOH										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sol	oth/un	25°C	->0	U		K1=1.12	1938DAa (25593)	578

C3H6O4		HL							
Glyceric acid CAS 473-81-4 (2520)									
2,3-Dihydroxypropanoic acid; HO.CH2.CH(OH).COOH									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	EMF	KCl	20°C	0.20M	U		K1=1.18	1938CKa (25625)	579
Method: H electrode									

C3H7NO		L							
DMF CAS 68-12-2 (598)									
N,N-Dimethylformamide; HCO.N(CH3)2									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	non-aq	25°C	100%	C		K1=1.88	1997NMa (25651)	580
Method: polyacrylamide/15-crown-5 sensor. Medium: acetonitrile.									
Ca++	ISE	non-aq	25°C	100%	C		K1=1.88	1997NMa (25652)	581
Method: polyacrylamide/15-crown-5 sensor. Medium: acetonitrile.									

C3H7NO2		HL			Alanine		CAS 56-41-7	(86)	
2-Aminopropanoic acid; H2N.CH(CH3).COOH									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl	37°C	0.15M	U	M	K1=2.06	1995ZWb (26059)	582
							B(CaH2(gly)L)=22.86		
Ca++	gl	none	25°C	0.0	C	TIH	K1=1.36	1989CDc (26060)	583
							B(CaHL)=10.21		
Calculated from data for protonation of alanine in 0.04-1.0 M CaCl2. Data for 10-50 C. DH(K1)=12 kJ mol-1, DS=67 J K-1 mol-1. DH(B(CaHL))=6, DS=27									
Ca++	gl	oth/un	25°C	->0	U	T	K1=1.24	1950DWa (26061)	584

C3H7NO2		HL			B-Alanine		CAS 107-95-9	(575)	
3-Aminopropanoic acid; H2N.CH2.CH2.COOH									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	NaCl	37°C	0.15M	C		K1=1.639	1990MOe (26426)	585

C3H7NO2		HL			DL-Alanine		CAS 302-72-7	(189)	
DL-2-Aminopropanoic acid; H2N.CH(CH3).COOH									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	NaCl	37°C	0.15M	C		K1=1.309	1990MOe (26533)	586

C3H7NO2		HL					(6927)		
N-Methylacetohydroxamic acid; CH3.CO.N(OH)CH3									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.20M	C		K1=1.59	2000FEc (26618)	587

C3H7NO2S		H2L			Cysteine		CAS 52-90-4	(96)	
2-Amino-3-mercaptopropanoic acid; H2N.CH(CH2.SH)COOH									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo

Ca++	gl	KNO3	37°C	0.15M	M	K1=2.98	1979ZJa (26734)	588
Ca++	gl	NaClO4	25°C	0.10M	U	M K1=1.92	1975RMa (26735)	589
						B(CaL(citrate))=5.58		
						B(CaL(NTA))=8.44		
						B(CaL(tartrate))=4.43		
						K(Ca+L+HPO4)=8.49		

C3H7NO3 HL Serine CAS 56-45-1 (49)
 2-Amino-3-hydroxypropanoic acid; H2N.CH(CH2.OH)COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U	I	K1=3.59	1990RAB (27067)	590
							B(CaH-1L)=-5.25		
Data for 10% w/w EtOH/H2O (K1=3.67; B(CaH-1L)=-5.11) and 25% (3.39;-5.13)									
Ca++	gl	NaCl	25°C	3.00M	M		K1=1.00	1988BFa (27068)	591
Ca++	gl	NaCl	25°C	3.00M	C		K1=1.0	1985PBb (27069)	592
D-, L- and DL-serine studied.									
Ca++	ix	oth/un	25°C	0.16M	U		K1=0.5	1954SCa (27070)	593
Ca++	sol	oth/un	25°C	->0	U		K1=1.43	1950DWa (27071)	594

C3H7O5P H3L CAS 5962-42-5 (522)
 3-Phosphonopropanoic acid; HOOCH2CH2PO3H2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	R4N.X	25°C	0.05M	C		K1=2.38	1981FHa (27308)	595
							K(Ca+HL)=1.64		
Medium: 0.05 M Et4NClO4. Method: Ca ion selective electrode									

Ca++	gl	KNO3	25°C	0.10M	U		K1=1.7	1981WNa (27309)	596
------	----	------	------	-------	---	--	--------	-----------------	-----

C3H7O6P H2L (6830)
 3-Hydroxy-2-oxopropylphosphoric acid; CH2(OH).CO.CH2.OPO3H2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaNO3	25°C	0.10M	U		K1=1.38	1992LCb (27318)	597

C3H8NO5P H3L 3-Phosphono-Ala CAS 20263-06-3 (1509)
 2-Amino-3-phosphonatopropanoic acid; (H2O3P)CH2.CH(NH2).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.20M	C		K1=1.82	1978MAb (27346)	598

K(Ca+HL)=1.01

C3H8NO5P H3L Glyphosate CAS 1071-83-6 (1617)
N-(Phosphonomethyl)glycine; H2O3P.CH2.NH.CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	C	I	R	K1=3.3 B(MgHL)=11.5	2001PRa (27389)	599

IUPAC Recommended value

Ca++	gl	NaCl	25°C	0.1M	C	TIH		K1=3.33 B(CaHL)=11.71 B(CaH2L)=16.21 B(Ca2L)=4.32	1996AMa (27390)	600
------	----	------	------	------	---	-----	--	--	-----------------	-----

At I=0: K1=4.68, B(CaHL)=13.27, B(CaH2L)=17.46, B(Ca2L)=5.64. By calorimetry
I=0.1 M: DH(K1)=4.3 kJ mol⁻¹, DH(B(CaHL))=-25.9, DH(B(CaH2L))=-22

Ca++	ISE	KCl	25°C	0.10M	C			K1=3.35 K(Ca+HL)=2.04 Ks(CaHL(s)=Ca+HL)=-5.32	1988SRb (27391)	601
------	-----	-----	------	-------	---	--	--	---	-----------------	-----

Ca++	gl	KNO3	25°C	0.1M	C			K1=3.25 B2=5.87 B(CaHL)=11.48	1985MMA (27392)	602
------	----	------	------	------	---	--	--	-------------------------------------	-----------------	-----

Ca++	gl	KNO3	25°C	0.10M	M			K1=3.25 K(CaL+OH)=2.8	1978LCa (27393)	603
------	----	------	------	-------	---	--	--	--------------------------	-----------------	-----

C3H8NO6P H3L Phosphoserine CAS 17885-08-4 (1865)
Serine dihydrogenphosphate, O-Phosphoserine; NH2.CH(CH2.OPO3H2).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	U			K1=3.51 B(CaHL)=11.88 B(CaL(OH))=-6.70	1997ZTa (27446)	604

Ca++	gl	KNO3	25°C	0.20M	C			K1=1.59 K(Ca+HL)=1.00	1978MAb (27447)	605
------	----	------	------	-------	---	--	--	--------------------------	-----------------	-----

Ca++	gl	KNO3	25°C	0.20M	C			K1=1.59 K(Ca+HL)=1.00 K(CaL+H)=9.13	1978MAc (27448)	606
------	----	------	------	-------	---	--	--	---	-----------------	-----

Ca++	gl	KNO3	37°C	0.15M	U			K1=2.23 K(Ca+HL)=1.65 K(Ca+H2L)=1.34 K(CaH2L+HL)=2.1 K(2CaHL=Ca2H2L2)=2.4	1971CHb (27449)	607
------	----	------	------	-------	---	--	--	---	-----------------	-----

Ca++ gl R4N.X 20°C 0.10M U K1=3.2 1965HFa (27450) 608
K(Ca+HL)=2.5

Medium: (C3H7)4NI

Ca++ gl KCl 25°C 0.15M U K1=2.2 19590Sa (27451) 609
K(Ca+HL)=1.43

Ca++ gl oth/un 25°C 0.15M U K1=2.3 19570Sa (27452) 610

C3H9O3P L (6342)
Dimethoxy-P-methylphosphine oxide; (CH3O)2PO.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo
Ca++ oth non-aq 25°C 100% U K1=2.69 B2=4.30 1989SSc (27995) 611
B4=6.04

Medium: CH3CN. Ca as Ca(NCS)2. Method: IR-spectroscopy
For diphenoxy-P-methylphosphine oxide: K1=1.92, B2=3.84

C3H9O3PS H2L CAS 69639-94-3 (545)
(Ethylthiomethyl)phosphonic acid; CH3.CH2.S.CH2.PO3H2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M U K1=1.70 1981WNa (28007) 612

C3H9O4P H2L (6694)
(Phosphonylmethoxy)ethane; H2O3P.CH2.O.CH2.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.10M M K1=1.70 1992SCa (28016) 613

C3H9O6P H2L CAS 57-03-4 (2984)
2,3-Dihydroxypropylphosphoric acid, Glycerol 1-phosphate; HO.CH2.CH(OH).CH2.OPO3H2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.10M U K1=1.43 1992LCb (28040) 614

Ca++ gl KCl 20°C 0.10M U K1=1.66 1957SAa (28041) 615

C3H10NO3P H2L CAS 13138-33-5 (1982)
3-Aminopropylphosphonic acid; H2N.CH2.CH2.CH2.PO3H2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M U K1=1.68 1979WNb (28086) 616
B(CaHL)=12.37

C3H10NO3P H2L CAS 35869-68-2 (1989)
Dimethylaminomethylphosphonic acid; (CH3)2N.CH2.PO3H2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	C		K1=1.7	1993SKc (28096)	617

C3H10O6P2 H4L CAS 29712-42-3 (3554)
Propane-1,2-diphosphonic acid; CH3.CH(PO3H2).CH2(PO3H2)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U		K1=2.65 K(Ca+HL)=1.7	1951SRa (28385)	618

C3H10O6P2 H4L CAS 4671-82-3 (3555)
Propane-1,3-diphosphonic acid; (H2O3P).CH2.CH2.CH2(PO3H2)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	0.10M	U		K1=2.6	1962IMb (28390)	619
Ca++	gl	KCl	20°C	0.10M	U		K1=2.58 K(Ca+HL)=1.8	1951SRa (28391)	620

C3H10O6P2 H4L (3556)
Propane-2,2-diphosphonic acid; CH3.C(PO3H2)2.CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.50M	U		K1=6.33 K(Ca+HL)=3.14	1968CIa (28397)	621

Medium: Me4NCl

C3H11NO6P2 H4L (6772)
(Dimethylamino)-N-methylenediphosphonic acid; (CH3)2N.CH(PO3H2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	M		K1=4.78 K(Ca+HL)=4.78	1978GMf (28408)	622

C3H11NO6P2 H4L (6735)
N-Methylimino-N,N-bis(methylenephosphonic acid); CH3.N(CH2PO3H2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.20M	C		K1=4.11 B(CaHL)=14.03 B(CaH2L)=19.13	1999MKa (28434)	623

B(CaH-1L)=-8.66									
Ca++	gl	KNO3	25°C	0.10M	C			K1=4.61 K(CaL+H)=10.13 K(CaHL+H)=5.1	1993SKc (28435) 624

Ca++	gl	NaClO4	25°C	0.10M	U			K1=4.52	1988LDa (28436) 625

C3H11NO7P2		H4L		CAS 40291-99-9 (1346)					
1-Hydroxy-3-aminopropyl-1,1-diphosphonic acid; (H2O3P)2C(OH).CH2.CH2.NH2									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference ExptNo

Ca++	gl	NaCl	37°C	0.15M	C			K(Ca+H+L)=17.27 K[Ca(HL)+H]=6.31 K(Ca2L+H)=9.92 K(2Ca+L)=10.79	1999ZJa (28456) 626

Ca++	gl	KCl	25°C	0.10M	M			K(Ca+H2L)=2.85	1978KMa (28457) 627

C3H12NO9P3		H6L		NTPA		CAS 6419-19-8 (2920)			
Nitrilotris(methylenephosphonic acid); N(CH2PO3H2)3									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference ExptNo

Ca++	gl	KCl	25°C	0.10M	C	I R		K(Ca+HL)=4.0 K(CaL+H)=8.85 K(CaHL+H)=6.2 K(CaH2L+H)=5.0	2001PRa (28533) 628
IUPAC Recommended values. K(CaH3L+H)=4.1									

Ca++	gl	KNO3	25°C	0.10M	C			K1=7.6 K(CaL+H)=8.9 K(CaH2L+H)=5.1 K(CaHL+H)=6.30 K(CaH3L+H)=4.1	1997DBb (28534) 629
K(CaL+Ca)=2.9									

Ca++	gl	KNO3	25°C	0.10M	C	H		K1=7.86 K(CaL+H)=8.80 K(CaHL+H)=6.11	1993SMa (28535) 630
DH(K1)=-0.6, DH(CaHL)=-19.7, DH(CaH2L)=5.0 kJ mol-1.									

Ca++	gl	KNO3	25°C	0.10M	C			K1=7.86 K(CaL+H)=8.80 K(CaHL+H)=6.11 K(CaH2L+H)=4.9	1987SAa (28536) 631

```

-----
Ca++      gl  KNO3   25°C   1.0M U      K1=6.68      1967CCb (28537) 632
              K(Ca+HL)=2.85
              K(Ca+H2L)=2.3
              K(Ca+H3L)=1.8
-----

```

```

Ca++      gl  R4N.X   20°C   0.1M C      K1=6.25      1967HEa (28538) 633
              K(Ca+HL)=4.15
              K(Ca+H2L)=2.7
-----

```

```

*****
C3H12N010P3      H6L      CAS 15834-10-3 (3559)
Nitrilotri(methylphosphonic acid) N-oxide; O-N(CH2.PO3H2)3
-----

```

```

Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++      gl  KNO3   25°C   1.0M U      K1=5.7      1967CCc (28603) 634
              K(Ca+HL)=2.9
              K(Ca+H2L)=1.7
              K(Ca+H3L) << 1
-----

```

```

*****
C3H12O10P4      H6L      (7924)
Tris(dihydroxy-phosphonylmethyl)phosphineoxide;
-----

```

```

Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++      gl  R4N.X   20°C   0.10M C      K1=6.72      1977ANb (28609) 635
              K(Ca+H2L)=3.15
              K(CaHL+H)=6.24
              K(CaL+H)=8.23
-----

```

```

*****
C4H3N3O4      H3L      Oxonic acid      CAS 937-13-3 (1296)
4,6-Dihydroxy-1,3,5-triazine-2-carboxylic acid; C3N3(OH)2.COOH
-----

```

```

Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++      sp  NaClO4  20°C   0.20M U      K1=2.96      1981LDa (28756) 636
*****
C4H4N2O2      HL      Uracil      CAS 66-22-8 (412)
2,4-Dihydroxypyrimidone, 2,4-Pyrimidinedione;
-----

```

```

Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++      gl  KNO3   45°C   0.10M U      K1=2.4      1974KKa (28850) 637
*****
C4H4N2S      HL      CAS 1450-85-7 (1521)
2-Mercapto-1,3-diazine, 2-Mercaptopyrimidine; C4H3N2.SH
-----

```

```

Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++      gl  KNO3   45°C   0.10M C      K1=2.41      1986KZa (28932) 638
-----

```

C4H4N6 L 8-Azaadenine CAS 1123-54-2 (1884)
8-Aza-6-aminopurine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	45°C	0.10M	U		K1=3.8	1973TKa (28949)	639

C4H4O4 H2L Maleic acid CAS 110-16-7 (111)
cis-Butenedioic acid; HOOC.CH:CH.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.25M	C	TI	K1=1.76 B(CaHL)=6.67	1985DRa (29031)	640

I=0.02-1 M Et4NI

Ca++	cal	NaNO3	25°C	0.50M	C	H		1984ARa (29032)	641
------	-----	-------	------	-------	---	---	--	-----------------	-----

DH(K1)=5.11 kJ mol⁻¹, DS(K1)=39 J K⁻¹ mol⁻¹.

Ca++	gl	KNO3	25°C	0.15M	C	I	K1=1.40 K(Ca+HL)=0.75	1983DDa (29033)	642
------	----	------	------	-------	---	---	--------------------------	-----------------	-----

Ca++	ISE	NaClO4	25°C	0.1M	U		K1=1.42	1976KMD (29034)	643
------	-----	--------	------	------	---	--	---------	-----------------	-----

Ca++	sp	none	25°C	0.0	U	T	K1=2.47	1976K0a (29035)	644
------	----	------	------	-----	---	---	---------	-----------------	-----

Also data at 15,30,35,40,45 C. Determined colourimetrically

Ca++	ix	oth/un	25°C	0.16M	U		K1=1.10	1952SLa (29036)	645
------	----	--------	------	-------	---	--	---------	-----------------	-----

Ca++	con	oth/un	25°C	->0	U		K1=2.43	1940TDa (29037)	646
------	-----	--------	------	-----	---	--	---------	-----------------	-----

C4H4O4 H2L Fumaric acid CAS 110-17-8 (289)
trans-Butenedioic acid; HOOC.CH:CH.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	cal	NaNO3	25°C	0.50M	C	H		1984ARa (29175)	647

DH(K1)=4.90 kJ mol⁻¹, DS(K1)=30 J K⁻¹ mol⁻¹.

Ca++	ix	oth/un	25°C	->0	U		K1=0.48	1952SLa (29176)	648
------	----	--------	------	-----	---	--	---------	-----------------	-----

Ca++	con	oth/un	25°C	->0	U		K1=2.00	1940TDa (29177)	649
------	-----	--------	------	-----	---	--	---------	-----------------	-----

C4H4O5 H2L Oxobutanedioic CAS 328-42-7 (1733)
2-Oxosuccinic acid, Oxalacetic acid; HOOC.CH2.CO.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	0.10M	U		K1=2.6	1958GHc (29255)	650

$$K(\text{CaL}+\text{Ca})=2$$

```
-----
Ca++      ix  oth/un  25°C  0.16M  U      K1=1.6      1952SLa (29256) 651
*****
C4H5N2Cl      L      CAS 872-49-1 (7589)
5-Chloro-1-methylimidazole;
-----
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++      gl  NaNO3   25°C  0.50M  M      K1=-0.01     1998KSa (29331) 652
*****
C4H5N3O      HL      Cytosine      CAS 71-30-7 (1096)
2-Oxy-6-aminopyrimidine;
-----
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++      gl  KNO3    35°C  0.10M  U      M      1986RRe (29395) 653
                        K(Ca+HL+HA)=8.22
                        K(Ca(HL)A+H)=3.40
                        K(Ca+HL+D)=8.49
                        K(Ca+HL+HC)=7.21
HA is glycine; H2D is oxalic acid; C is histamine.
K(Ca(HL)C+H)=3.22
-----
```

```
-----
Ca++      gl  KNO3    35°C  0.10M  U  T  H      1983KSa (29396) 654
                        K(Ca+HL)=21.4
                        K(Ca+2HL)=3.01
-----
```

```
-----
Ca++      gl  KNO3    45°C  0.10M  U      K1=2.5      1974KKa (29397) 655
                        K(Ca+HL)=2.2
*****
C4H6N2      L      N-Me-Imidazole  CAS 616-47-7 (354)
N-Methyl-1,3-diazole; C3H3N2.CH3
-----
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++      gl  NaNO3   25°C  0.50M  M      K1=-0.2     1998KSa (29558) 656
*****
C4H6N2O5      H2L      CAS 25081-31-6 (3003)
N-Nitrosoiminodiethanoic acid; O:N.N(CH2.COOH)2
-----
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++      gl  KCl     30°C  0.10M  U      K1=1.3      1957TBb (29629) 657
*****
C4H6N2O6      H2L      CAS 25081-33-8 (3004)
N-Nitroiminodiethanoic acid; O2N.N(CH2.COOH)2
-----
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
```

Ca++ gl KCl 30°C 0.10M U K1=1.6 1957TBb (29635) 658

C4H6N4O L CAS 56-06-4 (5994)
 2,4-Diamino-6-hydroxypyrimidine;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 45°C 0.10M C K1=2.5 1986KZa (29670) 659

C4H6N4O L CAS 1672-50-0 (5993)
 4,5-Diamino-6-hydroxypyrimidine;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 45°C 0.10M C K1=2.93 1986KZa (29680) 660

C4H6O4 H2L Succinic acid CAS 110-15-6 (112)
 1,4-Butanedioic acid; HOOC.CH2.CH2.COOH

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaClO4 37°C 0.10M U K1=1.33 1992GHa (29885) 661
 Method: coulometric titration

 Ca++ gl R4N.X 25°C 0.25M C TIH K1=1.45 1985DRa (29886) 662
 B(CaHL)=5.96
 I=0.02-1M Et4NI.T=15-45 C. DH(K1)=10; DH(CaHL)=11 kJ M-1.DS1=76;DS(CaHL)=165

 Ca++ cal NaNO3 25°C 0.50M C H 1984ARa (29887) 663
 DH(K1)=7.70 kJ mol-1, DS(K1)=40 J K-1 mol-1.

 Ca++ gl R4N.X 25°C 0.10M C TIH K1=1.55 1984DDa (29888) 664
 B(CaHL)=6.02
 Medium: Et4NI. Data for 0.05-1.0 M and 15-45 C.DH(K1)=7.5 kJ mol-1, DS(K1)=54 J K-1 mol-1; DH(CaHL)=8.4, DS=142. At I=0, K1=2.26, B(CaHL)=6.71.

 Ca++ gl KNO3 25°C 0.15M C I K1=0.95 1983DDa (29889) 665
 K(Ca+HL)=0.58

 Ca++ ISE NaClO4 25°C 0.1M U K1=1.15 1976KMd (29890) 666

 Ca++ gl NaClO4 20°C 0.10M U K1=1.20 1963CAa (29891) 667
 K(Ca+HL)=0.54

 Ca++ gl oth/un 25°C ? U K1=1.9 1958GHc (29892) 668

 Ca++ ix NaCl 25°C 0.16M U K1=1.0 1952SLa (29893) 669

 Ca++ EMF oth/un 25°C 0.15M U K1=1.16 1946JOa (29894) 670

Ca++	con	oth/un	25°C	->0	U	K1=2.00	1940TDa (29895)	671
Ca++	EMF	KCl	25°C	0.20M	U	K1=1.20 K(Ca+HL)=0.52	1938CKa (29896)	672

C4H6O4		HL	Acetoxyacetic a	CAS	13831-30-6	(4249)		
Acetoxyethanoic acid; CH3.CO2.CH2.COOH								
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference ExptNo
Ca++	gl	NaNO3	30°C	0.40M	U	K1=0.32	1970BTa (30083)	673

C4H6O4		H2L	Me-Malonic Acid	CAS	516-15-2	(816)		
Methylpropanedioic acid; H00C.CH(CH3).COOH								
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference ExptNo
Ca++	gl	NaClO4	25°C	0.10M	U	K1=1.65	19680Va (30110)	674

C4H6O4S		H2L	Thiodiacetic	CAS	123-93-3	(140)		
2,2'-Thiodiglycolic acid, Thiodiethanoic acid; H00C.CH2.S.CH2.COOH								
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference ExptNo
Ca++	gl	KCl	30°C	0.10M	U	K1=1.4	1957TBb (30201)	675

C4H6O4S		H3L	Thiomalic acid	CAS	70-49-5	(109)		
2-Mercaptosuccinic acid, 2-Sulfanyl-1,4-butanedioic acid; H00C.CH(SH).CH2.COOH								
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference ExptNo
Ca++	gl	KNO3	37°C	0.15M	M T	K1=2.79	1979ZJa (30307)	676
At 20 C, 0.15 M KNO3, K1=2.84.								

C4H6O4Se		H2L		CAS	6228-62-2	(984)		
Selenodiethanoic acid; H00C.CH2.Se.CH2.COOH								
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference ExptNo
Ca++	gl	NaClO4	25°C	0.10M	U	K1=2.3	1966SYa (30446)	677

C4H6O5		H2L	Malic acid	CAS	617-48-1	(393)		
2-Hydroxybutane-1,4-dioic acid, Hydroxy-succinic acid; H00C.CH2.CH(OH).COOH								
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference ExptNo
Ca++	gl	R4N.X	25°C	0.25M	C TIH	K1=1.95 B(CaHL)=5.72	1985DRa (30553)	678
0.02-1 M NEt4I. 10-37 C. DH1=-7; DH(CaHL)=-9 kJ mol-1.DS1=30; DS(CaHL)=94								

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.25M	C	TIH	K1=2.10 B(CaHL)=5.02	1985DRa (31000)	694
0.02-1 M NEt4I. 10-37 C. DH(K1)=-9 kJ mol-1, DS=27; DH(CaHL)=-12, DS=71									
Ca++	oth	oth/un	25°C	dil	C		K1=2.895	1982HKa (31001)	695
Method: isotachophoresis. Medium: 0.006-0.019 M tartrate buffer, pH 5.1.									
Ca++	ISE	NaClO4	25°C	0.1M	U		K1=1.89	1976KMD (31002)	696

C4H6O6 H2L L-Tartaric acid CAS 87-69-4 (92)									
L-Tartaric acid, L-2,3-Dihydroxybutanedioic acid; HOOC.CH(OH).CH(OH).COOH									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaClO4	25°C	0.50M	C		K1=1.66 B(CaH2L2)=10.84	1995PLa (31147)	697
Ca++	nmr	KNO3	25°C	1.50M	U		K1=1.6	1994PRa (31148)	698
Keff(Ca+BO4(H-1L)2=CaBO4(H-1L)2)=4.57, Keff(CaL+BO4(H-1L)2=CaBO4(H-1L)2+L)=3 At pH 11.5									
Ca++	gl	NaClO4	37°C	0.10M	U		K1=1.83	1992GHa (31149)	699
Method: coulometric titration									
Ca++	ix	oth/un	30°C	dil	C	T	K1=2.20	1992LHb (31150)	700
Medium: 0.2-5.0 mM tartaric acid eluent. At 40 C, K1=2.22									
Ca++	gl	NaClO4	25°C	0.10M	U	M	K1=2.83 B(CaL(Cys))=4.35 K(Ca+L+HPO4)=9.69	1975RMa (31151)	701
Ca++	gl	NaClO4	37°C	0.09M	U		K1=2.17	1965TPa (31152)	702
Ca++	dis	NaClO4	20°C	0.10M	U		K1=<2.0	1963STc (31153)	703
Ca++	oth	oth/un	?	?	U		K1=2.98	1958TIa (31154)	704
Ca++	ix	oth/un	25°C	0.16M	U		K1=1.78	1952SLa (31155)	705
Ca++	gl	oth/un	25°C	->0	U		K1=2.98 B2=6.03	1951HEb (31156)	706
Ca++	con	oth/un	25°C	->0	U		K1=2.80	1940TDa (31157)	707
Ca++	EMF	KCl	25°C	0.20M	U		K1=1.80 K(Ca+HL)=1.11	1938CKa (31158)	708

C4H6O6 H2L meso-Tartaric CAS 147-73-9 (91)									
meso-2,3-Dihydroxybutanedioic acid; HOOC.CH(OH).CH(OH).COOH									


```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       nmr KNO3   25°C 1.50M U          K1=1.72      1994PRa (31423) 709
Keff(Ca+B04(H-1L)2=CaB04(H-1L)2)=4.65, Keff(CaL+B04(H-1L)2=CaB04(H-1L)2+L)=
2.93. At pH 11.5
*****

```

```

C4H7NO2S          HL      Thioproline      CAS 444-27-9 (1183)
Thiazolidine-4-carboxylic acid; C3H6NS.COOH
-----

```

```

Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       gl  NaCl   37°C 0.15M C          K1=1.657      1981HMa (31470) 710
*****
C4H7NO3          HL                      CAS 543-24-8 (3586)
N-Acetylglycine; CH3.CO.NH.CH2.COOH
-----

```

```

Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       gl  NaNO3  30°C 0.40M U          K1=0.29      1970BTa (31495) 711
*****
C4H7NO4          H2L      Aspartic acid      CAS 56-84-8 (21)
Aminobutanedioic acid; H2N.CH(CH2.COOH).COOH
-----

```

```

Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       gl  NaNO3  25°C 0.10M C      M    K1=4.13      2000KAb (31750) 712
                                K(CaA+L)=4.35
                                B(CaAL)=8.85
H2A=Dipicolinic acid.
-----

```

```

Ca++       gl  NaCl   25°C 0.0 C TIH      K1=2.52      1991DDc (31751) 713
                                B(CaHL)=11.44
                                B(CaH2L)=14.33
DH(K1)=1 kJ mol-1, DS(K1)=53 J K-1 mol-1; DH(CaHL)=-44, DS(CaHL)=71,
DH(CaH2L)=-54, DS=92. Data for 10-45 C, 0.1-1.0 M NaCl, CaCl2, EtNI
-----

```

```

Ca++       ISE NaCl   37°C 0.15M C          K1=1.989      1990MOe (31752) 714
                                B(CaHL)=10.567
-----

```

```

Ca++       gl  NaCl04 37°C 0.15M C          K1=1.135 B2=3.855 1987BBd (31753) 715
                                B(CaH2L)=14.128
                                B(CaHL)=10.590
                                B(CaH-1L)=-9.241
-----

```

```

Ca++       gl  KNO3   25°C 0.10M M          K1=2.77      1981GVa (31754) 716
-----

```

```

Ca++       gl  KCl    25°C 0.10M U          K1=1.60      1953LMa (31755) 717
*****
C4H7NO4          H2L      IDA                      CAS 142-73-4 (118)

```

Iminodiethanoic acid; HN(CH₂.COOH)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	0.10M	C		K1=3.32 B2=6.02	1975MRb (32155)	718
Ca++		oth R4N.X	?	0.10M	U		K1=4.0	1969ASb (32156)	719
Method: chromatography. Medium: NH ₄ Cl									
Ca++	gl	KNO ₃	25°C	1.00M	U		K1=2.09	1968KSa (32157)	720
Ca++	gl	KNO ₃	20°C	0.10M	U	H	K1=2.59	1964ANa (32158)	721
By calorimetry: DH(K1)=1.3 kJ mol ⁻¹ , DS=53.1 J K ⁻¹ mol ⁻¹									
Ca++		EMF KCl	20°C	0.10M	U		K1=2.59	1964PCa (32159)	722
Method: H electrode									
Ca++	gl	oth/un	30°C	0.10M	U		K1=2.7	1957TBb (32160)	723
Ca++		EMF oth/un	20°C	->0	U		K1=3.41	1945SKa (32161)	724
Method: H electrode									

C₄H₇N₅ H₂L (1234)

N-Hydroxyiminodiethanoic acid; HO.N(CH₂.COOH)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO ₃	25°C	0.10M	C		K1=3.0	1987AKa (32422)	725
Ca++	gl	KNO ₃	25°C	0.10M	U		K1=3.0	1987BKa (32423)	726

C ₄ H ₇ N ₃ O		L						CAS 60-27-5 (3005)	
1-Methyl-2-imino-imidazolidine-4-one;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ix	oth/un	25°C	0.16M	U		K1=0	1954SCa (32438)	727

C ₄ H ₈ N ₂ O ₃		HL						CAS 70-47-3 (17)	
2-Aminobutanedioic acid 4-amide; H ₂ N.CH(CH ₂ .CO.NH ₂).COOH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl	25°C	1.00M	C		K1=0.87	1996BFb (32655)	728

C ₄ H ₈ N ₂ O ₃		HL						CAS 556-50-3 (54)	
Glycyl-glycine; H ₂ N.CH ₂ .CO.NH.CH ₂ .COOH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ gl KCl 20°C 0.20M U K1=2.04 1982RRc (32974) 729

Ca++ sol oth/un 25°C ->0 U K1=1.24 1950DWa (32975) 730

C4H8N2O4 H2L HDA CAS 19247-05-3 (1025)

Hydrazine-N,N'-diethanoic acid; HOOC.CH2.NH.NH.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 30°C 0.10M U K1=2.9 1957TBb (33078) 731

C4H8O2 HL Isobutyric acid CAS 79-31-2 (573)

2-Methylpropanoic acid; CH3.CH(CH3).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sol oth/un 25°C ->0 U K1=0.51 1952CMf (33220) 732

C4H8O2 HL CAS 107-92-6 (1118)

n-Butanoic acid; CH3.CH2.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ oth none 25°C 0 U T H K1=2.40 1994SHd (33311) 733

Data also at 35, 45 55 C. DH(K1)=1.9 KJ mol-1, DS=52.2 J K-1 mol-1

Ca++ ISE NaCl 25°C 0.03M U TIH K1=1.21 1981EFa (33312) 734

At 35 C, I=0.045: K1=1.17; 45 C, I=0.45: 0.48; 25 C, I=0.45: 1.29

DH=3.3 kJ mol-1 DS=36.4 J K-1 mol-1

Ca++ sol NaCl04 25°C 0.5M U I K1=0.03 1976KF a (33313) 735

For I=1.0 M K1= 0.11

Ca++ sol none 25°C 0.0 U K1=0.54 1952CMf (33314) 736

Ca++ EMF KCl 25°C 0.20M U K1=0.51 1938CKa (33315) 737

Method: H electrode

C4H8O3 HL CAS 594-61-6 (81)

2-Hydroxy-2-methylpropanoic acid; (CH3)2C(OH).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl04 25°C 0.50M C K1=1.09 1995PLa (33437) 738

Ca++ EMF NaCl04 25°C 1.0M U K1=0.92 B2=1.42 1965VTa (33438) 739

Method: quinhydrone electrode.

C4H8O3 HL CAS 300-85-6 (30)

3-Hydroxybutanoic acid; CH3.CH(OH).CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	dis	NaNO3	20°C	0.15M	C		K1=0.5	1973APa (33610)	740
Method: ion exchange using 45Ca isotope									
Ca++	EMF	KCl	25°C	0.20M	U		K1=0.60	1938CKa (33611)	741
Method: H electrode									
Ca++	sol	none	25°C	0.0	U		K1=0.82	1938DAa (33612)	742

C4H8O3		HL					CAS 591-81-1	(39)	
4-Hydroxybutanoic acid; HO.CH2.CH2.CH2.COOH									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	dis	NaNO3	20°C	0.15M	C		K1=0.7	1973APa (33649)	743
Method: ion exchange using 45Ca isotope									

C4H8S		L					CAS 110-01-0	(150)	
Tetrahydrothiophene; cyclo(-CH2.CH2.S.CH2.CH2-)									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	alc/w	25°C	50%	C		K1=-0.30	1979SRa (33731)	744
Medium: 50% EtOH/H2O, 1.0 M NaClO4									

C4H9NO		L					CAS 127-19-5	(477)	
N,N-Dimethylacetamide; CH3.CO.N(CH3)2									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	non-aq	25°C	100%	C		K1=2.60	1997NMa (33760)	745
Method: polyacrylamide/15-crown-5 sensor. Medium: acetonitrile.									

C4H9NO3		HL		Threonine			CAS 72-19-5	(48)	
2-Amino-3-hydroxybutanoic acid; H2N.CH(CH(OH).CH3)COOH									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl	37°C	0.15M	U			1986XHa (34261)	746
							B(CaH-1L2)=-5.859		
							B3=6.045		

C4H9NO7P2		H4L					CAS 56269-30-8	(2397)	
1-Pyrrolidone-5,5-diphosphonic acid; (O)C4H5N(P(O3H2)2									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	M			1984CLb (34403)	747

K(Ca+HL)=6.86
K(Ca+H2L)=3.73

C4H10N06P H2L CAS 6401-59-8 (2399)
O-Phospho-2-methylserine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.20M	C		K1=1.82 K(Ca+HL)=1.09 K(CaL+H)=9.34	1978MAc (34473)	748

C4H10N06P H2L CAS 1114-81-4 (2400)
O-Phospho-threonine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.20M	C		K1=2.23 K(Ca+HL)=1.53 K(CaL+H)=8.97	1978MAc (34481)	749

C4H10N204S HL ACES CAS 7365-82-4 (7488)
N-(2-Acetamido)-2-aminoethanesulfonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	C	M	K1=4.86	2001AAa (34617)	750
Also data for ternary complexes with 5'-GMP, 5'-IMP and 5'-CMP.									
Ca++	gl	KNO3	25°C	0.10M	C		K1=3.38	2000ADa (34618)	751
Ca++	gl	NaClO4	37°C	0.10M	U T		K1=0.2	1992GHa (34619)	752
Method: coulometric titration. At 25 C, K1=0.4.									

C4H1002S L CAS 111-48-8 (4275)
3-Thiapentane-1,5-diol; HO.CH2.CH2.S.CH2.CH2.OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	NaClO4	25°C	1.0M	C		K1=-0.09	1979SRa (34679)	753

C4H1003 L CAS 111-46-6 (3579)
2,2'-Oxydiethanol; (HO.CH2.CH2)2.O (Diethylene glycol)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	con	non-aq	25°C	100%	C		K1=3.2	1992MSe (34699)	754
Medium: 100% MeOH. Anion: picrate. Also data for nitrophenolate anions.									

C4H1006C12P2 CAS 134757-52-1 (5246)

Clodronic acid monoisopropyl ester;

H3L

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	R4N.X	25°C	1.0M	C			K1=3.29	1995RLa (34715)	755
------	----	-------	------	------	---	--	--	---------	-----------------	-----

Medium: 1.0 M Me4NCl

C4H11NO3 L Tris buffer CAS 77-86-1 (550)
 2-Amino-2-(hydroxymethyl)-propan-1,3-diol; (HO.CH2)3C.NH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	R4N.X	25°C	1.00M	C	I		K1=0.25	1982SSf (35045)	756
------	----	-------	------	-------	---	---	--	---------	-----------------	-----

In 90 % (v/v) DMSO/water mixture: K1=0.25 (I=0.25 M)

C4H11NO8P2 H5L CAS 2439-99-8 (2129)
 N-Carboxymethyl-N,N-bis(methylenephosphonic acid); H00C.CH2.N(CH2.PO3H2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KNO3	25°C	0.10M	C			K1=7.90	2000SDa (35096)	757
------	----	------	------	-------	---	--	--	---------	-----------------	-----

K(CaL+H)=7.22
 K(CaHL+H)=5.46
 K(CaH2L+H)=3.7

Ca++	ix	NaNO3	RT	0.10M	U			K1=7.0	1985PMc (35097)	758
------	----	-------	----	-------	---	--	--	--------	-----------------	-----

Ca++	gl	KNO3	25°C	0.10M	U			K1=6.17	1965WRa (35098)	759
------	----	------	------	-------	---	--	--	---------	-----------------	-----

C4H11O3P H2L CAS 4923-84-6 (524)
 Butylphosphonic acid; C4H9PO3H2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KNO3	25°C	0.10M	U			K1=1.69	1981WNa (35243)	760
------	----	------	------	-------	---	--	--	---------	-----------------	-----

C4H11O4P H2L (5867)
 n-Butyl phosphoric acid; C4H9.O.PO(OH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	NaNO3	25°C	0.10M	C			K1=1.56	1988MSa (35282)	761
------	----	-------	------	-------	---	--	--	---------	-----------------	-----

C4H12NO3P H2L AMPPH CAS 18108-24-2 (222)
 1-Amino-2-methylpropylphosphonic acid; (CH3)2.CH.CH(NH2).PO3H2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KNO3	24°C	0.10M	U			K1=3.42	1989YKa (35306)	762
------	----	------	------	-------	---	--	--	---------	-----------------	-----

C4H12O6P2 H4L CAS 4071-77-6 (3592)
 Butane-1,4-diphosphonic acid; H2O3P.CH2.CH2.CH2.PO3H2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	0.10M	U		K1=2.5	1962IMb (35573)	763
Ca++	gl	KCl	20°C	0.10M	U		K1=2.54 K(Ca+HL)=1.7	1951SRa (35574)	764

C4H12O7P2 H3L CAS 52811-47-9 (7665)
 N-Butyldiphosphoric acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaNO3	25°C	0.10M	M		K1=3.00	1999SSa (35581)	765

C4H13NO3P+ HL (1971)
 Trimethylammonium-methylphosphonic acid; +N(CH3)3.CH2.PO3H2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U		K1=0.93	1979WNa (35590)	766

C4H13NO6P2 H4L CAS 5995-26-6 (1336)
 N-Ethyliminobis(methylenephosphonic) acid; C2H5N(CH2PO3H2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.20M	C		K1=3.71 B(CaHL)=14.59 B(CaH2L)=19.88	1999MKa (35600)	767

Ca++	gl	KNO3	25°C	1.00M	M		K1=3.14 K(Ca+HL)=1.66	1982BGb (35601)	768
------	----	------	------	-------	---	--	--------------------------	-----------------	-----

Ca++	gl	KNO3	25°C	1.0M	U		K1=3.36 K(Ca+HL)=1.29 K(Ca+H2L) < 1	1967CCb (35602)	769
------	----	------	------	------	---	--	---	-----------------	-----

C4H13NO7P2 H4L CAS 63132-40-1 (1347)
 1-Hydroxy-4-aminobutyl-1,1-diphosphonic acid; (PO3H2)2C(OH).CH2.CH2.CH2.NH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	M		K1=6.10 K(Ca+HL)=6.01 K(Ca+H2L)=5.37	1978KMa (35617)	770

C4H13N3 L Dien CAS 111-40-0 (584)

1,4,7-Triazaheptane, 2,2'Iminobis(ethylamine), diethylenetriamine;
NH₂.(CH₂)₂.NH.(CH₂)₂.NH₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl	25°C	0.0	C		K1=0.42 K(Ca+HL)=0.10 K(Ca+H2L)=-0.32	1999SFc (35737)	771
Extrapolated from data for 0.03-0.96 M NaCl using the Pitzer equation.									

Ca++	gl	KCl	25°C	0.0	C		K1=-0.01 K(Ca+HL)=<-0.2 K(Ca+H2L)=<-0.4	1992DDa (35738)	772
------	----	-----	------	-----	---	--	---	-----------------	-----

C4H14N2O6P2 H2L EDDPO CAS 1733-49-9 (2435)
1,2-Diaminoethane-N,N'-bis(methylenephosphonic) acid; (H2O3P.CH2.NH.CH2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	EMF	KCl	25°C	0.10M	C		B(CaHL)=14.3 B(CaH2L)=24.4 B(CaH3L)=30.6 B(Ca2L)=19.6	2001MNb (35858)	773

Ca++	gl	KCl	25°C	0.10M	U		K1=>2	1965DKb (35859)	774
------	----	-----	------	-------	---	--	-------	-----------------	-----

C5H2O5 H2L Croconic acid CAS 488-86-8 (1643)
4,5-Dihydroxycyclopent-4-ene-1,2,3-trione;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sol	KCl	25°C	0.30M	U		K1=1.29 Kso=-4.05	1965CDa (35936)	775

C5H3N4Cl L 6-Chloropurine CAS 87-42-3 (3032)
6-Chloropurine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	45°C	0.10M	U		K1=6.2	1971TKc (35986)	776

C5H4NBr L CAS 1120-87-2 (8780)
4-Bromopyridine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaNO3	25°C	0.50M	C		K1=-0.01	2002KSb (35999)	777

C5H4NC1 L CAS 626-60-8 (322)

3-Chloropyridine; C5H4N.Cl

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaNO3	25°C	0.50M	C			K1=-0.08	2002KSb (36017)	778

C5H4N2O3S				H2L		Thioorotic acid		(4335)		
1,2,3,6-Tetrahydro-2-thio-6-oxo-4-pyrimidinecarboxylic acid;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaCl	20°C	0.15M	U			K1=2.95 K(Ca+HL)=2.15	1979DZe (36072)	779

C5H4N2O4				H2L		Orotic acid		CAS 65-86-1 (624)		
1,2,3,6-Tetrahydro-2,6-dioxo-4-pyrimidinecarboxylic acid;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaClO4	25°C	0.50M	U	I		K(Ca+H2L)=2.34 K(Ca+HL)=3.42 K(Ca+H2L)=2.54 (0.1 NaClO4)	1983MDa (36101)	780

Ca++	gl	NaCl	20°C	0.15M	U			K1=3.15 K(Ca+HL)=2.26	1979DZe (36102)	781

C5H4N4O				HL		Hypoxanthine		CAS 68-94-0 (1174)		
6-Hydroxypurine;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U	T H		K(Ca+HL)=2.20 K(Ca+2HL)=4.11	1983KSa (36180)	782

Ca++	gl	KNO3	45°C	0.10M	U			K1=6.45	1971TKc (36181)	783

C5H4N4S				HL		6-Purinethiol		CAS 6112-76-1 (115)		
6-Mercaptopurine, 6-Thiohypoxanthine;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KNO3	45°C	0.10M	U			K1=6.4	1971TKc (36222)	784

C5H4O2S				HL		2-Thenoic acid		CAS 527-72-0 (2312)		
Thiophene-2-carboxylic acid; C4H3S.COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo

Ca++ gl NaClO4 30°C 0.20M U T H K1=2.01 1976SSd (36247) 785

Ca++ gl oth/un 25°C ->0 U K1=1.33 1960Lub (36248) 786

C5H4O3 HL 2-Furoic acid CAS 88-14-2 (2492)

Furan-2-carboxylic acid; C4H3O.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl oth/un 25°C ->0 U K1=-1.0 1960Lub (36290) 787

C5H5N L Pyridine CAS 110-86-1 (31)

Pyridine, Azine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.50M C K1=-0.12 2002KSb (36526) 788

Ca++ gl KCl 25°C 1.00M U I K1=-0.45 1986CCd (36527) 789

K=-0.24 if values calculated by allowing for both CaCl+ and H(py)Cl species.

C5H5NO2 HL CAS 13161-30-3 (5582)

1-Hydroxypyridin-2(1H)-one, 2-Hydroxypyridine 1-oxide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.20M C K1=2.47 B2= 3.50 2000FEc (36747) 790

C5H5NO2 HL CAS 16867-04-2 (2316)

2,3-Dihydroxypyridine, 3-Hydroxypyridin-2(1H)-one; C5H3N(OH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 37°C 0.15M C K1=2.68 1980SHb (36774) 791

C5H5NO2 HL CAS 1121-23-9 (2315)

3-Hydroxypyridin-4(1H)-one;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 37°C 0.15M C K1=3.12 B2=4.72 1980SHb (36824) 792

C5H5NO2 HL CAS 634-97-9 (2877)

Pyrrole-2-carboxylic acid; C4H4N.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ cal NaNO3 25°C 1.00M U H 1981ARb (36835) 793

DH(K1)=-0.54 kJ mol-1; DS(K1)=28.0.

Ca++ gl none 25°C 0.00 U K1=2.36 1972LUc (36836) 794

C5H5N2Br L CAS 1072-97-5 (2630)
5-Bromo-2-aminopyridine; C5H3N(Br)(NH2)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.50M C K1=-0.21 2002KSb (36855) 795

C5H5N5 L Adenine CAS 73-24-5 (237)
6-Aminopurine; H2N.C5H3N4

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 35°C 0.10M U T H 1983KSa (36951) 796
K(Ca+HL)=1.86
K(Ca+2HL)=3.35

Ca++ gl KNO3 45°C 0.10M U K1=2.95 1971TKc (36952) 797

C5H5N5S H3L 6-Thioguanine CAS 3647-48-1 (4307)
2-Amino-6-mercaptapurine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 45°C 0.10M U K1=2.9 1973TKa (37009) 798
K(Ca+H2L)=2.7

C5H5N5S H3L CAS 154-42-7 (4308)
2-Mercapto-6-aminopurine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 45°C 0.10M U 1973TKa (37017) 799
K(Ca+H2L)=2.8
K(CaH2L=CaHL+H)=2.9

C5H6N2 L 2-Aminopyridine CAS 504-29-0 (1478)
2-Aminoazine, 2-Pyridylamine; C5H4N.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.50M C K1=-0.19 2002KSb (37116) 800

Ca++ sp alc/w 25°C 95% U K1=0.98 1993GSa (37117) 801
Medium: 95% w/w EtOH/H2O, 0.05 M Et4NClO4, by competitive spectrophotometry

C5H6N2O HL (3035)
2-Aminopyridine 1-oxide; C5H4N(-O)(NH2)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	NaClO4	25°C	0.50M	U		K(Ca+HL)=0.01	1963SBd (37200)	802

C5H6N2O2		HL	Thymine				CAS 65-71-4	(413)	
2,4-Dihydroxy-5-methylpyrimidine; C4HN2(CH3)(OH)2									

C5H6N6		HL	Diaminopurine				CAS 1904-98-9	(4290)	
2,6-Diaminopurine;									

Ca++	gl	KNO3	25°C	0.10M	U T H		K1=2.92	1983KSa (37265)	803
Ca++	gl	KNO3	35°C	0.10M	U		K1=2.86	1982TSa (37266)	804
Ca++	gl	KNO3	45°C	0.10M	U		K1=2.6	1974KKa (37267)	805

C5H6O4		H2L	Citraconic acid				CAS 498-23-7	(3021)	
Citraconic acid; CH3.C(COOH):CH.COOH									

Ca++	ix	oth/un	25°C	0.16M	U		K1=1.3	1952SLa (37354)	807

C5H6O4		H2L	Itaconic acid				CAS 97-65-4	(398)	
Methylenesuccinic acid; HOOCH2.C(:CH2).COOH									

Ca++	cal	NaNO3	25°C	0.50M	C H			1984ARa (37406)	808
DH(K1)=5.73 kJ mol-1, DS(K1)=38 J K-1 mol-1.									
Ca++	ix	oth/un	25°C	0.16M	U		K1=1.2	1952SLa (37407)	809

C5H6O5		H2L	Ketoglutaric				CAS 328-50-7	(1146)	
2-Ketoglutaric acid; HOOCH2.CH2.CO.COOH									

Ca++	ix	oth/un	25°C	0.16M	U		K1=1.29	1952SLa (37472)	810

C5H6O7		H3L					(8107)		
Carboxymethyltartronic acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	C		K1=4.62 K(CaL+H)=2.65	1984MMg (37485)	811

C5H8O2	HL	Acetylacetone	CAS 123-54-6	(164)
--------	----	---------------	--------------	-------

Pentane-2,4-dione; CH3.CO.CH2.CO.CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	diox/w	28°C	70%	U		K1=6.34 B2=11.80	1992ZHa (37874)	812
Ca++	gl	NaNO3	25°C	0.10M	C		K1=2.32	1982HNa (37875)	813
Ca++	gl	diox/w	24°C	50%	U		K1=3.1	1979ACa (37876)	814
Ca++	gl	diox/w	20°C	17%	C		K1=5.59 B2=9.97	1976JWa (37877)	815

C5H8O4	H2L	CAS 595-46-0	(1144)
--------	-----	--------------	--------

Dimethylmalonic acid; H00C.C(CH3)2.C00H

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaClO4	25°C	0.10M	U		K1=1.52	19680Va (38203)	816

C5H8O4	H2L	CAS 601-75-2	(479)
--------	-----	--------------	-------

Ethylpropanedioic acid; H00C.CH(C2H5).C00H

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	none	25°C	0.0	U T		K1=2.47	1976K0a (38230)	817

Also data at 15,30,35 C. Determined colourimetrically

Ca++	gl	NaClO4	25°C	0.10M	U		K1=1.59	19680Va (38231)	818
------	----	--------	------	-------	---	--	---------	-----------------	-----

C5H8O4	H2L	Glutaric acid	CAS 110-94-1	(420)
--------	-----	---------------	--------------	-------

Pentanedioic acid; H00C.CH2.CH2.CH2.C00H

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ix	oth/un	25°C	0.16M	U		K1=0.55	1952SLa (38301)	819
Ca++	EMF	KCl	25°C	0.20M	U		K1=1.06 K(Ca+HL)=0.50	1938CKa (38302)	820

C5H9NO	L	NMP	CAS 826-41-5	(7823)
--------	---	-----	--------------	--------

N-Methylpyrrolidone;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ ISE non-aq 25°C 100% C K1=2.53 1997NMa (38459) 821
 Method: polyacrylamide/15-crown-5 sensor. Medium: acetonitrile.

C5H9NO3 HL Hydroxyproline CAS 51-35-4 (416)
 4-Hydroxy-2-pyrrolidinecarboxylic acid; C4H7N(OH)(COOH)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	20°C	1.0M	U		K1=9.58	1959PEc (38711)	822

Ca++	ix	oth/un	25°C	0.16M	U		K1=0.48	1954SCa (38712)	823
------	----	--------	------	-------	---	--	---------	-----------------	-----

C5H9NO3S H2L N-Acetyl-Cys CAS 616-91-1 (1187)
 N-Acetylcysteine; CH3.CO.NH.CH(CH2.SH)COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	0.10M	U		K1=2.8	1975IMa (38811)	824

Medium not stated.

C5H9NO4 H2L Glutamic acid CAS 56-86-0 (22)
 2-Aminopentanedioic acid; H2N.CH(CH2.CH2.COOH)COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaNO3	25°C	0.10M	C	M	K1=2.95 K(CaA+L)=3.05 B(CaAL)=7.55	2000KAb (39000)	825

H2A=Dipicolinic acid.

Ca++	gl	NaCl	25°C	1.00M	C		K1=0.60	1988BSa (39001)	826
Ca++	gl	NaClO4	37°C	0.15M	C		K1=1.474 B(CaH2L)=14.020 B(CaHL)=10.377 B(CaH-1L)=-9.071	1987BBd (39002)	827

Ca++	gl	KNO3	25°C	0.10M	M		K1=2.63	1981GVa (39003)	828
------	----	------	------	-------	---	--	---------	-----------------	-----

Ca++	gl	KCl	25°C	0.10M	U		K1=1.43	1953LMa (39004)	829
------	----	-----	------	-------	---	--	---------	-----------------	-----

Ca++	sol	oth/un	25°C	->0	U		K1=2.05	1950DWa (39005)	830
------	-----	--------	------	-----	---	--	---------	-----------------	-----

C5H9NO4 H2L MIDA CAS 4408-64-4 (190)
 N-Methyliminodiethanoic acid; CH3.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	0.10M	C		K1=4.40 B2=7.30	1975MRb (39213)	831

Ca++	vlt	NaClO4	25°C	0.10M	U		K1=3.88		1969VPa (39214)	832

Ca++	gl	KCl	25°C	0.10M	U	H	K1=3.85	B2=6.57	1968NPb (39215)	833
By calorimetry:DH(K1)=-5.0 kJ mol ⁻¹ , DS=56.8 J K ⁻¹ mol ⁻¹ , DH(K2)=-2.9, DS=42										

Ca++	cal	KNO3	20°C	0.10M	U	H			1965ANa (39216)	834
DH(K1)=-6.9 kJ mol ⁻¹ , DS=48.9 J K ⁻¹ mol ⁻¹										

Ca++	gl	KCl	20°C	0.10M	U		K1=3.75		1955SAa (39217)	835

Ca++	EMF	oth/un	20°C	->0	U		K1=4.51		1945SKa (39218)	836
Method: H electrode										

C5H9N3		L	Histamine				CAS 51-45-6		(103)	
4(5)-(2'-Aminoethyl)imidazole; C3H3N2.CH2.CH2.NH2										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values		Reference	ExptNo

Ca++	gl	NaNO3	25°C	0.10M	U		K1=5.5	B2= 9.80	1993GAa (39506)	837

Ca++	gl	KNO3	35°C	0.10M	C	M			1985RRc (39507)	838
							K(Ca+HL)=2.32			
							K(CaL(cytidine)+H)=3.13			
							K(Ca+HL+cytidine)=8.63			

C5H10N7P		H4L	PMIDA				CAS 5994-61-6		(2433)	
N-(Phosphonomethyl)iminodiethanoic acid; H2O3P.CH2.N(CH2.COOH)2										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values		Reference	ExptNo

Ca++	gl	KNO3	25°C	0.10M	C		K1=7.41		2000SDa (39651)	839
							K(CaL+H)=6.19			
							K(CaHL+H)=4.0			

Ca++	ix	NaNO3	RT	0.10M	U		K1=7.2		1985PMc (39652)	840

Ca++	oth	KNO3	RT	0.10M	C				1980MVa (39653)	841
							K(Ca+HL)=2.2			
Method: paper electrophesis.										

Ca++	gl	KCl	30°C	0.10M	U		K1=7.1		19580Mb (39654)	842

Ca++	EMF	KCl	20°C	0.10M	U		K1=7.18		1949SAa (39655)	843
							K(Ca+HL)=2.43			
Method: H electrode										

C5H10N2O2		HL					CAS 2762-32-5		(3041)	
Piperazine-2-carboxylic acid; C4H9N2.COOH										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values		Reference	ExptNo

Ca++ gl KCl 22°C 0.10M U K1=<1 1960REb (39720) 844

C5H10N2O3 HL Glutamine CAS 56-85-9 (18)
2-Aminopentanedioic acid 5-amide; H2N.CH(CH2.CH2.CO.NH2)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl 37°C 0.15M U M K1=2.17 1997NZa (39796) 845
B(CaH2(glu)L)=21.65

C5H10N2O3 HL Ala-Gly CAS 687-69-4 (55)
Alanyl-glycine; H2N.CH(CH3).CO.NH.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 20°C 0.20M U K1=1.87 1982RRc (39882) 846

Ca++ sol oth/un 25°C ->0 U K1=0.66 1950DWa (39883) 847

C5H10N2O3 HL Gly-DL-Ala CAS 926-77-2 (66)
Glycyl-DL-alanine; H2N.CH2.CO.NH.CH(CH3).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 20°C 0.20M U K1=2.02 1982RRc (39931) 848

C5H10O2 HL IsoValeric acid CAS 503-74-2 (1311)
3-Methyl-butanoic acid, Isovaleric acid; (CH3)2CH.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sol oth/un 25°C ->0 U K1=0.20 1952CMf (40183) 849

C5H10O2 HL n-Valeric acid CAS 109-52-4 (3027)
Pentanoic acid; CH3(CH2)3.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sol oth/un 25°C ->0 U K1=0.30 1952CMf (40199) 850

C5H10O2 HL Pivalic acid CAS 75-98-9 (3026)
Trimethylethanoic acid, 2,2-Dimethylpropanoic acid; (CH3)3C.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sol oth/un 25°C ->0 U K1=0.55 1952CMf (40214) 851

C5H10O5 L D-Arabinose CAS 10323-20-3 (3606)
D-Arabinose;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	KNO3	25°C	0.70M	U		K1=-0.82	1986HAe (40331)	852

C5H10O5			L				CAS 1114-34-7	(6113)	
D-Lyxose									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	KNO3	25°C	0.70M	U		K1=-0.80	1986HAe (40338)	853

C5H10O5			L		D-Ribose		CAS 50-69-1	(512)	
D-Ribose;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	cal	none	25°C	0.0	U	H	K1=0.28	1991MLa (40342)	854
DH(K1)=-17 kJ mol ⁻¹									
Ca++	cal	none	25°C	0.0	U	H		1989MMb (40343)	855
DH(CaL)=-16.6 kJ mol ⁻¹ ; TDS=-14.9.									
Ca++	ISE	KNO3	25°C	0.70M	U		K1=-0.34	1986HAe (40344)	856
Ca++	ISE	KCl	25°C	0.10M	U		K1=0.93	1985MLb (40345)	857
Ca++	nmr	none	-9°C	0.0	U		K1=4.6	1982SBb (40346)	858
a-furanose form; data also for a-pyranose and b-pyranose forms.									

C5H10O5			L		D-Xylose		CAS 58-86-6	(3607)	
D-Xylose;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	KNO3	25°C	0.70M	U		K1=<-1	1986HAe (40359)	859

C5H10O5			L		L-Arabinose		CAS 5328-37-0	(1616)	
L-Arabinose									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	NaClO4	25°C	1.00M	C	I	K1=0.21	1977EOa (40364)	860
Data also for D-Xylose and D-Ribose									

C5H10O10P2			H6L				CAS 51395-42-7	(2396)	
2,3-Dicarboxypropane-1,1-diphosphonic acid; CH ₂ (COOH)CH(COOH)CH(PO ₃ H ₂) ₂									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo

Ca++ gl R4N.X 25°C 0.10M M K1=4.1 1984CLb (40381) 861
 K(Ca+HL)=4.15
 K(CaL+Ca)=2.91
 K(CaHL+Ca)=3.83

C5H11NO2 HL Nor-Valine CAS 760-78-1 (689)
 2-Aminopentanoic acid; CH3.CH2.CH2.CH(NH2).COOH

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.10M C M K1=4.92 2000KAb (40821) 862
 K(CaA+L)=3.70
 B(CaAL)=8.20

H2A=Dipicolinic acid.

C5H11NO2S H2L D-Penicillamine CAS 52-67-5 (1323)
 D-2-Amino-3-mercapto-3-methylbutanoic acid; (CH3)2C(SH)CH(NH2)COOH

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 37°C 0.15M M T K1=3.01 1979ZJa (41175) 863
 At 20 C, 0.15 M KNO3, K1=3.15

C5H11N2O7P H3L (3635)
 Glycyl-O-phosphoryl-D,L-serine;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.15M U K1=1.77 19620Sa (41376) 864
 K(Ca+HL)=1.48

C5H11N2O7P H3L CAS 6665-42-5 (3636)
 O-Phosphorylseryl-glycine;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.15M U K1=1.85 19620Sa (41381) 865
 K(Ca+HL)=1.30

C5H11O8P H2L Ribose-5-phosph CAS 4300-28-1 (2756)
 Ribose-5-phosphoric acid, Ribofuranoside 5 Phosphoric acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.10M C K1=1.48 1988MSa (41415) 866

C5H12NO4P HL CAS 51276-47-2 (5704)
 2-Amino-4-(methylhydroxyphosphoryl)butanoic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaClO4 23°C 0.10M U K1=2.43 1990YTa (41441) 867

C5H12N2O2 HL Ornithine CAS 1069-31-4 (46)
2,5-Diaminopentanoic acid; H2N.CH2.CH2.CH2.CH(NH2)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M U I 1970CMc (41558) 868
K(Ca+HL)=1.52

I=1.0 M, K(Ca+HL)=1.68

C5H12O5 L Arabitol CAS 488-82-4 (5403)
Arabitol; HO.CH2.HOCH.HCOH.HCOH.CH2.OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ISE KNO3 25°C 0.70M U K1=-0.65 1986HAe (41674) 869

C5H12O5 L Ribitol CAS 488-81-3 (3009)
Ribitol, Adonitol; HO.CH2.HCOH.HCOH.HCOH.CH2.OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ISE KNO3 25°C 0.70M U K1=-0.80 1986HAe (41678) 870

C5H12O5 L Xylitol CAS 87-99-0 (2139)
Xylitol; HO.CH2.HCOH.HOCH.HCOH.CH2.OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ISE KNO3 25°C 0.70M U K1=-0.54 1986HAe (41682) 871

C5H13NO6P2 H4L CAS 56152-35-3 (8890)
N-Pyrrolidinomethane-1,1-diphosphonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.20M C 2002MKc (41750) 872

B(CaH2L)=23.40

B(CaHL)=17.30

B(CaHL2)=21.02

C5H13NO7P2 H4L CAS 75006-88-1 (640)
1-Acetylaminoethylidene-1,1-diphosphoric acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 30°C 0.15M U K1=6.56 B2=10.46 1983LSa (41752) 873
K(Ca+HL)=2.85

K(Ca+CaL)=1.73

C5H13NO7P2 H4L CAS 88216-82-4 (641)

1-Propanoylaminoethylidene-1,1-diphosphoric acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KNO3	30°C	0.15M	U			K1=6.81 B2=10.04 K(Ca+HL)=2.80 K(Ca+CaL)=2.16	1983LSa (41756)	874

C5H13NO7P2 H4L CAS 32545-75-8 (6890)

N-Methylenedi(phosphonic acid)tetrahydrooxazine; OC4H8N.CH(P03H2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	M			K1=4.18 K(Ca+HL)=4.05	1978GMf (41763)	875

C5H13NO8P2 H4L (3714)

N-(2'-Carboxyethyl)iminobis(methylenephosphonic acid)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U			K1=4.88	1965WRa (41768)	876

C5H14NO3P H2L CAS 82101-93-7 (544)

2-(2-Dimethylaminopropyl)phosphonic acid; (CH3)2N.C(CH3)2.P03H2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U			K1=1.2 B(CaHL)=13.25	1981WNa (41826)	877

C5H14NO3P H2L CAS 72696-97-0 (1990)

Diethylaminomethylphosphonic acid; (C2H5)2N.CH2.P03H2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	1.0M	U			K1=1.3 K(Ca+HL) < 1	1967CCa (41831)	878

C5H14NO4P H2L (8071)

1-Amino-2-hydroxypentane-2-phosphonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaCl04	25°C	0.1M	U			K1=3.85 K(Ca+HL)=2.88	1975SLa (41835)	879

C5H15NO6P2 H4L CAS 195000-13-6 (8888)
 N-(1-Methylpropyl)aminomethane-1,1-diphosphonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.20M	C		B(CaH2L)=22.30 B(CaHL)=16.69	2002MKc (41941)	880

C5H15NO7P2 H4L AMOK CAS 63132-39-8 (1350)
 1-Hydroxy-3-N,N-dimethylaminopropane-1,1-diphosphonic acid;
 Me2N.CH2.CH2.C(OH)(PO3H2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.15M	U	M	K1=6.11 B(CaHL)=17.59 B(CaH2L)=25.56 B(Ca2L)=11.05 B(CaNaL)=8.82	1988MNa (41950)	881

Ca++	sol	KCl	22°C	0.10M	U		K(Ca+HL)=5.24	1985KSa (41951)	882
------	-----	-----	------	-------	---	--	---------------	-----------------	-----

Ca++	gl	KCl	25°C	0.10M	M		K1=5.71 K(Ca+HL)=5.57 K(Ca+H2L)=3.38	1978KMa (41952)	883
------	----	-----	------	-------	---	--	--	-----------------	-----

C5H15NO7P2 H4L (1348)
 1-Hydroxy-3-N-ethylaminopropylydenediphosphonic acid;
 CH3.CH2.NH.CH2.CH2.C(OH)(PO3H2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	M		K1=6.17 K(Ca+HL)=6.09 K(Ca+H2L)=4.21	1978KMa (41961)	884

C5H17NO13P4 H5L ADOPPH CAS 82372-37-0 (228)
 1-Hydroxy-3-(N,N-bis(methylenephosphonic)-aminopropylydene-1,1-diphosphonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	1.0M	U		K1=7.40 K(Ca+HL)=6.23 K(Ca+H2L)=4.33 K(Ca+H3L)=2.9 K(Ca+H4L)=2.34	1982SBa (42017)	885

C6H3N3O7 HL Picric acid CAS 88-89-1 (593)

2,4,6-Trinitrophenol; HO.C6H2(NO2)3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	con	alc/w	30°C	100%	U	I M	K2=2.92	1979PSa (42083)	886
Medium: iso-PrOH. K(CaL2+diethyleneglycol)=2.84; K(CaL2=triethyleneglycol)=2.75									
In H2O: K2=1.65, K(CaL2+tetraethyleneglycol)=1.59									

Ca++	sp	oth/un	25°C	->0	U		K1=3.74	1960KAb (42084)	887
Ca++	sp	oth/un	21°C	0.40M	U		B2=2.48	1955BKa (42085)	888
Medium:0.2-0.6(some EtOH)									

C6H4N2O5 HL CAS 50-28-5 (505)

2,4-Dinitrophenol; HO.C6H3(NO2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	oth/un	21°C	0.40M	U		B2=2.17	1955BKa (42220)	889
Medium:0.2-0.6(some EtOH)									

C6H4N2O6 H2L CAS 7659-29-2 (2694)

1,2-Dihydroxy-3,5-dinitrobenzene; (HO)2.C6H2(NO2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	M		K1=3.21 B2=5.88	1987HAb (42260)	890

C6H5NO2	HL	Picolinic acid					CAS 98-98-6 (391)		
2-Pyridine-carboxylic acid; C5H4N.COOH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaNO3	20°C	0.10M	U		K1=1.81	1960ANb (42471)	891
Ca++	gl	oth/un	25°C	0.0	U		K1=2.22 B2=3.79	1957LUa (42472)	892
Ca++	gl	NaNO3	25°C	0.10M	U		K1=2.5	1957SYb (42473)	893

C6H5NO4	H2L	3-Nitrocatechol					CAS 6665-98-1 (2685)		
1,2-Dihydroxy-3-nitrobenzene; O2N.C6H3(OH)2									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	M		K1=4.42 B2=7.50	1986HAc (42851)	894

C6H5NO4	H2L	4-Nitrocatechol					CAS 3316-09-4 (890)		
1,2-Dihydroxy-4-nitrobenzene; O2N.C6H3(OH)2									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

 Ca++ gl KCl 25°C 0.10M M K1=5.79 B2=6.4 1985HAa (42902) 895

C6H5N2O8P H2L CAS 2566-76-9 (6146)
 2,4- Dinitrophenylphosphoric acid; (NO2)2C6H3.O.PO3H2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ kin KCl 39°C 1.00M C K1=6.0 1987HJb (42981) 896

 C6H6NBr L (8782)

5-Bromo-2-methylpyridine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.50M C K1=-0.05 2002KSb (43190) 897

 C6H6NCl L CAS 10445-91-7 (8781)

4-(Chloromethyl)pyridine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.50M C K1=-0.06 2002KSb (43206) 898

 C6H6NO6P H2L CAS 330-13-2 (5865)

4-Nitrophenylphosphoric acid; NO2.C6H4.O.PO.(OH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.10M C K1=1.26 1988MSa (43240) 899

Ca++ kin KCl 39°C 1.00M C K1=7.5 1987HJb (43241) 900

 C6H6N2O2 HL (8281)

3-Hydroxy-2-amidocarboxypyridine, Hydroxypicolinamide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M C K1=2.68 1990ARa (43369) 901

 C6H6N2O4 HL Methylorotic CAS 706-36-2 (2611)

3N-Methyl-2,4-dihydroxypyrimidine-6-carboxylic acid, methylorotic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp oth/un 20°C var C K1=3.40 1981LGc (43466) 902
 Medium: phosphate (0.1 M) or borax (0.01 M) buffers.

Ca++ gl NaCl 20°C 0.15M U K1=3.45 1979DZc (43467) 903
 K(Ca+HL)=2.05

 C6H6O HL Phenol CAS 108-95-2 (457)
 Hydroxybenzene, phenol; C6H5.OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	ix	oth/un	20°C	.016M	U T H		K1=1.93	1979VMb (43533)	904
------	----	--------	------	-------	-------	--	---------	-----------------	-----

K(Ca+HL=CaL+H)=-8.10

DH= 53.5 kJ mol⁻¹. Dta also available for T=30 and 40.

 C6H6O2 H2L Catechol CAS 120-80-9 (534)
 1,2-Dihydroxybenzene, pyrocatechol; HO.C6H4.OH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	sp	alc/w	25°C	95%	U		K1=1.7	1993GSa (43694)	905
------	----	-------	------	-----	---	--	--------	-----------------	-----

Medium: 95% w/w EtOH/H2O, 0.05 M Et4NClO4, by competitive spectrophotometry

Ca++	gl	KN03	35°C	0.10M	C		K1=3.64	1985RRh (43695)	906
------	----	------	------	-------	---	--	---------	-----------------	-----

 C6H6O3 HL Maltol CAS 118-71-8 (2442)
 3-Hydroxy-2-methyl-4H-pyran-4-one;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	diox/w	30°C	50%	U		K1=4.84 B2=7.25	1957Cwa (44069)	907
------	----	--------	------	-----	---	--	--------------------	-----------------	-----

 C6H6O4 HL Kojic acid CAS 501-30-4 (1800)
 5-Hydroxy-2-(hydroxymethyl)-4H-pyran-4-one;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	EMF	KCl	21°C	0.10M	U		K1=2.5	1959OKb (44177)	908
------	-----	-----	------	-------	---	--	--------	-----------------	-----

Method: H electrode

Ca++	gl	diox/w	30°C	50%	U		K1=4.4 B2=7.1	1954BFa (44178)	909
------	----	--------	------	-----	---	--	------------------	-----------------	-----

 C6H6O5S H3L CAS 7134-09-0 (3687)
 3,4-Dihydroxybenzenesulfonic acid; (HO)2.C6H3.SO3H

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	KN03	30°C	0.10M	U		K1=4.40 B2=7.99	1963Mnc (44277)	910
------	----	------	------	-------	---	--	--------------------	-----------------	-----

 C6H6O6 H3L trans-Aconitic CAS 4023-65-8 (3065)
 trans-1,2,3-Propenetricarboxylic acid; HOOC.CH:C(COOH)CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	ix	oth/un	25°C	0.16M	U		K1=1.50	1952SLa (44304)	911
------	----	--------	------	-------	---	--	---------	-----------------	-----

C6H6O7 H3L Oxalosuccinic a (3066)
Oxalosuccinic acid; HOOC.CO.CH(COOH).CH2.COOH

C6H6O8S2	H4L	Tiron	CAS 149-45-1	(104)
4,5-Dihydroxybenzene-1,3-disulfonic acid; (HO)2.C6H2(SO3H)2				

C6H609 H4L Ditartronic ac (8108)
Di(2-Propane-1,3-dioic acid)ether;

C6H7N	L	Picoline	CAS 109-06-8	(320)
2-Methylpyridine; C5H4N.CH3				

C6H7N	L	beta-Picoline	CAS 108-99-6	(324)
3-Methylpyridine; C5H4N.CH3				

C6H7NO2 HL CAS 19365-01-6 (2311)
3-Hydroxy-1-methylpyridin-4(1H)-one;

C6H7O3P	H2L	CAS 1571-33-1	(521)
Phenylphosphonic acid; C6H5.PO3H2			

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	---	--------	-----------	--------

Ca++ gl KNO3 25°C 0.10M U K1=1.43 1981WNa (45198) 918

 C6H7O4P H2L CAS 701-64-4 (5866)
 Phenyl phosphoric acid; C6H5O.PO(OH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ gl NaCl 25°C 0.15M U K1=1.44 1990KLb (45225) 919

Ca++ gl NaNO3 25°C 0.10M C K1=1.45 1988MSa (45226) 920

 C6H8N2 L CAS 95-54-5 (2899)
 1,2-Diaminobenzene, 1,2-Phenylenediamine; C6H4(NH2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ sp alc/w 25°C 95% U K1=1.4 1993GSa (45267) 921
 Medium: 95% w/w EtOH/H2O, 0.05 M Et4NClO4, by competitive spectrophotometry

 C6H8N2O4 H2L (3100)
 Cyanomethyliminodiethanoic acid; NC.CH2.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ gl KCl 20°C 0.10M U K1=2.75 1955SAa (45412) 922

 C6H8O4 H2L CAS 5445-51-2 (69)
 Cyclobutane-1,1-dicarboxylic acid; C4H6(COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ gl NaClO4 25°C 0.10M U K1=1.54 1966OCb (45500) 923

 C6H8O6 H3L Tricarballic CAS 99-14-9 (1620)
 1,2,3-Propanetricarboxylic acid; HOOC.CH2.CH(COOH).CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ ISE none 25°C 0 C I K1=3.17 1995RGa (45553) 924
 B(Ca2L)=4.5

I=0.16 (Me4N.X) K1=2.05, B(Ca2L)=3.0; I=0.25 (Me4N.X) K1=2.03, B(Ca2L)=3.0.

Ca++ gl oth/un 25°C 0.0 C I K1=3.284 1994DFc (45554) 925

B(CaHL)=8.674
 B(CaH2L)=12.449
 B(Ca2L)=4.458

Values at I=0 calculated from data for 0.05-0.25 M CaCl2.

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

K1=2.17 1964COb (45555) 926
 K(Ca+HL)=1.46

$$K(\text{Ca}+\text{H}_2\text{L})=0.88$$

 Ca++ ix oth/un 25°C 0.16M U K1=1.82 1952SLa (45556) 927

 C6H8O6 H2L Ascorbic acid CAS 50-81-7 (285)
 Ascorbic acid (Vitamin C);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Ca++ gl mixed 25°C 80% U 1980KKd (45612) 928
 $K(\text{Ca}+\text{HL})=1.3$
 Medium: 80% DMF

Ca++ ix oth/un 25°C 0.16M U K1=0.19 1952SLa (45613) 929

 C6H8O7 H3L Isocitric acid CAS 1637-73-6 (2527)
 2-Hydroxy-3-carboxypentanedioic acid; $\text{HOOC}.\text{CH}(\text{OH}).\text{CH}(\text{COOH}).\text{CH}_2.\text{COOH}$

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Ca++ ix oth/un 25°C 0.16M U K1=2.47 1952SLa (45726) 930

 C6H8O7 H3L Citric acid CAS 77-92-9 (95)
 2-Hydroxypropane-1,2,3-tricarboxylic acid; $\text{HOOCCH}_2.\text{CH}(\text{OH})(\text{COOH}).\text{CH}_2.\text{COOH}$

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Ca++ gl NaCl04 25°C 0 C I 2001CTc (45925) 931
 $K_{\text{so}}(\text{Ca}_3\text{L}_2.4\text{H}_2\text{O})=-17.81$
 Extrapolated over the range 3.5 to 0.1 mol kg⁻¹

Ca++ gl oth/un 25°C 0.0 C I K1=4.91 1999DGa (45926) 932
 $K(\text{Ca}+\text{H}+\text{L})=9.23$
 $K(\text{Ca}+2\text{H}+\text{L})=12.3$
 Medium: artificial seawater. Extrapolated from data for 5-45% salinity.

Ca++ gl R4N.X 25°C 0.0 C 1995DGB (45927) 933
 $K_{\text{so}}(\text{CaHL})=-11.35$, $K_{\text{so}}(\text{Ca}_3\text{L}_2)=-16.95$ (I=0.2-0.54 M NaCl or Et4NI).

Ca++ gl NaCl04 25°C 0.50M C K1=2.71 1995PLa (45928) 934
 $B(\text{CaHL})=6.70$

Ca++ oth NaCl 25°C 0.15M U T K1=3.17 1993GMA (45929) 935
 Method: Coulometric titration. $K_1=3.28$ (37 C)

Ca++ gl NaCl04 37°C 0.10M U K1=3.5 1992GHa (45930) 936
 Method: coulometric titration

Ca++ gl NaCl04 37°C 0.10M U K1=3.5 1992GHa (45931) 937
 Method: coulometric titration

Ca++	ISE	NaCl	37°C	0.0	C	TI	K1=4.845	1991SYb (45932)	938
Method: Calcium ISE. Data for 18 to 45 C and 0.02 to 0.17 M NaCl. DH(K1)= -1.71 kJ mol-1, DS(K1)=87.4 J K-1 mol-1. In 0.15 M NaCl, K1=4.850.									
Ca++	gl	NaCl04	30°C	1.0M	U		K1=3.02	1988GMd (45933)	939
Ca++	gl	NaCl04	37°C	0.15M	C		K1=3.364 B(CaH2L)=11.005 B(CaHL)=7.614 B(CaH-1L)=-8.395 B(CaH-2L2)=-16.808	1987BBd (45934)	940
Ca++	gl	KNO3	37°C	0.10M	U	I	K1=3.485 B(CaHL)=7.81	1982ADa (45935)	941
Ionic strength range: 0.03-0.3.									
Ca++	gl	oth/un	25°C	0.00	U	H	K1=4.91 K(Ca+HL)=2.81	1982ADa (45936)	942
DH1=-6.44 kJ mol-1, DS1=71.9 J mol-1 K-1.									
Ca++	oth	oth/un	25°C	dil	C		K1=4.850 K(Ca+HL)=2.786	1982HKa (45937)	943
Method: isotachophoresis. Medium: 0.006-0.019 M citrate buffer, pH 5.1.									
Ca++	gl	KCl	25°C	0.10M	M	I	K1=3.63 K(Ca+HL)=2.03 K(Ca+H2L)=1.04	1980PEa (45938)	944
Extrapolated to I=0.0 M: K1=4.87; K(CaHL)=3.03.									
Ca++	ISE	NaCl	25°C	0.10M	U		K1=3.42	1979CMb (45939)	945
Ca++	dis	R4N.X	25°C	0.50M	U		K(Ca+HL)=2.52	1976MKa (45940)	946
Ca++	gl	KNO3	25°C	0.10M	C		K1=3.50 B(CaHL)=8.02	1975FCc (45941)	947
Ca++	gl	NaCl04	25°C	0.10M	U	M	K1=3.54 B(CaL(Cys))=5.58 K(Ca+L+HP04)=10.72	1975RMa (45942)	948
Ca++	gl	NaCl	37°C	0.15M	C		K1=3.27 K(Ca+HL)=1.83	1974MEa (45943)	949
Ca++	EMF	oth/un	?	?	U		K1=3.24	1969BMb (45944)	950
Ca++	gl	NaCl04	20°C	0.10M	U		K1=3.55 K(Ca+HL)=2.10 K(Ca+H2L)=1.05	1964COb (45945)	951

Ca++	gl	NaCl04	33°C	0.25M	U	K1=3.4	1961PPa (45946)	952
Ca++	sp	R4N.X	25°C	0.10M	C	K1=3.15	1961WAa (45947)	953
Medium: 0.16 M Me4NCl.								
Ca++	gl	NaCl	28°C	0.15M	U	K1=3.20	1957LEa (45948)	954
Ca++	ix	oth/un	25°C	->0	U	K1=4.68 K(Ca+HL)=3.09 K(Ca+H2L)=1.10	1955DHb (45949)	955
Ca++	ix	oth/un	25°C	0.16M	U	K1=3.15	1954SCa (45950)	956
Ca++	sol	oth/un	25°C	->0	U	K1=4.90 K(Ca+HL)=3.05 K(Ca+H2L)=1.15	1953DHa (45951)	957
Ca++	gl	oth/un	25°C	->0	U	K1=4.84 B2=8.02 K(Ca+HL)=3.29 K(Ca+2HL)=6.79	1951HEb (45952)	958
Ca++	oth	oth/un	25°C	0.15M	U	K1=3.17	1946JOa (45953)	959
Ca++	oth	oth/un	22°C	0.16M	U	K1=3.22	1934HMa (45954)	960
Ca++	sol	oth/un	25°C	->0	U	K1=4.85	1929BUa (45955)	961

C6H8O7P2		H3L		CAS 101378-64-7 (7666)				
Phenyldiphosphoric acid;								
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference ExptNo
Ca++	gl	NaNO3	25°C	0.10M	M	K1=2.90	1999SSa (46341)	962

C6H9NO6		H3L		(6054)				
3-Carboxyglutamic acid; H2N.CH(CH(COOH).CH2.COOH)COOH								
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference ExptNo
Ca++	gl	NaCl	25°C	1.00M	C	K1=0.60	1988BSa (46356)	963

C6H9NO6		H3L		CAS 41035-84-1 (4367)				
N-Carboxymethyl-L-aspartic acid;								
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference ExptNo
Ca++	gl	KNO3	25°C	0.10M	U	K1=3.71	1975GNb (46371)	964

C6H9NO6		H3L		NTA		CAS 139-13-9 (191)		

Nitrilotriethanoic acid; N(CH₂.COOH)₃

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KN03	25°C	0.05M	C	I	K1=6.72 B2= 9.31	1995AKa (46604)	965
Data for 0.05-2.50 m KN03 and Me4NN03. At I=0.0 M, K1=7.699, B2=9.66.									
Ca++	gl	NaCl	37°C	0.15M	U		K1=6.24 B2= 8.62 B(CaHL)=11.74 B(CaNdL2)=20.68	1992FDa (46605)	966
Ca++	gl	NaCl04	37°C	0.10M	U		K1=6.3	1992GHa (46606)	967
Method: coulometric titration									
Ca++	gl	KN03	20°C	0.10M	C	TIH R	K1=6.45	1982ANa (46607)	968
IUPAC evaluation									
Ca++	ISE	NaCl	25°C	0.10M	U		K1=6.31	1979CMb (46608)	969
Ca++	gl	NaCl04	25°C	0.10M	U	M T	K1=6.44 B(CaL(Cys))=8.44 K(Ca+L+HP04)=14.50	1975RMa (46609)	970
Ca++	dis	R4N.X	?	0.10M	U		K1=6.6	1969ASb (46610)	971
Method: chromatography. Medium: NH4Cl									
Ca++	gl	KCl	20°C	0.10M	U	T	K1=6.46	1966IMb (46611)	972
Ca++	cal	KN03	20°C	0.10M	U	H		1964HDa (46612)	973
DH(K1)=-5.7 kJ mol ⁻¹ , DS=103.2 J K ⁻¹ mol ⁻¹									
Ca++	gl	KN03	25°C	0.10M	U	T H	K1=6.57	1962MFb (46613)	974
K1=6.59(15 C), 6.56(20 C), 6.57(30 C), 6.53(35,40 C). DH(K1)=-3.4 kJ mol ⁻¹ , DS=115 J K ⁻¹ mol ⁻¹									
Ca++	gl	KN03	25°C	0.10M	U	T H	K1=6.33	1960BMb (46614)	975
K1=6.61(0.5 C), 6.35(42.5 C). DH(K1)=-8.4 kJ mol ⁻¹ , DS=92 J K ⁻¹ mol ⁻¹									
Ca++	EMF	oth/un	30°C	0.0	U	T H	K1=7.595	1956HMa (46615)	976
Method: H electrode. K1=7.704(0 C), 7.652(10 C), 7.608(20 C) DH(K1)=0, DS=146 J K ⁻¹ mol ⁻¹									
Ca++	EMF	oth/un	25°C	0.0	U	H		1956MAa (46616)	977
Method:H electrode. DG(K1)=-43.51 kJ mol ⁻¹ , DH=-4.2, DS=134									
Ca++	gl	KCl	20°C	0.10M	U	T	K1=6.41	1955SAa (46617)	978
Ca++	EMF	oth/un	20°C	0.0	U		K1=8.17 B2=11.60	1945SKb (46618)	979
Method: H electrode									

C6H9NO7 H3L CAS 3055-17-2 (3694)
 Nitrilotriethanoic acid N-oxide; O-N(CH2.COOH)3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U		K1=2.46	1967CCc (47133)	980

C6H9N3O2 HL Histidine CAS 71-00-1 (1)
 2-Amino-3-(4'-imidazolyl)propanoic acid; H2N.CH(CH2.C3H3N2)COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl	25°C	0.0	C	TIH	K1=1.55 B(CaHL)=9.95 B(CaH2L)=15.43	1991DDc (47459)	981

DH(K1)=-3 kJ mol⁻¹, DS(K1)=18 J K⁻¹ mol⁻¹; DH(CaHL)=-39, DS(CaHL)=59;
 DH(CaH2L)=-46, DS=141. Data for 10-45 C, 0.1-1.0 M NaCl, CaCl2, Et4NI

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.25M	C	TIH	K1=0.95 B(CaHL)=9.35 B(CaH2L)=15.4	1985DRa (47460)	982

0.02-1 M NEt4I.10-37 C.DH(K1)=5 kJ mol⁻¹,DS=44; DH(CaHL)=-36,DS=61;
 DH(CaH2L)=-66, DS=66

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	35°C	0.10M	C	M	K(Ca+HL)=3.10 K(CaL(cytidine)+H)=2.79 K(Ca+HL+cytidine)=8.72	1985RRc (47461)	983

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	35°C	0.10M	C		K(Ca+HL)=3.10	1985RRh (47462)	984

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	35°C	0.10M	C	M	K1=2.72 K(Ca+HA+L)=3.19 K(Ca+HB+L)=2.73	1983KSc (47463)	985

A is adenine; HB is cytosine.

C6H10N2O4 H2L (3104)
 Piperazine-2,6-dicarboxylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	22°C	0.10M	U		K1=<1	1964PCa (47732)	986

C6H10N2O4 H2L CAS 89601-09-2 (3102)
 trans-Piperazine-2,3-dicarboxylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	22°C	0.10M	U		K1=<1	1964PCa (47744)	987

 C6H10N2O5 H2L ADA CAS 26239-55-4 (2747)
 N-(2-Acetamido)iminodiethanoic acid; H2N.CO.CH2.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	C		K1=4.01	1983LRc (47819)	988

Ca++	gl	KCl	20°C	0.10M	U		K1=3.96	1955SAa (47820)	989
------	----	-----	------	-------	---	--	---------	-----------------	-----

C6H10N2O6P2 H4L (6893)
 N-(2-Pyridyl)aminomethylenedi(phosphonic acid); C5H4N.NH.CH(PO3H2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U		K1=5.89	1990GKa (47868)	990

K(Ca+HL)=5.43
 K(Ca+H2L)=3.84

 C6H10N4O5 L (2622)
 4,5-Dimethyl-2,4,6,8-tetraazabicyclo[3,3,0]-octane-3-one-7-thione;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U		K1=3.33	1986KKa (47888)	991

C6H10O4 H2L CAS 595-84-6 (481)
 (Methylethyl)propanedioic acid; HOOC.C(CH3)(C2H5).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	none	25°C	0.0	U		K1=3.17	1976K0a (48022)	992

C6H10O4 H2L Adipic acid CAS 124-04-9 (401)
 1,6-Hexanedioic acid; HOOC.(CH2)4.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	con	oth/un	25°C	->0	U		K1=2.19	1940TDa (48051)	993

C6H10O4S2 H2L CAS 7244-02-2 (438)
 1,2-Bis(carboxymethylthio)ethane; HOOC.CH2.S.CH2.CH2.S.CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	oth/un	20°C	0.10M	U		K1=1.74	1961S0b (48229)	994

K(Ca+HL)=1.16

 C6H10O6 H2L CAS 23243-68-7 (242)
 1,2-Bis(carboxymethoxy)ethane; HOOC.CH2.O.CH2.CH2.O.CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U		K1=3.15	1974MSa (48326)	995
Ca++	gl	oth/un	25°C	0.10M	U		K1=4.12	1961KEa (48327)	996

C6H10O7		HL		Galacturonic			CAS 685-73-4	(290)	
D-Galacturonic acid;									

Ca++	ISE	KNO3	25°C	0.70M	U		K1=1.31	1986HAe (48381)	997
Data also for many other mono- and disaccharide acids									
Ca++	gl	NaClO4	25°C	1.00M	C			1977MCA (48382)	998
							B(CaH-1L)=-10.15		
							K(Ca+H-1L)=2.09		

C6H10O7		HL		Glucuronic acid			CAS 6556-12-3	(599)	
D-Glucuronic acid;									

Ca++	gl	R4N.X	25°C	0	M	I	K1=1.17	1996GMb (48410)	999
At I=0.16 M: K1=0.78									
Ca++	ISE	KNO3	25°C	0.70M	U		K1=1.03	1986HAe (48411)	1000
Data also for many other mono- and disaccharide acids									
Ca++	gl	NaClO4	25°C	1.00M	C			1977MCA (48412)	1001
							B(CaH-1L)=-10.40		
							K(Ca+H-1L)=1.64		

C6H11NO4		H2L						(1232)	
2,2'-Iminodipropionic acid; HN(CH(CH3)COOH)2									

Ca++	gl	KNO3	25°C	0.10M	C		K1=2.0	1987AKa (48573)	1002
Ca++	gl	KNO3	25°C	0.10M	U		K1=2.0	1987BKa (48574)	1003

C6H11NO4		H2L					CAS 5336-17-4	(345)	
N-Ethyliminodiethanoic acid; C2H5.N(CH2.COOH)2									

Ca++	gl	oth/un	25°C	0.10M	C		K1=3.92	1975MRb (48599)	1004

C6H11NO4S H3L CAS 58033-48-5 (3124)
 N-2-Mercaptoethyliminodiethanoic acid; HS.CH2.CH2.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U		K1=4.88 K(Ca+HL)=2.77	1955SAa (48606)	1005

C6H11NO5 H2L HIMDA CAS 93-62-9 (192)
 N-(2-Hydroxyethyl)iminodiethanoic acid; HO.CH2.CH2.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	0.10M	C		K1=4.58	1975MRa (48667)	1006
Ca++	dis	R4N.X	?	0.10M	U		K1=5.3	1969ASb (48668)	1007

Method: chromatography. Medium: NH4Cl

Ca++	gl	KCl	20°C	0.10M	U		K1=4.63	1955SAa (48669)	1008
Ca++	gl	KCl	30°C	0.10M	U		K1=4.83	1952CCa (48670)	1009

C6H11NO5 H2L (1233)
 N-Hydroxyimino-2,2'-dipropanoic acid; HO.N(CH(CH3)COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	C		K1=2.7	1987AKa (48835)	1010
Ca++	gl	KNO3	25°C	0.10M	U		K1=2.7	1987BKa (48836)	1011

C6H11NO7S H3L CAS 39716-94-4 (3125)
 N-2-Sulfoethyliminodiethanoic acid (taurine-NN-diacetic acid)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	EMF	KCl	20°C	0.10M	U		K1=4.15	1949SAa (48844)	1012

Method: H electrode

C6H11O4P H2L CAS 85931-58-4 (5652)
 Ethylphosphinediethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaClO4	25°C	0.10M	U		K1=6.10 B2= 8.86 K3=0.9	1983NP a (49008)	1013

K3 by spectrophotometry in 1.0 M HCl/KCl.

Ca++	gl	NaClO4	25°C	0.10M	U		K(Ca+HL)=0.73	1983NP a (49009)	1014
------	----	--------	------	-------	---	--	---------------	------------------	------

 C6H12N07P H4L CAS 55339-27-0 (3127)
 N-2-Phosphoethyliminodiethanoic acid; H2O3P.CH2.CH2.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	EMF	KCl	20°C	0.10M	U		K1=5.44 K(Ca+HL)=2.05	1949SAa (49032)	1015

Method: H electrode

 C6H12N203 HL DL-Ala-DL-Ala CAS 2867-20-1 (67)
 DL-Alanyl-DL-alanine; H2N.CH(CH3).CO.NH.CH(CH3).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.20M	U		K1=2.15	1982RRc (49126)	1016

 C6H12N204 H2L EDDA CAS 5657-17-0 (119)
 1,2-Diaminoethane-N,N'-diethanoic acid; HOOC.CH2.NH.CH2.CH2.NH.CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	cal	NaCl04	25°C	0.10M	U	H	K1=2.9	1983EHa (49208)	1017

 DH1=2.9 kJ mol⁻¹, DS1=57.6 J K⁻¹ mol⁻¹
 C6H12N204 H2L N,N-EDDA CAS 5835-29-0 (2333)
 1,2-Diaminoethane-N,N'-diethanoic acid; H2N.CH2.CH2.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U		K1=4.63	1955SAa (49294)	1018

 C6H1205 L CAS 22416-73-5 (8237)
 Methyl-alpha-D-lyxofuranoside;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	kin	non-aq	25°C	100%	C		K1=1.70	1980LVc (49510)	1019

Medium: methanol.

Ca++	ISE	KCl	25°C	0.10M	C		K1=-0.05	1980LVd (49511)	1020
------	-----	-----	------	-------	---	--	----------	-----------------	------

Method: Ca ion selective electrode.

 C6H1205 L CAS 52485-92-4 (8236)
 Methyl-alpha-D-ribofuranoside;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	kin	non-aq	25°C	100%	C		K1=2.08	1980LVc (49513)	1021

Medium: methanol. For methyl-beta-D-ribofuranoside, K1<1.0

Ca++ ISE KCl 25°C 0.10M C K1=0.08 1980LVd (49514)1022
Method: Ca ion selective electrode. For methyl-beta-D-ribofuranoside,
K1=-0.52

C6H12O5 L CAS 1824-96-0 (8238)

Methyl-alpha-D-xylofuranoside;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ kin non-aq 25°C 100% C K1=<1.0 1980LVc (49517)1023

Medium: methanol. For methyl-beta-D-xylofuranoside, K1<1.0

Ca++ ISE KCl 25°C 0.10M C K1=-1.0 1980LVd (49518)1024

Method: Ca ion selective electrode.

C6H12O5S HL (691)

1-Thio-beta-D-glucopyranose;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 37°C 0.15M M K1=1.58 1979ZJa (49523)1025

C6H12O6 L D(+)Allose CAS 2595-97-3 (2898)

D(+)Allose;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ cal none 25°C 0.0 U H 1989MMb (49530)1026

DH(CaL)=-15.9 kJ mol⁻¹; TDS=-13.0.

C6H12O6 L D(+)Talose CAS 2595-98-4 (2897)

D(+)Talose;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ cal none 25°C 0.0 U H 1989MMb (49531)1027

DH(CaL)=-18.6 kJ mol⁻¹; TDS=-17.7.

C6H12O6 L D-Fructose CAS 57-48-7 (1561)

D-Fructose

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ISE KNO3 25°C 0.70M U K1=<-1 1986HAe (49534)1028

C6H12O6 L D-Galactose CAS 59-23-4 (1559)

D-Galactose

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Ca++ ISE KNO3 25°C 0.70M U K1=<-1 1986HAe (49556)1029

C6H12O6 L D-Glucose CAS 492-62-6 (1560)
 D-Glucose

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ISE KNO3 25°C 0.70M U K1=<-1 1986HAe (49573)1030

C6H12O6 L D-Mannose CAS 3458-28-4 (1562)
 D-Mannose

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ISE KNO3 25°C 0.70M U K1=<-1 1986HAe (49597)1031

C6H12O6 L Sorbose CAS 87-79-6 (930)
 L(-)-Sorbose;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ISE KNO3 25°C 0.70M U K1=<-1 1986HAe (49610)1032

C6H12O6 HL a-ISA CAS 1518-54-3 (5925)
 a-Isosaccharinic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ISE NaCl 22°C 0.20M C K1=1.78 2004VGa (49618)1033
 Method: Ca ion selective electrode. Medium pH 6.1 (1 mM morphinoethane-sulfonic acid). By ion exchange, K1=1.80.

Ca++ sol oth/un 25°C var C K1=1.44 2003RHa (49619)1034
 Kso(CaL2)=-6.26
 Solubility of CaL2 in 0.01-0.2 M NaL, pH 8.3.

Ca++ sol none 20°C 0.0 C 1999LGa (49620)1035
 Kso(CaL2)=-6.53. Also data for 2.6-50.4 C.
 DH(Kso)=40 kJ mol⁻¹, DS(Kso)=17 J K⁻¹ mol⁻¹

Ca++ sol none 25°C 0.0 C K1=1.70 1999VGa (49621)1036
 K(Ca+HL=CaL+H)=-10.4
 Kso(CaL2)=-6.36.

Ca++ sol oth/un 23°C 0.0 C 1998RRa (49622)1037
 Media: 0.03-0.52 m Ca, pH 1-14. At I=0.0 m, Ks(CaL2(s)+2H=Ca +2HL)=1.30
 Ks(CaL2(s)=CaL2)=-2.22, K(H+L)=4.46.

 C6H12O6 L CAS 576-63-6 (2284)

cis-Inositol, cyclohexane-1,2,3,4,5,6-hexol;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	none	25°C	0.0	C		K1=0.95 B2=2.65	1975AHa (49625)	1038

C6H12O6			L				CAS 488-58-4	(2283)	
epi-Inositol;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	none	25°C	0.0	C		K1=0.34	1975AHa (49629)	1039

C6H12O6			L	Inositol			CAS 87-89-8	(2285)	
myo-Inositol, meso-Inositol;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	KNO3	25°C	0.70M	U		K1=-0.89	1986HAe (49634)	1040

Ca++	ISE	none	25°C	0.0	C		K1=-0.7	1975AHa (49635)	1041

C6H12O7			HL	Gluconic acid			CAS 526-95-4	(904)	
D-Gluconic acid, 2,3,4,5,6-Pentahydroxyhexanoic acid; HO.CH2(CHOH)4.COOH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sol	none	20°C	0.0	C			1999LGa (49679)	1042
Kso(cal2)=-4.19. Also data for 2.6-50.4 C. DH(Kso)=37 kJ mol-1, DS(Kso)=60 J K-1 mol-1									
Ca++	ISE	KNO3	25°C	0.70M	U		K1=1.31	1986HAe (49680)	1043
Data also for many other mono- and disaccharide acids									
Ca++	ISE	NaCl	25°C	0.50M	U		K1=1.05 B2=1.88	1981MVA (49681)	1044
Ca++	ix	oth/un	25°C	0.16M	U		K1=1.22	1952SLa (49682)	1045
Ca++	gl	oth/un	25°C	->0	U		K1=2.16 B2=4.64	1951HEa (49683)	1046
Ca++	EMF	KCl	20°C	0.20M	U		K1=1.21	1938CKa (49684)	1047
Method: H electrode									

C6H13NO2			HL	Leucine			CAS 61-90-5	(47)	
2-Amino-4-methylpentanoic acid; H2N.CH(CH2.CH(CH3)2)COOH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U	I	K1=3.96 B(CaH-1L)= -5.09	1990RAB (50031)	1048

Data also for 10% w/w EtOH/H₂O (B₁=4.07; B(CaH-1L)=-5.1) and 25% EtOH/H₂O (4.25; -5.04).

C6H13N04 HL Bicine CAS 150-25-4 (2124)

N,N-Bis(2-hydroxyethyl)glycine; (HO.CH₂.CH₂)₂N.CH₂.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO₃ 25°C 0.10M C K₁=2.66 1991KNa (50323)1049

C6H13N04S HL MES CAS 4432-31-9 (7807)

4-Morpholineethanesulfonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaClO₄ 37°C 0.10M U T K₁=0.3 1992GHa (50428)1050

Method: coulometric titration. At 25 C, K₁=0.5.

C6H13N3O3 HL Citrulline (579)

2-Amino-5-ureidovaleric acid; H₂N.CO.NH.CH₂.CH₂.CH₂.CH(NH₂).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO₃ 25°C 0.10M U K₁=1.65 B₂=1.85 1970CMc (50566)1051

C6H13O3P H₂L CAS 1005-23-8 (520)

Cyclohexylphosphonic acid; C₆H₁₁.PO₃H₂

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO₃ 25°C 0.10M U K₁=1.65 1981WNa (50599)1052

C6H13O9P H₂L CAS 26177-86-6 (7139)

Fructose-6-phosphoric acid; C₆H₁₁O₅.H₂PO₄

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaClO₄ 25°C 0.10M C K₁=3.30 1996GCa (50603)1053

Ca++ gl KCl 20°C 0.10M U K₁=1.47 1957SAa (50604)1054

C6H13O9P H₂L CAS 59-56-3 (3049)

alpha-D-Glucose-1-phosphoric acid; Glucopyranose-1-phosphoric acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl 25°C 0.15M U K₁=1.773 1990KLb (50616)1055

Ca++ EMF oth/un 25°C ? U T H K₁=2.495 1956CDb (50617)1056

Method: H electrode. K₁=2.418(10 C), 2.468(20 C), 2.528(30 C), 2.590(40 C),

2.677(50 C), 2.573(37 C). DH(K1)=10.05 kJ mol⁻¹, DS(K1)=81.6 J K⁻¹ mol⁻¹

C6H14NO2P HL (6465)
 Piperidinemethylphosphinic acid; C5H10N.CH2.PO2H2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl04	25°C	0.10M	C		K1=3.05	1992LBa (50632)	1057

C6H14N4O2 HL Arginine CAS 74-79-3 (40)
 2-Amino-5-guanidopentanoic acid; H2N.CH((CH2)3.NH.C(:NH)(NH2)COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U		K1=2.21	1970CMc (50990)	1058

C6H14O3 L Diglyme CAS 111-96-6 (6769)
 bis-2-Methoxyethyl ether, 2,5,8-Trioxanonane; CH3.O.CH2CH2.O.CH2CH2.O.CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	cal	non-aq	25°C	100%	C H			1992BSc (51044)	1059

Medium: propylene carbonate. DH(K1)=-19.1 kJ mol⁻¹.

Ca++	con	non-aq	25°C	100%	C		K1=2.8	1992MSe (51045)	1060
------	-----	--------	------	------	---	--	--------	-----------------	------

Medium: 100% MeOH. Anion: picrate. Also data for nitrophenolate anions.

 C6H14O4 L CAS 112-27-6 (5663)
 2,2'-(1,2-Ethanediy)bis(oxy))bisethanol;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	con	non-aq	25°C	100%	C		K1=3.2	1992MSe (51054)	1061

Medium: 100% MeOH. Anion: picrate. Also data for nitrophenolate anions.

 C6H14O6 L D-Dulcitol CAS 608-66-2 (3663)
 D-Galactitol;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	KNO3	25°C	0.70M	U		K1=-0.51	1986HAe (51058)	1062

 C6H14O6 L D-Mannitol CAS 69-65-8 (3664)
 D-Mannitol;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	KNO3	25°C	0.70M	U		K1=-0.62	1986HAe (51066)	1063

 C6H14O6 L Glucitol CAS 50-70-4 (2878)

D-Sorbitol;

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       ISE KNO3   25°C 0.70M U          K1=-0.52          1986HAe (51093)1064
-----
Ca++       nmr none    36°C 0.0 U T          K1=-0.22          1981BKc (51094)1065
In D2O. At 4 C, K1=0.08.
*****
C6H14O8P2          H4L                      CAS 36011-96-8 (4391)
trans-1,2-Cyclohexanediol diphosphate; C6H10(OP03H2)2
-----
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       gl  R4N.X   20°C 0.10M U          K1=3.74          1969HRa (51115)1066
                                   K(Ca+HL)=2.15
-----
```

Medium: (C3H7)4NI

```
*****
C6H14O12P2          H4L                      CAS 488-69-7 (3705)
Fructose-1,6-diphosphoric acid;
-----
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       gl  NaClO4 25°C 0.10M C          K1=3.59          1996GCa (51121)1067
*****
C6H14O12P2          H4L                      CAS 84364-89-6 (7140)
Fructose-2,6-diphosphoric acid; C6H10O4.(H2P04)2
-----
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       gl  NaClO4 25°C 0.10M C          K1=4.14          1996GCa (51127)1068
*****
C6H15NO3          Triethanolamine CAS 102-71-6 (447)
Tris-(2-hydroxyethyl)amine;                                     L
-----
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       gl  R4N.X   25°C 1.00M C I          K1=0.78          1982SSf (51274)1069
In 90 % (v/v) DMSO/water mixture: K1=0.82 (I=0.25 M)
*****
C6H15NO6P2          H4L                      (6891)
Piperidine-N-Methylenedi(phosphonic acid); C5H10N.CH(P03H2)2
-----
```

```
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       gl  KCl    25°C 0.10M M          K1=4.53          1978GMf (51320)1070
                                   K(Ca+HL)=3.64
*****
C6H15NO7P2          H4L                      CAS 126104-92-5 (8889)
N-2-Methylenetetrahydrofuryloaminomethane-1,1-diphosphonic acid;
-----
```

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.20M	C		K1=6.08 B2= 9.28 B(CaH2L)=22.20 B(CaHL)=16.76 B(CaH2L2)=30.92 B(CaHL2)=21.55	2002MKc (51341)	1071

 C6H15O15P3 H6L Ins(1,2,6)P3 CAS 28841-62-5 (6479)
 D-myo-Inositol 1,2,6-trisphosphoric acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	U	TI	K1=4.59 B(CaHL)=12.20 B(CaH2L)=18.44 B(Ca2L)=7.22	1992SSa (51529)	1072

in 0.2 M KCl, 25 C: B1=3.12, B(CaHL)=10.14

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	37°C	0.20M	U	I	K1=4.06 B(Ca2HL)=13.95	1990BJb (51530)	1073

In But4NBr 0.1 M: K1=5.80, B(CaHL)=13.57, B(CaH2L)=19.33, B(Ca2LH2)=22.15, B(Ca3L)=11.58

 C6H16N04P H2L (8073)
 1-Amino-2-hydroxy-4-methylpentane-2-phosphonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaClO4	25°C	0.1M	U		K1=3.85 K(Ca+HL)=2.88	1975SLa (51560)	1074

 C6H16N04P HL CAS 387383-55-3 (8776)
 N,N,N-Trimethyl-2-(phosphonomethoxy)ethylamine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaNO3	25°C	0.10M	M		K1=1.17	2002FGb (51569)	1075

 C6H16O4P2 H2L CAS 55743-51-6 (1359)
 1-Diethylphosphinyl-2-dihydroxyphosphinylethane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	U		K1=2.18	1974KMb (51781)	1076

 C6H16O6P2 H4L CAS 4721-22-6 (3708)
 Hexane-1,6-diphosphonic acid; H2O3P(CH2)6PO3H2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	U		K1=<3	1967KLa (51788)	1077

C6H17N06P2			H4L				CAS 71066-28-9	(8887)	
N-(3-Methylbutyl)aminomethane-1,1-diphosphonic acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.20M	C		B(CaH2L)=22.79	2002MKc (51801)	1078

C6H17N06P2			H4L				CAS 71066-29-0	(8886)	
N-Pentylaminomethane-1,1-diphosphonic acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.20M	C		B(CaH2L)=22.70 B(CaHL)=17.06	2002MKc (51805)	1079

C6H17N06P2							CAS 5995-28-8	(1339)	
N-t-Butyliminobis(methylenephosphonic) acid; (CH3)3CN(CH2PO3H2)2									H4L

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	1.00M	M		K(Ca+HL)=2.91	1982BGb (51810)	1080

C6H17N203P			H2L				(7486)		
N,N,N'-Trimethyldiaminoethane-N'-methylphosphonic acid; (CH3)2N.CH2CH2.N(CH3)CH2PO3H2									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	C		K1=7.77 K(CaL+H)=9.04 K(CaHL+H)=7.87 K(CaH2L+H)=5.91 K(CaH3L+H)=4.5	1999D0a (51819)	1081

C6H18N204P2			H2L				(7261)		
1,2-Diaminoethane-N,N'-bis-(dimethylenemethylphosphinic acid); (CH2NHCH2PO(OH)CH3)2									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	M		K1=3.85	1996BCa (51928)	1082
Medium: 0.1 M Me4NNO3.									

C6H18N206P2			H4L				(1363)		

N,N'-Dimethyldiaminoethane-N,N'-dimethylphosphonic acid;
CH3N(CH2PO3H2).CH2.CH2.N(CH2.PO3H2)CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	C		K1=4.27 K(CaL+H)=9.94 K(CaHL+H)=7.0	1999D0a (51943)	1083

 C6H18N20P2 H4L (7487)
 N,N-Dimethyldiaminoethane-N',N'-dimethyldiphosphonic acid;
(CH3)2N.CH2CH2.N(CH2PO3H2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	C		K1=4.85 K(CaL+H)=10.32 K(CaHL+H)=7.4	1999D0a (51963)	1084

 C6H18N3OP L HMPA CAS 680-31-9 (603)
 Hexamethylphosphoramide, Tris-(dimethylamino)phosphine oxide;((CH3)2N)3PO

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	non-aq	25°C	100%	C		K1=3.81	1997NMa (51976)	1085

Method: polyacrylamide/15-crown-5 sensor. Medium: acetonitrile.

 C6H18N4 L Trien-tetramine CAS 112-24-3 (11)
 1,4,7,10-Tetraazadecane; H2N.CH2.CH2.NH.CH2.CH2.NH.CH2.CH2.NH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl	25°C	0.0	C		K1=1.4 K(Ca+HL)=0.8 K(Ca+H2L)=0.2 K(Ca+H3L)=-0.5	1999SFc (52066)	1086

Extrapolated from data for 0.03-0.96 M NaCl using the Pitzer equation.

 C6H20N2012P4 H8L EDTPA CAS 1429-50-1 (434)
 Ethane-1,2-bis(iminobis(methylenephosphonic acid)); ((H2O3PCH2)2NCH2.)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	C	I R	K(Ca+HL)=5.75 K(CaL+H)=9.44 K(CaHL+H)=8.3 K(CaH2L+H)=6.65	2001PRa (52291)	1087

IUPAC Recommended values. K(CaH3L+H)=5.2

Ca++	gl	NaCl	37°C	0.15M	C	K1=6.41	1995JWa (52292)1088
						K(CaL+H)=8.94	
						K(CaL+OH)=3.33	
						K(CaHL+H)=8.06	

Ca++	gl	KNO3	25°C	0.10M	C	H	K1=9.29	1993SMa (52293)1089
							K(CaL+H)=9.45	
							K(CaHL+H)=8.24	
							K(CaH2L+H)=6.74	
							K(CaH3L+H)=5.49	

DH(K1)=-5.7, DH(CaHL)=-8.1, DH(CaH2L)=-7.9, DH(CaH3L)=-7.7, DH(CaH4L)=-1.8
kJ mol⁻¹.

Ca++	gl	KCl	25°C	0.10M	U		K1=6.93	1980RZa (52294)1090
							K(CaL+H)=10.33	
							K(CaH2L+H)=7.50	
							K(CaHL+H)=9.59	
							K(CaH3L+H)=6.78	

Ca++	gl	KNO3	25°C	0.10M	U		K1=6.34	1979RZa (52295)1091
							K(Ca+HL)=4.48	
							K(Ca+H2L)=3.85	
							K(Ca+H3L)=3.22	

Ca++	gl	KNO3	25°C	0.10M	C		K1=9.36	1976MMa (52296)1092
							K(CaL+H)=9.42	
							K(CaHL+H)=8.44	
							K(CaH2L+H)=6.59	
							K(CaH3L+H)=5.25	

Ca++	dis	R4N.X	20°C	0.10M	U		K1=6.09	1970TIa (52297)1093
Method: chromatography. Medium: NH4Cl								

Ca++	EMF	KCl	20°C	0.10M	U		K1=6.28	1970TIa (52298)1094
							K(Ca+HL)=5.30	
							K(Ca+H2L)=3.39	
							K(CaL+Ca)=3.01	

Ca++	gl	KCl	25°C	0.10M	U		K1=9.33	1967KDa (52299)1095
							K(Ca+HL)=7.00	
							K(Ca+H2L)=4.95	
							K(Ca+H3L)=3.87	
							K(Ca+H4L)=2.17	

Ca++	gl	KNO3	25°C	0.10M	U		K1=5.74	1965WRa (52300)1096
------	----	------	------	-------	---	--	---------	---------------------

Ca++	gl	oth/un	25°C	0.10M	U		K1=6.09	1956WMe (52301)1097
------	----	--------	------	-------	---	--	---------	---------------------

C7H4N04Cl H2L CAS 4722-94-5 (3780)
4-Chloropyridine-2,6-dicarboxylic acid; Cl.C5H2N(COOH)2

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       gl  NaClO4 22°C 0.10M U      K1=3.61      1964BBe (52382)1098
*****
C7H5NO4           H2L    Quinolinic acid CAS 89-00-9 (567)
2,3-Pyridinedicarboxylic acid; C5H3N.(COOH)2
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       gl  KNO3   25°C 0.10M U      K1=2.1      1958YYa (52616)1099
*****
C7H5NO4           H2L                      CAS 499-80-9 (566)
2,4-Pyridinedicarboxylic acid; C5H3N.(COOH)2
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       gl  KNO3   25°C 0.10M U      K1=2.1      1958YYa (52645)1100
*****
C7H5NO4           H2L    Dipicolinic aci CAS 449-83-2 (418)
2,6-Pyridinedicarboxylic acid; C5H3N.(COOH)2
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       gl  NaNO3  25°C 0.10M C      K1=4.50      2000KAb (52728)1101
-----
Ca++       gl  NaCl   30°C 0.10M M      K1=4.59    B2=7.28    1985RAa (52729)1102
-----
Ca++       EMF KNO3  25°C 1.0M U      K1=4.39      1968TRa (52730)1103
                        K(Ca+2HL)=2.25
-----
Ca++       gl  oth/un 25°C 0.10M U      K1=4.60    B2=7.20    1966BSe (52731)1104
By ion exchange: K2=2.98
-----
Ca++       gl  NaNO3  20°C 0.10M U      K1=4.40      1960ANb (52732)1105
-----
Ca++       gl  KNO3   25°C 0.10M U      K1=4.2      1957SYb (52733)1106
-----
Ca++       gl  KCl    30°C 0.10M U      K1=4.6    B2=7.2    1957TBb (52734)1107
*****
C7H5NO4           HL                      CAS 5274-70-4 (3148)
3-Nitrosalicylaldehyde; HO.C6H3(NO2).CHO
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       sp  NaClO4 25°C 0.10M U      K1=1.0      1966PMa (52882)1108
*****
C7H5NO4           HL                      CAS 97-51-8 (1887)
5-Nitrosalicylaldehyde; O2N.C6H3(OH).CHO
-----

```

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	NaCl04	25°C	0.10M	U		K1=0.8	1966PMa (52934)	1109

C7H5NO5			H3L				CAS 499-51-4	(3150)	
4-Hydroxypyridine-2,6-dicarboxylic acid; HO.C5H2N(COOH)2									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl04	22°C	0.10M	U		K1=5.40	1964BBa (53068)	1110
Ca++	gl	oth/un	20°C	0.10M	U		K1=5.6 K(CaL+H)=6.51	1963AND (53069)	1111

C7H5O2Cl			HL				CAS 118-91-2	(2519)	
2-Chlorobenzoic acid; Cl.C6H4.COOH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	NaCl	25°C	0.03M	U	TIH	K1=1.06	1982EFa (53142)	1112
At 35 C, I=0.045 M: K1=1.02; 45 C, I=0.45 M: 0.389. Further data available									

C7H5O2Cl			HL				(3747)		
2-Hydroxy-6-chlorobenzaldehyde (6-chlorosalicylaldehyde)									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	NaCl04	25°C	0.10M	U		K1=1.74	1966PMa (53155)	1113

C7H5O2Cl			HL				CAS 1927-94-2	(3143)	
3-Chlorosalicylaldehyde; HO.C6H3(Cl).CHO									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	NaCl04	25°C	0.10M	U		K1=0.7	1966PMa (53187)	1114

C7H5O2Cl			HL				CAS 2420-26-0	(3144)	
4-Chlorosalicylaldehyde; HO.C6H3(Cl).CHO									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	NaCl04	25°C	0.10M	U		K1=1.1	1966PMa (53206)	1115

C7H5O2Cl			HL				CAS 635-93-8	(3145)	
5-Chlorosalicylaldehyde; HO.C6H3(Cl).CHO									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	NaCl04	25°C	0.10M	U		K1=0.9	1966PMa (53221)	1116

C7H6N2O4 H2L CAS 2683-49-0 (3753)
4-Aminopyridine-2,6-dicarboxylic acid (4-aminodipicolinic acid)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 20°C 0.10M U K1=5.18 1965ABa (53499)1117

Ca++ gl NaClO4 22°C 0.10M U K1=5.28 1964BBa (53500)1118

C7H6O2 HL Salicylaldehyde CAS 90-02-8 (193)
2-Hydroxybenzaldehyde, Salicylaldehyde; HO.C6H4.CH0

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp NaClO4 25°C 0.10M U K1=1.1 1966PMa (53608)1119

C7H6O2 HL Tropolone CAS 533-75-5 (3129)
2-Hydroxycyclohepta-2,4,6-trien-1-one;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp NaClO4 25°C 0.10M U K1=3.06 1970HOa (53656)1120

Ca++ gl diox/w 30°C 50% U K1=4.8 B2=8.0 1953BFa (53657)1121

C7H6O2 HL Benzoic Acid CAS 65-85-0 (462)
Benzenecarboxylic acid; C6H5.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl alc/w 25°C 100% M K1=4.7 B2=7.3 1988PPa (53807)1122
Medium: MeOH

Ca++ ISE NaCl 25°C 0.03M U TIH K1=1.27 1982EFa (53808)1123
At 35 C, I=0.045 M: K1=1.24; at 45 C, I=0.45: K1=0.446

Ca++ gl KNO3 30°C 0.40M U K1=0.2 1970BTa (53809)1124

C7H6O2S2 H2L CAS 89677-36-1 (5448)
3-(2-Thiophene)-2-mercaptopropenoic acid; C4H3S.CH:C(SH).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl diox/w 25°C 0.10M U K1=3.28 1977WVa (53928)1125

C7H6O3 H2L Salicylic acid CAS 69-72-7 (14)
2-Hydroxybenzoic acid, Salicylic acid; HO.C6H4.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ cal R4N.X 25°C 0 U IH K1=1.73 1997MAa (54104)1126
 Medium: Me4NCl. I=0.025 M: K1=1.57, DH(K1)=2.0 kJ mol⁻¹. I=0.050: K1=1.48,
 DH(K1)=2.0. I=0.075 M: K1=1.38 DH(K1)=3.1. I->0: DH(K1)=1.5 kJ/mol

Ca++ sp NaCl 25°C 0.50M U T 1990DOa (54105)1127
 K(Ca+HL=CaL+H)=-10.19
 K(Ca+HL)=-0.58

Ca++ gl alc/w 25°C 100% M 1988JTa (54106)1128
 K(Ca+HL)=4.5
 K(Ca+2HL)=7.0

Medium: MeOH

Ca++ cal alc/w 25°C 100% U H 1988PPa (54107)1129
 Medium: MeOH. DH(CaL)=21.2 kJ mol⁻¹; DS=157. DH(CaL2)=28; DS=235

Ca++ gl R4N.X 25°C 0.25M C TIH T 1985DRa (54108)1130
 K(Ca+HL)=0.63
 I=0.02-1 M Et4NI. 10-45 C. DH = 5 kJ mol⁻¹

Ca++ ISE NaCl 25°C 0.03M U TIH 1982EFa (54109)1131
 K(Ca+HL)=1.50
 At 35 C, I=0.045 M: K1=1.42; at 45 C, I=0.045 M: K1=1.44

Ca++ gl NaCl04 37°C 0.15M C T K1=4.290 1978AKa (54110)1132

Ca++ ix NaCl 25°C 0.16M U 1954SCa (54111)1133
 K(Ca+HL)=0.15

Ca++ kin oth/un 25°C ->0 U 1951BWa (54112)1134
 K(Ca+HL)=0.36

Ca++ ISE NaCl 25°C 0.15M U 1946JOa (54113)1135
 K(Ca+HL)=0.14

Ca++ sol oth/un 25°C ->0 U 1938DAa (54114)1136
 K(Ca+HL)=0.55

 C7H6O3 H2L CAS 99-06-9 (1370)
 3-Hydroxybenzoic acid; HO.C6H4.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ EMF NaCl 25°C 0.0 C T H 1984EFa (54373)1137
 K(Ca+HL)=1.51

Method: Ca selective electrode. Extrapolated from data for 0.15-0.30 M
 NaCl. DH(K)=2.34 kJ mol⁻¹, DS(K)=36.7 J K⁻¹ mol⁻¹. Data for 35 and 45 C.

 C7H6O4 H3L Protocatechuic CAS 99-50-3 (875)
 3,4-Dihydroxybenzoic acid; C6H3(OH)2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	30°C	0.10M	U		K1=3.71 B2=6.36	1963MNC (54650)	1138

C7H6O4		H3L					CAS 99-10-5	(4409)	
3,5-Dihydroxybenzoic acid; C6H3(OH)2.COOH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	EMF	NaCl	25°C	0.0	C T H			1984EFa (54713)	1139
K(Ca+H2L)=1.435									
Method: Ca selective electrode. Extrapolated from data for 0.15-0.30 M NaCl. DH(K)=2.34 kJ mol-1, DS(K)=35.4 J K-1 mol-1. Data for 35 and 45 C.									

C7H6O5		H4L					CAS 149-91-7	(446)	
3,4,5-Trihydroxybenzoic acid; C6H2(OH)3.COOH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	EMF	KNO3	25°C	0.10M	U			1985SCd (54744)	1140
B(Ca2L)=11.5									
Method: divalent cation liquid ion exchange electrode									

Ca++	EMF	R4N.X	25°C	0.0	C T H			1984EFa (54745)	1141
K(Ca+H3L)=1.649									
Method: Ca selective electrode. Extrapolated from data for 0.15-0.30 M Et4NCl. DH(K)=2.17 kJ mol-1, DS(K)=38.9 J K-1 mol-1. Data for 35, 45 C.									

C7H6O6S		H3L					CAS 5965-83-3	(399)	
5-Sulfosalicylic acid, 2-Hydroxy-5-sulfobenzoic; HO3S.C6H3(OH).COOH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaNO3	25°C	0.10M	C		K1=3.07	1982HNa (54917)	1142

C7H7NO2		HL					CAS 118-92-3	(1589)	
2-Aminobenzoic acid, Anthranilic acid; H2N.C6H4.COOH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	->0	U		K1=0.67	1958LUa (55198)	1143

C7H7NO2		H2L					CAS 94-67-7	(1486)	
2-Hydroxybenzaldehyde oxime; HO.C6H4.CH:N.OH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	->0	U			1958LUa (55299)	1144
K(Ca+HL)=0.92									

K(Ca+2HL)=3.72

C7H7NO2 HL CAS 3222-47-7 (3154)
6-Methylpyridine-2-carboxylic acid; CH3.C5H3N.CO0H

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 20°C 0.10M U K1=2.25 1960ANb (55421)1145

C7H7NO2 HL CAS 495-18-1 (184)
Benzohydroxamic acid; C6H5.CO.NH.OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.20M C K1=2.135 2000FEc (55484)1146

Ca++ gl NaNO3 25°C 0.10M M K1=2.81 1996KSc (55485)1147

C7H7NO3 H2L CAS 89-73-6 (204)
2-Hydroxybenzohydroxamic acid (salicylhydroxamic acid); HO.C6H4.CO.NHOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.10M C K1=3.24 2000KHa (55579)1148

Ca++ gl NaNO3 25°C 0.10M M K1=3.35 1996KSc (55580)1149

C7H8N4 L (1928)
Bis(imidazol-2-yl)methane; C3H3N2.CH2.C3H3N2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 35°C 0.20M U K1=1.80 1989RVa (55990)1150

C7H8O8P2 H4L (6892)
1,2-((Phenylenedioxy)methylene)diphosphonic acid; C6H4O2C(P03H2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.50M U K1=5.44 1985GMb (56163)1151

K(Ca+HL)=2.83

Medium: 0.5 M Me4NCl

C7H9N L 3,5-Lutidine (323)
3,5-Dimethylpyridine; C5H3N.(CH3)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.50M C K1=-0.11 2002KSb (56277)1152

C7H9NO8 H4L (8068)

2-Aminopropane-1,3-dioic-N,N-bis(ethanoic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KNO3	25°C	0.1M	U			K1=7.10	1976NGb (56465)	1153
------	----	------	------	------	---	--	--	---------	-----------------	------

C7H9NO8 H4L CAS 4379-32-2 (5702)

2-Aminopropane-1,3-dioic-N-2-butane-1,4-dioic acid; (HOOC)2CH.NH.CH(COOH)CH2.COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KNO3	25°C	0.10M	U			K1=4.46	1988KMa (56470)	1154
------	----	------	------	-------	---	--	--	---------	-----------------	------

C7H9O6ClP2 H4L CAS 53818-08-9 (4342)

4-Chlorophenylmethane diphosphonic acid; Cl.C6H4.CH(P03H2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	R4N.X	25°C	0.10M	M			K1=5.87	1984CLb (56526)	1155
------	----	-------	------	-------	---	--	--	---------	-----------------	------

K(Ca+HL)=2.6

K(CaL+Ca)=3.0

C7H9O6ClP2S H4L CAS 89987-48-4 (2395)

4-Chlorophenylthiomethylene-diphosphonic acid; Cl.C6H4.S.CH(P03H2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	ISE	NaNO3	20°C	0.04M	U			K1=6.55	1988BLa (56529)	1156
------	-----	-------	------	-------	---	--	--	---------	-----------------	------

K(Ca+HL)=3.7

C7H10NO6ClP2 H4L (6895)

N-(4-Chlorphenyl)aminomethylenedi(phosphonic acid); ClC6H4.NH.CH(P03H2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KNO3	25°C	0.10M	U			K1=6.7	1990GKa (56553)	1157
------	----	------	------	-------	---	--	--	--------	-----------------	------

K(Ca+HL)=4.3

C7H10N2O8P2 H5L CAS 195000-06-7 (8891)

N-(3-Carboxy-2-pyridyl)aminomethane-1,1-diphosphonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KCl	25°C	0.20M	C				2002MKc (56701)	1158
------	----	-----	------	-------	---	--	--	--	-----------------	------

B(CaH2L)=20.17

B(CaHL)=13.97

C7H11NO4 H2L CAS 16598-06-4 (965)

N-(Prop-2-enyl)iminodiethanoic acid; CH2:CH.CH2.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	U		K1=3.4 B2=5.31	1966SIb (56784)	1159

C7H11N04			H2L				CAS 499-82-1	(3163)	
Piperidine-2,6-dicarboxylic acid; C5H9N(COOH)2									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	30°C	0.10M	U		K1=2.2	1957TBb (56800)	1160

C7H11N05			H2L				(3164)		
1-Amino-2-propanone-N,N-diethanoic acid; CH3.CO.CH2.N(CH2.COOH)2									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U		K1=4.08	1963ANa (56824)	1161

C7H11N06			H3L				(2926)		
2-Aminobutanoic-N-propane-1,3-dioic acid; HOOCH(CH2CH2)NH2									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U		K1=3.43	1982KKa (56837)	1162

C7H11N06			H3L				CAS 40199-58-4	(3165)	
N-(2'-Carboxyethyl)iminodiethanoic acid; HOOCH2CH2N(CH2COOH)2									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	EMF	KCl	20°C	0.10M	U		K1=5.04	1949SAa (56868)	1163
Method: H electrode									

C7H11N06			H3L	MNTA			(1026)		
Nitrilo(2-propanoic)-diethanoic acid; HOOCH(CH3)N(CH2COOH)2									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	20°C	0.10M	U		K1=6.97	1974RMf (56898)	1164

Ca++	gl	KCl	20°C	0.10M	U		K1=6.97	1966IMa (56899)	1165

C7H11N06P2			H4L				CAS 4712-06-5	(4470)	
Amino(phenyl)methylenediphosphonic acid;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	U		K1=6.56 K(Ca+HL)=4.82	1969DMd (56935)	1166

C7H12N2O3 HL Gly-Pro CAS 704-15-4 (257)
Glycyl-proline; H2N.CH2.CO.NC4H7.COOH

C7H12N2O3	HL	Pro-Gly	CAS 2578-97-6	(262)
Prolyl-glycine; C4H8N.CO.NH.CH2.COOH				

C7H12N2O5	H2L	Gly-Glu	CAS 7412-78-4	(280)
Glycyl-glutamic acid; H2N.CH2.CO.NH.CH(CH2.CH2.COOH).COOH				

```
Ca++      gl  KNO3      20°C 0.10M U      K1=3.93      1980BBc (57169)1170
*****
```

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.20M	C			B(CaH2L)=20.87 B(CaHL)=14.75	2002MKc (57187)	1171

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaN03	25°C	0.10M	M			K1=1.67 K(Ca+HL)=0.3 K(CaL+H)=5.6	1999Bhb	(57196)1172

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	---	--------	-----------	--------

Ca++ gl diox/w 24°C 50% U K1=3.1 1979ACa (57285)1173

C7H12O4 H2L CAS 534-59-8 (480)
Butylpropanedioic acid (Butylmalonic acid); HOOC.CH(C4H9).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp none 25°C 0.0 U K1=2.49 1976K0a (57330)1174

C7H12O4 H2L CAS 510-20-3 (482)
Diethylpropanedioic acid (Diethylmalonic acid); HOOC.C(C2H5)2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp none 25°C 0.0 U T K1=2.55 1976K0a (57353)1175
Also data at 15,20,30,35,40 C. Determined colourimetrically

C7H13NO2 HL (3170)
1-Aminocyclohexanecarboxylic acid; H2N.C6H10.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 20°C 0.10M U K1=1.2 1963IPa (57429)1176

C7H13NO4 H2L CAS 5394-32-1 (340)
N-(1-Methylethyl)iminodiethanoic acid; (CH3)2.CH.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl oth/un 25°C 0.10M C K1=3.77 1975MRb (57509)1177

C7H13NO4 H2L CAS 16578-07-5 (341)
N-Propyliminodiethanoic acid; CH3.CH2.CH2.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl oth/un 25°C 0.10M C K1=3.71 1975MRb (57523)1178

Ca++ gl KCl 25°C 0.10M U K1=3.4 B2=5.40 1966SIb (57524)1179

C7H13NO4S H2L (3184)
N-(2-Methylthioethyl)iminodiethanoic acid; CH3.S.CH2.CH2.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 20°C 0.10M U K1=3.34 1955SAa (57541)1180

C7H13NO5 H2L CAS 59881-61-0 (336)
N-(2-Hydroxypropyl)iminodiethanoic acid; CH3.CH(OH).CH2.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	0.10M	C			K1=4.94 B2=8.04	1975MRa (57562)	1181

C7H13NO5			H2L					CAS 62117-07-1	(3171)	
N-(2-Methoxyethyl)iminodiethanoic acid; CH3.O.CH2.CH2.N(CH2.COOH)2										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	0.10M	C			K1=4.68 B2=7.58	1975MRa (57568)	1182
Ca++	gl	KCl	20°C	0.10M	U			K1=4.53	1955SAa (57569)	1183

C7H13NO5			H2L					CAS 59881-62-1	(339)	
N-(3-Hydroxypropyl)iminodiethanoic acid; HO.(CH2)3.N(CH2.COOH)2										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	0.10M	C			K1=4.00 B2=6.90	1975MRa (57585)	1184

C7H13NO5			H2L					CAS 41433-03-8	(4451)	
N-(Carboxymethyl)-N-(2'-hydroxyethyl)alanine;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	EMF	KNO3	20°C	0.10M	U			K1=4.70	1968MRb (57593)	1185

C7H13NO6			H2L					CAS 32013-58-4	(6079)	
N-(2,3-Dihydroxypropyl)iminodiethanoic acid; HO.CH2.CH(OH).CH2.N(CH2.COOH)2										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KNO3	20°C	0.10M	U			K1=4.41	1980MRc (57603)	1186
Ca++	gl	oth/un	25°C	0.10M	C			K1=4.34	1975MRa (57604)	1187

C7H13NO6			H2L					CAS 58144-30-2	(6066)	
N-(2-Hydroxy-(1-hydroxymethyl)ethyl)iminodiethanoic acid; (HO.CH2)2CH.N(CH2.COOH)2										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	0.10M	C			K1=4.97 B2=8.47	1975MRa (57624)	1188
Ca++	gl	oth/un	25°C	0.10M	C			K1=3.73	1975MRb (57625)	1189

C7H14N2O4			H2L	TriMe-EDDA				CAS 7597-26-4	(265)	
1,3-Propanediamine-N,N'-diethanoic acid; HOOC.CH2.NH.(CH2)3.NH.CH2.COOH										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo

Ca++ cal NaClO4 25°C 0.10M U H K1=2.4 1983EHa (57814)1190
DH1=3.8 kJ mol⁻¹, DS1=57.9 J K⁻¹ mol⁻¹

C7H14N3O8P H3L (3788)

Glycyl-O-phosphoryl-DL-serylglycine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.15M U K1=1.81 19620Sa (57831)1191
K(Ca+HL)=1.45

C7H14N4O4P H2L CAS 550359-20-1 (9059)

[[2-(4-Amino-2-imino-1(2H)-pyrimidinyl)ethoxy]methyl]phosphonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.10M M K1=1.20 2003FHa (57838)1192

C7H14O6 L CAS 56782-15-1 (2286)

3-O-Methyl-epi-Inositol;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ISE none 25°C 0.0 C K1=0.2 1975AHa (57884)1193

C7H15NO4 HL CAS 41244-51-3 (4459)

N,N-Bis(2'-hydroxyethyl)alanine; (HO.CH2.CH2)2.N.CH(CH3)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ EMF KNO3 20°C 0.10M U K1=2.26 1968MRb (57929)1194

C7H16O6Cl2P2 H2L CAS 133918-05-5 (5250)

Clodronic acid P,P'-diisopropyl ester;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 1.0M C K1=1.91 1995RLa (58090)1195

Medium: 1.0 M Me4NCl.

C7H17NO6S HL DIPSO (1097)

3-[N,N-Bis(2-hydroxyethyl)amino]-2-hydroxypropane sulfonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M C K1=3.47 2000ADa (58132)1196

C7H17NO7P2 HL CAS 220491-02-1 (7714)

N-2-Methyltetrahydrofuryliminodi(methylenephosphonic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.20M	C		K1=6.03 B2= 9.03 B(CaHL)=14.01 B(CaH2L)=19.00	1999MKa (58149)	1197

C7H17N07S HL TAPSO CAS 68399-81-5 (167)
3-[N-(Tris(hydroxymethyl)methyl)amino]-2-hydroxypropane sulfonic acid

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	C	M	K1=4.21	2001AAa (58170)	1198

Also data for ternary complexes with 5'-GMP, 5'-IMP and 5'-CMP.

Ca++	gl	KNO3	25°C	0.10M	C		K1=3.50	2000ADa (58171)	1199
------	----	------	------	-------	---	--	---------	-----------------	------

C7H19N06P2 H4L (7464)
N-(3-Methylbutyl)imino-bis(methylenephosphonic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.20M	C		K1=3.77 B(CaHL)=14.89 B(CaH2L)=20.36	1999MKa (58269)	1200

C7H19N07P2 H4L CAS 63161-30-8 (1349)
1-Hydroxy-3-N,N-diethylaminopropylidenediphosphonic acid;
(C2H5)2N.CH2.CH2.C(OH)(PO3H2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	M		K1=5.73 K(Ca+HL)=5.62 K(Ca+H2L)=3.37	1978KMa (58277)	1201

C7H20N204P2 H2L (7263)
1,3-Diaminopropane-N,N'-bis(methylenemethylphosphinic acid);
CH2(CH2NHCH2PO(OH)CH3)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	M		K1=3.40	1996BCa (58328)	1202

Medium: 0.1 M Me4NNO3.

C7H21N2010P3 H6L (7004)
N-(2-Hydroxyethyl)-1,2-diaminoethane-N,N'N'-trimethylenephosphonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	U		K1=5.62	1974KRd (58370)	1203

K(Ca+HL)=3.78

C7H22N2O13P4 H8L DPPH CAS 54622-43-4 (2651)
2-Hydroxy-1,3-diaminopropane-N,N,N'-tetramethylphosphonic acid;
HO.CH(CH2.N(CH2.PO3H2)2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	KNO3	25°C	0.1M	U		K1=4.90 B(CaHL)=16.00 B(CaH3L)=33.76 B(CaH2L)=25.73 B(CaH4L)=40.58	1985Snd (58382)	1204

B(CaH5L)=45.96

B(Ca2L)=7.68

C8H5N5O6 H3L Murexide (453)
Purpuric acid (Murexide is ammonium salt);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	none	25°C	dil	C		K1=5.46	2004AZa (58468)	1205
H-point standard addition method.									
Ca++	sp	non-aq	25°C	100%	U T H		K1=4.73	1994GSb (58469)	1206
At 35 C: K1=4.66; 45 C: K1=4.62; 55 C: K1=4.58. DH(K1)=-8.8 kJ mol ⁻¹ , DS=61 Medium: DMSO									
Ca++	sp	alc/w	25°C	95%	U		K1=6.52	1993GSa (58470)	1207
Medium: 95% w/w EtOH/H2O, 0.05 M Et4NClO4									
Ca++	sp	non-aq	20°C	100%	U		K1=5.55	1992PSa (58471)	1208
Medium: DMF, 0.01 M Me4NI									
Ca++	sp	alc/w	25°C	100%	U I		K1=6.09	1988KGa (58472)	1209
Medium: MeOH. Also in DMF (K1=4.98) and DMSO (4.64).									
Ca++	sp	alc/w	25°C	100%	U I		K1=6.09	1987GKb (58473)	1210
Medium: MeOH. Also in DMF (K1=3.98) and DMSO (K1=4.64)									
Ca++	sp	non-aq	25°C	100%	U		K1=4.57	1983PSc (58474)	1211
Medium: DMSO									
Ca++	vlt	oth/un	30°C	?	U T		K1=3.69	1982GWb (58475)	1212
Medium: (CH2)6N4-HCl buffer solution. pH=7.02									
Ca++	sp	NaClO4	30°C	0.10M	C		K1eff=2.803	1978BKd (58476)	1213
Medium pH 5.4 (acetate).									

Ca++ sp oth/un 25°C 0.10M U 1961NAa (58477)1214
K(Ca+H2L)=2.68

Medium: CaCl2

Ca++ sp oth/un rt 0.10M U 1949SGa (58478)1215
K(Ca+H2L)=2.6
K(CaHL+H)=8.2
K(CaL+H)=9.5

C8H5O2F3S HL TTA CAS 326-91-0 (165)
4,4,4-Trifluoro-1-(2-thienyl)butane-1,3-dione; F3C.CO.CH2.CO.C4H3S

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	diox/w	20°C	17%	C		K1=7.09 B2=12.65	1976JWa (58592)	1216

C8H6O3Cl2 HL CAS 94-75-7 (8292)
2,4-Dichlorophenoxyethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	0.0	C	TIH	K1=0.66	1988CDb (58812)	1217

Derived from ligand protonation data in 0.06-0.78 M CaCl2.
Data for 10-45 C. DH(K1)=2.4 kJ mol⁻¹.

C8H6O4 H2L Phthalic acid CAS 88-99-3 (113)
Benzene-1,2-dicarboxylic acid; C6H4(COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl	25°C	0.10M	U		K1=2.45	1989SKa (58919)	1218
Ca++	ISE	R4N.X	25°C	0.20M	C	TIH	K1=1.50	1986FWb (58920)	1219

Method: Ca ion selective electrode. Data for 25-45 C and I=0.15-0.30 M Me4NCl. At 45 C, K1=1.50. At I=0.0 M, K1=1.93. DH(K1)=1.0 kJ mol⁻¹

Ca++	gl	R4N.X	25°C	0.25M	C	TI	K1=1.71 B(CaHL)=5.70	1985DRa (58921)	1220
------	----	-------	------	-------	---	----	-------------------------	-----------------	------

0.02-1 M NEt4I.

Ca++	gl	NaClO4	25°C	0.02M	U		K1=2.43	1985GMc (58922)	1221
Ca++	con	none	25°C	0.0	U		K1=2.47	1984TWa (58923)	1222
Ca++	gl	KNO3	25°C	0.15M	C	I	K1=1.35 K(Ca+HL)=0.54	1983DDa (58924)	1223

Ca++	EMF	oth/un	25°C	0.07M	M	T H	K1=2.64	1976PAa (58925)	1224
------	-----	--------	------	-------	---	-----	---------	-----------------	------

Method: quinhydrone electrode. Medium: 0.07 M CaCl2.
Data for 20 and 35 C. DH(K1)=13.1 kJ mol⁻¹, DS(K1)=91.2 J K⁻¹ mol⁻¹.

Ca++ sol KCl 25°C 0.10M U T K1=2.41 1970GNc (58926)1225
K1(30 C)=2.49, K1(35 C)=2.59, K1(40 C)=2.66, K1(45 C)=2.75

Ca++ EMF oth/un 25°C 0.15M U K1=1.07 1946J0a (58927)1226

Ca++ con oth/un 25°C 0.0 U K1=2.43 1940TDa (58928)1227

C8H6O4 H2L Isophthalic aci CAS 212-91-5 (1619)
Benzene-1,3-dicarboxylic acid; C6H4(COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ con oth/un 25°C 0.0 U K1=2.00 1940TDa (59046)1228

C8H6O4 H2L Terephthalic Ac CAS 199-21-0 (518)
Benzene-1,4-dicarboxylic acid; C6H4(COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ISE R4N.X 25°C 0.20M C TIH K1=1.38 1986FWb (59069)1229
Method: Ca ion selective electrode. Data for 25-45 C and I=0.15-0.30 M
Me4NCl. At 45 C, K1=1.39. At I=0.0 M, K1=1.80. DH(K1)=1.34 kJ mol-1

Ca++ con none 25°C 0.0 U K1=2.05 1984TWa (59070)1230

C8H8N2O4 H2L (3823)
4-(Methylamino)pyridine-2,6-dicarboxylic acid; CH3.NH.C5H2N(COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaClO4 22°C 0.10M U K1=5.37 1964BBa (59350)1231

C8H8O2 HL p-Toluic acid CAS 99-94-5 (1372)
4-Methylbenzoic acid; CH3.C6H4.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ISE NaCl 25°C 0.03M U TIH K1=1.27 1982EFa (59498)1232
At 35 C, I=0.045 M: K1=1.24; at 45 C, I=0.45: K1=0.389

C8H8O2 HL CAS 1004-72-4 (3190)
alpha-Methyltropolone;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl diox/w 30°C 50% U K1=5.1 B2=8.5 1954BFb (59578)1233

C8H8O2 HL CAS 583-80-2 (3191)
beta-Methyltropolone;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	diox/w	30°C	50%	U		K1=5.3 B2=8.9	1954BFb (59589)	1234

C8H8O3		HL					CAS 579-75-9	(2337)	
2-Methoxybenzoic acid; CH3O.C6H4.COOH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	alc/w	25°C	100%	M			1988JTa (59721)	1235
							K(Ca+HL)=4.5		
							K(Ca+2HL)=7.0		
Medium: MeOH									

C8H8O3		HL					CAS 611-72-3	(80)	
2-Phenyl-2-hydroxyethanoic acid; C6H5.CH(OH).COOH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sol	oth/un	25°C	0.0	U	T H	K1=1.46	1975DNa (59801)	1236
DH=32.05 kJ mol-1 and DS=135.56 J mol-1 K-1.									
Data also at 30, 35, 40 and 45 C. Medium: glycolate buffer, pH 3.8									

Ca++	kin	oth/un	25°C	0.0	U		K1=1.29	1951BWa (59802)	1237

Ca++	sol	oth/un	25°C	0.0	U		K1=1.45	1938DAa (59803)	1238

C8H8O3		HL					CAS 122-59-8	(1153)	
Phenoxyethanoic acid; C6H5.O.CH2.COOH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	none	25°C	0.0	C	TIH	K1=1.04	1985CDb (60034)	1239
Calculated from protonation data for I=0.04-0.9 M CaCl2. Data for 10-45 C.									
DH(K1)=7.1 kJ mol-1, DS(K1)=43 J K-1 mol-1.									

C8H8O4		HL					CAS 520-45-6	(4478)	
3-Acetyl-2-hydroxy-6-methylpyran-4-one, Dehydroethanoic acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	diox/w	35°C	50%	U		K1=2.23 B2=4.20	1971MAa (60078)	1240
Medium: 50% dioxan, 0.1 M NaClO4									

C8H8O4		HL					(6840)		
3-Acetyl-4-Hydroxy-6-methyl-2-pyrone;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo

Ca++ gl mixed 24°C 50% U K1=2.84 B2=5.35 1993ZMa (60104)1241
Medium: 50% v/v acetone/H2O

C8H8O5 H2L CAS 5629-08-3 (679)

7-Oxy-bicyclo[2.2.1]-hept-5-ene-2,3-dicarboxylic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl 37°C 0.15M U K1=2.62 1988HYa (60122)1242

C8H9NO2 HL (2591)

N-Phenyl-N-acetohydroxamic acid; CH3.CO.N(OH)C6H5

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.20M C K1=1.64 2000FEc (60279)1243

C8H9NO4 H2L (4520)

Dehydroethanoic acid oxime;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl diox/w 35°C 50% U 1971MAa (60484)1244

K(Ca+HL)=2.42

K(Ca+2HL)=4.44

Medium: 50% dioxan, 0.01 M NaClO4

C8H9N3O7 H2L Uramildiacetic CAS 13055-06-5 (185)

5-Amino-2,4,6-trioxo-1,3-perhydrodiazimino-N,N-diethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ cal KNO3 25°C 0.1M C H 1981CSb (60601)1245

DH(K1)=-10.5 kJ mol⁻¹, DS=117 K J mol⁻¹

Ca++ gl KNO3 25°C 0.10M U T K1=8.15 1977SVa (60602)1246

Ca++ cal R4N.X 20°C 0.1M C 1976ANb (60603)1247

DH1= -13.5 kJ/mol

in Me4NCl

Ca++ gl R4N.X 25°C 0.10M C K1=8.40 B2=13.90 1975JTa (60604)1248

Ca++ gl KNO3 20°C 0.10M U K1=8.31 B2=13.58 1963IFb (60605)1249

Ca++ ISE oth/un 20°C 0.0 U K1=8.77 B2=13.0 1948SBa (60606)1250

C8H9O3P H2L CAS 1707-08-0 (1969)

2-Styrylphosphonic acid; C6H5.CH:CH.PO3H2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.12M	U		K1=2.05	1979RZb (60669)	1251

C8H10N2O4		H2L		Mimosine			CAS 2116-55-4	(2308)	
2-Amino-3-(3-hydroxy-4-oxo-1,4-dihydropyridin-1-yl)propanoic acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	37°C	0.15M	C		K1=3.24 B2=5.09 B(CaHL)=10.49 B(CaHL2)=13.1	1980SHb (60754)	1252

C8H10N2O4		H2L		Isomimosine			CAS 60384-61-4	(2314)	
2-Amino-3-(5-hydroxy-4-oxo-1,4-dihydropyridin-2-yl)propanoic acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	37°C	0.15M	C		K1=3.32 B2=5.0 B(CaHL)=11.39 B(CaHL2)=14.0	1980SHb (60761)	1253

C8H10O8		H4L					CAS 1703-58-8	(7339)	
1,2,3,4-Butanetetracarboxylic; H00C.CH2.CH(COOH).CH(COOH).CH2.COOH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.0	C			1995DGb (60891)	1254
Kso(Ca2L)=-14.53 (I=0-0.6 M Et4NI).									

C8H10O9		H4L					CAS 137172-86-2	(6612)	
SS-Oxydisuccinic acid; O(CH(COOH)CH2.COOH)2									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	C		K1=5.42 K(CaL+H)=4.35 K(CaHL+H)=3.53 K(CaH2L+H)=2.72 K(Ca+HL)=3.81 K(Ca+H2L)=2.55, K(Ca+H3L)=1.87	1992MMa (60899)	1255

C8H10O9		H4L					CAS 84852-72-2	(6611)	
meso-Oxydisuccinic acid; O(CH(COOH)CH2.COOH)2									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	C		K1=5.82 K(CaL+H)=4.43 K(CaHL+H)=3.53	1992MMa (60911)	1256

K(CaH2L+H)=3.41

K(Ca+HL)=4.27

K(Ca+H2L)=2.95, K(Ca+H3L)=2.39

C8H10O10 H4L (5894)

1-Hydroxy-3-oxapentane-1,2,4,5-tetracarboxylic acid;

HO.CH(COOH).CH(COOH).O.CH(COOH).CH2(COOH)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M C K1=5.20 1989MMd (60923)1257

K(CaL+H)=4.43

K(CaHL+H)=2.94

C8H11NO L CAS 20819-02-5 (5524)

4-Methoxy-2,6-dimethylpyridine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.50M U K1=0.8 1983BEb (61032)1258

C8H11NO2 H2L Dopamine CAS 579-59-9 (251)

2-(3',4'-Dihydroxyphenyl)ethylamine; (HO)2.C6H3.CH2.CH2.NH2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M U T H 1986CVb (61067)1259

K(Ca+HL)=4.10

K(Ca+2HL)=5.85

Data for 0-37 C. At 37 C, K(Ca+HL)=4.00, K(Ca+2HL)=5.60.

DH(Ca+HL)=-24.9 kJ mol⁻¹, DS=4.56 J K⁻¹ mol⁻¹; DH(Ca+2HL)=-15.6, DS=18.5

C8H11NO3 H2L Noradrenaline CAS 138-65-8 (253)

Norepinephrine, 3,4-Dihydroxyphenylethanolamine; (HO)2C6H3.CH(CH2.NH2).OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M U T H K1=5.11 B2= 6.52 1982CVa (61152)1260

Data for 0 and 37 C. DH(K1)=-28.7 kJ mol⁻¹, DS(K1)=-12 J K⁻¹ mol⁻¹;

DH(K2)=-9.3, DS(K2)=8.0.

C8H11NO7 H3L (6055)

N-Acetyl-3-carboxyglutamic acid; CH3.CO.NH.CH(CH(COOH).CH2.COOH)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl 25°C 1.00M C K1=1.06 1988BSa (61178)1261

C8H11NO8 H4L CAS 24868-49-3 (2572)

2-Amino(N,N-diethanoic)-1,4-butanedioic acid; HOOCCCH(N(CH2COOH)2)CH2COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KN03	25°C	0.10M	U			K1=5.81	1975NGa (61183)	1262

C8H11NO8		H4L						CAS 7408-20-0	(2608)	
Amino-di(butanedioic acid);HN(CH(COOH)CH2.COOH)2										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KN03	25°C	0.1M	C			K1=4.63	1999VZb (61196)	1263

Ca++	gl	KN03	25°C	0.1M	U			K1=4.42	1978MNa (61197)	1264

C8H11NO8P2		H5L						(6894)		
N-(4-Carboxyphenyl)aminomethylenedi(phosphonic acid); H0OC.C6H4.NH.CH(P03H2)2										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KN03	25°C	0.10M	U			K1=6.89 K(Ca+HL)=2.91	1990GKa (61225)	1265

C8H12N2O8		H4L						CAS 35039-85-1	(4537)	
1,2-Diaminoethane-N,N'-dimalonic acid; (H0OC)2.CH.NH.CH2.CH2.NH.CH(COOH)2										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KN03	20°C	0.10M	U			K1=5.18 K(Ca+HL)=1.9	1973DSc (61484)	1266

Ca++	gl	KN03	25°C	0.10M	U			K1=5.45 K(Ca+HL)=2.02	1973MAb (61485)	1267

Ca++	gl	KN03	25°C	0.10M	U			K1=4.80 K(Ca+HL)=2.61 K(Ca+CaL)=2.26	1972GBd (61486)	1268

C8H12N5O4P		H2L						CAS 106941-25-7	(6693)	
9-(2-(Phosphonylmethoxy)ethyl)adenine; H2O3P.CH2.O.CH2.CH2.adenine										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaN03	25°C	0.10M	M	M		K1=1.01 K(PtLA+Ca)=1.01	2000KLb (61643)	1269
A=diethylenetriamine										

Ca++	gl	NaN03	25°C	0.10M	M			K1=1.65	1992SCa (61644)	1270

C8H13NO6		H3L						(3835)		
2-Amino-2-carboxypropane-N,N-diethanoic acid; H0OCC(CH3)2N(CH2COOH)2										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	20°C	0.10M	U		K1=5.19	1974RMf (61752)	1271
Ca++	gl	KCl	20°C	0.10M	U		K1=8.32	1966IMa (61753)	1272

C8H13NO6		H3L					(5681)		
2-Aminobutanoic-N,N-diethanoic acid; CH3CH2CH(COOH)N(CH2COOH)2									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	20°C	0.10M	U		K1=6.46	1974RMf (61779)	1273

C8H13NO6S		H3L					(5675)		
2-Mercapto-1-aminoethane-N,N,S-triethanoic acid; HOOC.CH2.S.CH2.CH2.N(CH2COOH)2									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaClO4	25°C	0.10M	U		K1=4.56 K(Ca+HL)=1.75	1975POa (61814)	1274

C8H13N6O4P		H2L					(7462)		
9-[2-(Phosphonomethoxy)ethyl]-2,6-diaminopurine;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaNO3	25°C	0.10M	M		K1=1.67 K(Ca+HL)=0.4	1999BSa (61871)	1275

C8H14N2O3		HL			Pro-Ala		CAS 6422-36-2	(263)	
Prolyl-alanine; C4H8N.CO.NH.CH(CH3).COOH									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.20M	U		K1=1.77	1982RRc (61926)	1276

C8H14N2O4		H2L					CAS 124099-98-5	(5607)	
1,4-Piperazine-N,N'-diethanoic acid; HOOC.CH2.C4H8N2.CH2.COOH									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	cal	NaClO4	25°C	0.10M	U	H	K1=2.0 DH(K1)=1.7 kJ mol-1, DS=44.4 J K-1 mol-1	1985EHa (61941)	1277

Ca++	EMF	KCl	20°C	0.10M	U		K1=2.5	1963IPb (61942)	1278
Method: H electrode									

C8H14N2O6P2		HL					(7465)		
N-(3-Pyridylmethyl)imino-bis(methylphosphonic acid);									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.20M	C		K1=3.69 B(CaHL)=12.87 B(CaH2L)=18.33 B(CaH3L)=22.83 B(CaH-1L)=-8.49	1999MKa (61965)	1279

C8H14O4 H2L Suberic acid CAS 505-48-6 (517)
Octanedioic acid; HOOCH₂(CH₂)₆COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	con	none	25°C	0.0	U		K1=1.66	1984TWa (62093)	1280

C8H14O7 H2L (241)
Di(carboxymethoxy)ethyl ether; (HOOCH₂CH₂OCH₂CH₂)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO ₃	25°C	0.10M	U		K1=2.40	1974MSa (62144)	1281

C8H15NO4 H2L CAS 56004-49-0 (343)
N-(iso-Butyl)iminodiethanoic acid; (CH₃)₂CHCH₂N(CH₂COOH)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	0.10M	C		K1=3.40	1975MRb (62175)	1282

C8H15NO4 H2L CAS 56004-50-3 (344)
N-(tert-Butyl)iminodiethanoic acid; (CH₃)₃CN(CH₂COOH)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	0.10M	C		K1=3.71	1975MRb (62179)	1283

C8H15NO4 H2L CAS 33994-68-7 (347)
N-Butyliminodiethanoic acid; C₄H₉N(CH₂COOH)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	0.10M	C		K1=4.01	1975MRb (62187)	1284

C8H15NO5 H2L CAS 62130-86-3 (6073)
N-(2-Hydroxy-(1-ethyl)ethyl)iminodiethanoic acid; HOCH₂CH(CH₂CH₃)N(CH₂COOH)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	0.10M	C		K1=5.45 B2=7.75	1975MRa (62191)	1285

C8H15N05 H2L CAS 5344-77-4 (332)
N-(2-Hydroxy-1,1-dimethylethyl)iminodiethanoic acid; HO.CH2.C(CH3)2.N(CH2.COOH)2

C8H15NO5 H2L CAS 59881-66-2 (6076)
N-(3-Methoxypropyl)iminodiethanoic acid; CH3.O.(CH2)3.N(CH2.COOH)2

C8H15NO5 H2L CAS 62117-04-8 (337)
N-(4-Hydroxybutyl)iminodiethanoic acid; HO.(CH₂)₄.N(CH₂.COOH)₂

C8H15NO6 H2L CAS 92511-22-3 (6074)
N-(1,1-Di(hydroxymethyl)ethyl)iminoethanoic acid; (HO.CH2)2C(CH3).N(CH2.COOH)2

Ca++ gl oth/un 25°C 0.10M C K1=6.00 B2=9.30 1975MRa (62213)1290

Ca++	gl	KCl	25°C	0.15M	U	K1=2.14	19620Sa (62234)1291
						K(Ca+HL)=1.64	
						K(Ca+CaL)=1.46	
						K(Ca+CaHL)=1.0	
						K(Ca2L+H)=7.29	

Ca++ gl KCl 20°C 0.20M U K1=1.93 1982RRc (62377)1292

C8H16N2O3 HL Leu-Gly CAS 686-50-0 (1248)
Leucyl-glycine; H2N.CH(CH2.CH(CH3)2).CO.NH.CH2.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 20°C 0.20M U K1=1.74 1982RRc (62423)1293

Ca++ sol oth/un 25°C 0.0 U K1=0.70 1950Dwa (62424)1294

C8H16N2O4 H2L (267)
1,2-Diaminoethane-N,N'-di(2-propanoic acid); ((CH3)(COOH).CH.NH.CH2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ cal NaClO4 25°C 0.10M U H K1=2.1 1983EHa (62462)1295
DH1=8.7 kJ mol-1, DS1=77.0 J K-1 mol-1

Ca++ gl KNO3 20°C 0.10M U K1=1.74 1966MKb (62463)1296

Ca++ gl KCl 20°C 0.10M U K1=1 1958ISa (62464)1297

C8H16N2O4 H2L CAS 13288-40-9 (3237)
1,2-Diaminoethane-N,N'-di(3-propanoic acid); (HOOCH2CH2NHCH2.)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 20°C 0.10M U K1=1 1958ISa (62491)1298

C8H16N2O4 H2L (266)
N,N'-Dimethylethylenediamine-N,N'-diethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M C K1=3.91 B2=5.51 1993WLa (62520)1299
K(Ca+HL)=2.5

Ca++ cal NaClO4 25°C 0.10M U H K1=6.0 1983EHa (62521)1300
DH1=-4.8 kJ mol-1, DS1=99.0 J K-1 mol-1

C8H16N2O6 H2L CAS 50730-95-5 (4548)
Ethylenediiminobis(3-hydroxy-2-propanoic acid);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ EMF oth/un 20°C 0.10M U K1=3.26 1972DKa (62576)1301

Ca++ gl KNO3 20°C 0.10M U K1=3.26 1970DKa (62577)1302

C8H16O4 L 12-Crown-4 CAS 294-93-9 (174)
1,4,7,10-Tetraoxacyclododecane; cyclo(-O.(CH2.CH2.O)3.CH2.CH2-)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	nmr	non-aq	27°C	100%	C		K1=4.36	2000SMg (62649)	1303
Medium: acetonitrile. Method: competitive 7Li nmr technique.									
Ca++	cal	non-aq	20°C	100%	U	H	K1=1.85	1988SVb (62650)	1304
Medium: EtOH, CaCl2. DH(K1)=-28.1 kJ mol-1; for Ca(NO3)2: K1=1.16; DH=-21.1									
Ca++	cal	alc/w	25°C	100%	U	H T	K1=2.53	1987BUa (62651)	1305
Medium: MeOH. DH(K1)=-2.3 kJ mol-1; DS=40.6 J K-1 mol-1; DH(B2)=-6.6									
Ca++	EMF	non-aq	25°C	100%	U	T	K1=5.53 B2=9.51	1982MRb (62652)	1306
Medium: anhydrous propylene carbonate, 0.1M Et4NClO4									

C8H17NO3S		HL			CHES		CAS 103-47-9	(7489)	
2-(N-Cyclohexylamino)ethanesulfonic acid;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	C		K1=3.86	2000ADa (62774)	1307

C8H17NO4		H2L					CAS 6353-68-6	(3238)	
N,N-Di-(2-Hydroxypropyl)glycine; (HO.CH2.CH2)2N.CH2.COOH									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	oth/un	30°C	0.10M	U		K1=2.65	1957FCa (62780)	1308

C8H17N3O4		H2L					CAS 100585-61-3	(1588)	
3,6,9-Triazaundecanedioic acid; (HOOC.CH2.NH.CH2.CH2)2NH									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl	25°C	0.15M	C		K1=2.64	1990JKa (62807)	1309
B(CaH-1L)=-8.53									

C8H18N2O2		L					CAS 294-92-8	(654)	
1,7-Dioxo-4,10-diazacyclododecane;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	alc/w	25°C	100%	C		K1=4.65	2002NFa (62839)	1310
Medium: 100% MeOH. Method: electrospray ionization mass spectrometry.									

C8H18N2O2		L					CAS 122-96-3	(5902)	
N,N-Bis(2-hydroxyethyl)piperazine;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo

Ca++ gl NaCl 25°C 0.10M C K1=2.03 1999HLb (62856)1311

C8H18N2O10P2 H6L EDDADPO CAS 2310-83-0 (2436)
 1,2-Diaminoethane-N,N'-diethanoic-N,N'-dimethylphosphonic acid;
 (-CH2.N(CH2.COOH)(CH2.PO3H2))2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	KCl	25°C	0.10M	U		K1=7.91	1965DKb (62893)	1312
------	----	-----	------	-------	---	--	---------	-----------------	------

Ca++	ix	oth/un	20°C	0.10M	U		K1=8.88	1965Tic (62894)	1313
------	----	--------	------	-------	---	--	---------	-----------------	------

Medium: NH4+. By glass electrode: I=0.1 M KCl: K1=8.9

C8H18O4 L Triglyme CAS 112-49-2 (2358)
 1,2-Bis(methoxyethoxy)ethane; CH3O.C2H4O.CH2.CH2.OC2H4.OC2H3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	cal	non-aq	25°C	100%	C	H		1992BSc (62978)	1314
------	-----	--------	------	------	---	---	--	-----------------	------

Medium: propylene carbonate. DH(K1)=-29.9 kJ mol-1.

Ca++	con	non-aq	25°C	100%	C		K1=3.7	1992MSe (62979)	1315
------	-----	--------	------	------	---	--	--------	-----------------	------

Medium: 100% MeOH. Anion: picrate. Also data for nitrophenolate anions.

C8H18O5 L Tetra-Et-Glycol CAS 112-60-7 (5664)
 2,2'-(Oxybis(2,2-ethanedioxy))-bis-ethanol; O(CH2.CH2.O.CH2.CH2.OH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	con	non-aq	25°C	100%	C		K1=4.0	1992MSe (63000)	1316
------	-----	--------	------	------	---	--	--------	-----------------	------

Medium: 100% MeOH. Anion: picrate. Also data for nitrophenolate anions.

C8H19NO5 L Bis-tris CAS 6976-37-0 (2827)
 Bis-(2-hydroxyethyl)imino-tris(hydroxymethyl)methane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	mixed	25°C	90%	C	I	K1=1.64	1982SSf (63048)	1317
------	----	-------	------	-----	---	---	---------	-----------------	------

Medium: 90% DMSO/H2O

Ca++	gl	KN03	25°C	1.0M	C		K1=2.25 K(Ca(ATP)+L)=1.85	1980SAb (63049)	1318
------	----	------	------	------	---	--	------------------------------	-----------------	------

C8H19NO6P2 H4L CAS 5995-40-4 (1338)
 N-Cyclohexyliminobis(methylenephosphonic) acid; C6H11.N(CH2PO3H2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	KCl	25°C	0.20M	C		K1=3.39 B(CaHL)=15.09	1999MKa (63080)	1319
------	----	-----	------	-------	---	--	--------------------------	-----------------	------

B(CaH2L)=20.30

C8H19N3O L (4430)

1-Oxa-4,7,10-triazacyclododecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaNO3	25°C	0.10M	U		K1=2.03	1988HSb (63129)	1320

Ca++	gl	NaNO3	25°C	0.10M	U		K1=2.3	1986TSa (63130)	1321
------	----	-------	------	-------	---	--	--------	-----------------	------

C8H20N4 L Cyclen CAS 294-90-6 (10)

1,4,7,10-Tetraazacyclododecane; cyclo(-(NH.CH2.CH2.)4-)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaNO3	25°C	0.10M	U		K1=3.12	1988HSb (63277)	1322

Ca++	gl	NaNO3	25°C	0.10M	U		K1=3.1	1986TSa (63278)	1323
------	----	-------	------	-------	---	--	--------	-----------------	------

C8H22N2O6P2 H4L CAS 13516-59-1 (3850)

2,2'-(Ethylenedi-imino)bis(propylphosphonic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	U		K1=<2	1965DKb (63331)	1324

C8H23N5 L Tetren CAS 112-57-2 (715)

1,4,7,10,13-Pentaazatriodecane (Tetraethylenepentamine);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl	25°C	0.0	C		K1=1.85	1999Sfc (63454)	1325

K(Ca+HL)=1.30

K(Ca+H2L)=0.7

K(Ca+H3L)=0.0

K(Ca+H4L)=-0.6

Extrapolated from data for 0.03-0.96 M NaCl using the Pitzer equation.

K(Ca+CaL)=-0.2

C8H24N2O12P4S H8L CAS 33424-58-7 (2648)

1,7-Diaza-4-thiaheptane-1,1,7,7-tetra(methylphosphonic acid);

S(CH2.CH2.N(CH2.PO3H2)2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U		K1=5.10	1971TIa (63483)	1326

K(Ca+H2L)=2.44

K(Ca+HL) =3.77

K(Ca+CaL)=1.60

By ion exchange K1=5.36

C8H24N2O13P4 H8L CAS 25007-19-4 (2647)

1,7-Diaza-4-oxaheptane-1,1,7,7-tetra(methylphosphonic acid);

O(CH2.CH2.N(CH2.PO3H2)2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl oth/un 20°C 0.10M U K1=6.59 1969Tia (63491)1327

K(Ca+HL)=4.70

K(Ca+H2L)=2.96

K(Ca+CaL)=2.96

C9H4N2F4 L CAS 124005-68-1 (7590)

N-(2,3,5,6-Tetrafluorophenyl)imidazole;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.50M M K1=-0.12 1998KSa (63501)1328

C9H6NOCl HL CAS 130-16-5 (1268)

5-Chloro-8-hydroxyquinoline;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl diox/w 25°C 60% U K1=4.02 B2=7.17 1973SCd (63656)1329

Medium: 60% dioxan, 0.1 M NaClO4

C9H6NO4IS H2L Ferron CAS 547-91-1 (275)

7-Iodo-8-hydroxyquinoline-5-sulfonic acid; (HO)(HO3S)C9H4NI

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 28°C 0.10M U K1=2.60 1971LSb (63762)1330

Ca++ gl oth/un 25°C 0.0 U K1=3.07 B2=4 1953NEa (63763)1331

C9H6N2O3 HL CAS 5437-99-0 (3865)

5-Nitro-8-hydroxyquinoline;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl diox/w 25°C 60% U K1=3.24 B2=5.76 1973SCd (63858)1332

Medium: 60% dioxan, 0.1 M NaClO4

C9H6N2O6S H2L CAS 15851-63-3 (1433)

7-Nitro-8-hydroxyquinoline-5-sulfonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl oth/un 25°C 0.0 U K1=2.26 B2=4.50 1955NUa (63904)1333

C9H6O6 H3L Hemimellitic ac CAS 569-51-7 (1621)

1,2,3-Benzenetricarboxylic acid; C6H3.(COOH)3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl 25°C 0.0 C K1=4.28 1995DGb (63963)1334

B(CaHL)=9.35

B(CaH2L)=13.05

B(Ca2HL)=6.57

Calculated from data for 0-0.7 M NaCl and 0.2-0.4 M Et4NI.

Kso(CaHL)=-12.95 (I=0-0.39 M NaCl).

C9H6O6 H3L Trimellitic aci CAS 528-44-9 (1622)

1,2,4-Benzenetricarboxylic acid; C6H3.(COOH)3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl 25°C 0.0 C K1=3.58 2003CDb (63989)1335

B(CaHL)=8.04

B(CaH2L)=11.31

B(Ca2L)=5.4

Kso(CaHL)=-11.7

Extrapolated from values for 0.2-0.4 M Et4NI or 0-0.8 M NaCl.

C9H6O6 H3L CAS 554-95-0 (1623)

1,3,5-Benzenetricarboxylic acid; C6H3.(COOH)3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl 25°C 0.0 C K1=3.08 2003CDb (63998)1336

B(CaHL)=8.01

B(CaH2L)=11.45

Kso(Ca3L2)=-13.6

Extrapolated from values for 0.2-0.4 M Et4NI or 0-0.8 M NaCl.

C9H7NO HL Oxine CAS 148-24-3 (504)

8-Hydroxyquinoline (8-quinolinol);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp alc/w 25°C 95% U K1=2.13 1993GSa (64192)1337

Medium: 95% w/w EtOH/H2O, 0.05 M Et4NClO4, by competitive spectrophotometry

Ca++ sp non-aq 25°C 100% U I K1=3.42 B2=5.80 1992GSa (64193)1338

Medium: MeCN. In acetone:K1=2.17, K2=1.19; in MeOH:K1=1.77, K2=1.08.

By fluorimetry

Ca++ gl diox/w 25°C 60% U K1=4.40 B2=8.01 1973SCd (64194)1339

Medium: 60% dioxan, 0.1 M NaCl04

Ca++ gl diox/w 30°C 75% U K1=7.3 B2=13.2 1954UFa (64195)1340

Ca++ gl oth/un 20°C 0.0 U K1=3.27 1952NAa (64196)1341

C9H7NO2 HL CAS 1477-50-5 (4610)

2-Indolecarboxylic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl oth/un 25°C 0.0 U K1=1.38 1972LPa (64391)1342

C9H7NO4S H2L Sulfoxine CAS 84-88-8 (448)

8-Hydroxyquinoline-5-sulfonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl diox/w 25°C 60% U K1=4.53 B2=8.01 1973SCd (64507)1343

Medium: 60% dioxan, 0.1 M NaCl04

Ca++ sp oth/un 25°C 0.0 U K1=3.52 1954NUa (64508)1344

C9H7N3O2S H2L TAR CAS 2246-46-0 (707)

4-(2'-Thiazolylazo)-resorcinol; C3H2NS.N:N.C6H3(OH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl alc/w 25°C 50% U K(Ca+HL)=3.5 1967NPb (64688)1345

Medium: 50% MeOH, 0.1 M NaCl04

C9H8N2 L CAS 578-66-5 (503)

8-Aminoquinoline;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 20°C 0.10M U K1=1.49 1957WSa (64776)1346

C9H8N2O2S HL (8279)

Dehydroxydemethylidesferrithiocin;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M C K1=2.5 1990ARa (64800)1347

C9H8O4 HL Acetylsalicylic CAS 50-78-2 (1240)

2-Acetoxybenzoic acid, Acetylsalicylic acid; CH3.CO.O.C6H4.COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Ca++ vlt NaClO4 25°C 0.50M C T H K1=6.59 1989GRb (64891)1348
 Method: polarography. Medium: 0.50 M NH4ClO4, pH 4.8. Data for 25-45 C.
 DH(K1)=-32.3 kJ mol⁻¹, DS(K1)=17.4 J K⁻¹ mol⁻¹.

Ca++ gl NaClO4 37°C 0.15M C K1=2.946 1978AKa (64892)1349

 C9H8O4 H2L CAS 97652-17-0 (3855)
 3-Carboxy-4-methyltropolone;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	NaClO4	?	0.20M	U		K1=3.05	1967GDb (64929)	1350

C9H9NO3		HL		Hippuric acid			CAS 495-69-2	(1184)	
Benzoylaminoethanoic acid, N-benzoylglycine; C6H5.CO.NH.CH2.COOH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sol	oth/un	25°C	0.0	U		K1=0.43	1950DWa (65053)	1351

C9H9NO3I2		H2L		Iodogorgoic acid			CAS 300-39-0	(2726)	
2-Amino-3-(3,5-diiodo-4-hydroxyphenyl)propanoic acid, Diiodotyrosine;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sol	oth/un	25°C	0.0	U		K1=1.54	1950DWa (65070)	1352

C9H9N3O4		HL					CAS 89314-30-7	(8506)	
2-[(4-Nitrophenyl)hydrazono]-propanoic acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	alc/w	30°C	40%	M	M	K1=2.83 B2= 4.31 K(CaL+A)=4.26 K(CaL+en)=6.10 K(CaL+pro)=3.30 K(CaL+B)=2.93	1995RRd (65145)	1353
Medium: 40% v/v EtOH/H2O, 0.10 M KNO3. K(CaL+ala)=2.64, K(CaL+gly)=1.37; H2A is catechol, HB is hydroxyproline.									

Ca++	gl	alc/w	30°C	40%	M	M	K(Ca(phen)+L)=2.70 K(CaA+L)=1.46	1995RRd (65146)	1354
Medium: 40% v/v EtOH/H2O, 0.10 M KNO3. H2A is salicylic acid. *****									
C9H10N2O2		HL					CAS 5330-70-1	(8505)	
2-(Phenylhydrazono)-propanoic acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

 Ca++ gl alc/w 30°C 40% M M K1=3.24 B2= 4.99 1995RRd (65212)1355
 K(CaL+A)=4.25
 K(CaL+en)=6.00
 K(CaL+pro)=3.20
 K(CaL+B)=2.86

Medium: 40% v/v EtOH/H2O, 0.10 M KNO3. K(CaL+ala)=2.55, K(CaL+gly)=1.34;
 H2A is catechol, HB is hydroxyproline.

Ca++ gl alc/w 30°C 40% M M 1995RRd (65213)1356
 K(Ca(phen)+L)=2.80
 K(CaA+L)=1.50

Medium: 40% v/v EtOH/H2O, 0.10 M KNO3. H2A is salicylic acid.

C9H10N2O4 H2L CAS 5648-29-1 (3871)
 4-(N',N'-Dimethylamino)pyridine-2,6-dicarboxylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	NaCl04	22°C	0.10M	U			K1=5.42	1964BBa (65264)	1357
------	----	--------	------	-------	---	--	--	---------	-----------------	------

C9H10N2O5 H3L (4645)
 4,5,6,7-Tetrahydroindazol-3-one-5,5-dicarboxylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	diox/w	25°C	50%	U				1969ZSa (65272)	1358
------	----	--------	------	-----	---	--	--	--	-----------------	------

K(Ca+H2L)=2.38

K(Ca+HL)=4.68

C9H10O8 H4L CAS 3724-52-5 (1264)
 cis-1,2,3,4-Cyclopentanetetracarboxylic acid; C5H6.(COOH)4

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	NaCl04	25°C	0.19M	U			K1=6.15 B2= 9.05	1986MSc (65635)	1359
------	----	--------	------	-------	---	--	--	------------------	-----------------	------

C9H11NO3 H2L Tyrosine CAS 60-18-4 (4)
 2-Amino-3-(4-hydroxyphenyl)propanoic acid; HO.C6H4.CH2.CH(NH2).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	sol	oth/un	25°C	0.0	U				1950DWa (66192)	1360
------	-----	--------	------	-----	---	--	--	--	-----------------	------

K(Ca+HL)=1.48

C9H11NO4 H3L DOPA CAS 59-92-7 (5)
 2-Amino-3-(3,4-dihydroxyphenyl)propanoic acid; H2NCH(CH2C6H3(OH)2)COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++ gl NaCl 25°C 0.12M U M K1=2.74 1978RMc (66381)1361
K(Ca(ATP)+L)=2.32

C9H11N05 H2L CAS 57362-11-5 (3876)

N-(2'-Furfuryl)iminodiethanoic acid; C4H3O.CH2.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 20°C 0.10M U K1=3.58 1963IFa (66448)1362

C9H11N307 H3L (3877)

N-(1-Methyl-2,4,6-trioxo-perhydropyrimidinyl)iminodiethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 20°C 0.10M U K1=8.22 B2=13.60 1963IFb (66521)1363

C9H12N206 HL Uridine CAS 58-96-8 (828)

Uracil-1-beta-D-ribofuranoside;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M C T HM K1=3.05 1987KRa (66682)1364

Ca++ gl KNO3 35°C 0.10M U M K1=2.62 1986RRa (66683)1365

Ternary complexes with glycine, oxalate, histidine and histamine

C9H12N2010 H5L CAS 80921-06-8 (2924)

2,3-Diaminopropanoic-N,N'-di-1,3-propanedioic acid;

(HOOC)2CH.NH.CH(COOH).CH2.NH.CH(COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.1M U K1=7.60 1982KBe (66727)1366

C9H13N02 H2L Phenylephrine CAS 61-76-7 (2759)

3-Hydroxy-alpha-(methylaminomethyl)benzyl alcohol; HO.C6H4.CH(CH2.NH.CH3)OH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 22°C 0.25M U 1984GKa (66809)1367

K(Ca+HL)=2.25

C9H13N03 H2L (-)Adrenaline CAS 51-43-4 (252)

4-(1-Hydroxy-2-(methylamino)ethyl)-1,2-dihydroxybenzene,

Epinephrine; CH3NHCH(OH)C6H3(OH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M U T H K1=5.45 B2= 6.78 1983CVa (66848)1368

Data for 0 and 37 C. DH(K1)=-34.3 kJ mol⁻¹, DS(K1)=-28.2 J K⁻¹ mol⁻¹;
 DH(K2)=-27.4, DS(K2)=-47.6.

C9H13N06 H3L (3881)

2,6-Dicarboxypiperidyl-N-ethanoic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M U K1=5.41 1968KTd (66876)1369

C9H13N08 H4L (7012)

1,3-Dicarboxypropane-1-iminodiethanoic acid; HOOC.CH(N(CH2COOH)2)CH2CH2COOH

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M U K1=5.18 1977GNb (66902)1370

Ca++ gl KNO3 25°C 0.1M U K1=5.93 1976NGb (66903)1371

C9H13N209P H3L UMP-5 CAS 58-97-9 (2948)

Uridine-5'-monophosphoric acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 35°C 0.10M U M 1992RAd (66952)1372

K(Ca+HL)=1.70

K(Ca+HL+Gly)=2.04

K(Ca+HL+His)=7.05

K(Ca+HL+histamine)=6.42

Ca++ gl R4N.X 25°C 0.10M C T 1991SMa (66953)1373

K(Ca+HL)=1.90

IUPAC evaluation

 Ca++ gl NaNO3 25°C 0.10M C 1988MSa (66954)1374

K(Ca+HL)=1.44

C9H13N305 L Cytidine CAS 65-46-3 (2152)

Cytidine, Cytosine-1-beta-D-ribofuranoside;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.50M C K1=0.18 1992KJa (67035)1375

Ca++ gl KNO3 35°C 0.10M C M K1=2.47 1985RRc (67036)1376

B(CaHL(Gly))=11.87

B(CaL(oxalate))=8.80

B(CaHL(His))=11.51

B(CaHL(histamine))=11.76

Ca++ gl KNO3 45°C 0.10M U K1=2.56 1981TKa (67037)1377

C9H14N04P H2L (8075)
 2-Amino-3-hydroxy-3-phenylpropane-3-phosphonic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaClO4 25°C 0.1M U K1=1.52 1975SLa (67109)1378

C9H14N209 H4L CAS 56360-11-3 (2576)
 2-Hydroxy-1,3-diaminopropane-N,N'-di(1,3-propanedioic acid)

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M U K1=3.08 1975KGa (67133)1379
 K(Ca+HL)=2.05

C9H14N2012P2 H4L UDP CAS 58-98-0 (3288)
 Uridine-5'-diphosphoric acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.10M M K1=2.90 1999SSa (67150)1380
 K(Ca+H2L)=1.5
 K(CaHL+H)=5.0

Ca++ gl KNO3 25°C 0.10M U K1=2.90 1995SBa (67151)1381

C9H14N308P H2L CMP-5 CAS 63-37-6 (1243)
 Cytidine-5'-monophosphoric acid, Cytidilic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M C M K1=2.40 2001AAa (67226)1382
 Also data for ternary complexes with MOPSO, TAPSO and ACES.

Ca++ gl R4N.X 25°C 0.10M C T K1=1.86 1991SMa (67227)1383
 IUPAC evaluation

 Ca++ gl NaNO3 25°C 0.10M C K1=1.40 1988MSa (67228)1384

Ca++ gl KNO3 35°C 0.10M U M 1986RRe (67229)1385
 K(Ca+HL+HA)=5.87
 K(Ca+HL+E)=6.40
 K(Ca+L+HC)=5.57
 K(CaLC+H)=2.63

K(Ca+L+HD)=5.43. HA is glycine; H2E is oxalic acid;
 C is histamine; HD is histidine.

 C9H14N403 HL Carnosine CAS 305-84-0 (272)

3-Alanyl-histidine; H2N.CH2.CH2.CO.NH.CH(CH2.C3H3N2).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	nmr	none	25°C	0.0	U				1990GVb (67305)	1386
								Keff=1.40		

Medium: D2O at pH 7.0

Ca++	gl	KNO3	25°C	0.10M	U			K1=3.22	1964LMa (67306)	1387

C9H14N5O3P		H2L						CAS 121149-93-7	(2512)	
9-(4-Phosphonobutyl)adenine;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaNO3	25°C	0.10M	M			K1=1.57	2000GKa (67353)	1388
								K(Ca+HL)=0.2		
								*K(CaHL)=-6.3		

C9H15NO6 H3L (7177)
2-Aminopentanoic-N,N-diethanoic acid; C3H7C(COOH)N(CH2COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KNO3	20°C	0.10M	U			K1=6.40	1974RMf (67399)	1389

C9H15NO6P2		H4L						(6888)		
N-Benzyl-N-methylaminomethylenedi(phosphonic acid); <chem>C6H5.CH2.N(CH3)CH(PO3H2)2</chem>										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	M			K1=4.20	1978GMf (67445)	1390
								K(Ca+HL)=4.03		

C9H15NO6P2		H4L						CAS 6056-53-7	(1337)	
N-Benzyliminobis(methylenephosphonic) acid; <chem>C6H5CH2N(CH2PO3H2)2</chem>										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.20M	C			K1=3.88	1999MKa (67456)	1391
								B(CaHL)=13.91		
								B(CaH2L)=19.05		
								B(CaH-1L)=-8.68		

Ca++	gl	KNO3	25°C	1.00M	M			K1=3.05	1982BGb (67457)	1392
								K(Ca+HL)=1.67		

C9H15N2O15P3		H5L	UTP					CAS 63-39-8	(407)	
Uridine-5'-triphosphoric acid;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	C	T	K(Ca+HL)=4.14 K(Ca+H2L)=2.70	1991SMa (67506)	1393

IUPAC evaluation

Ca++	gl	NaNO3	25°C	0.10M	C		K(Ca+HL)=3.94 K(CaL+H)=5.25 K(Ca+H2L)=2.74	1987STb (67507)	1394
------	----	-------	------	-------	---	--	--	-----------------	------

Ca++	gl	KNO3	25°C	0.10M	U T H		K1=5.20	1983RRe (67508)	1395
------	----	------	------	-------	-------	--	---------	-----------------	------

Also data for 35 and 45 C. At 45 C: K1=5.01.
DH(K1)=-17.1 kJ mol⁻¹, DS(K1)=41 J K⁻¹ mol⁻¹.

Ca++	gl	NaClO4	25°C	0.10M	C		K1=3.66 K(Ca+HL)=3.66	1977SIc (67509)	1396
------	----	--------	------	-------	---	--	--------------------------	-----------------	------

Ca++	gl	KNO3	35°C	0.10M	U		K(Ca+HL)=5.12	1976KR a (67510)	1397
------	----	------	------	-------	---	--	---------------	------------------	------

Ca++	ix	NaCl	23°C	0.10M	U		K(Ca+HL)=3.71	1958WAa (67511)	1398
------	----	------	------	-------	---	--	---------------	-----------------	------

C9H15N3O11P2 H3L CDP CAS 63-38-7 (2187)
Cytidine-5'-diphosphoric acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaNO3	25°C	0.10M	M		K1=2.87 K(Ca+HL)=1.5 K(CaL+H)=5.02	1999SSa (67579)	1399

C9H16N2O6 H2L CAS 24709-35-8 (3274)
N-(2-(2-Ethoxycarbonylamino)ethyl)iminodiethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U		K1=2.99	1955SAa (67623)	1400

C9H16N3O14P3 H4L CTP CAS 65-47-4 (406)
Cytidine-5'-triphosphoric acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	C	T	K1=4.13 K(Ca+HL)=2.17	1991SMa (67681)	1401

IUPAC evaluation

Ca++ gl NaNO3 25°C 0.10M C K1=3.85 1987STb (67682)1402
 K(Ca+HL)=2.21
 K(CaL+H)=4.91

Ca++ gl KNO3 25°C 0.10M U T H K1=4.16 1983RRe (67683)1403
 K(Ca+HL)=3.84

Also data for 35 and 45 C. At 45 C: K1=4.03, K(Ca+HL)=3.70.
 DH(K1)=-12.1 kJ mol⁻¹, DS(K1)=40 J K⁻¹ mol⁻¹; DH(Ca+HL)=-13.0, DS=30

Ca++ gl NaClO4 25°C 0.10M C K1=3.72 1977SIc (67684)1404

Ca++ gl KNO3 35°C 0.1M C I K1=4.13 1975TRc (67685)1405
 K(Ca+HL)=3.81

Ca++ ix NaCl 23°C 0.10M U K1=3.81 1958WAa (67686)1406

C9H16O4 H2L CAS 1636-27-7 (485)
 Dipropylpropanedioic acid (Di-n-propylmalonic acid);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp none 25°C 0.0 U T K1=2.55 1976K0a (67766)1407

Also data at 15,30,35 C. Determined colourimetrically

C9H16O4 H2L CAS 57218-62-9 (484)

Ethyl(2-methylpropyl)propanedioic acid; H00C.C(C2H5)(CH2.CH(CH3)2).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp none 25°C 0.0 U T K1=3.02 1976K0a (67783)1408

Also data at 15,30,35 C. Determined colourimetrically

C9H16O4 H2L CAS 2085-15-6 (483)

Ethylbutylpropanedioic acid; H00C.C(C2H5)(C4H9).COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp none 25°C 0.0 U T K1=2.62 1976K0a (67786)1409

Also data at 15,30,35 C. Determined colourimetrically

C9H17N04 H2L CAS 56004-51-4 (346)

N-Pentyliminodiethanoic acid; C5H11.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl oth/un 25°C 0.10M C K1=4.22 1975MRb (67807)1410

C9H17N05 H2L CAS 60470-38-4 (338)

N-(5-Hydroxypentyl)iminodiethanoic acid; HO.(CH2)5.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	0.10M	C		K1=4.22 B2=7.72	1975MRa (67819)	1411

C9H17NO6		H2L					CAS 58144-32-4	(6077)	
N-(1,1-Di(hydroxymethyl)propyl)iminodiethanoic acid; (HO.CH2)2C(CH2.CH3).N(CH2.COOH)2									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl04	25°C	1.0M	C		K1=4.84	1981ASb (67825)	1412
Ca++	gl	oth/un	25°C	0.10M	C		K1=5.49 B2=8.59	1975MRa (67826)	1413

C9H18N2O3		HL		Ala-Leu			CAS 1999-42-4	(264)	
Alanyl-leucine; H2N.CH(CH3).CO.NH.CH(CH2.CH(CH3)2).COOH									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.20M	U		K1=1.74	1982RRc (67900)	1414

C9H18N2O4		H2L					CAS 18992-11-5	(5913)	
N,N-Dihydroxynonanediarnide; HN(OH).CO.(CH2)7.CO.NH(OH)									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.20M	C		K1=2.78 B(CaHL)=12.07	1999FEa (67934)	1415

C9H19N2O4+		H2L					(3277)		
2-Di(carboxymethyl)aminoethyltrimethylammonium cation +									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U		K1=1.88	1955SAa (67997)	1416

C9H20N3O7P		H3L					CAS 88794-71-2	(3887)	
O-Phosphoryl-L-seryl-L-lysine;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.15M	U		K1=1.53	19620Sa (68074)	1417

C9H20O14P2		H3L					(4662)		
1-(Glycerylphosphoryl)-L-myoinositol-5-phosphate;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	20°C	0.10M	U		K1=2.07	1969HRa (68127)	1418

Medium: 0.1 (C3H7)4NI

C9H21O17P3 H5L CAS 98975-41-8 (3885)

1'-Glycerylphosphorylinositol-3,4-diphosphoric acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	20°C	0.10M	U		K1=3.27 K(Ca+HL)=2.22	1969HRa (68222)	1419

Medium : 0.1 (C3H7)4NI

Ca++	gl	R4N.X	20°C	0.10M	U		K1=3.3 K(Ca+HL)=2.2	1965HFb (68223)	1420
------	----	-------	------	-------	---	--	------------------------	-----------------	------

Medium: (C3H7)4NI

C9H24N3O6P3 H3L (7110)

1,4,7-Triazacyclononane-1,4,7-triyltrimethylenetris(phosphinic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	C		K1=4.29 B(CaH-1L)=-7.41	1995BLa (68288)	1421

C9H24N3O9P3 H6L NOTPH CAS 83843-39-3 (224)

1,4,7-Triazacyclononane-N,N',N''-tris(methylenephosphonic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	1.0M	U		K1=6.38 K(Ca+HL)=2.67	1984KMa (68301)	1422

Ca++	gl	oth/un	25°C	1.00M	U		K1=6.38 K(Ca+HL)=2.67	1982PSc (68302)	1423
------	----	--------	------	-------	---	--	--------------------------	-----------------	------

C9H28N3O15P5 10L DTPPH CAS 15827-60-8 (2921)

Diethylenetriamine-N,N,N',N'',N''-penta(methylphosphonic acid);

H2O3PCH2.N(CH2CH2.N(CH2PO3H2)2)2 H

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaClO4	25°C	0.10M	M		K(Ca+H2L)=4.39 K(Ca+H3L)=3.47 K(Ca+H4L)=2.91 K(Ca+H5L)=2.59	1987ZGa (68398)	1424

K(Ca+H6L)=1.99

Ca++	gl	oth/un	25°C	0.10M	U		K(Ca+H2L)=4.39 K(Ca+H3L)=3.47	1984ZGa (68399)	1425
------	----	--------	------	-------	---	--	----------------------------------	-----------------	------

$$K(\text{Ca}+\text{H}_4\text{L})=2.91$$

Ca++	gl	KCl	20°C 0.10M U	K1=6.64	1968Tia (68400)1426
				K(Ca+HL)=4.96	
				K(Ca+H2L)=3.36	
				K(CaL+H)=9.34	
				K(CaHL+H)=7.77	

Ca++	gl	KCl	25°C 0.10M U	K1=7.11	1967KDa (68401)1427
				K(Ca+H1L)=5.42	
				K(Cu+H2L)=4.49	
				K(Cu+H3L)=4.04	
				K(Cu+H4L)=3.11	

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	1.0M	C			K1=4.16 B(CaHL)=8.63 B(CaH2L)=12.00 B(Ca2L)=6.47	1991DDb	(68501)1428

Ca++	gl	none	25°C	0.0	C	K1=5.38	1990CDc (68502)1429
						B(CaHL)=10.11	
						B(CaH2L)=13.55	
						B(Ca2L)=8.29	

Ca++ con none 25°C 0.0 U K1=3.74 1984TWa (68503)1430

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++ gl oth/un 25°C 0.0 U K1=1.42 B2=2.99 1955LUa (68692)1432

C10H7NO2 HL CAS 86-59-9 (873)
Quinoline-8-carboxylic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl oth/un 25°C 0.0 U K1=1.20 B2=3.93 1955LUa (68747)1433

C10H8N2 L 2,2'-Bipyridyl CAS 366-18-7 (25)
2,2'-Bipyridine; (C5H4N)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ cal KCl 25°C 0.25M U H K1=-0.04 1997MKb (69460)1434
DH(K1)=-17 kJ mol⁻¹; DS=-57 J K⁻¹ mol⁻¹

Ca++ gl oth/un 25°C 0.20M U TIH K1=0.0 1993DGa (69461)1435
DH(K1)=21 kJ mol⁻¹, DS(K1)=71 J K⁻¹ mol⁻¹. Data for 5-45 C, 0.20-
0.75 M CaCl₂

Ca++ sp alc/w 25°C 95% U K1=1.97 1993GSa (69462)1436
Medium: 95% w/w EtOH/H₂O, 0.05 M Et₄NC₁₀4, by competitive spectrophotometry

Ca++ sp non-aq 25°C 100% U I K1=2.71 B2=4.81 1992GSa (69463)1437
K3=1.00
Medium: MeCN. In acetone:K1=2.00, K2=0.66; in MeOH:K1=1.66, K2=0.90

Ca++ gl KCl 25°C 0.25M U T H K1=-0.05 1985CRa (69464)1438
K1=0.09(10 C);K1=-0.19(40 C).
DH=-15.9 kJ mol⁻¹,DS=-54 J mol⁻¹ K⁻¹

C10H8O5S H3L DHNSA (877)
2,3-Dihydroxynaphthalene-6-sulfonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO₃ 25°C 0.10M U K1=5.21 B2=7.92 1984NHa (69829)1439

C10H9NO3S H2L CAS 49608-51-7 (8280)
4,5-Dihydro-2-(2-hydroxyphenyl)-4-thiazolecarboxylic acid,
Deazademethyl-desferrithiocin;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO₃ 25°C 0.10M C K1=3.56 1990ARa (70164)1440

C10H9NO₈ H2L CAS 83785-11-9 (685)
2-Nitro-1,4-di(carboxymethoxy)benzene; O₂N.C₆H₃.(OCH₂COOH)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	con	oth/un	25°C	0.10M	U		K1=3.46	1985TZa (70229)	1441
Ca++	gl	oth/un	30°C	?	U		K1=3.49	1985TZa (70230)	1442

C10H9O2Br		HL					CAS 4023-81-8	(1182)	
4-Bromo-1-phenyl-1,3-butanedione; Br.C6H4.CO.CH2.CO.CH3									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	diox/w	20°C	75%	M T		K1=7.93 B2=13.09	1980GMd (70430)	1443

C10H9O4P		H2L					CAS 1136-89-6	(1931)	
1-Naphthyl-phosphoric acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl	25°C	0.15M	U		K1=1.223	1990KLb (70460)	1444

C10H10N2O3S		H2L					CAS 76045-30-2	(7218)	
Desferri-ferrithiocin, 2-(3-Hydroxypyridin-2-yl)-4-methyl-4,5-dihydrothiazole-4-carboxylic acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	C		K1=4.65 B2= 7.25	1990ARa (70554)	1445

C10H10O2		HL					Benzoylacetone CAS 93-91-4	(197)	
1-Phenylbutane-1,3-dione; C6H5.CO.CH2.CO.CH3									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	diox/w	20°C	17%	C		K1=6.03 B2=10.65	1976JWa (70693)	1446

C10H10O6		H2L					CAS 5411-14-3	(2394)	
1,2-Phenylenedioxodiethanoic acid; C6H4(O.CH2.CO.OH)2									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaClO4	25°C	0.10M	U		K1=3.1	1968SMb (70841)	1447

C10H11NO4		H2L					CAS 1137-73-1	(2567)	
N-Phenyliminodiethanoic acid; C6H5.N(CH2.CO.OH)2									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	cal	KNO3	25°C	0.1M	C	H		1991ANa (70986)	1448
DH(K1)=6.7 kJ mol-1									

Ca++ cal KNO3 25°C 0.10M U K1=1.5 1991Aa (70987)1449
DH(K1)=6.69 kJ mol-1, DS(K1)=50.21 J K-1 mol-1

Ca++ gl KCl 30°C 0.10M U K1=1.5 1957TBc (70988)1450

Ca++ gl KCl 20°C 0.10M U K1=1.5 1955SAa (70989)1451

Ca++ EMF KCl 20°C 0.10M U K1=0.6 1947SWa (70990)1452
Method: H electrode

C10H11N04S H3L (3928)
N-(2'-Mercaptophenyl)iminodiethanoic acid; HS.C6H4.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 20°C 0.10M U K1=2.79 ? 1963IFb (71020)1453

C10H11N05 H3L CAS 100844-86-8 (2108)
N-(2-Hydroxyphenyl)iminodiethanoic acid; HO.C6H4.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 20°C 0.10M U K1=6.27 1963IFb (71033)1454
K(Ca+HL)=3.21

C10H11N05S H2L (3929)
N-(2-Thenoylmethyl)iminodiethanoic acid; C4H3S.CO.CH2.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M U K1=4.26 1965AUa (71058)1455

C10H11N07S H3L (3335)
N-(2-Sulfophenyl)iminodiethanoic acid; HO3S.C6H4.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ EMF KCl 20°C 0.10M C K1=4.57 1947SWa (71064)1456
Method: H electrode

C10H11N07S H3L (3336)
N-(3-Sulfophenyl)iminodiethanoic acid; HO3S.C6H4.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ EMF KCl 20°C 0.10M C K1=1.26 1947SWa (71071)1457
Method: H electrode

C10H11N07S H3L (3337)

N-(4-Sulfophenyl)iminodiethanoic acid; H03S.C6H4.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	EMF	KCl	20°C	0.10M	C			K1=0.95	1947SWa (71074)	1458
------	-----	-----	------	-------	---	--	--	---------	-----------------	------

Method: H electrode

C10H12N2O2 HL CAS 89314-29-4 (8507)

2-[(4-Methylphenyl)hydrazono]-propanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	alc/w	30°C	40%	M	M		K1=3.79 B2= 6.20	1995RRe (71188)	1459
------	----	-------	------	-----	---	---	--	------------------	-----------------	------

K(CaL+A)=4.07
K(CaL+en)=5.76
K(CaL+pro)=3.05
K(CaL+B)=2.75

Medium: 40% v/v EtOH/H2O, 0.10 M KNO3. K(CaL+ala)=2.40, K(CaL+gly)=1.25.
H2A is catechol, HB is hydroxyproline.

Ca++	gl	alc/w	30°C	40%	M	M			1995RRe (71189)	1460
------	----	-------	------	-----	---	---	--	--	-----------------	------

K(Ca(phe)+L)=2.88

K(CaA+L)=2.00

Medium: 40% v/v EtOH/H2O, 0.10 M KNO3. H2A is salicylic acid.

C10H12N2O4 H2L CAS 16598-05-3 (967)

2-Pyridylmethyliniminodiethanoic acid; C5H4N.CH2.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	NaNO3	20°C	0.10M	C	H		K1=4.91	1981ANb (71237)	1461
------	----	-------	------	-------	---	---	--	---------	-----------------	------

DH1=-6.3 kJ mol⁻¹ DS1=72.4 J K⁻¹ mol⁻¹

Ca++	gl	KCl	25°C	0.10M	U			K1=4.80 B2=7.72	1966SIb (71238)	1462
------	----	-----	------	-------	---	--	--	-----------------	-----------------	------

Ca++	gl	KNO3	20°C	0.10M	U			K1=4.92	1963IFc (71239)	1463
------	----	------	------	-------	---	--	--	---------	-----------------	------

C10H12N4O6 H2L Xanthosine CAS 5968-90-1 (1176)

3,9-Dihydro-9-ribofuranosyl-1H-purine-2,6-dione;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KNO3	25°C	0.10M	U	M			1990RRa (71457)	1464
------	----	------	------	-------	---	---	--	--	-----------------	------

K(Ca(Histidine)+H+L)=2.82
B(CaH2L(histamine))=7.90
B(CaH2L(catechol))=5.62
K(Ca(Gly)+H+L)=2.72

Ca++	gl	NaNO3	25°C	0.10M	C				1989KTa (71458)	1465
------	----	-------	------	-------	---	--	--	--	-----------------	------

K(Ca+H-1L) < 0.6

```

-----
Ca++      gl  KNO3   35°C 0.10M C    M                      1985RRh (71459)1466
                                     K(Ca+HL)=2.21
                                     K(Ca(gly)+HL)=2.6
                                     K(Ca(his)+HL)=2.76
                                     K(Ca+HL+HA)=5.45
K(Ca+HL+B)=8.22. H2A is catechol, H2B is oxalic acid.
-----
Ca++      gl  KNO3   35°C 0.10M U    M                      1983RRb (71460)1467
                                     K(Ca+HL)=2.21
                                     K(Ca+2HL)=5.15
                                     K(CaGly+H2L=CaHLGly+H)=2.6
-----
Ca++      gl  KNO3   25°C 0.10M U T H                      1983RRc (71461)1468
                                     K(Ca+2HL)=5.16
At 5 C: K=6.01; 35 C: 5.15; 45 C: 5.56
-----
Ca++      gl  KNO3   45°C 0.10M U    M                      1979RRb (71462)1469
                                     K(Ca+HL+TetraMeen)=5.21
                                     K(Ca+HL+Sulphosalicylate)=2.22
-----
Ca++      gl  KNO3   45°C 0.10M U    M                      1979RRb (71463)1470
                                     K(Ca+HL+bpy)=6.42
-----
Ca++      gl  KNO3   25°C 0.10M U T                      1978RRa (71464)1471
                                     K(Ca+HL)=2.37
*****
C10H12N4O6          HL                      CAS 40281-74-1 (3910)
Purin-6-one 9-riboside N(1)-oxide    (Inosine N(1)-oxide)
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values          Reference ExptNo
-----
Ca++      sp  NaClO4 25°C 0.10M U                      K1=1.5          1965SIa (71506)1472
*****
C10H12O2          HL                      CAS 1946-74-3 (202)
3-Isopropyltropolone;
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values          Reference ExptNo
-----
Ca++      dis NaClO4 25°C 0.10M U                      K1=2.77    B2=4.54    1962DYa (71560)1473
-----
Ca++      gl  diox/w 30°C 50% U                      K1=5.2    B2=8.8    1954BFb (71561)1474
-----
Ca++      gl  diox/w 30°C 50% U                      K1=5.4    B2=9.0    1954BFb (71562)1475
*****
C10H13N2O11P      H3L    Orotidylic acid CAS 68244-58-6 (6665)
Orotidine-5'-monophosphoric acid, uridine-5-carboxylic acid-5-monophosphoric acid;
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values          Reference ExptNo
-----

```

Ca++ gl NaNO3 25°C 0.10M M K1=1.76 1991BSc (71786)1476
K(CaH-1L+H)=8.77

Ca++ gl NaNO3 25°C 0.10M M I 1991BSd (71787)1477
K(CaL+H)=8.77
K(Ca+HL)=1.76

In 30% v/v dioxan/H2O: K(Ca+HL)=2.36, K(CaL+H)=9.15.

In 50% v/v dioxan/H2O: K1=2.76, K(CaL+H)=9.27

C10H13N3O7 H3L (3912)

1,3-Dimethyluramil-N,N-diethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 20°C 0.10M U K1=8.13 B2=13.53 1963IFb (71801)1478

C10H13N4O8P H3L IMP CAS 131-99-7 (843)

Inosine-5'-monophosphoric acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M C M K1=1.52 2001AAa (71845)1479

Also data for ternary complexes with MOPSO, TAPSO and ACES.

Ca++ gl NaNO3 25°C 0.10M M 1994SMb (71846)1480

K(Ca+HL)=1.50

*K(CaHL)=-8.62

C10H13N4O9P H3L (3930)

Inosine-5'-monophosphoric acid N(1)-oxide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp NaClO4 25°C 0.10M U 1965SIa (71881)1481

K(Ca+HL)=2.0

C10H13N5O4 L Adenosine CAS 58-61-7 (2154)

Adenosine, Adenine-9-beta-D-ribofuranoside;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ nmr non-aq 21°C 100% U K1=0.81 1973SFa (71934)1482

Medium : (CH3)2SO

C10H13N5O5 HL Guanosine CAS 118-00-3 (1402)

2-Aminopurin-6-one-9-ribose;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M C T HM 1988KR a (71995)1483

K(Ca+HL)=1.75
K(CaHL+HL)=3.54

Also data at 15, 35 and 45 C. DH(CaHL)=+13; DS=76. DH(CaH2L2)=+9.5; DS=100
Also ternary complexes with bpy, phen and 5-sulfosalicylic acid

Ca++ nmr non-aq 21°C 100% U 1973SFa (71996)1484
K(Ca+HL)=1.06

Ca++ nmr oth/un 37°C var U 1972JMa (71997)1485
K(Ca+HL)=1.23

C10H14N5O6PS H2L AMPS CAS 19341-57-2 (8152)
Adenosine-5'-monothiophosphoric acid, 5-Thioadenylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaNO3	25°C	0.10M	M		K1=1.27	1997SSg (72145)	1486

Ca++ gl KNO3 25°C 0.10M U K1=1.27 1995SSe (72146)1487

C10H14N5O7P H2L AMP-2 CAS 81012-86-4 (2437)
Adenosine-2'-monophosphoric acid, 2-Adenylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	C	T	K1=1.88	1991SMa (72173)	1488

IUPAC evaluation

Ca++ gl NaNO3 25°C 0.10M U K1=1.43 1989MSf (72174)1489

Ca++ gl KNO3 40°C 0.10M U T H K1=1.81 1967TMf (72175)1490
K1=1.87(0.4 C),1.85(12 C),1.83(25 C). At 25 C: DH(K1)=-2.5 kJ mol⁻¹, DS=27

C10H14N5O7P H2L AMP-3 CAS 84-21-9 (2438)
Adenosine-3'-monophosphoric acid, 3-Adenylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	C	T	K1=1.85	1991SMa (72220)	1491

IUPAC evaluation

Ca++ gl NaNO3 25°C 0.10M U K1=1.36 1989MSf (72221)1492

Ca++ gl KNO3 40°C 0.10M U T H K1=1.78 1967TMf (72222)1493
K1=1.86(0.4 C),1.84(12 C),1.80(25 C). At 25 C: DH(K1)=-2.5 kJ mol⁻¹, DS=27

Ca++ gl KNO3 25°C 0.10M U K1=1.80 1962TMa (72223)1494

C10H14N5O7P H2L AMP-5 CAS 18422-05-4 (842)
Adenosine-5'-monophosphoric acid, 5-Adenylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaNO3	25°C	0.10M	M		K1=1.48 K(CaL+H)=4.5 K(Ca+HL)=-0.2	2003BSa (72364)	1495
Ca++	gl	KNO3	25°C	0.10M	C	M	K1=1.85 K(CaL+A)=1.35 B(CaLA)=3.20 K(CaL+B)=2.82 B(CaLB)=4.67 K(CaL+C)=3.89, B(CaLC)=5.74, K(CaL+D)=2.35, B(CaLD)=4.20. HA=MOPS, HB=POPSO, HC=HEPPSO and HD=AMPSO.	2001AOa (72365)	1496
Ca++	gl	KNO3	25°C	0.10M	C	M	K1=1.85 K(CaL+A)=4.26 B(CaLA)=6.11 K(CaL+B)=4.03 B(CaLB)=5.88 HA=ACES, HB=MOPSO. Also data for CHES, TAPSO and DIPSO.	2000ADa (72366)	1497
Ca++	gl	NaNO3	25°C	0.10M	M		K1=1.48	1996SSd (72367)	1498
Ca++	gl	R4N.X	25°C	0.10M	C	TIH R	K1=1.92 IUPAC evaluation. DH(K1)=4.2 kJ mol ⁻¹ (tentative). 37 C, I=0.15 M: K1=1.68	1991SMa (72368)	1499
Ca++	gl	NaNO3	25°C	0.10M	U		K1=1.46	1989MSf (72369)	1500
Ca++	gl	KNO3	25°C	0.10M	U	M	K1=2.30	1988MBa (72370)	1501
Ca++	gl	NaNO3	25°C	0.10M	C		K1=1.46	1988SMb (72371)	1502
Ca++	gl	NaClO4	25°C	0.10M	C	H	K1=2.03 DH(K1)=4.23 kJ mol ⁻¹ , DS=53 J K ⁻¹ mol ⁻¹	1987SCa (72372)	1503
Ca++	ISE	oth/un	25°C	0.0	C		K1=2.59 Method: Ca ion selective electrode. Self medium, pH 9.1.	1976KRb (72373)	1504
Ca++	gl	KNO3	40°C	0.10M	U	T H	K1=1.83 K1=1.88(0.4 C), 1.87(12 C), 1.85(25 C). At 25 C: DH(K1)=-2.5 kJ mol ⁻¹ , DS=27 J	1967TMf (72374)	1505
Ca++	gl	NaClO4	25°C	0.10M	U		K1=1.39	1964SBa (72375)	1506
Ca++	gl	KNO3	25°C	0.10M	U		K1=1.85	1962TMa (72376)	1507
Ca++	ix	NaCl	23°C	0.10M	U		K1=1.76	1958WAa (72377)	1508
Ca++	gl	KCl	20°C	0.10M	U		K1=1.41	1956MSa (72378)	1509

Ca++ gl R4N.X 25°C 0.20M U K1=1.43 1956SAa (72379)1510
Medium: 0.2 M n-Pr4NCl

C10H14N5O8P H2L CAS 4061-78-3 (3931)

Adenosine-5'-monophosphoric acid N(1)-oxide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaClO4 25°C 0.10M U 1964SBa (72519)1511

K(Ca+HL)=1.43

K(CaL+H) > 10.93

By spectrophotometry: K1 < 3.00

C10H14N5O8P H3L GMP-5 CAS 85-32-5 (2947)

Guanosine-5'-monophosphoric acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M C M K1=1.54 2001AAa (72568)1512

Also data for ternary complexes with MOPSO, TAPSO and ACES.

Ca++ gl NaNO3 25°C 0.10M M 1994SMb (72569)1513

K(Ca+HL)=1.53

*K(CaHL)=-9.01

Ca++ gl NaNO3 25°C 0.10M C K1=1.53 1988MSd (72570)1514

K(Ca+HL)=1.53

C10H15NO6 H3L (3915)

N-(1'-Carboxycyclopentyl)iminodiethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 20°C 0.10M U K1=8.22 1966IMa (72667)1515

C10H15N2O8P H2L TMP-5 CAS 365-07-1 (2949)

Thymidine-5'-monophosphoric acid, Thymidylic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M C T 1991SMa (72690)1516

K(Ca+HL)=1.86

IUPAC evaluation

Ca++ gl NaNO3 25°C 0.10M C 1988MSa (72691)1517

K(Ca+HL)=1.40

C10H15N4O14P3 H5L ITP CAS 35908-31-7 (2148)

Inosine 5'-triphosphoric acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaNO3	25°C	0.10M	C			K(Ca+HL)=3.93 K(CaHL+H)=4.95 K(Ca+H2L)=2.4 For pyrimidine nucleoside 5'-triphosphoric acid, K1=3.84, K(Ca+HL)=2.2, K(CaL+H)=4.85	2001SBc (72744)	1518
Ca++	gl	R4N.X	25°C	0.10M	C	T		K(Ca+HL)=4.14	1991SMa (72745)	1519
IUPAC evaluation										
Ca++	gl	NaClO4	25°C	0.10M	C			K(Ca+HL)=3.73	1977SIc (72746)	1520
Ca++	gl	KNO3	25°C	0.10M	U T			K(Ca+HL)=3.41 K(35 C)=3.59, K(45 C)=3.37	1973TRb (72747)	1521
Ca++	ix	NaCl	23°C	0.10M	U			K(Ca+HL)=3.76	1958WAa (72748)	1522

C10H15N5O10P2 H3L ADP CAS 20398-34-9 (2181)										
Adenosine-5'-diphosphoric acid;										
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaNO3	25°C	0.10M	M			K1=2.95 K(CaL+H)=4.95 K(Ca+HL)=1.5	2003BSa (72906)	1523
Ca++	gl	KNO3	25°C	0.10M	C	M		K1=2.86 K(CaL+A)=3.05 B(CaLA)=5.91 K(CaL+B)=3.72 B(CaLB)=6.58 K(CaL+C)=2.16, B(CaLC)=5.02. HA=POPSO, HB=HEPPSO and HC=AMPSO.	2001A0a (72907)	1524
Ca++	gl	KNO3	25°C	0.10M	C	M		K1=2.86 K(CaL+A)=6.90 B(CaLA)=9.76 K(CaL+B)=3.78 B(CaLB)=6.64 K(CaL+C)=3.60, B(CaLC)=6.46. HA=ACES, HB=MOPSO, HC=CHES. Also data for TAPSO and DIPSO.	2000ADa (72908)	1525
Ca++	gl	NaNO3	25°C	0.10M	C	M		K1=2.86 K(CaL+A)=3.06	2000KHa (72909)	1526

B(CaLA)=5.92

H2A=salicylhydroxamic acid.

Ca++	gl	KNO3	25°C	0.10M	U		K1=2.96	1995SBa (72910)1527
Ca++	gl	R4N.X	25°C	0.10M	C	TIH R	K1=3.08 K(Ca+HL)=1.65	1991SMa (72911)1528
IUPAC evaluation. 37 C, 0.15 NaCl, K1=2.85, K(Ca+HL)=1.52								
Ca++	gl	KNO3	25°C	0.10M	U	M	K1=2.91	1988MBa (72912)1529
Ca++	gl	NaCl04	25°C	0.10M	C	H	K1=2.90 B(CaHL)=7.00	1987SCa (72913)1530
DH(K1)=13.80 kJ mol ⁻¹ , DS=101 J K ⁻¹ mol ⁻¹								
Ca++	gl	KNO3	22°C	0.25M	U		K1=2.18	1984GKa (72914)1531
Ca++	gl	KNO3	40°C	0.10M	U	T H	K1=2.80 K(Ca+HL)=1.54	1967TMf (72915)1532
K1=2.91(0.4 C), 2.88(12 C), 2.86(25 C); K=1.61(0.4 C), 1.60(12 C), 1.58(25 C). At 25 C: DH(K1)=-5.0 kJ mol ⁻¹ , DS=38 J K ⁻¹ mol ⁻¹ ; DH(Ca+HL)=-2.5, DS=21								
Ca++	sp	oth/un	30°C	0.10M	U		K1=3.34	19640Pa (72916)1533
Medium: 0.1 M buffer N-ethylmorpholine+HCl								
Ca++	oth	R4N.X	23°C	0.06M	U		K1=2.93	1962AMa (72917)1534
Method: interferometer. Medium: 0.06 M Me4NCl, 0.05(HOCH2)3.CNH2 In 0.06 Me4NCl, 0.05 CH3COO ⁻): K(Ca+HL)=1.52								
Ca++	gl	KNO3	25°C	0.10M	U		K1=2.86 K(Ca+HL)=1.58	1962TMa (72918)1535
Ca++	sp	R4N.X	25°C	0.10M	U		K1=2.86	1959BUa (72919)1536
Medium: Bu3EtNBr								
Ca++	ix	NaCl	23°C	0.10M	U		K1=2.82	1958WAa (72920)1537
Ca++	ix	oth/un	23°C	0.10M	U		K1=2.84	1957NAc (72921)1538
Ca++	gl	KCl	20°C	0.10M	U		K1=2.78	1956MSa (72922)1539
Ca++	gl	R4N.X	25°C	0.20M	U		K1=2.81 K(Ca+HL)=1.52	1956SAa (72923)1540
Ca++	ix	oth/un	37°C	0.10M	U		K1=3.74	1953SNa (72924)1541

C10H16N2O2 L (7408)								
N-(2-Pyridylmethyl)iminodiethanol; C5H4N.CH2.N(CH2CH2.OH)2								

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

 Ca++ gl KNO3 25°C 0.10M C K1=1.0 1986DSa (73033)1542

C10H16N2O3S HL Vitamin H CAS 58-85-5 (410)

D-Biotin (Coenzyme R);

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Ca++ nmr NaClO4 27°C 3.00M U K1=-1.4 1982SSb (73046)1543

Medium: D2O

C10H16N2O8 H4L EDDS CAS 52759-67-8 (1100)

1,2-Diaminoethane-N,N'-di-1,4-butanedioic acid; (CH2.NH.CH(COOH)CH2.COOH)2

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Ca++ gl KNO3 25°C 0.50M U K1=4.40 1990KLa (73093)1544

K(Ca+HL)=1.05

DH(K1)=3 kJ mol⁻¹, DS=94.3 J K⁻¹ mol⁻¹

 Ca++ gl KNO3 25°C 0.10M U K1=4.58 1989VZc (73094)1545

K(Ca+HL)=1.44

 Ca++ gl KNO3 25°C 0.10M U K1=4.23 1971GBc (73095)1546

K(Ca+HL)=2.45

K(Ca+CaL)=1.95

 Ca++ gl KNO3 20°C 0.10M U K1=4.72 1968MJa (73096)1547

K(Ca+HL)=1.65

C10H16N2O8 H4L EDTA CAS 60-00-4 (120)

1,2-Diaminoethane-N,N,N',N'-tetraethanoic acid, Sequestic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Ca++ gl NaClO4 37°C 0.10M U K1=10.75 1992GHa (73445)1548

Method: coulometric titration

 Ca++ gl NaCl 37°C 0.15M C K1=9.36 1984DMb (73446)1549

 Ca++ gl R4N.X 25°C 0.15M C T H K1=10.75 1983AMb (73447)1550

Medium: 0.15-0.77 M Me4NCl. At 10 C, K1=11.03.

DH(K1)=-25.1 kJ mol⁻¹, DS(K1)=121 J K⁻¹ mol⁻¹.

 Ca++ EMF KCl 20°C 0.10M C K1=11.0 1981SFa (73448)1551

Method: Pt/H2 electrode.

 Ca++ ISE NaCl 25°C 0.10M U K1=10.93 1979CMb (73449)1552

 Ca++ gl KNO3 20°C 0.10M U K1=10.69 1978NLb (73450)1553

Ca++	dis none	25°C	0.0 U	K1=11.0	1977MFb (73451)1554
Measured by liquid chromatography on a chelating resin					
Ca++	cal KNO3	25°C	0.5M U IH	K1=9.95 DH1= 29.46 kJ/mol	1976VBc (73452)1555
For 15 C: K1=10.15, DH1=30.84; 35 C: K1=9.81, DH1=28.12 for 25 C and I=0.3 M K1=10.03; for 25 C and I=1.0 M K1=9.75					
Ca++	cal KNO3	25°C	0.3M U TI	DH(K1)=-29.0 kJ mol ⁻¹	1976VBe (73453)1556
For 1.0 M KNO3 DH1=-30.9 kJ/mol; For 0.3 M KNO3 and 35 C DH1=-27.4 kJ/mol 15 C DH1=-30.4;					
Ca++	gl KNO3	25°C	0.10M U	K1=10.73 K(Ca+HL)=3.42	1975APc (73454)1557
Ca++	gl R4N.X	25°C	0.50M M	K1=10.28 K(Ca+HL)=3.53 K(CaL+H)=3.47	1975CSb (73455)1558
Ca++	ISE KNO3	25°C	0.10M U	K1=10.78	1973HRa (73456)1559
Ca++	gl NaClO4	20°C	0.10M U	K1=10.85	1970AMa (73457)1560
Ca++	gl KNO3	25°C	1.0M U	K1=9.68	1968KSa (73458)1561
Ca++	nmr oth/un	20°C	0.20M U	K(CaL+Ca)=1.1 K(Ca3L=Ca+Ca2L)=0.4	1968LWa (73459)1562
Medium: EDTA. Method: NMR					
Ca++	oth KNO3	20°C	0.10M U	K1=11	1965JMb (73460)1563
Method: electrophoresis					
Ca++	gl KNO3	20°C	0.10M U	K(Ca+HL)=3.51	1964ANa (73461)1564
Ca++	EMF KCl	25°C	0.10M U	K1=10.57	1964PCa (73462)1565
Method: H electrode					
Ca++	cal KNO3	20°C	0.10M U H	DH(K1)=-27.4 kJ mol ⁻¹ , DS=113 J K ⁻¹ mol ⁻¹	1963ANf (73463)1566
Ca++	gl KCl	30°C	0.10M U	K1=10.59	1963GHa (73464)1567
Ca++	gl KNO3	25°C	0.10M U T H	K1=10.42 K1=10.94(0.5 C), 10.62(13.4 C), 10.11(42.4 C). DH(K1)=-33 kJ mol ⁻¹ , DS=92	1960BMc (73465)1568
Ca++	ix oth/un	?	0.30M U	K1=10.45	1960MSb (73466)1569

B(Ca2L)=12.52

Ca++ cal none 25°C 0.0 U H K1=11.0 1957JAb (73467)1570
DH(K1)=-23.8 kJ mol-1, DS=130 J K-1 mol-1

Ca++ ix none ? 0.0 U K1=11.31 1957KFa (73468)1571

Ca++ ISE NaNO3 22°C 0.10M U T K1=10.85 1957SAb (73469)1572

Ca++ gl oth/un 20°C 0.17M U H 1956CSb (73470)1573
DH(K1)=-27.0 kJ mol-1; DG=-60.00 to -61.46; DS=115 J K-1 mol-1

Ca++ EMF oth/un 25°C 0.0 U H 1956MAa (73471)1574
Method: H electrode. DH(K1)=-13 kJ mol-1; DG=-62.8; DS=176 J K-1 mol-1

Ca++ EMF NaClO4 25°C 0.10M U K1=10.7 1956SRb (73472)1575

Ca++ cal oth/un 25°C 0.05M U H 1954CHa (73473)1576
Medium: Ca(NO3)2. DH(K1)=-24.2 kJ mol-1, DS=130 J K-1 mol-1

Ca++ EMF oth/un 20°C 0.0 U H K1=11.0 1954CMb (73474)1577
Method: H electrode. DH(K1)=-10.5 kJ mol-1, DS=176 J K-1 mol-1

Ca++ EMF KCl 20°C 0.10M U T K1=10.59 1954SGa (73475)1578
K(Ca+HL)=3.51

Method: H electrode

C10H16N2O8 H4L CAS 63501-20-2 (2583)

meso-2,3-Diaminobutane-N,N'-di(1,3-propanedioic acid)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M U K1=5.70 1978SGc (74358)1579
K(Ca+HL)=1.72
K(Ca+CaL)=2.05

C10H16N2O9 H4L CAS 616-90-0 (2615)

Bis-(2-aminoethylether)-N,N'-di(1,3-propanedioic acid); ((HOOCC)2CH.NH.CH2.CH2)2O

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M U K1=5.13 1979KBd (74371)1580
K(Ca+HL)=2.79

C10H16N2O11P2 H4L CAS 491-97-4 (7674)

Thymidine-5'-diphosphoric acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.10M M 1999SSa (74384)1581

$$K(\text{Ca+HL})=2.94$$

C10H16N5O13P3 H4L ATP CAS 56-65-5 (403)
Adenosine-5'-triphosphoric acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	C	M	K1=3.97 K(CaL+A)=3.03 B(CaLA)=7.00 K(CaL+B)=3.42 B(CaLB)=7.39	2001A0a	(74572)1582

K(CaL+C)=2.62, B(CaLC)=6.59.
HA=POPSO, HB=HEPPSO and HC=AMPSO.

Ca++	gl	KNO3	25°C	0.10M	C	M	K1=3.97 K(CaL+A)=3.45 B(CaLA)=7.42 K(CaL+B)=3.80 B(CaLB)=7.77	2000ADa	(74573)1583
------	----	------	------	-------	---	---	---	---------	-------------

K(CaL+C)=3.46, B(CaLC)=7.43, K(CaL+D)=3.40, B(CaLD)=7.37.
HA=ACES, HB=MOPSO, HC=CHES, HD=DIPSO. Also data for TAPSO.

Ca++	gl	NaNO3	25°C	0.10M	C	M	K1=4.05 K(CaL+A)=3.35 B(CaLA)=7.40	2000KHa	(74574)1584
------	----	-------	------	-------	---	---	--	---------	-------------

H2A=salicylhydroxamic acid.

Ca++	gl	R4N.X	25°C	0.10M	C	TIH	R K1=4.24 K(Ca+HL)=2.16	1991SMa	(74575)1585
------	----	-------	------	-------	---	-----	----------------------------	---------	-------------

IUPAC evaluation. DH(K1)=14.2 kJ mol⁻¹, DH(Ca+HL)=7.9
37 C, 0.15 NaCl: K1=3.99, K(Ca+HL)=2.21

Ca++	gl	KCl	25°C	0.10M	U	M	K1=3.31 B(Ca(OH)L)=6.54 B(CaL(NTA))=9.23	1990DSb	(74576)1586
------	----	-----	------	-------	---	---	--	---------	-------------

Ca++	gl	NaNO3	25°C	0.50M	U	TI	K1=4.10 B(CaHL)=8.88 B(CaH2L)=12.52 B(Ca2L)=4.92 B(MgCaL)=5.51	1988GDa	(74577)1587
------	----	-------	------	-------	---	----	--	---------	-------------

At 25 C, I=0, K1=5.6, B(CaHL)=10.7, B(CaH2L)=14.4, B(Ca2L)=7.0, B(MgCaL)=
7.7. At 37 C, I=0.16 M, K1=4.1, B(CaHL)=8.8, B(CaH2L)=12.3, B(Ca2L)=4.9.

Ca++	gl	NaClO4	25°C	0.10M	C	H	K1=3.70 B(CaHL)=8.55	1987SCa	(74578)1588
------	----	--------	------	-------	---	---	-------------------------	---------	-------------

DH(K1)=13.45 kJ mol⁻¹, DS=116 J K⁻¹ mol⁻¹

Ca++	gl	NaNO3	25°C	0.10M	C		K1=3.91	1987STb	(74579)1589
------	----	-------	------	-------	---	--	---------	---------	-------------

$$K(\text{CaL}+\text{H})=4.76$$

Ca++ gl oth/un 25°C 0.25M U H K1=3.70 B2=4.21 1986RSa (74581)1591
B(CaHL)=8.37
B(CaH2L)=11.75

Medium: 0.06 M N-tris(hydroxymethyl)methyl-2-aminoethane sulfonic acid buffer, pH 7.45. In 0.06 M imidazole/HCl buffer, pH 7.45, $K_{\text{eff}}=3.33$.

Ca++ nmr R4N.X 22°C 0.10M U K(Ca+H3L)=2.36 1985PHb (74584)1594

Ca++ oth oth/un RT dil C K1=3.48 1980KRB (74586)1596
Method: effect of [Ca++] on ATP exchange activity. Medium: not stated.

Ca++	gl	KN03	35°C 0.10M C	K1=3.91 K(Ca+HL)=2.16	1979MTb (74588)1598
------	----	------	--------------	--------------------------	---------------------

Ca++ gl NaCl 25°C 0.12M U M K1=3.71 1978RMc (74590)1600
K(CaL+DOPA)=2.32

Medium: 0.1 M Me₄NClO₄

Ca++ ISE oth/un 25°C 0.0 U K1=6.37 1972MRb (74592)1602
K(CaL+Ca)=3.04

Ca++	sp	oth/un	25°C	0.02M	U	K1=3.9 K(Ca+HL)=1.0	1971HRa (74593)1603
Medium: 0.015 M CaCl ₂ , 0.02 M H ₄ L. Raman spectra							

Ca++	ix	KCl	25°C	0.10M	U	K1eff=3.26	1971YBa (74594)1604
pH=7.4. At pH 8.5: K1eff=3.73							

Ca++	gl	KNO ₃	40°C	0.10M	U T H	K1=3.94 K(Ca+HL)=2.13	1966TMb (74595)1605
K1=4.10(0.4 C),3.99(12 C),3.97(25 C); K=2.34(0.4 C),2.21(12 C),2.13(25 C). At 25 C:DH(K1)=-3.8(?) kJ mol ⁻¹ ,DS=50(?) J K ⁻¹ mol ⁻¹ ; DH(Ca+HL)=-1.3, DS=37							

Ca++	gl	R4N.X	30°C	0.10M	U	K1=4.51	1964OPa (74596)1606
Medium: Et ₄ NBr							

Ca++	sp	oth/un	30°C	0.10M	U	K1=4.49	1964OPa (74597)1607
Medium: N-ethylmorpholine buffer							

Ca++	oth	R4N.X	23°C	0.06M	U	K1=3.88	1962AMa (74598)1608
Method: interferometer. Medium: 0.06 M Me ₄ NCl,0.05(HOCH ₂) ₃ .CNH ₂ With 0.06 Me ₄ NCl,0.05 CH ₃ COO ⁻ : K(Ca+HL)=1.45							

Ca++	gl	KNO ₃	25°C	0.10M	U	K1=3.97 K(Ca+HL)=2.13	1962TMb (74599)1609

Ca++	sp	NaCl	25°C	0.10M	U	K1=3.90	1961NAa (74600)1610

Ca++	gl	R4N.X	25°C	0.10M	U	K1=3.92	1961NAa (74601)1611
Medium: Et ₄ NBr. By ion exchange: K1=3.97							

Ca++	sp	R4N.X	25°C	0.10M	U	K1=3.45	1959BUa (74602)1612
Medium: Bu ₃ EtNBr							

Ca++	ix	NaCl	23°C	0.10M	U	K1=3.77	1958WAa (74603)1613

Ca++	ix	oth/un	23°C	0.10M	U H	K1=3.14	1957NAc (74604)1614
DH(K1)=19.1 kJ mol ⁻¹ , DS=120 J K ⁻¹ mol ⁻¹							

Ca++	gl	KCl	20°C	0.10M	U	K1=3.60 K(Ca+HL)=1.8	1956MSa (74605)1615

Ca++	gl	R4N.X	25°C	0.20M	U	K1=3.29 K(Ca+HL)=1.61	1956SAa (74606)1616
Medium: 0.2 M n-Pr ₄ NCl							

Ca++	ix	oth/un	37°C	0.10M	U	K1=4.06	1953SNa (74607)1617

C10H16N5O14P3 H5L GTP CAS 86-01-1 (404)							
Guanosine-5'-triphosphoric acid;							

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaNO3	25°C	0.10M	C		K(Ca+HL)=3.96 K(CaHL+H)=5.15 K(Ca+H2L)=2.6	2001SBc (74865)	1618

Ca++	gl	R4N.X	25°C	0.10M	C	T	K(Ca+HL)=4.14	1991SMa (74866)	1619
------	----	-------	------	-------	---	---	---------------	-----------------	------

IUPAC evaluation

Ca++	gl	NaClO4	25°C	0.10M	C		K(Ca+HL)=3.73	1977SIc (74867)	1620
------	----	--------	------	-------	---	--	---------------	-----------------	------

Ca++	gl	KNO3	25°C	0.10M	U T		K(Ca+HL)=4.92	1973TRb (74868)	1621
------	----	------	------	-------	-----	--	---------------	-----------------	------

K(35 C)=5.01, K(45 C)=4.85

Ca++	ix	NaCl	23°C	0.10M	U		K(Ca+HL)=3.58	1958WAa (74869)	1622
------	----	------	------	-------	---	--	---------------	-----------------	------

C10H16O8P2 H4L (6907)

1,2-Diphosphinoethane-P,P,P'P'-tetraethanoic acid;

(HOOC.CH2)2P.CH2.CH2.P(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaClO4	25°C	0.10M	C		K1=3.20 B(CaHL)=8.58 B(CaH2L)=12.80	1992PPb (74939)	1623

Ca++	gl	NaClO4	25°C	0.10M	C		K1=3.20 B(CaHL)=8.58 B(CaH2L)=12.80	1982PPc (74940)	1624
------	----	--------	------	-------	---	--	---	-----------------	------

C10H17NO4 H2L CAS 2848-06-8 (3916)

N-(Cyclohexyl)iminodiethanoic acid; C6H11.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	20°C	0.10M	U		K1=3.34	1963IFb (74969)	1625

C10H17NO5 H2L CAS 6243-06-7 (3326)

N-(2-Hydroxycyclohexyl)iminodiethanoic acid; HO.C6H10.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U		K1=5.19	1955ASb (74984)	1626

C10H17N05 H2L (3917)

N-(Tetrahydropyran-2-ylmethyl)iminodiethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 20°C 0.10M U K1=4.86 1963IFa (74996)1627

C10H17N08S HL (1735)

2-(5-Carboxy-1,2,3,4-tetrahydroxypentyl)4-carboxythiazolidine,
Galactocarboxythiazolidine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl04 25°C 0.10M C K1=1.61 1992GNa (75011)1628

C10H17N2014P3 H3L TTP CAS 365-08-2 (402)

Thymidine-5'-triphosphoric acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M C T 1991SMa (75043)1629

K(Ca+HL)=4.16

IUPAC evaluation

Ca++ gl NaNO3 25°C 0.10M C 1987STb (75044)1630

K(Ca+HL)=3.85

Ca++ gl NaCl04 25°C 0.10M U 1977SIc (75045)1631

K(Ca+HL)=3.78

C10H17N306S H3L Glutathione CAS 70-18-8 (333)

Glutamyl-cysteinyl-glycine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl04 25°C 0.10M U TIH K1=6.245 2001SGd (75100)1632

Data for 0.05-0.2 M NaCl04 and 15-45 C. DH(K1)=-28.4 kJ mol⁻¹, DS(K1)=-31
J K⁻¹ mol⁻¹. At I=0, K1=6.580. Also data for MeOH/H2O, EtOH/H2O, DMF/H2O.

Ca++ gl NaCl04 37°C 0.15M U M K1=3.84 1976TWa (75101)1633

B(CaHL)=12.89

B(CaH2L)=20.68

B(CaH-1L)=-6.46

*K1=-9.40

B(CaZnH-1L)=4.0

C10H17N6012P3 H4L CAS 4209-30-7 (4795)

Adenyl-5'-yl-imidodiphosphoric acid; adenosine-0.PO(OH).O.PO(OH).NH.PO(OH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Ca++ gl R4N.X 20°C 0.10M M T H K1=4.58 1976PSe (75166)1634
 K(Ca+HL)=2.68
 Medium: 0.1 M Me4NClO4. At 0 C: K1=4.83, K(Ca+HL)=2.86. DH(K1)=-19 kJ mol⁻¹,
 DS=7 J K⁻¹ mol⁻¹; DH(Ca+HL)=-14, DS=1

Ca++ ix KCl 25°C 0.10M U K1eff=4.07 1971YBa (75167)1635
 pH=8.5

 C10H18N2O4 H2L CAS 124125-60-6 (914)
 1,5-Diazacyclooctane-N,N'-diethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	cal	NaClO4	25°C	0.10M	U	H	K1=5.0	1985EHa (75198)1636	
DH(K1)=-5.8 kJ mol ⁻¹ , DS=85.5 J K ⁻¹ mol ⁻¹									

 C10H18N2O4S H2L (6638)
 1-Thia-4,7-diazacyclononane-N,N'-diethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	C		K1=5.01	1993WLa (75212)1637	

 C10H18N2O5 H2L (5608)
 1-Oxa-4,7-diazacyclononane-N,N'-diethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U		K1=5.36	1990CCa (75226)1638	

Ca++	cal	NaClO4	25°C	0.10M	U	H	K1=5.0	1985EHa (75227)1639	
DH(K1)=-11.3 kJ mol ⁻¹ , DS=58.8 J K ⁻¹ mol ⁻¹									

 C10H18N2O7 H3L HEDTA CAS 150-39-0 (392)
 N-(Hydroxyethyl)diaminoethane-N,N',N'-triethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaClO4	30°C	0.10M	U		K1=7.88	1981MMc (75304)1640	

Ca++	gl	NaClO4	20°C	0.10M	U		K(Ca+HL)=8.55	1970AMa (75305)1641	
------	----	--------	------	-------	---	--	---------------	---------------------	--

 Ca++ cal KNO3 25°C 0.10M U H 1965WHa (75306)1642
 DH(K1)=-27.2 kJ mol⁻¹, DS=62.7 J K⁻¹ mol⁻¹

Ca++	gl	KNO3	15°C	0.10M	U	T H	K1=8.56	1961MFb (75307)1643	
K1=8.51(20 C), 8.43(25 C), 8.35(30 C), 8.30(35 C), 8.24(40 C)									

DH(K1)=-22.6 kJ mol⁻¹(25C), DS=83.7 J K⁻¹ mol⁻¹

Ca++ gl KCl 20°C 0.10M U K1=8.14 1959KR a (75308)1644
K(Ca+HL)=1.38

Ca++ gl KCl 30°C 0.10M U K1=8.0 1955CM a (75309)1645

C10H18N4O6 H2L (4504)
Hexanoic acid bis(3-hydroxycarbamoyl-methyl)amide; HONHCOCH2NHCO(CH2)4CONHCH2CONHOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.20M C K1=2.68 1999FE a (75565)1646
B(CaHL)=11.08

C10H18O8 H2L CAS 32775-08-9 (240)
1,12-Dicarboxy-2,5,8,11-tetraoxadodecane; (HOOC.CH2.O.CH2.CH2.O.CH2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M U K1=2.14 1974MS a (75615)1647

C10H18O8 HL CAS 172606-56-3 (7617)
Methyl-3-O-(2-carboxyethyl)-alpha-D-glucopyranoside;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ISE KCl 25°C 0.10M C K1=1.89 1995BB f (75623)1648
Method: calcium ion selective electrode.

C10H19N04 H2L (3328)
N-(3,3-Dimethylbutyl)iminodiethanoic acid; (CH3)3C.CH2.CH2.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 20°C 0.10M U K1=3.68 1955SA a (75634)1649

C10H19N04 H2L CAS 56024-52-5 (6065)
N-Hexyliminodiethanoic acid; CH3.(CH2)5.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl oth/un 25°C 0.10M C K1=4.60 B2=8.00 1975MR b (75644)1650

C10H19N05 H2L CAS 62117-06-0 (6064)
N-(6-Hydroxyhexyl)iminodiethanoic acid; HO.(CH2)6.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl oth/un 25°C 0.10M C K1=4.0 B2=7.10 1975MR a (75646)1651

C10H19N3O4 H2L (8095)
1,4,7-Triazacyclononane-1,4-diethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 1.0M U K1=5.30 2000LKc (75653)1652

C10H20N2O4 H2L CAS 5578-84-7 (5914)
N,N-Dihydroxydecanediamide; HN(OH).CO.(CH2)8.CO.NH(OH)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.10M C K1=4.94 1989EHa (75794)1653

C10H20N2O6 H2L (7208)
1,2-Diaminoethane-N,N'-bis(3-hydroxy-2-butanoic acid)); (CH2NHCH(COOH)CH(OH)CH3)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 20°C 0.10M U K1=3.45 1970DKa (75830)1654

C10H20N2O6 H2L CAS 96817-35-5 (4755)
1,2-Diaminoethane-N,N'-bis(4-hydroxy-2-butanoic acid);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp oth/un 20°C 0.10M U K1=3.45 1972DKa (75841)1655

C10H20N2O6 H2L CAS 5616-21-7 (3330)
N',N'-Di-(2-hydroxyethyl)diaminoethane-N,N-diethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl oth/un 25°C 0.10M U K1=5.7 1953KPb (75850)1656

C10H20O5 L 15-Crown-5 CAS 33100-27-5 (576)
1,4,7,10,13-Pentaoxacyclopentadecane; cyclo(-(O.CH2.CH2)5-)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ISE alc/w 25°C 100% C IH T K1=2.2 2003ADa (75948)1657
IUPAC Tentative. Medium: 0-0.1 M various. DH(K1)=-8 kJ mol-1

Ca++ con mixed 25°C 20% C K1=4.10 2003SIa (75949)1658
Medium: 20% w/w propylene carbonate/ethylene carbonate.

Ca++ nmr non-aq 27°C 100% C K1=5.41 2000SMg (75950)1659
Medium: acetonitrile. Method: competitive 7Li nmr technique.

Ca++ cal non-aq 25°C 100% U H T K1=4.01 1993BDb (75951)1660
Medium: acetone. DH=-35.2 kJ mol⁻¹; TDS=-12.4

Ca++ cal non-aq 25°C 100% C H K1=>5 1992BSc (75952)1661
Medium: propylene carbonate. DH(K1)=-33.9 kJ mol⁻¹.

Ca++ cal alc/w 20°C 100% U H K1=2.46 1988SVb (75953)1662
Medium: EtOH, CaCl₂. DH(K1)=-26.8 kJ mol⁻¹; for Ca(NO₃)₂: K1=2.06; DH=-14.7

Ca++ con alc/w 25°C 100% C K1=2.42 1987CBd (75954)1663
Medium: methanol.

Ca++ ISE alc/w 25°C 100% U K1=2.36 1983GGa (75955)1664
Medium: MeOH

Ca++ cal alc/w 25°C 100% U H T K1=2.18 1980LIa (75956)1665
Medium: MeOH. DH=-6.07 kJ mol⁻¹.

C10H₂₂N₂O₃ L Cryptand 2,1 CAS 31249-95-3 (835)
4,7,13-Trioxa-1,10-diazacyclopentadecane (Trioxa(2,1)cryptand);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp non-aq 20°C 100% U K1=4.82 1992PSa (76293)1666
Medium: DMF, 0.01 M Me₄NI

Ca++ ISE alc/w 25°C 100% U K1=3.1 1988CFa (76294)1667
Medium: MeOH

Ca++ cal alc/w 25°C 100% U H K1=2.56 1986BUa (76295)1668
Medium: MeOH. DH(K1)=-4.3 kJ mol⁻¹; DS=34 J K⁻¹ mol⁻¹

C10H₂₂N₄O₄ H₂L CAS 66650-98-4 (1587)
3,6,9,12-Tetraazatetradecanedioic acid; (HOOC.CH₂.NH.CH₂.CH₂.NH.CH₂-)₂

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl 25°C 0.15M C K1=3.17 1990JKa (76429)1669
B(CaH-1L)=-8.19

C10H₂₂O₅ L Tetraglyme CAS 143-24-8 (121)
2,5,8,11,14-Pentaoxapentadecane; (CH₃.O.CH₂.CH₂.O.CH₂.CH₂-)₂

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ cal non-aq 25°C 100% U H K1=2.49 1993BDb (76434)1670
Medium: acetone. DH=-26.8 kJ mol⁻¹; TDS=-12.7

Ca++ con non-aq 25°C 100% C H K1=2.43 1992BSc (76435)1671
Medium: propylene carbonate. By calorimetry, DH(K1)=-30.6 kJ mol⁻¹,

DS(K1)=-56.4 J K⁻¹ mol⁻¹.

Ca++ con non-aq 25°C 100% C K1=3.0 1992MSe (76436)1672
Medium: 100% MeOH. Anion: picrate. Also data for nitrophenolate anions.

C10H24O6P2 H4L CAS 5943-21-5 (3920)

Decane-1,10-diphosphonic acid; H2O3P.(CH2)10.PO3H2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 1.0M U K1=<1 1962IMb (76713)1673
K(Ca+HL) < 1

C10H26N2O12P4 H8L CAS 28698-30-8 (3342)

N,N,N',N'-Tetra(phosphomethyl)cyclohexane-1,2-diamine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl oth/un 25°C 0.10M U K1=5.49 1959BYa (76753)1674

C10H26N4 L Spermine CAS 71-44-3 (291)

4,9-Diazadodecane-1,12-diamine; (H2N.CH2.CH2.CH2.NH.CH2.CH2.)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl 25°C 0.0 C K1=1.07 1999SFc (76790)1675
K(Ca+HL)=0.23
K(Ca+H2L)=-0.15
K(Ca+H3L)=-0.8

Extrapolated from data for 0.03-0.96 M NaCl using the Pitzer equation.

C10H26N4O6P2 H4L CAS 200951-96-8 (7643)

1,4,7,10-Tetraazacyclododecane-1,7-bis(methanephosphonic acid);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M C K1=9.0 1998BRa (76800)1676
*K(CaL)=-8.5

C10H26N4S4 L CAS 55677-43-5 (1178)

1,1,2,2-Tetramercaptoethylamine-ethane; (CH(S.CH2.CH2.NH2)2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaClO4 25°C 0.10M U 1976CJa (76814)1677
K(Ca+H2L)=3.86

C11H8O3 H2L CAS 92-70-6 (1130)

2-Hydroxy-3-naphthoic acid (3-Hydroxy-2-naphthoic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	30°C	0.15M	U	IH	K1=3.25	1976SSc (77106)	1678

C11H8O3S		HL					CAS 32267-05-3	(3353)	
2-Furoyl-2-thenoylmethane; C4H3O.CO.CH2.CO.C4H3S									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	diox/w	30°C	75%	U		K1=6.72 B2=12.70	1953UFe (77152)	1679

C11H8O4		HL					CAS 7555-37-5	(4812)	
3-Acetyl-4-hydroxycoumarin									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	diox/w	35°C	50%	U		K1=1.96 B2=3.69	1971MAa (77166)	1680
Medium: 50% dioxan, 0.01 M NaClO4									

C11H9NO2		HL					CAS 92609-55-3	(4827)	
5-Acetyl-8-hydroxyquinoline;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	diox/w	25°C	60%	U		K1=3.71 B2=6.75	1973SCd (77325)	1681
Medium: 60% dioxan, 0.1 M NaClO4									

C11H9NO2S		HL					CAS 29556-13-6	(1450)	
N-Phenyl-2-thenoylhydroxamic acid; C4H3SCON(C6H5)OH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	diox/w	25°C	70%	U		K1=6.92 B2=12.69	1992DAc (77344)	1682
For N-m-Cl derivative, K1=7.02, K2=5.87; for N-p-Cl, K1=7.25, K2=6.05.									

C11H9NO3		HL					CAS 1137-48-0	(1449)	
N-Phenyl-2-furylhydroxamic acid; C4H3O.CO.N(C6H5).OH									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	diox/w	25°C	70%	U		K1=6.70 B2=12.24	1992DAc (77386)	1683
For N-p-tolyl derivative, K1=7.40, K2=6.20, for N-m-Cl, K1=6.84, K2=5.68; for N-p-Cl, K1=7.10, K2=5.89.									

C11H9NO4		H2L					CAS 4321-82-7	(4829)	
3-Acetyl-4-hydroxycoumarin oxime;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	diox/w	35°C	50%	U			1971MAa (77408)	1684

K(Ca+HL)=2.33
K(Ca+2HL)=4.35

Medium: 50% dioxan, 0.01 M NaClO4

C11H10N2O L (7591)

4'-(Imidazol-1-yl)acetophenone;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.50M M K1=-0.09 1998KSa (77664)1685

C11H11NO6 H3L CAS 1147-65-5 (425)

N-(2'-Carboxyphenyl)iminodiethanoic acid; HOOC.C6H4.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ EMF KCl 20°C 0.10M U K1=5.06 1947SWa (77812)1686

Method: H electrode

C11H11NO6 H3L (3357)

N-(3-Carboxyphenyl)iminodiethanoic acid; HOOC.C6H4.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ EMF KCl 20°C 0.10M C K1=1.46 1947SWa (77842)1687

Method: H electrode

C11H11NO6 H3L CAS 86363-45-6 (3358)

N-(4-Carboxyphenyl)iminodiethanoic acid; HOOC.C6H4.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ EMF KCl 20°C 0.10M C K1=1.3 1947SWa (77847)1688

Method: H electrode

C11H11N2O2Br HL (9228)

3-[4-Bromophenylazo]penta-2,4-dione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl alc/w 25°C 0.1M U K1=6.38 2004GMc (77872)1689

Medium: 0.1 mol/L KCl in 3:7 EtOH/H2O mixture

C11H11N2O2Cl HL (9229)

3-[4-Chlorophenylazo]penta-2,4-dione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl alc/w 25°C 0.1M U K1=6.23 2004GMc (77884)1690

Medium: 0.1 mol/L KCl in 3:7 EtOH/H2O mixture

C11H11N2O2I HL (9227)
3-[4-Iodophenylazo]penta-2,4-dione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl alc/w 25°C 0.1M U K1=6.62 2004GMc (77895)1691
Medium: 0.1 mol/L KCl in 3:7 EtOH/H2O mixture

C11H11N3O4 HL (9230)
3-[4-Nitrophenylazo]penta-2,4-dione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl alc/w 25°C 0.1M U K1=5.77 2004GMc (77955)1692
Medium: 0.1 mol/L KCl in 3:7 EtOH/H2O mixture

C11H11O2F HL CAS 38440-21-0 (2906)
1-(4-Fluorophenyl)-1,3-pentanedione; F.C6H4.CO.CH2.CO.CH2.CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl diox/w 20°C 75% M T K1=8.49 B2=13.80 1980GMd (77964)1693

C11H12N2O2 HL Tryptophan CAS 73-22-3 (3)
2-Amino-3-(3-indolyl)propanoic acid; H2N.CH(CH2.C8H6N)COOH

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M U M K1=2.23 1988MBa (78159)1694

Ca++ gl KNO3 35°C 0.10M C M K1=2.01 1983KSc (78160)1695
K(CaHA+L)=2.89

A is adenine.

C11H12N2O2 HL (9226)
3-[Diphenylazo]penta-2,4-dione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl alc/w 25°C 0.1M U K1=6.92 2004GMc (78246)1696
Medium: 0.1 mol/L KCl in 3:7 EtOH/H2O mixture

C11H12N2O5S HL CAS 56475-09-3 (8410)
3-(4'-Sulfofenylhydrazo)-pentane-2,4-dione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M U T K1=6.30 2005ACa (78312)1697
For 35 C K1=6.20; for 45 C K1=6.10

 C11H12N2O6 H2L (3942)
 N-(2-Nitrobenzyl)iminodiethanoic acid; O2N.C6H4.CH2.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KNO3	25°C	0.10M	U			K1=2.93	1962ANa (78333)	1698
------	----	------	------	-------	---	--	--	---------	-----------------	------

C11H12N2O6 H2L CAS 76268-69-4 (3943)
 N-(4-Nitrobenzyl)iminodiethanoic acid; O2N.C6H4.CH2.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KNO3	25°C	0.10M	U			K1=2.53	1962ANa (78336)	1699
------	----	------	------	-------	---	--	--	---------	-----------------	------

C11H12N2O7 H3L CAS 76268-70-5 (3360)
 N-(2-Hydroxy-5-nitrobenzyl)iminodiethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KCl	20°C	0.10M	U			K1=6.44 K(Ca+HL)=1.93	1952SAb (78340)	1700
------	----	-----	------	-------	---	--	--	--------------------------	-----------------	------

C11H12O2 HL CAS 4023-79-4 (305)
 1-(4-Methylphenyl)butane-1,3-dione; CH3.C6H4.CO.CH2.CO.CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	diox/w	20°C	75%	M T			K1=8.32 B2=13.63	1980GMd (78370)	1701
------	----	--------	------	-----	-----	--	--	------------------	-----------------	------

C11H12O9 H3L CAS 69065-58-3 (2714)
 1,2,4-Trihydroxy-3,4,5-trimethoxycarbonylcyclopentadiene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	NaClO4	25°C	0.10M	C T			DH(Ca+HL)=-11.7 kJ mol ⁻¹	1978MSh (78425)	1702
------	----	--------	------	-------	-----	--	--	--------------------------------------	-----------------	------

Data obtained from three lgK values at 15, 25 and 35 C.

 C11H13N04 H2L (3364)
 N-2-Tolyliminodiethanoic acid; CH3.C6H4.N(CH2COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KCl	30°C	0.10M	U			K1=1.2	1957TBb (78545)	1703
------	----	-----	------	-------	---	--	--	--------	-----------------	------

C11H13N04 H2L CAS 3987-53-9 (966)
 N-Benzyliminodiethanoic acid; C6H5.CH2.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	oth/un	?	?	U	K1=3.4	1975DTa (78575)1704
Ca++	gl	KCl	30°C	0.10M	U	K1=3.26	1966SHc (78576)1705
Ca++	gl	KCl	25°C	0.10M	U	K1=3.17	1966SIb (78577)1706
Ca++	gl	KNO3	25°C	0.10M	U	K1=3.13	1962ANa (78578)1707

C11H13NO5		H2L				CAS 4596-54-7 (3945)	
N-(2'-Methoxyphenyl)iminodiethanoic acid; CH3O.C6H4.N(CH2.COOH)2							
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values Reference ExptNo
Ca++	gl	KNO3	20°C	0.10M	U	K1=2.75	1963IFb (78600)1708

C11H13NO5		H3L		HBIDA		CAS 7372-13-6 (1603)	
N-(2-Hydroxybenzyl)iminodiethanoic acid; HO.C6H4.CH2.N(CH2.COOH)2							
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values Reference ExptNo
Ca++	gl	KCl	20°C	0.10M	U	K1=6.74	1952SAb (78612)1709
K(Ca+HL)=3.00							

C11H13NO6		H4L				CAS 1911-59-2 (4852)	
2,3-Dihydroxybenzyliminodiethanoic acid; (HO)2.C6H3.CH2.N(CH2.COOH)2							
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values Reference ExptNo
Ca++	EMF	oth/un	?	?	U	K(Ca+HL)=6.1	1975DTa (78656)1710

C11H13NO6		H4L				CAS 59036-09-8 (2111)	
2,5-Dihydroxybenzyliminodiethanoic acid; (HO)2.C6H3.CH2.N(CH2.COOH)2							
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values Reference ExptNo
Ca++	gl	oth/un	25°C	0.0	U	K(Ca+HL)=6.15	1970TTb (78671)1711

C11H13NO6		H4L				CAS 31477-66-7 (4853)	
2,6-Dihydroxybenzyliminodiethanoic acid; (HO)2.C6H3.CH2.N(CH2.COOH)2							
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values Reference ExptNo
Ca++	EMF	oth/un	?	?	U	K(Ca+HL)=4.4	1975DTa (78687)1712

C11H13N3O3		H2L				(3363)	
Biacetyl oxime salicyloylhydrazone;							

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       gl  alc/w  20°C  50%  U          B2=4.24      1961VLc (78725)1713
Medium: 50% EtOH, 0.1 M KCl
*****
C11H14N2O4          H2L                      (1880)
N-(6-Methyl-2-pyridylmethyl)iminodiethanoic acid; CH3C5H3NCH2N(CH2COOH)2
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       gl  NaNO3  20°C  0.10M C          K1=3.55      1981ANb (78873)1714
*****
C11H14N4O4          L      Tubercidin          CAS 69-33-0 (6412)
7-Deazaadenosine, Tubercidin;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       gl  NaNO3  25°C  0.50M C          K1=-0.07     2002KSb (78950)1715
-----
Ca++       gl  NaNO3  25°C  0.50M M          K1=0.09      1991JCa (78951)1716
*****
C11H15N4O7P          H2L                      CAS 16719-46-3 (6026)
Tubercidin-5'-monophosphoric acid, 7-Deazaadenosine-5-monophosphoric acid;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       gl  NaNO3  25°C  0.10M C          K1=1.43      1988SMb (79065)1717
                        K(Ca+HL)=0.4
*****
C11H16O8S4          H4L                      CAS 51865-18-0 (1138)
(Propanediylidenetetrathio)tetra-ethanoic acid; ((HOOCH.S)2.CH)2.CH2
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       gl  NaClO4 25°C  0.10M U          K1=3.95      1975JBa (79145)1718
                        K(Ca+HL)=3.81
*****
C11H17NO3          H2L      Isoprenaline          CAS 586-06-1 (3950)
3,4-Dihydroxy-1-(1'-hydroxy-2'-(propylamino)ethyl)benzene;
-----

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++       gl  KCl    25°C  0.10M U T H          K1=4.04      B2= 5.76  1988CVa (79154)1719
Data for 0 and 37 C. DH(K1)=-15.6 kJ mol-1, DS(K1)=25.8 J K-1 mol-1;
DH(K2)=-14.0, DS(K2)=-13.8.
*****
C11H17NO6          H3L                      (3951)
N-(2'-Carboxycyclohexyl)iminodiethanoic acid; HOOCH.C6H10.N(CH2.COOH)2
-----

```

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U		K1=7.66	1966IMa (79163)	1720

C11H17N08S H3L CAS 91649-51-3 (8438)
N,N,S-Tris(carboxymethyl)methionine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	C		K1=4.30 K(Ca+HL)=4.72 *K(CaHL)=-11.42	1984RFd (79171)	1721

C11H18N2O8 H4L PDTA CAS 4408-81-5 (1655)
1,2-Diaminopropane-N,N,N',N'-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U		K1=10.40	1980KBb (79240)	1722
Ca++	gl	KNO3	20°C	0.10M	U		K1=11.58	1978NLb (79241)	1723
Ca++	vlt	KNO3	25°C	1.00M	U		K1eff=7.64	1977HDa (79242)	1724

Keff at pH 7

Ca++	dis	none	25°C	0.0	U		K1=10.0	1977MFb (79243)	1725
------	-----	------	------	-----	---	--	---------	-----------------	------

Measured by liquid chromatography on a chelating resin

Ca++	gl	KCl	25°C	0.10M	U		K1=11.51	1970AIa (79244)	1726
------	----	-----	------	-------	---	--	----------	-----------------	------

DL isomer. For D-isomer, K1=11.52

Ca++	gl	KCl	30°C	0.10M	U		K1=11.47	1963GHa (79245)	1727
------	----	-----	------	-------	---	--	----------	-----------------	------

C11H18N2O8 H4L CAS 4408-81-5 (923)
1,3-Diaminopropane-N,N,N',N'-tetraethanoic acid; ((HOOC.CH2)2N.CH2.)2.CH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.50M	M		K1=11.41 K(Ca+HL)=3.98 K(CaL+H)=3.58	1975CSb (79404)	1728

Ca++	cal	KNO3	20°C	0.10M	U	H		1964ANa (79405)	1729
------	-----	------	------	-------	---	---	--	-----------------	------

DH(K1)=-7.3 kJ mol⁻¹, DS=114 J K⁻¹ mol⁻¹

Ca++	gl	KNO3	20°C	0.10M	U		K1=7.28 K(Ca+HL)=3.16	1964LAa (79406)	1730
------	----	------	------	-------	---	--	--------------------------	-----------------	------

Ca++	EMF	KCl	20°C	0.10M	C		K1=7.12	1948SAa (79407)	1731
------	-----	-----	------	-------	---	--	---------	-----------------	------

$$K(\text{Ca+HL})=3.07$$

Method: H electrode

C11H18N2O9 H4L HDPTA CAS 3148-72-9 (431)

1,3-Diamino-2-hydroxypropane-N,N,N',N'-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	KCl	25°C	0.1M	C		K1=6.79	2000VGB (79517)	1732
------	----	-----	------	------	---	--	---------	-----------------	------

Also for I=0.5 M K1=6.05; for I=1.0 M K1=5.92

Ca++	gl	KNO3	25°C	0.10M	U		K1=6.69	1966TKa (79518)	1733
------	----	------	------	-------	---	--	---------	-----------------	------

$$K(\text{CaL+H})=6.54$$

Ca++	oth	KNO3	20°C	0.10M	U		K1=5.5	1965JMb (79519)	1734
------	-----	------	------	-------	---	--	--------	-----------------	------

Method: electrophoresis

Ca++	gl	KCl	20°C	0.10M	U		K1=6.90	1964DSc (79520)	1735
------	----	-----	------	-------	---	--	---------	-----------------	------

By polarography: K1=6.98

Ca++	gl	KCl	30°C	0.10M	U		K1=6.52	1963GHa (79521)	1736
------	----	-----	------	-------	---	--	---------	-----------------	------

Ca++	gl	KCl	20°C	0.10M	U		K1=6.18	1959KRa (79522)	1737
------	----	-----	------	-------	---	--	---------	-----------------	------

$$K(\text{Ca+HL})=3.20$$

C11H18N2O9 H4L CAS 668-21-1 (2562)

2-Hydroxy-1,3-diaminopropane-N,N'-di(1,4-butanedioic) acid

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	KNO3	25°C	0.10M	U		K1=2.94	1974KGa (79588)	1738
------	----	------	------	-------	---	--	---------	-----------------	------

$$K(\text{Ca+HL})=2.11$$

C11H18N5O12P3 H4L CAS 5085-65-4 (4875)

Adenylylmethylenediphosphoric acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	ix	KCl	25°C	0.10M	U			1971YBa (79639)	1739
------	----	-----	------	-------	---	--	--	-----------------	------

$$K_{\text{leff}}=3.68$$

pH=7.4. At pH 9.2, K_{leff}=4.11

C11H20N2O3 HL Pro-Leu CAS 52899-07-7 (258)

Prolyl-leucine; C4H8N.CO.NH.CH(CH2.CH(CH3)2).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	KCl	20°C	0.20M	U		K1=2.22	1982RRc (79704)	1740
------	----	-----	------	-------	---	--	---------	-----------------	------

C11H20N2O5 H2L (5609)

1-Oxa-4,8-diazacyclodecane-N,N'-diethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	cal	NaCl04	25°C	0.10M	U	H		K1=3.4	1985EHa (79718)	1741
DH(K1)=-3.3 kJ mol ⁻¹ , DS=53.6 J K ⁻¹ mol ⁻¹										

C11H20N4O6		H2L		ICRF	198			CAS 108430-47-3	(8369)	
N,N'-(1-Methyl-1,2-ethanediy)bis[N-(2-amino-2-oxoethyl)glycine];										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaCl	37°C	0.15M	C			K1=6.887 B2= 8.19	1982HMb (79726)	1742
B(CaHL)=9.693										

C11H22O5		L		16-Crown-5				CAS 55477-28-8	(1592)	
1,4,7,10,13-Pentaoxacyclohexadecane; cyclo(-(O.CH2.CH2)5.CH2.CH2-)										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	dis	none	25°C	0.0	C	M			1989TKc (79847)	1743
Method: extraction of metal picrate/L from H2O into benzene.										
K(Ca+2HA(org))+L(org)=CaA2L(org)+2H)=-1.26. HA is picric acid.										

C11H26N3O13P3		H8L						(6909)		
Diethylenetriamine-N,N,N"-tri(methylenephosphonic)-N',N"-diethanoic acid;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	0.10M	U				1984ZGa (79963)	1744
K(Ca+H2L)=3.60										
K(Ca+H3L)=3.13										
K(2Ca+H3L)=7.30										
K(Ca+H4L)=2.27										
K(Ca+H5L)= 1.59; K(2Ca+H2L) = 8.95; K(Ca+H6L)=1.03										

C12H5N7O12		L		Dipicrylamine				CAS 131-73-7	(1942)	
Di(2,4,6-trinitrophenyl)amine; HN(C6H2(NO2)3)2										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	sp	non-aq	20°C	100%	U			K1=5.5	1978JId (80067)	1745
Medium: CH2Cl2										

Ca++	dis	non-aq	25°C	100%	U			K1=2.0 B2=3.0	1969PKb (80068)	1746
Medium: nitrobenzene. K1=1.3(tracer amounts Ca++)										

C12H6O12		H6L		Mellitic acid				(7400)		
Benzenehexacarboxylic acid; (C(COOH))6										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl	25°C	0.0	C			2003CDb (80108)	1747
							Kso(Ca3L)=-21.7 Kso(Ca2H2L)=-26.0		
Extrapolated from values for 0.1-1.0 M Et4NI or NaCl.									

Ca++	ISE	R4N.X	25°C	0	C	I	K1=7.50 B(CaHL)=13.69 B(CaH3L)=22.97 B(CaH4L)=25.8 B(Ca2H2L)=21.96	1996RSb (80109)	1748
------	-----	-------	------	---	---	---	--	-----------------	------

B(Ca3L)=16.25. I=0 to 3 M Et4NI etc.

 C12H8N2 L Phenanthroline CAS 66-71-7 (144)
 1,10-Phenanthroline;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	cal	KCl	25°C	0.25M	U	H	K1=1.11	1997MKb (80371)	1749
DH(K1)=-14.0 kJ mol-1; DS=-26 J K-1 mol-1									

Ca++	sp	alc/w	25°C	95%	U		K1=2.69	1993GSa (80372)	1750
Medium: 95% w/w EtOH/H2O, 0.05 M Et4NClO4, by competitive spectrophotometry									

Ca++	sp	non-aq	25°C	100%	U	I	K1=4.11 K3= 1.94	B2=7.78 1992GSa (80373)	1751
Medium: MeCN. In acetone:K1=3.93, K2=1.57; K3=1.0; in MeOH:K1=2.11, K2=1.21) By fluorimetry									

Ca++	gl	KCl	25°C	0.25M	U	T H	K1=1.09	1985CRa (80374)	1752
K1=1.21(10 C);K1=0.97(40 C). DH=-13.8 kJ mol-1, DS=-25 J mol-1 K-1									

Ca++	gl	KNO3	35°C	0.10M	C		K1=2.20	1979MTb (80375)	1753
------	----	------	------	-------	---	--	---------	-----------------	------

Ca++	gl	NaClO4	25°C	0.10M	C	M	K1=1.11 B(CaL(ATP))=5.63	1978MSd (80376)	1754
------	----	--------	------	-------	---	---	-----------------------------	-----------------	------

Ca++	gl	NaNO3	20°C	0.10M	U		K1=0.7	1963ANg (80377)	1755
***** C12H10N2O3 H3L CAS 69323-27-9 (3971) 2,2',4'-Trihydroxyazobenzene; HO.C6H4.N:N.C6H3(OH)2									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	KCl	rt	0.10M	U			1960DEa (80718)	1756
							K1eff=1.23 (pH 10)		

 C12H11NO2S HL CAS 29556-14-7 (2049)

N-(4-Tolyl)-2-thenoylhydroxamic acid; C₄H₃SCON(OH)C₆H₄CH₃

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	diox/w	25°C	70%	U			K1=7.62 B2=14.08	1992DAc (80832)	1757
------	----	--------	------	-----	---	--	--	------------------	-----------------	------

C12H11N09				H5L				(3975)		
-----------	--	--	--	-----	--	--	--	--------	--	--

N-(2',5'-Dicarboxy-4'-hydroxyphenyl)iminodiethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KNO3	25°C	0.10M	U				1967UKa (80848)	1758
------	----	------	------	-------	---	--	--	--	-----------------	------

K(Ca+HL)=5.45

C12H12N06Cl				H3L				(4004)		
-------------	--	--	--	-----	--	--	--	--------	--	--

(alpha-Carboxy-4'-chlorobenzyl)iminodiethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KCl	20°C	0.10M	U			K1=6.05	1966IMb (80981)	1759
------	----	-----	------	-------	---	--	--	---------	-----------------	------

C12H12N2O3				HL				Nalidixic acid CAS 389-08-2	(1401)	
------------	--	--	--	----	--	--	--	-----------------------------	--------	--

1-Ethyl-1,4-dihydro-7-methyl-4-oxo-1,8-naphthyridine-3-carboxylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	sp	KCl	25°C	0.10M	U			K1=2.2	1978TSb (81062)	1760
------	----	-----	------	-------	---	--	--	--------	-----------------	------

C12H12N2O4Cl2				L				CAS 53-85-0	(8151)	
---------------	--	--	--	---	--	--	--	-------------	--------	--

5,6-Dichloro-1-(beta-D-ribofuranosyl)benzimidazole;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	NaNO3	25°C	0.50M	M			K1=0.00	1998KSd (81098)	1761
------	----	-------	------	-------	---	--	--	---------	-----------------	------

C12H13N05				H2L				CAS 90274-75-2	(3979)	
-----------	--	--	--	-----	--	--	--	----------------	--------	--

N-(2'-Acetylphenyl)iminodiethanoic acid; CH₃.CO.C₆H₄.N(CH₂.COOH)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KNO3	25°C	0.10M	U			K1=4.11	1965AUa (81230)	1762
------	----	------	------	-------	---	--	--	---------	-----------------	------

C12H13N05				H2L				CAS 2847-18-9	(3980)	
-----------	--	--	--	-----	--	--	--	---------------	--------	--

N-(Benzoylmethyl)iminodiethanoic acid; C₆H₅.CO.CH₂.N(CH₂.COOH)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KCl	30°C	0.10M	U			K1=4.70	1966SHc (81237)	1763
------	----	-----	------	-------	---	--	--	---------	-----------------	------

C12H13N06				H3L				CAS 17335-88-5	(3981)	
-----------	--	--	--	-----	--	--	--	----------------	--------	--

1-(Carboxybenzyl)iminodiethanoic acid; C₆H₅.CH(COOH).N(CH₂.COOH)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KCl	20°C	0.10M	U			K1=6.17	1966IMb (81241)	1764
------	----	-----	------	-------	---	--	--	---------	-----------------	------

C₁₂H₁₃N₂O₅Br H₂L (4005)
(2'-(4''-Bromoanilino)-2'-oxoethyl)iminodiethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KCl	30°C	0.10M	U			K1=3.30	1966SHc (81259)	1765
------	----	-----	------	-------	---	--	--	---------	-----------------	------

C₁₂H₁₄O₁₄ H₆L CAS 111451-17-3 (5895)
3,6-Dioxaoctane-1,2,4,5,7,8-hexacarboxylic acid; (CH₂(COOH).CH(COOH).O.CH(COOH)-)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KCl	25°C	0.10M	C			K1=6.82	1989MMd (81412)	1766
------	----	-----	------	-------	---	--	--	---------	-----------------	------

K(CaL+H)=5.39
K(CaHL+H)=4.37
K(CaH₂L+H)=2.83
K(CaH₃L+H)=2.72

K(CaL+Ca)=3.19

C₁₂H₁₅N₄O₄ H₂L CAS 36369-62-7 (4928)
(Phenethylimino)diethanoic acid; C₆H₅.CH₂.CH₂.N(CH₂.COOH)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KCl	20°C	0.10M	U			K1=3.26 B2=5.56	1971KTl (81462)	1767
------	----	-----	------	-------	---	--	--	--------------------	-----------------	------

K(Ca+HL)=1.55

C₁₂H₁₅N₅O₅ H₃L (4930)
1-Hydroxy-4-methylphenyl-2-methyleneiminodiethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	oth/un	25°C	0.0	U			K1=6.13	1970TTb (81492)	1768
------	----	--------	------	-----	---	--	--	---------	-----------------	------

C₁₂H₁₅N₅O₅ H₂L (3982)
N-(2'-Phenoxyethyl)iminodiethanoic acid; C₆H₅O.CH₂.CH₂.N(CH₂.COOH)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KCl	30°C	0.10M	U			K1=3.31	1966SHc (81502)	1769
------	----	-----	------	-------	---	--	--	---------	-----------------	------

C₁₂H₁₅N₅O₅ H₂L CAS 38782-28-4 (6075)
N-(2-Hydroxy-2-phenylethyl)iminodiethanoic acid; HO.CH(C₆H₅)CH₂.N(CH₂.COOH)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	0.10M	C		K1=4.25 B2=7.25	1975MRa (81505)	1770

C12H15NO5 H3L CAS 56042-30-9 (4929)
N-(4-Hydroxyphenethylimino)diethanoic acid; HO.C6H4.CH2.CH2.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U			1971KT1 (81507)	1771

K(Ca+HL)=3.28
K(Ca+2HL)=3.68
K(Ca+H2L)=1.57

C12H16N2O8 H4L (6460)
1,4-Diaminobut-2-yne-N,N,N',N'-tetraethanoic acid;
(HOOC.CH2)2N.CH2.CC.CH2.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	U		K1=3.93	1979TSa (81599)	1772

K(Ca+HL)=3.36
K(Ca+CaL)=3.1

C12H16O4 L CAS 25887-95-6 (686)
2,3-Benzo-1,4,7,10-tetraoxacyclododeca-2-ene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	oth	non-aq	25°C	100%	U		K1=2.57 B2=4.46	1989SSc (81667)	1773

Medium: CH3CN. Ca as Ca(NCS)2; for Ca(ClO4)2: K1=2.91; B2=5.8. Method: IR

Ca++	cal	non-aq	25°C	100%	U	H	K1=3.23	1989SSd (81668)	1774
------	-----	--------	------	------	---	---	---------	-----------------	------

Medium: CH3CN

Ca++	cal	non-aq	25°C	100%	U	H	K1=3.23 B2=4.78	1988SSc (81669)	1775
------	-----	--------	------	------	---	---	-----------------	-----------------	------

Medium: MeCN

Ca++	cal	alc/w	25°C	100%	U	H	K1=0.4 B2=2.0	1988SVa (81670)	1776
------	-----	-------	------	------	---	---	---------------	-----------------	------

C12H17N4O4PS H2L CAS 495-23-8 (895)
Thiamine orthophosphoric acid, Aneurine monophosphoric acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl	23°C	0.15M	U		K1=1.50	1989DBb (81763)	1777

Ca++	gl	KN03	45°C	0.10M	U T		K1=2.61	1981TTa (81764)	1778
------	----	------	------	-------	-----	--	---------	-----------------	------

K(CaL+H)=2.03

5 C: K1 = 2.25

C12H18N4O7P2S H3L Cocarboxylase T CAS 136-09-4 (894)

Thiamine pyrophosphoric acid, Aneurine pyrophosphoric acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl	23°C	0.15M	U		K1=3.60	1989DBb (81931)	1786
Ca++	gl	KNO3	45°C	0.10M	U T		K1=3.32 K(CaL+H)=2.21	1981TTa (81932)	1787
5 C: K1 = 2.53									
Ca++	gl	KNO3	35°C	0.10M	U		K1=3.98 K(Ca+HL)=2.46	1978KBa (81933)	1788

C12H18O8S4 H4L CAS 51865-19-1 (1140)
(Butanediylidenetetraethio)tetraethanoic acid; ((HOOCH2)2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	EMF	NaCl04	25°C	0.10M	U		K1=3.59 K(Ca+HL)=3.96	1975JBa (81963)	1789

C12H19NO6 H3L (3991)
N-(2'-Carboxycycloheptyl)iminodiethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U		K1=8.24	1966IMa (81979)	1790

C12H20N2O8 H4L CAS 1798-13-6 (4935)
1,2-Diaminobutane-N,N,N',N'-tetraethanoic acid;
(HOOCH2)2N.CH2.CH(C2H5).N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	20°C	0.10M	U		K1=11.75	1969NDa (82016)	1791

C12H20N2O8 H4L CAS 40623-42-5 (1101)
1,2-Diaminoethane-N,N'-di(2-pentane-1,5-dioic acid); (CH2NHCH(COOH)CH2CH2COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	20°C	0.10M	U		K1=2.70 K(Ca+HL)=1.0	1973DSc (82049)	1792
Ca++	gl	KNO3	25°C	0.10M	U		K1=2.59 K(Ca+HL)=1.57 K(Ca+CaL)=2.86	1972GBa (82050)	1793

C12H20N2O8 H4L CAS 61368-60-3 (3389)

1,2-Diaminoethane-N,N'-diethanoic-N,N'-di-2-propanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	KNO3	20°C	0.10M	U		K1=10.01	1966MKb (82120)	1794
------	----	------	------	-------	---	--	----------	-----------------	------

Ca++	gl	KCl	30°C	0.10M	U		K1=10.74	1963GHa (82121)	1795
------	----	-----	------	-------	---	--	----------	-----------------	------

C12H20N2O8 H4L CAS 2458-58-4 (922)
1,4-Diaminobutane-N,N,N',N'-tetraethanoic acid; (HOOC.CH2)2N.(CH2)4.N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	NaClO4	25°C	0.50M	M	H	K1=5.18	1985CBa (82199)	1796
------	----	--------	------	-------	---	---	---------	-----------------	------

K(CaL+H)=8.67

K(CaHL+H)=7.45

DH(K1)=1.7 kJ mol⁻¹, DS=105 J K⁻¹ mol⁻¹, DH(CaL+H)=-28.2, DS=71 (by calorim)

Ca++	gl	KNO3	20°C	0.10M	U	H		1964ANa (82200)	1797
------	----	------	------	-------	---	---	--	-----------------	------

K(Ca+CaL)=1.42

By calorimetry: DH(K1)=-3.8(?) kJ mol⁻¹, DS=124 J K⁻¹ mol⁻¹

Ca++	gl	KNO3	20°C	0.10M	U		K1=5.66	1964LAa (82201)	1798
------	----	------	------	-------	---	--	---------	-----------------	------

K(Ca+HL)=3.65

Ca++	EMF	KCl	20°C	0.10M	C		K1=5.05	1948SAa (82202)	1799
------	-----	-----	------	-------	---	--	---------	-----------------	------

K(Ca+HL)=3.45

K(Ca+CaL)=2.0

Method: H electrode

C12H20N2O8 H4L BDTA CAS 868-43-9 (1742)

DL-2,3-Diaminobutane-N,N,N',N'-tetraethanoic acid;

(HOOC.CH2)2N.CH(CH3).CH(CH3).N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	R4N.X	25°C	0.50M	M		K1=13.08	1975CSb (82268)	1800
------	----	-------	------	-------	---	--	----------	-----------------	------

K(Ca+HL)=4.49

K(CaL+H)=3.71

Ca++	gl	KCl	25°C	0.10M	U			1970AIa (82269)	1801
------	----	-----	------	-------	---	--	--	-----------------	------

K1=12.37(DL)

K1=12.33(D)

Ca++	gl	KCl	20°C	0.10M	U		K1=11.49	1966IPa (82270)	1802
------	----	-----	------	-------	---	--	----------	-----------------	------

Ca++	gl	KCl	20°C	0.10M	U		K1=12.34	1963MDa (82271)	1803
------	----	-----	------	-------	---	--	----------	-----------------	------

C12H20N2O8 H4L CAS 63818-08-6 (2584)

meso-2,3-Diaminobutane-N,N'-di(1,4-butanedioic acid);

(CH(CH3).NH.CH(COOH)(CH2.COOH))2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U		K1=5.13 K(Ca+HL)=1.50 K(Ca+CaL)=2.34	1978SGc (82349)	1804

C12H20N2O8 H4L CAS 22968-57-6 (3992)
meso-2,3-Diaminobutane-N,N,N',N'-tetraethanoic acid;
(HOOC.CH2)2N.CH(CH3).CH(CH3).N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U		K1=9.60	1966IPa (82369)	1805
Ca++	oth	KNO3	20°C	0.10M	U		K1=11	1965JMb (82370)	1806

Method: electrophoresis

Ca++	gl	KCl	20°C	0.10M	U		K1=9.67 K(Ca+HL)=2.76	1963MDa (82371)	1807
------	----	-----	------	-------	---	--	--------------------------	-----------------	------

C12H20N2O8S H4L TEDTA CAS 923-74-0 (3394)
2,2'-Thiobis(ethyliminodiethanoic acid); S(CH2.CH2.N(CH2.COOH)2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	20°C	0.10M	U	H	K1=6.21 K(Ca+HL)=3.5	1964ANa (82440)	1808

By calorimetry: DH(K1)=-10.5 kJ mol⁻¹, DS=96.1 J K⁻¹ mol⁻¹

Ca++	gl	KCl	20°C	0.10M	U		K1=6.21 K(Ca+HL)=3.49	1964PCa (82441)	1809
------	----	-----	------	-------	---	--	--------------------------	-----------------	------

C12H20N2O8S2 H4L (3395)
2,2'-Dithiobisethyleneiminodiethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U		K1=4.93 K(CaL+H)=8.70 K(Ca+HL)=4.07 B(Ca2L)=8.00	1988PGb (82484)	1810

Ca++	gl	KCl	20°C	0.10M	U		K1=4.32 K(Ca+HL)=3.41	1964PCa (82485)	1811
------	----	-----	------	-------	---	--	--------------------------	-----------------	------

C12H20N2O8Se H4L (4007)
((2,2'-Selenodiethylene)dinitrilo)tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	0.10M	U		K1=5.12 K(Ca+HL)=3.42	1966KLc (82490)	1812

C12H20N2O9		H4L		EEDTA			CAS 923-73-9	(2112)	
Oxa-bis(ethyleneimino)diethanoic acid; ((HOOC.CH2)2N.CH2.CH2)2O									
Ca++	gl	KN03	20°C	0.10M	U	H	K1=10.0 K(Ca+HL)=4.9	1964ANa (82510)	1814
By calorimetry: DH(K1)=-28.6 kJ mol-1, DS=93.6 J K-1 mol-1									
Ca++	gl	KCl	20°C	0.10M	U		K1=10.05 K(Ca+HL)=4.87	1964PCa (82511)	1815

C12H20N2O10		H4L					CAS 10258-50-1	(3993)	
(2,3-Dihydroxytetramethylenedinitrilo)tetraethanoic acid;									
Ca++	gl	KN03	20°C	0.10M	U		K1=5.73 K(Ca+HL)=4.15 K(CaL+Ca)=3.69	1967DSb (82580)	1816

C12H20N4O6		H2L					(7078)		
1,4,7,10-Tetraazacyclododeca-2,9-dione-4,7-diethanoic acid;									
Ca++	gl	KCl	25°C	0.10M	C		K1=3.51	1995IOa (82620)	1817
Data also for the -tridecane and -pentadecane analogues and others									

C12H20O8N2		H4L					(6908)		
2-Methyl-1,2-diaminopropane-N,N,N'N'-tetraethanoic acid;									
(HOOC.CH2)2N.CH2.C(CH3)2.N(CH2.COOH)2									
Ca++	gl	KN03	20°C	0.10M	C		K1=10.37	1978NLa (82665)	1818

C12H21NO6		H3L					(7209)		
1-Carboxy-1-aminoheptane-N,N-diethanoic acid; HOOC.CH(C6H13)N(CH2.COOH)2									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo

Ca++ gl KNO3 20°C 0.10M U K1=6.47 1985LBc (82689)1819

C12H21N3O6 H3L NOTA (5589)
1,4,7-Triazacyclononane-N,N',N''-triethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.10M C T H K1=8.92 1987BGc (82723)1820
K(CaL+H)=5.06
DH(K1)=-24.7 kJ mol⁻¹. DH(CaL+H)=-3.3; DS=83.7 J K⁻¹ mol⁻¹

Ca++ EMF NaNO3 25°C 0.10M C K1=8.81 1985MBb (82724)1821

C12H22N2O6 H2L (6394)
1,7-Dioxa-4,10-diazacyclododecan-4,10-diethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M C K1=8.50 1992ADa (82787)1822
Medium: 0.1 M Me4NNO3

C12H22N2O6 H2L (6641)
7,10-Diaza-1,4-Dioxacyclododecane-7,10-diethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M C K1=8.12 1992ADa (82801)1823
Medium: 0.1 M Me4NNO3

C12H22N2O6 H3L CAS 73264-08-1 (3390)
N'-n-Butyl-ethylenediamine-N,N,N'-triethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl oth/un 24°C ? U K1=1.6 1956BCa (82813)1824

C12H22N4O6 H2L ICRF 243 (5772)
DL-NN'-Dicarboxamidomethyl-NN'-dicarboxymethyl-2,3-diaminobutane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl 37°C 0.15M U K1=7.256 1985HCa (82831)1825

C12H22N4O6 H2L ICRF 226 CAS 83266-80-2 (8370)
N,N'-(1-Ethyl-1,2-ethanediy)bis[N-(2-amino-2-oxoethyl)glycine];

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl 37°C 0.15M C K1=6.683 1982HMB (82840)1826
B(CaH-1L)=-4.483

C12H22N4O6 H2L ICRF 236 (5771)
meso-NN'-Dicarboxamidomethyl-NN'-dicarboxymethyl-2,3-diaminobutane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl 37°C 0.15M U K1=4.037 1985HCa (82849)1827

C12H22O11 L alpha-Lactose CAS 5989-81-1 (2486)
4-D-Beta-D-Galactopyranosyl-alpha-D-glucose;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ISE KNO3 25°C 0.70M U K1=<-1 1986HAe (82869)1828

C12H22O11 L Trehalose CAS 6138-23-4 (2700)
D-Glucopyranosyl-D-glucopyranoside;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ISE KNO3 25°C 0.70M U K1=<-1 1986HAe (82897)1829

C12H22O12 HL Lactobionic acid CAS 96-82-2 (2487)
4-O-Beta-D-Galactopyranosyl-D-gluconic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ISE KNO3 25°C 0.70M U K1=1.66 1986HAe (82924)1830
Data also for many other mono- and disaccharide acids

C12H23NO4 H2L CAS 56004-53-6 (6067)
N-Octyliminodiethanoic acid; CH3.(CH2)7.N(CH2.COOH)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl oth/un 25°C 0.10M C K1=4.72 B2=8.32 1975MRb (82941)1831

C12H23NO5 L (6793)
10-Methoxycarbonylethyl-1,4,7-trioxa-10-azacyclododecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ cal alc/w 25°C 100% U H K1=2.72 1990KMb (82943)1832
Medium: MeOH. DH=-6.8 kJ mol⁻¹

C12H23N3O5 H2L (6393)
1-Oxa-4,7,10-triazacyclododecan-4,10-diethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M C K1=8.12 1992ADa (82968)1833
B(CaHL)=13.58

Medium: 0.1 M Me4NNO3

C12H23N3O6 H3L (7085)

2,5,8-Triazanonane-2,5,8-triethanoic acid;

CH3N(CH2COOH)CH2CH2N(CH2COOH)CH2CH2N(CH2COOH)CH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M C K1=7.25 1995PRa (83002)1834

C12H24N2O3 L Cryptand 1,1,1 CAS 37095-49-1 (6636)

4,10,15-Trioxa-1,7-diazabicyclo[5.5.5]heptadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp non-aq 20°C 100% U K1=1.3 1992PSa (83017)1835

Medium: DMF, 0.01 M Me4NI

C12H24N2O4 H2L (9225)

5,8-Diaza-4,9-dicarboxydodecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.5M U K1=3.94 2004FCa (83043)1836

K(Ca+HL)=3.53

For 1.0 mol/L KNO3 K1=3.54; K(Ca+HL)=3.19

For 1.5 mol/L KNO3 K1=3.22; K(Ca+HL)=3.06

C12H24N2O12P4 H8L (1351)

1,3-Diaminomethylbenzene-N,N,N',N''-tetra(methylenephosphonic) acid;

C6H4(CH2.N(CH2.PO3H2)2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M M K1=4.26 1982PBa (83057)1837

K(Ca+HL)=3.87

C12H24N3O6P H3L CAS 176446-04-1 (8684)

1,4,7-Triazacyclononane-N-(methylenemethylphosphinic acid)-N',N''-bis(ethanoic acid);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M C T H K1=7.5 1996HSb (83061)1838

At 37 C, K1=7.7.

C12H24N4O4 H2L (7343)

1,4,7,10-Tetraazacyclododecane-1,7-bis(ethanoic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	C		K1=7.16	1998CCb (83076)	1839
Ca++	gl	KCl	25°C	0.10M	C		K1=7.8	1997HTa (83077)	1840

C12H24O4S2		L					CAS 296-39-9	(4938)	
1,4,10,13-Tetraoxa-7,16-dithiacyclooctadecane;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	cal	non-aq	25°C	100%	C	H	K1=2.70	1992BSc (83130)	1841
Medium: propylene carbonate. DH(K1)=-7.7 kJ mol ⁻¹ , DS(K1)=26 J K ⁻¹ mol ⁻¹ .									

C12H24O6		L		18-Crown-6			CAS 17455-13-9	(577)	
1,4,7,10,13,16-Hexaoxacyclooctadecane;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	EMF	alc/w	25°C	100%	C		K1=4.16	2004ZTa (83211)	1842
Medium: 100% methanol, 0.05 M Bu4NC104. Method: Ag electrode, competition with Ag ⁺ ion.									
Ca++	ISE	alc/w	25°C	100%	C	IH T	K1=4.0	2003ADa (83212)	1843
IUPAC Tentative. Medium: 0-0.1 M various. DH(K1)=-11.3 kJ mol ⁻¹ In H2O: K1=0.5. In PC: K1=3.75, DH(K1)=-38.5									
Ca++	con	mixed	25°C	20%	C		K1=4.07	2003SIa (83213)	1844
Medium: 20% w/w propylene carbonate/ethylene carbonate.									
Ca++	nmr	non-aq	27°C	100%	U	I	K1=4.14	2000SMd (83214)	1845
Competitive method by ⁷ Li nmr. Medium: acetonitrile (AN). Also data for 50% w/w AN/nitrobenzene (K1=4.21) and 50% w/w AN/nitromethane (K1=4.34).									
Ca++	con	alc/w	25°C	90%	C	TIH T	K1=2.97	1999SSc (83215)	1846
Medium: 90% w/w MeOH/H2O. Data for 5-40°C. DH(K1)=-8.83 kJ mol ⁻¹ , DS(K1)=27.21 J K ⁻¹ mol ⁻¹ .									
Ca++	cal	non-aq	25°C	100%	C	H	K1=2.58	1999WBa (83216)	1847
Medium: N,N-dimethylformamide. DH(K1)=-1.9 kJ mol ⁻¹ .									
Ca++	cal	mixed	25°C	50%	C	IH	K1=2.77	1998BJb (83217)	1848
Medium: 50% (v/v) HCOOH/H2O. DH(K1)=-7.7 kJ mol ⁻¹ For 25% (v/v) HCOOH/H2O, K1=2.50, DH(K1)=-12.5 kJ mol ⁻¹									
Ca++	cal	non-aq	25°C	100%	U	H T	K1=0.63	1995OKa (83218)	1849
Medium: DMF, 0.1 M NEt4ClO4. DH=-4.6 kJ mol ⁻¹ , DS=-3.3 J K ⁻¹ mol ⁻¹ .									
Ca++	cal	R4N.X	25°C	0.10M	U	H T	K1=0.45	1995OKa (83219)	1850

Medium: 0.1 M NEt₄Cl. DH=-15.3 kJ mol⁻¹, DS=-43.3 J K⁻¹ mol⁻¹.

Ca++ cal non-aq 25°C 100% U H T K1=5.07 1993BDb (83220)1851
Medium: acetone. DH=-38.9 kJ mol⁻¹; TDS=-10.1 Calorimetric titration

Ca++ dis non-aq 25°C 100% U 1993INa (83221)1852
B(CaPL)=7.16

K is the equilibrium constant for extraction of the metal picrate (P) into CH₂Cl₂. For extraction from D₂O, B=7.38.

Ca++ cal non-aq 25°C 100% C H K1=3.68 1992BSc (83222)1853
Medium: propylene carbonate. DH(K1)=-38.5 kJ mol⁻¹, DS(K1)=-59.1 J K⁻¹ mol⁻¹.

Ca++ con oth/un 25°C 0.05M M K1=3.74 1992BUb (83223)1854
K1=3.87 (by calorimetry)

Ca++ con non-aq 25°C 100% C K1=3.81 1992STa (83224)1855
Medium: propylene carbonate.

Ca++ nmr non-aq 30°C 100% U I K1=>5 1991ASc (83225)1856
Medium: nitromethane. In MeCN, K1=3.36.

Ca++ ix none 25°C 0.0 U K1=2.1 1991BMb (83226)1857

Ca++ vlt non-aq 25°C 100% C K1=3.36 1991SSb (83227)1858
Method: competitive complexation with Tl⁺; use of Tl(Hg)/Tl couple.
Medium: acetonitrile, 0.05 M Et₄NClO₄.

Ca++ sp alc/w 25°C 100% U I K1=4.25 1989KSc (83228)1859
In MeOH. In DMF K1=3.03; in DMSO K1=2.49

Ca++ vlt alc/w 25°C 100% C K1=4.40 1987CBd (83229)1860
Medium: methanol, 0.10 M Et₄NI or Bu₄NClO₄. Method: polarography.
Additional method conductivity in methanol: K1=3.96, B(CaL₂)=6.0.

Ca++ cal alc/w 25°C 100% U H 1986BUa (83230)1861
Medium: MeOH. DH(K1)=-11.2 kJ mol⁻¹; DS=36 J K⁻¹ mol⁻¹

Ca++ nmr non-aq 25°C 100% U K1=<1.3 1985BPa (83231)1862
Medium: DMF

Ca++ ISE alc/w 25°C 100% U K1=3.90 1983GGa (83232)1863
Medium: MeOH

Ca++ cal alc/w 25°C 100% U H T K1=3.86 1980LIa (83233)1864
Medium: MeOH. DH=-11.5 kJ mol⁻¹.

Ca++ EMF oth/un 25°C var C T K1=0.48 1979HRa (83234)1865
Method: ISE based on cation exchange membrane. Medium: aqueous,

containing 0.06-0.25 m ligand.

Ca++ nmr oth/un 25°C 0 U IH K1=1.1 1978SKh (83235)1866
Method: NMR Ca-43; Ca as Ca(NO3)2; with CaCl2: K1=0.67. Also at I=0 corr

Ca++ cal alc/w 25°C 70% U H K1=2.51 1976ITa (83236)1867
Medium: 70% w/w MeOH/H2O. DH(K1)=-17.9 kJ mol-1.

Ca++ cal oth/un 25°C 0.10M U T K1=<0.5 1976ITb (83237)1868

C12H26N2O4 L Cryptand 2,2 CAS 23978-55-4 (925)
4,7,13,16-Tetraoxa-1,10-diazacyclooctadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp alc/w 25°C 100% C K1=4.05 2002NFa (83784)1869
Medium: 100% MeOH. Method: electrospray ionization mass spectrometry.

Ca++ sp non-aq 25°C 100% U T H K1=2.40 1994GSb (83785)1870
At 35 C: K1=2.31; 45 C: K1=2.24; 55 C: K1=2.10. DH(K1)=-19 kJ mol-1, DS=-18
Medium: DMSO

Ca++ cal non-aq 25°C 100% U H K1=4.61 1993BDb (83786)1871
Medium: acetone. DH=-29.8 kJ mol-1; TDS=-3.6

Ca++ sp non-aq 20°C 100% U K1=3.63 1992PSa (83787)1872
Medium: DMF, 0.01 M Me4NI

Ca++ sp alc/w 25°C 100% U I K1=3.89 1989KSc (83788)1873
In MeOH. In DMF K1=2.70; in DMSO K1=2.35

Ca++ cal alc/w 25°C 100% U H K1=3.87 1986BUa (83789)1874
Medium: MeOH. DH(K1)=5.6 kJ mol-1; DS=93 J K-1 mol-1

Ca++ gl NaNO3 25°C 0.10M U K1=1.74 1986HBc (83790)1875

Ca++ ISE alc/w 25°C 100% U H K1=3.5 1983CFb (83791)1876
Medium: MeOH, 0.05 M Et4NClO4

Ca++ gl alc/w 25°C 95% C K1=4.04 1981ANa (83792)1877
Medium: 95% MeOH, 0.1 M Me4NCl

C12H26O4S HL SDS CAS 151-21-3 (2522)
Dodecyl sulfate; CH3(CH2)11.OSO3H

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sol oth/un 21°C ? U B2=5.0 1979KBb (83977)1878
B(Ca2L4)=7.0
B(Ca3L6)=7.7

C12H26O6 L Pentaglyme CAS 1191-87-3 (2498)
2,5,8,11,14,17-Hexaoxaoctadecane; (CH3.O.CH2.CH2.O.CH2.CH2.O.CH2.)2

Ca++ cal non-aq 25°C 100% U H K1=2.51 1993BDb (83987)1879
Medium: acetone. DH=-39.8 kJ mol⁻¹; TDS=-25.5

Ca++ con non-aq 25°C 100% C H K1=4.07 1992BSc (83988)1880
Medium: propylene carbonate. By calorimetry, DH(K1)=-38.0 kJ mol⁻¹,
DS(K1)=-50.0 J K⁻¹ mol⁻¹.

Ca++	con oth/un	25°C	0.05M	M	K1=2.29	1992BUB (83989)1881
------	------------	------	-------	---	---------	---------------------

C12H27N3O6P2 H3L CAS 176446-07-4 (8683)
1,4,7-Triazacyclononane-N,N'-bis(methylenemethylphosphinic acid)-N"-ethanoic acid;

Ca++ gl KCl 25°C 0.10M C T K1=6.3 1996HSb (84094)1882
At 37 C, K1=6.6.

C12H28N2O9P2 H4L (7242)
1,4,10-Trioxa-7,13-diazacyclopentadecane-7,13-diylldimethylenediphosphonic acid;

Ca++ gl R4N.X 25°C 0.10M U K1=7.81 1996BJa (84148)1883
K(Ca+HL)=5.27
K(Ca+H2L)=2.18

Medium: 0.1 M Me₄NCl

C12H30N3O6P3 H3L (6467)
1,4,7-Tris(methylenemethylphosphinate)-1,4,7-triazacyclononane;

Ca++ gl KCl 25°C 0.10M C T K1=4.45 1996HSb (84269)1884
At 37 C, K1=4.40.

C12H30N6	L	CAS 296-35-5 (143)
1,4,7,10,13,16-Hexaazacyclooctadecane; cyclo(-(NH.CH2.CH2)6-)		

Ca++ gl NaClO4 35°C 0.20M U H K1=2.5 1980KKb (84319)1885
DH=-28.9 kJ mol⁻¹, DS=-50 J K mol⁻¹

C12H32N4O8P4 H4L (7111)

1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetrayltetramethylenetetakis(phosphinic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	C		K1=9.458 B(CaHL)=13.4 B(CaH-1L)=-3.6	1995BLa (84385)	1886

C12H32N4O12P4 H8L DOTPH CAS 91987-74-5 (229)
1,4,7,10-Tetraazacyclododecane-N,N',N'',N'''-tetramethylenephosphonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	M		K1=11.12 B(CaH4L)=45.65 B(Ca2L)=18.67 B(Ca2HL)= 28.32 B(Ca2H2L)=36.03	1990DSa (84398)	1887

Medium: Me4NNO3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	1.0M	U		K1=10.3 K(Ca+HL)=7.7 K(Ca+H2L)=4.7 K(Ca+H3L)=3.1	1984KMb (84399)	1888

C13H10N2O6S H2L MordentYellow10 CAS 21542-82-5 (1390)
5-(4'-Sulfofophenylazo)salicylic acid; HO3S.C6H4.N:N.C6H3(OH).COOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U		K1=3.10	1964MTc (84933)	1889

C13H10O6 HL CAS 156426-82-3 (8800)
3-Acetoacetyl-7-methyl-2H,5H-pyrano(4,3-b)pyran-2,5-dione;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	non-aq	20°C	100%	C		K(Ca+HL=CaL+H)=1.97 K(CaL+HL=CaL2+H)=1.26	1998FLb (85003)	1890

Method: absorption and fluorescence spectroscopy. Medium: acetonitrile.

C13H11NO5 HL Oxolinic acid CAS 14698-29-4 (2755)
1-Ethyl-6,7-dioxymethylene-quinoline-4-one-3-carboxylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	KCl	25°C	0.10M	U		K1=2.4	1978TSb (85215)	1891

C13H12O5 HL CAS 17426-76-5 (3401)
O,O-Dimethylpurpurogallin

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	diox/w	30°C	50%	U			K1=4.5 B2=8.0	1954BFc (85483)	1892

C13H14NO3P H2L CAS 19316-85-7 (1466)
2-Hydroxyphenyl-N-phenylaminomethylphosphinic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaCl04	20°C	0.10M	U			K1=4.90	1985SIb (85559)	1893

C13H14N3O5P H2L CAS 80767-75-5 (1467)
2-Hydroxy-4-nitrophenyl-N-(2-pyridylmethyl)aminomethylphosphinic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaCl04	20°C	0.10M	U			K1=5.60	1985SIb (85636)	1894

C13H14N3O5P H2L CAS 80767-76-6 (1468)
2-Hydroxy-4-nitrophenyl-N-(3-pyridylmethyl)aminomethylphosphinic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaCl04	20°C	0.10M	U			K1=5.70	1985SIb (85649)	1895

C13H14N4 L CAS 13103-75-8 (473)
4-(2-Pyridylazo)-N,N-dimethylaniline; C5H4N.N:N.C6H4.N(CH3)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	sp	NaNO3	25°C	0.15M	U			K1=0	1953KMa (85675)	1896

C13H15NO6 H3L (4999)
2-Benzylnitritotriethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	oth	oth/un	25°C	0.10M	U			K2=6.29	1962HKa (85731)	1897

C13H15NO6 H3L (4026)
N-(1'-Carboxy-1'-phenylethyl)iminodiethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U			K1=7.46	1966IMa (85749)	1898

C13H15NO6 H3L (4025)

N-(alpha-Carboxy-4'-methylbenzyl)iminodiethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U			K1=6.22	1966IMb (85755)	1899

C13H15N07			H3L					CAS 50444-50-3	(4027)	
N-(alpha-Carboxy-4'-methoxybenzyl)iminodiethanoic acid;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U			K1=6.24	1966IMb (85764)	1900

C13H15N203P			H2L					CAS 80767-72-2	(1460)	
2-Hydroxyphenyl-(N-2-pyridylmethylamino)methylphosphinic acid;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaCl04	20°C	0.10M	U			K1=4.90	1985SIa (85776)	1901

C13H15N203P			H2L					CAS 80767-73-3	(1461)	
2-Hydroxyphenyl-(N-3-pyridylmethylamino)methylphosphinic acid;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaCl04	20°C	0.10M	U			K1=4.82	1985SIa (85789)	1902

C13H15N203P			H2L					CAS 80767-74-4	(1462)	
2-Hydroxyphenyl-(N-4-pyridylmethylamino)methylphosphinic acid;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaCl04	20°C	0.10M	U			K1=4.94	1985SIa (85802)	1903

C13H15N204P			H3L					CAS 80767-78-8	(1463)	
2-Hydroxyphenyl-(N-2-pyridylmethylamino)methylphosphonic acid;										
C6H4(OH)CH(PO3H2).NH.CH2.C5H4N										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaCl04	20°C	0.10M	U			K1=6.10	1985SIa (85815)	1904

C13H15N204P			H3L					CAS 85946-85-6	(1464)	
2-Hydroxyphenyl-(N-3-pyridylmethylamino)methylphosphonic acid;										
C6H4(OH)CH(PO3H2).NH.CH2.C5H4N										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaCl04	20°C	0.10M	U			K1=6.10	1985SIa (85828)	1905

C13H15N2O4P H3L CAS 85946-86-7 (1465)
 2-Hydroxyphenyl-(N-4-pyridylmethylamino)methylphosphonic acid;
 C6H4(OH)CH(PO3H2).NH.CH2.C5H4N

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl04	20°C	0.10M	U		K1=6.15	1985SIa (85841)	1906

C13H17NO5 H2L (5001)
 N-(4-Methoxyphenethylimino)diethanoic acid; CH3O.C6H4.CH2CH2N(CH2COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U		K1=3.39 B2=5.69 K(Ca+HL)=1.58	1971KT1 (85978)	1907

C13H17NO6 H2L CAS 77553-78-7 (6078)
 N-(2-Hydroxy-1-(hydroxybenzyl)-iminodiethanoic acid;
 HO.CH2.CH(CH(OH)(C6H5)).N(CH2.COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl04	25°C	1.0M	C		K1=3.18	1981ASb (85987)	1908

Ca++	gl	oth/un	25°C	0.10M	C		K1=4.07	1975MRa (85988)	1909
------	----	--------	------	-------	---	--	---------	-----------------	------

C13H20N04P H3L (1471)
 2-Hydroxyphenyl-N-(cyclohexylamino)methylphosphonic acid;
 C6H4(OH)CH(PO3H2).NH.C6H11

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl04	20°C	0.10M	U		K1=6.15	1985SIb (86086)	1910

C13H20N2O8 H4L CAS 22991-70-4 (3413)
 trans-1,2-Cyclopentane-iminodiethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	oth/un	20°C	0.10M	U		K1=11.08	1960KGa (86105)	1911

Ca++	gl	KCl	20°C	0.10M	U		K1=11.32 K(Ca+HL)=4.99	1959KR a (86106)	1912
------	----	-----	------	-------	---	--	---------------------------	------------------	------

Ca++	oth	oth/un	20°C	0.10M	U		K1=12.2	1957YSb (86107)	1913
------	-----	--------	------	-------	---	--	---------	-----------------	------

C13H20O8S4 H4L CAS 51865-20-4 (1139)
 (Pentanediyliidenetetraethio)tetra-ethanoic acid; ((HOOCCCH2S)2CHCH2)2.CH2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	ISE	KCl	25°C	0.10M	C		K1=1.94	1995BBf (86384)	1921
------	-----	-----	------	-------	---	--	---------	-----------------	------

Method: calcium ion selective electrode. For the beta isomer, K1=1.93.

C13H23N3O8		H4L					(3414)		
------------	--	-----	--	--	--	--	--------	--	--

N-Methyl-2,2'-iminobis(ethyliminodiethanoic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	EMF	KCl	20°C	0.10M	C		K1=9.60	1957SSa (86392)	1922
------	-----	-----	------	-------	---	--	---------	-----------------	------

K(Ca+HL)=3.68

Method: H electrode

C13H24N2O6		H2L					(5610)		
------------	--	-----	--	--	--	--	--------	--	--

1,11-Dioxa-4,8-diazacyclotridecane-N,N'-diethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	R4N.X	25°C	0.10M	C		K1=4.93	1998CCd (86404)	1923
------	----	-------	------	-------	---	--	---------	-----------------	------

*K(CaL)=-11.66

Medium: 0.10 M Me4NNO3.

Ca++	cal	NaClO4	25°C	0.10M	U	H	K1=3.5	1985EHa (86405)	1924
------	-----	--------	------	-------	---	---	--------	-----------------	------

DH(K1)=-2.5 kJ mol⁻¹, DS=57.8 J K⁻¹ mol⁻¹

C13H26O6		L	19-Crown-6				CAS 55471-27-7 (8943)		
----------	--	---	------------	--	--	--	-----------------------	--	--

1,4,7,10,13,16-Hexaoxacyclononadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	con	oth/un	25°C	dil	C		K1=1.26	1999TMa (86491)	1925
------	-----	--------	------	-----	---	--	---------	-----------------	------

Self medium (Ca(NO3)2).

C13H34N4O12P4		H8L					(6686)		
---------------	--	-----	--	--	--	--	--------	--	--

1,4,7,11-Tetraazacyclotridecane-N,N',N'',N'''-tetramethylenephosphonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	R4N.X	25°C	0.10M	M			1990DSa (86583)	1926
------	----	-------	------	-------	---	--	--	-----------------	------

B(CaH2L)=30.23

B(CaH3L)=38.72

B(CaH4L)=45.26

B(Ca2L)=15.90

Medium: Me4NNO3. Ca2HL also observed

C14H8N3O8S2F3		HL					(9231)		
---------------	--	----	--	--	--	--	--------	--	--

1-(2-Thenoyl),4-trifluoro,2-[2-hydroxy-2-sulpho-5-nitrophenylazo]butadi-1,3-one;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ gl KCl 25°C 0.1M U K1=7.03 B2=13.28 2004ACa (86606)1927

C14H8O4 H2L Quinizarin CAS 81-64-1 (1060)

1,4-Dihydroxyanthraquinone;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp alc/w 20°C 50% U 1982Kmd (86662)1928

K(Ca+HL)=3.2

Medium: 50% v/v EtOH/H2O

C14H8O7S H3L DASA CAS 83-61-4 (950)

1,2-Dihydroxyanthraquinone-3-sulfonic acid, Alizarin Red S;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl 25°C 0.10M C B2=11.7 1992WFb (86707)1929

K(Ca+2HL)=8.04

K(Ca+HL=CaL+H)=-3.72

K(Ca+2HL=CaL2+2H)=10.11

Data from spectrophotometric measurements are also given.

B(p,q,r); pH+qCa+r(HL)=Hp(Ca)q(HL)r: B(-1,1,1)=-3.72; B(-2,1,2)=-10.11.

C14H10N2O6 H4L CAS 15722-48-2 (2938)

3-3'-Azo-bis(6-hydroxybenzoic acid); H0OC.C6H3(OH).N:N.(HO)C6H3.CO0H

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp NaCl 25°C 0.50M U 1990D0a (86906)1930

K(Ca+H2L=CaHL+H)=-8.45

K(Ca+H2L=CaL+2H)=-18.9

C14H11N5O8S2 H5L CAS 1105-53-9 (5084)

1,5-Bis(2-hydroxy-5-sulfohenyl)-3-cyanoformazan;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 20°C 0.10M U K1=5.20 1971SEa (87015)1931

C14H12N2O3 H2L CAS 4870-46-6 (3432)

2-Hydroxy-5-methyl-2'-carboxy-azobenzene; H0.C6H3(CH3).N:N.C6H4.CO0H

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp KCl rt 0.10M U 1960DEa (87205)1932

K1eff=1.39 (pH 10)

C14H14N2O10 H5L CAS 41379-95-7 (5070)

2-Carboxymethylamino-5-(bis(carboxymethyl)amino)-1,4-dibenzoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U		K1=5.75	1973UWb (87667)	1933

C14H15N2O8Cl		H4L					(1903)		
4-Chloro-1,2-diaminobenzene-N,N,N',N'-tetraethanoic acid;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.50M	C		K1=7.71 K(Ca+HL)=4.82	1997SDa (87738)	1934
Ca++	gl	KCl	25°C	0.10M	U		K1=8.17 B(CaHL)=11.23	1990MDa (87739)	1935

C14H16NO3P		H2L					CAS 25881-35-0	(1469)	
Phenyl-N-(benzylamino)methylphosphonic acid; C6H5.CH(PO3H2).NH.CH2.C6H5									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaClO4	20°C	0.10M	U		K1=6.10	1985SIb (87805)	1936

C14H16NO4P		H3L					CAS 61146-25-6	(1470)	
2-Hydroxyphenyl-N-(benzylamino)methylphosphonic acid; C6H4(OH)CH(PO3H2).NH.CH2.C6H5									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaClO4	20°C	0.10M	U		K1=6.25	1985SIb (87818)	1937

C14H16N2O8		H4L					CAS 40774-59-2	(1901)	
1,2-Diaminobenzene-N,N,N',N'-tetraethanoic acid; C6H4(N(CH2.COOH)2)2									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.50M	C		K1=8.23 K(Ca+HL)=4.82	1997SDa (87932)	1938
Ca++	gl	NaClO4	25°C	1.00M	C	H	K1=8.27	1992NSa (87933)	1939
By calorimetry: DH(K1)=-14.0 kJ mol ⁻¹ , DS=112 J K ⁻¹ mol ⁻¹									
Ca++	gl	KCl	30°C	0.10M	U		K1=9	1963GHa (87934)	1940

C14H16N2O8		H4L					(6108)		
1,3-Phenylenediamine-N,N'-disuccinic acid;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl	25°C	0.50M	C		K1=1.576 B(CaHL)=6.716	1989FRa (87987)	1941

B(CaH₂L)=10.901

C14H16N2O8 H4L CAS 91856-15-4 (8449)

1,4-Phenylenediamine-N,N'-disuccinic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl 25°C 0.50M C K1=0.87 1984RFe (88008)1942

C14H17N2O4P H3L (1472)

2-Hydroxyphenyl-N-(2-(2'-pyridyl)ethylamino)methylphosphonic
acid;C6H4(OH)CH(PO3H2)NHCH2CH2C5H4N

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaClO4 20°C 0.10M U K1=6.25 1985SIb (88038)1943

C14H18N2O5 HL Aspartame CAS 22839-47-0 (417)

Aspartyl-phenylalanine methyl ester; H2NCH(CH2COOH)CONHCH(CH2Ph)COOCH3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.5M U TIH K1=0.92 1985AAb (88075)1944

B(CaHL)=2.17

DH(K1)=-14.1 kJ mol⁻¹, DS(K1)=-29.6; DH(CaHL)=-12.30, DS(CaHL)=-1.1.

At 35 C, K1=0.84, B(CaHL)=2.10.

C14H20O5 L Benzo15-crown-5 CAS 14098-44-3 (608)

2,3-Benzo-1,4,7,10,13-pentaoxacyclopentadeca-2-ene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ con mixed 25°C 20% C K1=3.79 2003SIa (88218)1945

Medium: 20% w/w propylene carbonate/ethylene carbonate.

Ca++ nmr non-aq 27°C 100% C K1=5.11 2000SMg (88219)1946

Medium: acetonitrile. Method: competitive 7Li nmr technique.

Ca++ cal non-aq 25°C 100% U H K1=4.04 1993BDb (88220)1947

Medium: acetone. DH=-26.3 kJ mol⁻¹; TDS=-3.4

Ca++ vlt non-aq 25°C 100% C K1=3.31 1991SSb (88221)1948

Method: competitive complexation with Tl⁺; use of Tl(Hg)/Tl couple.

Medium: acetonitrile, 0.05 M Et4NClO4.

Ca++ sp alc/w 25°C 100% U I K1=2.66 1989KSc (88222)1949

In MeOH. In DMF K1=2.32; in DMSO K1=2.12

Ca++ oth non-aq 25°C 100% U K1=3.91 1989SSc (88223)1950

Medium: CH3CN. Ca as Ca(NCS)₂; for Ca(ClO4)₂: K1=3.64; B2=5.2. Method: IR

```

-----
Ca++      cal non-aq 25°C 100% U   H   K1=4.20      1989SSd (88224)1951
Medium: CH3CN
-----
Ca++      cal alc/w  25°C 100% U   H   K1=1.23      1988SVa (88225)1952
-----
Ca++      ISE R4N.X  25°C 0.10M C           K1=2.33      1986XJa (88226)1953
*****
C14H22N2O8      H4L    cis-1,2-CDTA      CAS 92761-75-6 (2846)
cis-1,2-Diaminocyclohexane-N,N,N',N'-tetraethanoic acid;
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++      gl  KCl    20°C 0.10M U           K1=9.45      1959KRa (88427)1954
                        K(Ca+HL)=2.86
*****
C14H22N2O8      H4L    CDTA              CAS 482-54-2 (200)
trans-1,2-Diaminocyclohexane-N,N,N',N'-tetraethanoic acid;
-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++      gl  R4N.X  25°C 0.50M M           K1=13.68      1975CSb (88537)1955
                        K(Ca+HL)=4.45
                        K(CaL+H)=3.85
-----
Ca++      gl  alc/w  25°C 99% U           K1=9.5       1972RBa (88538)1956
Medium: 0.1(NaClO4), 99% methanol.
-----
Ca++      gl  NaClO4 20°C 0.10M U           K1=13.15      1970AMa (88539)1957
-----
Ca++      cal KNO3  25°C 0.10M U   H           1965WHa (88540)1958
DH(K1)=-25.9 kJ mol-1, DS=146 J K-1 mol-1
-----
Ca++      cal KNO3  20°C 0.10M U T H           1963ANb (88541)1959
DH(K1)=-15.5 kJ mol-1, DS=198.5 J K-1 mol-1
-----
Ca++      cal KNO3  20°C 0.10M U   H   K1=13.15      1963ANf (88542)1960
DH(K1)=-15.5 kJ mol-1, DS=201 J K-1 mol-1
-----
Ca++      gl  KNO3  25°C 0.10M U T H   K1=11.34      1960BMb (88543)1961
K1=11.97(0.5 C), 10.84(42.4 C). DH(K1)=-46.0 kJ mol-1, DS=62.8 J K-1 mol-1
-----
Ca++      EMF KNO3  25°C 0.10M U           K1=12.3       1960HRa (88544)1962
-----
Ca++      oth oth/un  ?      ?   U           K1=12.2       1957YSb (88545)1963
-----
Ca++      vlt oth/un 20°C 0.10M U           K1=12.08      1954SGa (88546)1964
-----
Ca++      EMF KCl    20°C 0.10M C           K1=12.50      1949SAa (88547)1965
Method: H electrode

```

C14H22N2O8 H4L trans-1,3-CDTA CAS 92681-24-8 (2849)
trans-1,3-Diaminocyclohexane-N,N,N',N'-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	EMF	KCl	20°C	0.10M	C		K1=4.77 K(Ca+HL)=3.12 K(Ca+CaL)=2.30	1949SAa (88831)	1966

Method: H electrode

C14H22N2O8 H4L trans-1,4-CDTA CAS 92681-26-0 (2843)
trans-1,4-Diaminocyclohexane-N,N,N',N'-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	EMF	KCl	20°C	0.10M	C		K1=4.19 K(Ca+HL)=3.10 K(Ca+CaL)=2.52	1949SAa (88847)	1967

Method: H electrode

C14H22O5 H2L CAS 85785-29-1 (2250)
Di(hepta-4,6-dione)ether, (CH3.CO.CH2.CO.(CH2)3)2O

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	diox/w	24°C	50%	U		K1=7.0	1979ACa (88988)	1968

C14H22O8S4 H4L (1160)
Ethane-tetramercaptopropanoic acid; (CH.(S.CH2.CH2.COOH)2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl04	25°C	0.10M	U		K1=2.59	1975PJa (88998)	1969

C14H23N3O10 H5L DTPA CAS 67-43-6 (238)
Diethylenetriamine-pentaethanoic acid; HOOC.CH2.N(CH2.CH2.N(CH2.COOH)2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.1M	C	TI R	K1=10.7	2005AAa (89101)	1970
IUPAC recommended value. Provisional value, 37 C, 0.15 NaCl: K1=9.8, K(CaL+H)=6.00, K(CaHL+H)=4.40, K(CaH2L+H)=3.70									
Ca++	gl	NaCl04	25°C	0.10M	C		K1=10.75 K(CaL+H)=6.11	2001CCa (89102)	1971
Ca++	gl	KCl	25°C	0.10M	C		K1=11.77 K(CaL+H)=6.10	1999SBd (89103)	1972

Ca++	gl	NaCl04	25°C	0.10M	M	K1=10.58 KCa+HL)=5.91	1987ZGa	(89104)	1973
Ca++	gl	NaCl	37°C	0.15M	C	K1=9.82 B(CaHL)=15.80 B(CaH2L)=20.23 B(CaH3L)=23.92	1984DMb	(89105)	1974
Ca++	gl	NaCl04	20°C	0.10M	U	K1=10.84	1970AMa	(89106)	1975
Ca++	cal	KN03	27°C	0.10M	U H	DH(K1)=-23.4 kJ mol-1, DS=125.4 J K-1 mol-1	1968CLd	(89107)	1976
Ca++	gl	KN03	25°C	0.10M	U	K1=10.6	1968WRa	(89108)	1977
Ca++	cal	KN03	20°C	0.10M	U T H	DH(K1)=-24.9 kJ mol-1, DS=123.3 J K-1 mol-1	1965ANa	(89109)	1978
Ca++	cal	KN03	25°C	0.10M	U H	DH(K1)=-25.5 kJ mol-1, DS=121 J K-1 mol-1	1965WHa	(89110)	1979
Ca++	EMF	KN03	25°C	0.10M	U	K1=10.7	1960HRa	(89111)	1980
Ca++	gl	KN03	25°C	0.10M	C	K1=10.6 K(CaL+H)=6.4	1960WAa	(89112)	1981
Ca++	EMF	oth/un	20°C	0.10M	U	K1=10.89 K(CaL+Ca)=1.98 K(Ca+HL)=6.42	1959AND	(89113)	1982
Ca++	gl	KN03	25°C	0.10M	U	K1=10.74 B2=12.34	1959CFc	(89114)	1983
Ca++	gl	oth/un	20°C	0.10M	U	K1=10.63	1958DRa	(89115)	1984
Ca++	gl	oth/un	25°C	0.10M	U	K1=9.98	1955WAa	(89116)	1985

C14H24N2O6		H3L		(3439)					
N-Cyclohexylethylenediamine-N,N',N'-triethanoic acid;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference ExptNo
Ca++	sp	oth/un	24°C	0.16M	U	K1=1.7	1956BCa	(89484)	1986
By glass electrode K1=1.3									

C14H24N2O7		H3L		(3440)					
N-(2-Hydroxycyclohexyl)ethylenediamine-N,N',N'-triethanoic acid;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference ExptNo
Ca++	gl	oth/un	25°C	0.10M	U	K1=9.33 B2=11.03	1960SAC	(89489)	1987

$$K(\text{Ca}+\text{HL})=2.77$$

Ca++ gl KCl 20°C 0.10M U K1=6.18 1959KRa (89490)1988

$$K(\text{Ca}+\text{HL})=3.29$$

C14H24N2O8 H4L (5075)

1,2-Diaminoethane-N,N'-diethanoic-N,N'-di-2-butyric acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	---	--------	-----------	--------

Ca++ g1 KNO3 20°C 0.10M U K1=9.02 1969NDc (89500)1989

C14H24N2O8 H4L HMDTA CAS 1633-00-7 (920)

1,6-Diaminohexane-N,N,N',N'-tetraethanoic acid; $((\text{HOOC}.\text{CH}_2)_2\text{N}.\text{CH}_2.\text{CH}_2.\text{CH}_2)_2$

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++ g1 KNO3 25°C 0.10M U K1=4.15 1969GKb (89554)1990

$$K(\text{Ca}+\text{HL})=3.28$$
$$B(\text{Ca}2\text{L})=2.69$$

Ca++ gl KNO3 20°C 0.10M U K1=4.6 1964ANa (89555)1991

$$K(\text{Ca}+\text{HL})=3.7$$

Ca++ gl KCl 20°C 0.10M U K1=4.40 1955SAc (89556)1992

C14H24N2O8 H4L CAS 1633-00-7 (5076)

4-Methyl-1,2-diaminopentane-N,N,N',N'-tetraethanoic acid;

$$(\text{HOOCCH}_2)_2\text{NCH}_2\text{CH}(\text{N}(\text{CH}_2\text{COOH})_2\text{CH}_2\text{CH}(\text{CH}_3)_2$$

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++ gl KNO3 20°C 0.10M U K1=11.84 1969NDa (89624)1993

C14H24N2O8S2 H4L (3441)

2,2'-Ethylenebisthio(ethyliminodiethanoic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	---	--------	-----------	--------

Ca++ gl KCl 20°C 0.10M U K1=4.87 1957SSa (89695)1994

$$K(Ca+HL)=3.5$$
$$K(\text{CaL}+\text{Ca})=1.91$$

C14H24N2O9 H4L CAS 87720-52-3 (1593)

2,2'-Oxybis(propyliminodiethanoic acid)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++ gl KCl 20°C 0.10M U K1=5.38 1961ISa (89702)1995

$$K(Ca+HL)=4.04$$

Ca++	gl	KCl	20°C	0.10M	U		K1=8.06 K(Ca+HL)=4.66	1961KGa (89703)	1996
Ca++	gl	oth/un	25°C	0.10M	U		K1=8.4 K(Ca+HL)=5.2	1953KPa (89704)	1997

C14H24N2O9		H4L	BPETA				CAS 87720-52-3	(5077)	
Bis-(3-di(carboxymethyl)aminopropyl)ether;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U		K1=5.38 K(Ca+HL)=4.04	1961ISa (89720)	1998

C14H24N2O10		EGTA					CAS 67-42-5	(349)	
Ethyleneglycol-0,0'-bis(2-aminoethyl ether)-N,N,N',N'-tetraethanoic acid; H4L									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	C		K1=11.118 K(Ca+HL)=5.509	1985SMg (89797)	1999
Ca++	gl	KNO3	25°C	0.10M	U		K1=12.8 K(CaL+H)=3.7 K(CaL+2H)=3.2	1982JGa (89798)	2000
Ca++	ISE	KCl	25°C	0.20M	C		K1=11.00	1976OWa (89799)	2001
Method: Ca ion selective electrode. Medium: 0.20 M KCl, 0.02 M imidazole buffer, pH 7.25.									
Ca++	gl	NaCl	25°C	0.70M	U		K1=10.70	1974JAb (89800)	2002
Medium: seawater									
Ca++	gl	alc/w	25°C	99%	U		K1=11.1	1972RBa (89801)	2003
Medium: 99% MeOH, 0.1 M NaClO4									
Ca++	gl	KNO3	25°C	0.10M	U		K1=11.0	1968WRa (89802)	2004
Ca++	cal	KCl	25°C	0.10M	U	H		1965BBe (89803)	2005
DH(K1)=-33.2 kJ mol ⁻¹ , DS=97.0 J K ⁻¹ mol ⁻¹									
Ca++	cal	KNO3	25°C	0.10M	U	H		1965WHa (89804)	2006
DH(K1)=-33.4 kJ mol ⁻¹ , DS=96.1 J K ⁻¹ mol ⁻¹									
Ca++	gl	KNO3	20°C	0.10M	U	H	K1=10.97 K(Ca+HL)=5.3	1964ANa (89805)	2007
By calorimetry: DH(K1)=-35.0 kJ mol ⁻¹ , DS=90.3 J K ⁻¹ mol ⁻¹									
Ca++	EMF	KCl	20°C	0.10M	C		K1=11.00	1964PCa (89806)	2008

$$K(\text{Ca}+\text{HL})=5.33$$

Method: H electrode

Ca++	EMF	KNO3	25°C	0.10M	U	K1=10.9	1960HRa (89807)	2009
------	-----	------	------	-------	---	---------	-----------------	------

Ca++	gl	oth/un	25°C	0.10M	U	K1=10.7	1957SRa (89808)	2010
------	----	--------	------	-------	---	---------	-----------------	------

C14H24N2O10	H4L	(2655)
-------------	-----	--------

N,N'-Bis(2-hydroxyethane)-N,N'-ethanediaminedibutanedioic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	KNO3	25°C	0.1M	U		K1=5.75	1985MGb (89974)	2011
------	----	------	------	------	---	--	---------	-----------------	------

C14H24O10	HL	18-6A2	CAS 76871-57-3	(5407)
-----------	----	--------	----------------	--------

1,2-Bis-carboxy-18-crown-6;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	alc/w	25°C	90%	U		K1=9.1	1984FWa (90059)	2012
------	----	-------	------	-----	---	--	--------	-----------------	------

$$B(\text{CaHL})=13.3$$

Medium: 90% v/v MeOH/H2O, 0.05 M R4NX

C14H25N3O7	H3L	(5397)
------------	-----	--------

1-Oxa-4,7,10-triazacyclododecane-4,7,10-triethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	R4N.X	25°C	0.10M	U		K1=12.98	1988ADa (90076)	2013
------	----	-------	------	-------	---	--	----------	-----------------	------

$$K(\text{Ca}+\text{HL})=5.30$$

C14H26N2O7	H2L	(1567)
------------	-----	--------

1,4,10-Trioxa-7,13-diazacyclopentadecane-N,N'-diethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	cal	R4N.X	25°C	0.10M	U	H		1989DSa (90164)	2014
------	-----	-------	------	-------	---	---	--	-----------------	------

DH(CaL)=-15.1 kJ mol⁻¹; DS=117.

Ca++	gl	R4N.X	25°C	0.10M	C		K1=8.680	1987DDb (90165)	2015
------	----	-------	------	-------	---	--	----------	-----------------	------

$$B(\text{Ca2L})=9.9$$

Ca++	gl	R4N.X	25°C	0.10M	M		K1=8.74	1986COb (90166)	2016
------	----	-------	------	-------	---	--	---------	-----------------	------

C14H26N2O8	H2L	(6658)
------------	-----	--------

1,4,10,13-Tetraoxa-7,16-diaza-2,3-dicarboxycyclooctadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	R4N.X	25°C	0.10M	U		K1=3.9	1990AFa (90218)	2017
------	----	-------	------	-------	---	--	--------	-----------------	------

B(CaHL)=12.4
B(Ca(OH)L)=7.9

C14H26N4O6 H3L DOTRA (6701)
1,4,7,10-Tetraazacyclododecane-1,4,7-triethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	C		K1=13.39 K(CaL+2H)=11.36 K(CaH2L+H)=3.81	2000BCa (90240)	2018

Medium: 0.10 M NMe4Cl.

Ca++	gl	R4N.X	25°C	0.10M	M		K1=11.35	1996CHc (90241)	2019
------	----	-------	------	-------	---	--	----------	-----------------	------

Medium: 0.1 M Me4NCl.

Ca++	gl	R4N.X	25°C	0.10M	C		K1=11.74	1995Kta (90242)	2020
------	----	-------	------	-------	---	--	----------	-----------------	------

Medium: Me4NCl

C14H26N4O6 H2L (4690)
Hexanoic acid bis(3-hydroxycarbamoyl-propyl)amide;
HONHCO(CH2)3NHCO(CH2)4CONH(CH2)3COHNOH

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.20M	C		K1=3.09 B(CaHL)=11.87	1999FEa (90261)	2021

C14H27N3O5 H2L (6473)
1-Oxa-4,8,12-triazacyclotetradecane-4,12-diethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	U		K1=2.1	1992CDa (90284)	2022

Medium: 0.10 M (NMe4)NO3.

C14H28N2O4 L Cryptand 2,1,1 CAS 31250-06-3 (836)
1,10-Diaza-4,7,13,18-tetraoxabicyclo[8,5,5]eicosane (2,1,1);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	cal	non-aq	25°C	100%	C	H	K1=1.54	1999Wba (90324)	2023

Medium: N,N-dimethylformamide. DH(K1)=-21.2 kJ mol⁻¹.

Ca++	gl	R4N.X	25°C	0.05M	C	H	K1=3.7	1996BCh (90325)	2024
------	----	-------	------	-------	---	---	--------	-----------------	------

Medium: 0.05 M Et4NClO4. By calorimetry: K1=3.3, DH(K1)=-6.9 kJ mol⁻¹.

Ca++	sp	non-aq	25°C	100%	U	T H	K1=2.81	1994GSb (90326)	2025
------	----	--------	------	------	---	-----	---------	-----------------	------

At 35 C: K1=2.75; 45 C: K1=2.70; 55 C: K1=2.65. DH(K1)=-10 kJ mol⁻¹, DS=21
Medium: DMSO

 Ca++ sp non-aq 20°C 100% U K1=3.36 1992PSa (90327)2026
 Medium: DMF, 0.01 M Me4NI

Ca++ gl R4N.X 25°C 0.10M C IH K1=2.7 1987CSa (90328)2027
 In 10% CH3CN, K=3.5; 20%, K=4.4; 40%, K=5.0; 60%, K=6.3; 70%, K=6.7;
 90%, K=7.7; 100%, K=8.5

Ca++ cal alc/w 25°C 100% U H K1=2.53 1986BUa (90329)2028
 B(Ca2L2)=5.45
 Medium: MeOH. Determined by potentiometry. DH=-2.4 kJ mol⁻¹; DS=96

Ca++ ISE non-aq 25°C 100% U K1=8.65 1984CTc (90330)2029
 In propylene carbonate, using competition with Ag and a silver electrode.

Ca++ gl alc/w 25°C 95% C K1=4.5 1981ANa (90331)2030
 Medium: 95% MeOH, 0.1 M Me4NCl

Ca++ cal oth/un 25°C 0.10M C 1981LIc (90332)2031
 Medium: piperidine/HCl buffer, pH 11.4. DH(K1)=-1.67 kJ mol⁻¹.

Ca++ ISE non-aq 25°C 100% U K1=8.6 1980CRa (90333)2032
 Medium: Propylene carbonate

Ca++ EMF non-aq 25°C 100% C K1=2.8 1979BLb (90334)2033
 Method: Ag electrode; competition with Ag+. Medium: MeOH, 0.05 M
 Me4NClO4.

Ca++ kin oth/un 25°C 0.10M U H K1=2.3 1977LPb (90335)2034
 In piperidine buffer, pH 11.5. DH=-1.3 kJ mol⁻¹

Ca++ cal R4N.X 25°C 0.06M C H 1976KLc (90336)2035
 Medium: 0.057 M Me4NBr. Method: flow microcalorimetry.
 DH(K1)=-0.4 kJ mol⁻¹, DS(K1)=46 J K⁻¹ mol⁻¹.

Ca++ gl R4N.X 25°C 0.05M C I K1=2.50 1975LSc (90337)2036
 In 95% MeOH, 0.05 M Me4NBr: K1=4.34

Ca++ kin KCl 25°C 0.10M U H K1=3.20 1975LWb (90338)2037
 Using stopped flow. DH=21 kJ mol⁻¹. Also K1=2.80 by potentiometry in
 0.04 to 0.08M NMe4Br.

C14H28O7 L 21-Crown-7 CAS 33089-36-0 (2264)
 1,4,7,10,13,16,19-Heptaoxacycloheptacosane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	ISE	alc/w	25°C	100%	U			K1=2.80	1983GGa (90514)	2038
------	-----	-------	------	------	---	--	--	---------	-----------------	------

Medium: MeOH

C14H30N2O4 L CAS 31255-13-7 (2448)
N,N'-Dimethyl-cyclo-1,10-diaza-4,7,13,16-tetraoxaoctadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	alc/w	25°C	95%	C		K1=4.81	2004KV a (90567)	2039

Medium: 95% MeOH/H2O, 0.01 M Et4NClO4.

Ca++	gl	oth/un	25°C	?	C		K1=2.06	1991DMA (90568)	2040
------	----	--------	------	---	---	--	---------	-----------------	------

Ca++	ISE	alc/w	25°C	100%	U	H	K1=4.2	1983CF b (90569)	2041
------	-----	-------	------	------	---	---	--------	------------------	------

Medium: MeOH, 0.05 M Et4NClO4

C14H30N2O5 L CAS 23978-10-1 (2955)
1,10-Diaza-4,7,13,16,19-pentaoxacycloheneicosane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	alc/w	25°C	100%	U		K1=2.5	1988CF a (90606)	2042

Medium: MeOH

Ca++	ISE	alc/w	25°C	100%	U	H	K1=1.86	1986BU a (90607)	2043
------	-----	-------	------	------	---	---	---------	------------------	------

Medium: MeOH. DH(K1)=0 kJ mol⁻¹; DS=10 J K⁻¹ mol⁻¹

C14H30N2O5 L (6722)
7,13-Bis(2-hydroxyethyl)-1,4,10-trioxa-7,13-diazacyclopentadecane

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	C		K1=4.86	1995LL a (90622)	2044

Medium: Et4NClO4

C14H30N2O5 L (6929)
N,N'-Bis(hydroxyethyl)-1,4-diaza-7,10,13-trioxacyclopentadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	cal	alc/w	25°C	90%	U	H	K1=4.13	1994IZ a (90637)	2045

Medium: 90% v/v MeOH/H2O. DH(K1)=-16.1 kJ mol⁻¹, DS(K1)=25.2 J K⁻¹ mol⁻¹

C14H30O7 L CAS 1072-40-8 (2499)
2,5,8,11,14,17,20-Heptaohaheneicosane; CH3.0.(CH2.CH2.0)6.CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	cal	non-aq	25°C	100%	U	H	K1=2.43	1993BD b (90682)	2046

Medium: acetone. DH=-44.7 kJ mol⁻¹; TDS=-30.9

Ca++	con	non-aq	25°C	100%	C	H	K1=4.24	1992BS c (90683)	2047
------	-----	--------	------	------	---	---	---------	------------------	------

Medium: propylene carbonate. By calorimetry, DH(K1)=-44.0 kJ mol⁻¹,

DS(K1)=-66.8 J K⁻¹ mol⁻¹.

C14H32N2O4 L CAS 102-60-3 (2678)
Tetra(2-hydroxypropyl)-N,N,N',N'-diaminoethane; (-CH₂.N(CH₂.CH(OH).CH₃)₂)₂

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO₃ 25°C 0.10M U K1=1.63 1986HBc (90734)2048

C14H32N2O10P2 H4L CAS 81963-60-2 (7240)
1,4,10,13-Tetraoxa-7,16-diazacyclooctadecane-7,16-diylldimethylenediphosphonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M U K1=7.45 1996BJa (90756)2049
K(Ca+HL)=5.45
K(Ca+H₂L)=2.15

Medium: 0.1 M Me₄NCl

C14H34N4O6P2 H4L CAS 200952-02-9 (7644)
1,4,7,10-Tetraazacyclododecane-1,7-bis(methanephosphonic acid monoethyl ester);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M C K1=4.55 1998BRa (90839)2050

C14H36N4O12P4 H8L CAS 107446-90-2 (2015)
1,4,7,11-Tetraazacyclotetradecane-N,N',N'',N'''-tetramethylphosphonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M M 1990DSa (90865)2051
B(CaHL)=19.33
B(CaH₂L)=30.18
B(CaH₃L)=38.32
B(CaH₄L)=45.18

Medium: Me₄NNO₃

C14H37O12O12P4 H8L (6910)
N'-Hexyl-diethylenetriamine-N,N,N'',N''-tetra(methylenephosphonic acid);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaClO₄ 25°C 0.10M M 1987ZGa (90930)2052
K(Ca+HL)=3.55
K(Ca+H₂L)=3.48
K(Ca+H₃L)=3.11
K(Ca+H₄L)=2.04

K(Ca+H₅L)=1.43.

Ca++ gl oth/un 25°C 0.10M U 1984ZGa (90931)2053

K(Ca+HL)=3.55
K(Ca+H2L)=3.48
K(2Ca+H2L)=7.51
K(Ca+H3L)= 3.11

K(Ca+H4L)=2.04; K(2Ca+H3L)=7.20; K(2Ca+HL)=8.27; K(Ca+H5L)=1.43

C15H12O2 HL Diphenylacac CAS 120-46-7 (362)
1,3-Diphenylpropane-1,3-dione, Dibenzoylmethane; C6H5.CO.CH2.CO.C6H5

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl diox/w 20°C 17% C K1=7.33 B2=13.09 1976JWa (91531)2054

Ca++ gl diox/w 30°C 75% U K1=7.17 B2=13.55 1953UFe (91532)2055

C15H14NOCl HL CAS 268214-29-5 (8398)
4-Chloro-3,5-dimethyl-2-[(phenylimino)methyl]phenol;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl diox/w 30°C 75% M K1=4.48 2000ANa (91684)2056
Medium: 75% v/v dioxan/H2O, 0.10 M NaCl04. Data for an extensive series of
4'-substituted phenylimino derivatives.

C15H14N2O5 H3L (5113)
2-Phenyl-4,5,6,7-tetrahydroindazol-3-one-5,5-dicarboxylic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl diox/w 25°C 50% U 1964STa (91724)2057

K(Ca+HL)=4.62
K(Ca+H2L)=2.41

C15H14N2O5S HL (9232)
3-(5-Sulphonylnaphthylazo)penta-2,4-dione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.1M U H K1=6.55 2004ACb (91731)2058
for 35 C K1=6.44; for 45 C K1=6.32

C15H17N2O8Cl H3L CAS 308124-47-2 (3563)
N,N-Bis(carboxymethyl)-2-(carboxymethoxy)-5-(2-chloro-ethanamido)benzylamine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp KCl 22°C 0.14M C 2000RGa (91970)2059

K1eff=3.91

Medium: KCl/NaCl/HEPES/TRIS at pH 7.2. Method: fluorescence emission.

Also data for the 2-(2-chloroethanamido)-5-(carboxymethoxy)-derivatives

C15H18N2O8 H4L (1934)

1-Methyl-2,5-diaminobenzene-N,N,N',N'-tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ oth oth/un 25°C 0.10M U K1=3.6 1969RMa (92058)2060
K(CaL+H)=4.5

C15H18N2O8 H4L CAS 101455-18-9 (1902)

1-Methyl-3,4-diaminobenzene-N,N,N',N'-tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.50M C K1=8.61 1997SDa (92079)2061
K(Ca+HL=CaHL)=4.77

C15H18N2O8 H4L (6114)

2,5-Toluenediamine-N,N'-disuccinic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl 25°C 0.50M C K1=0.962 1989FRa (92090)2062

C15H19N3O8 H4L CAS 53793-56-9 (8631)

N,N'-[2,6-Pyridinediylbis(methylene)]bis[N-(carboxymethyl)]glycine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M U K1=10.2 1984VOb (92129)2063
For the 4-methoxy derivative: K1=8.1; for the 4-dimethylamino derivative,
K1=8.1.

C15H20N2O6 H3L BEDTA CAS 65311-06-0 (2944)

N-Benzylldiaminoethane-N,N',N'-triethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M U K1=7.00 2003SVa (92144)2064
K(Ca+HL)=1.95

Ca++ gl KCl 24°C 0.10M U K1=6.7 1956BCa (92145)2065

C15H22N4O4 H2L (7082)

3,6,9,15-Tetraazabicyclo[9.3.1]pentadeca-1(15),11,13-triene-3,9-diethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M C K1=10.0 1995KHa (92244)2066

 C15H23NO5 L CAS 53914-89-9 (2262)
 3,6,9,12,15-Pentaoxa-21-azabicyclo[15.3.1]heneicosa-1(21),17,19-triene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	cal	alc/w	25°C	100%	U	H	K1=5.26	1980LIa (92264)	2067

Medium: MeOH. DH=-12.1 kJ mol⁻¹.

C15H23N3O12 H6L CAS 21979-64-6 (4069)
 1,2,3-Tris(N,N-bis(carboxymethyl)amino)propane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U		K1=10.50 K(Ca+HL)=8.03 K(Ca+H2L)=2.9 B(Ca2L)=2.3	1968MMb (92315)	2068

C15H24O6 HL CAS 57722-03-9 (2353)
 1-Hydroxy-2-(1,4,7,10,13-pentaoxatridecyl)benzene; HO.C6H4.O(CH2CH2O)4CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	alc/w	25°C	100%	U		K1=6.26	1981EMb (92340)	2069

Medium: MeOH

C15H24O8S4 H4L CAS 53480-91-4 (1161)
 Propane-1,1,3,3-tetramercaptopropanoic acid; CH2(CH(S.CH2.CH2.COOH)2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaClO4	25°C	0.10M	U		K1=2.79	1975PJa (92351)	2070

C15H25N3O10 H5L (7436)
 3,6,10-Tri(carboxymethyl)-3,6,10-triazadodecanedioic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	C		K1=14.45 B(CaHL)=20.51	1998WLa (92363)	2071

Medium: 0.1 M NMe4NO3.

C15H27N3O6 H3L (6514)
 1,5,9-Triazacyclododecane-N,N',N"-triethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	M		K1=6.0	1990CBc (92462)	2072

Medium: Me4NCl

C15H27N3O7 H3L (7396)
4,7,11-Tris(carboxymethyl)-1-oxa-4,7,11-triazacyclotridecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M C K1=9.79 1997CCa (92475)2073
Medium: Me4NNO3

C15H27N3O9 H4L CAS 319016-32-5 (7716)
N'-(2-Hydroxypropyl)-diethylenetriamine-N,N,N",N"-tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M M K1=8.58 2000Cwa (92483)2074
Medium: 0.1 M NMe4NO3.

C15H28N2O8 H2L (7126)
1,4,10,13-Tetraoxa-7,16-diazacyclooctadecane-7-malonic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl 25°C 0.15M U K1=6.58 1995BGa (92492)2075

C15H30N2O3 L CAS 72640-82-5 (6040)
4,7,13-Trioxa-1,10-diazabicyclo[8.5.5]eicosane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M C I K1=2.3 1991DLa (92513)2076
In 95% v/v MeOH/H2O: K1=3.6

C15H32N4O4 H2L (8283)
2,12-Dimethyl-5,9-di(methylcarboxy)-2,5,9,12-tetraazatridecane

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M C K1=1.98 1989HAa (92555)2077

C15H36N3O9P3 H3L (6749)
1,4,7-Triazacyclononane-N,N'N''-tris(methylenephosphonate monoethylester)

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M C K1=5.1 1992LRa (92608)2078

C16H9N2OBr3 HL CAS 84317-74-8 (5169)
1-(2,4,6-Tribromophenylazo)-2-hydroxynaphthalene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl mixed 25°C 75% U K1=5.33 1972MCb (92643)2079
Medium: 75% acetone, 0.1 M KNO3

C16H11N2OBr HL CAS 7150-24-5 (5172)
1-(4-Bromophenylazo)-2-hydroxynaphthalene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ gl mixed 25°C 75% U K1=6.44 1972MCb (92693)2080
Medium: 75% acetone, 0.1 M KNO3

C16H11N2OCl HL CAS 24390-65-6 (5170)
1-(2-Chlorophenylazo)-2-hydroxynaphthalene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ gl mixed 25°C 75% U K1=5.84 1972MCb (92708)2081
Medium: 75% acetone, 0.1 M KNO3

C16H11N2OCl HL CAS 10149-93-6 (5171)
1-(4-Chlorophenylazo)-2-hydroxynaphthalene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ gl mixed 25°C 75% U K1=6.37 1972MCb (92723)2082
Medium: 75% acetone, 0.1 M KNO3

C16H11N2OI HL CAS 25023-35-2 (5173)
1-(4-Iodophenylazo)-2-hydroxynaphthalene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ gl mixed 25°C 75% U K1=6.53 1972MCb (92738)2083
Medium: 75% acetone, 0.1 M KNO3

C16H11N2O2Cl H2L CAS 3566-94-7 (3474)
1-(5-Chloro-2-hydroxyphenylazo)-2-hydroxynaphthalene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ gl diox/w 30°C 75% U K1=8.35 1957SFb (92755)2084
K(Ca+H2L=CaL+2H)=-15.4

C16H11N2O9ClS2 H4L Plasmocorinth CAS 1058-92-0 (5203)
3-(5-Chloro-2-hydroxyphenylazo)chromotropic acid (Eriochrome Blue SE)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ sp oth/un 25°C 0.10M U K1=5.05 1961BRa (92784)2085

Medium: NaOH

C16H11N3O3 HL CAS 6410-09-9 (5151)

1-(2-Nitrophenylazo)-2-hydroxynaphthalene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl mixed 25°C 75% U K1=2.99 1972MCb (92792)2086

Medium: 75% acetone, 0.1 M KNO3

C16H11N3O3 HL CAS 6410-46-1 (5152)

1-(4-Nitrophenylazo)-2-hydroxynaphthalene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl mixed 25°C 75% U K1=3.72 1972MCb (92807)2087

Medium: 75% acetone, 0.1 M KNO3

C16H11N3O4 H2L CAS 14847-54-2 (3461)

1-(2-Hydroxy-5-nitrophenylazo)-2-hydroxynaphthalene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl diox/w 30°C 75% U K1=8.36 1957SFb (92842)2088

K(Ca+H2L=CaL+2H)=-13.2

C16H12N2O HL CAS 842-07-9 (5156)

1-Phenylazo-2-hydroxynaphthalene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl mixed 25°C 75% U K1=7.02 1972MCb (92913)2089

Medium: 75% acetone, 0.1 M KNO3

C16H12N2O2 H2L CAS 9486-98-2 (3462)

1-(2-Hydroxyphenylazo)-2-hydroxynaphthalene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl mixed 25°C 75% U 1972MCb (92941)2090

K(Ca+HL)=6.98

Medium: 75% acetone, 0.1 M KNO3

Ca++ sp KCl rt 0.10M U 1960DEa (92942)2091

K1eff=2.26 (pH 10)

Ca++ gl diox/w 30°C 75% U K1=8.61 1957SFb (92943)2092

K(Ca+H2L=CaL+2H)=-16.1

C16H12N2O2 H2L CAS 14934-27-1 (5157)

1-(4-Hydroxyphenylazo)-2-hydroxynaphthalene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	mixed	25°C	75%	U				1972MCb (92965)	2093

K(Ca+HL)=6.76

Medium: 75% acetone, 0.1 M KNO3

C16H12N2O4S H2L CAS 13964-82-4 (3475)

1-(4-Sulfophenylazo)-2-hydroxynaphthalene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	mixed	25°C	75%	U			K1=3.29	1972MCb (92991)	2094

Medium: 75% acetone, 0.1 M KNO3

C16H12N2O5S H3L SolochromeVio R CAS 94205-83-1 (4093)

1-(2'-Hydroxy-5'-sulfophenylazo)-2-naphthol;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	sp	oth/un	25°C	0.0	U			K1=6.6 B2=9.60	1962CRa (93018)	2095

C16H12N2O8S2 H4L Chromotrope 2R CAS 4197-07-3 (2604)

2-(Benzeneazo)-chromotropic acid, Acid Red 29

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U				1971KMb (93054)	2096

K(Ca+HL)=2.70

Ca++	gl	KNO3	25°C	0.10M	U				1968NMB (93055)	2097
------	----	------	------	-------	---	--	--	--	-----------------	------

K(Ca+HL)=2.70

C16H12N2O9S2 H5L CAS 26197-92-2 (4094)

2-(2'-Hydroxyphenylazo)chromotropic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U				1968NMB (93073)	2098

K(Ca+HL)=5.01

C16H12N2O11S3 H5L (4095)

2-(2'-Sulphophenylazo)chromotropic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U				1968NMB (93080)	2099

K(Ca+HL)=2.91

C16H13N2O10AsS2 H5L Thorin I CAS 3688-92-4 (2609)
1-((2-Arsonophenyl)azo)-2-hydroxy-3,6-naphthalylldisulfonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U		K1=4.17	1971KTc (93178)	2100
Ca++	gl	oth/un	30°C	?	U		K1=5.5	1964PCa (93179)	2101

C16H13N2O10AsS2 H5L (5204)
2-(2-Arsonophenylazo)-1-hydroxynaphthalene-3,6-disulfonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U		K1=3.50	1971KTc (93223)	2102

C16H13N2O10PS2 H5L (5205)
1-(2-Phosphonophenylazo)-2-hydroxynaphthalene-3,6-disulfonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U		K1=3.80 K(Ca+HL)=2.98 K(CaL+H)=10.28	1971KMa (93228)	2103

C16H13N2O11AsS2 H6L Arsenazo I CAS 520-10-5 (277)
2-(2'-Arsonophenylazo)chromotropic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U		K1=5.20	1971KTc (93242)	2104
Ca++	gl	KNO3	25°C	0.10M	U		K(Ca+HL)=5.09	1968NMb (93243)	2105

C16H13N3O8S2 H4L CAS 56973-75-2 (4108)
8-Amino-1-hydroxy-2-(2'-hydroxyphenylazo)-naphthalene-3,6-disulfonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	KCl	?	0.10M	U		K1=2.50	1960DEa (93289)	2106

C16H13N3O8S2 H4L (4109)
8-Amino-1-hydroxy-2-(2'-hydroxyphenylazo)-naphthalene-5,7-disulfonic aic

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	KCl	rt	0.10M	U		K1eff=3.08 (pH 10)	1960DEa (93292)	2107

2-(2-Hydroxyphenylaminomethyl)-8-hydroxyquinoline;

Ca++ gl diox/w 25°C 50% U K1=6.10 1972HUA (93423)2108

$$K(Ca+HL)=4.51$$

5-Hydroxy-4-(2-hydroxyphenylazo)-3-methyl-1-phenylpyrazole;

Ca++ gl diox/w 30°C 75% U K1=8.72 1952SNa (93467)2109

 $K_1 = 8.72$

1952SNa (93467)2109

$$K(\text{Ca} + \text{H}_2\text{L} = \text{CaL} + 2\text{H}) = -15.0$$

3-Methyl-1-phenyl-4-(2-sulfophenylazo)-5-pyrazolone;

Ca++ gl diox/w 30°C 75% U K1=4.38 1969SSc (93490)2110

 $K_1 = 4.38$

1969SSc (93490)2110

5-Methyl-1-phenyl-4-(2-sulfophenylazo)-3-pyrazolone;

Ca++ gl diox/w 30°C 75% U K1=4.64 1969SSc (93502)2111

$$K1=4.64$$

1969SSc (93502)2111

7-(2-Aminophenylacetyl-amino)-3-methyl-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic ac.

Ca++ gl KNO3 25°C 0.10M C M K1=3.47 2000GFb (93756)2112

K1=3.47 20

2000GFb (93756)2112

$$K(\text{Ca}(\text{gly})+\text{L})=5.50$$
$$B(\text{Ca}(\text{gly})\text{L}) = 8.97$$

7-[[Amino(4-hydroxyphenyl)acetyl]amino]-3-methyl-8-oxo-5-thia-1-azabicyclooct-2-ene-2-carboxylic;

Ca++ gl KNO3 25°C 0.10M C K1=3.6 2000GFb (93764)2113

 $K_1 = 3.6$

2000GFb (93764)2113

CAS 51865-21-5 (239)

1,2-Dimethylbenzene-tetrathioethanoic acid; C₆H₄(CH(S.CH₂.COOH)₂)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	NaCl04	25°C	0.10M	U			K1=3.5	1974JBa (93883)	2114
------	----	--------	------	-------	---	--	--	--------	-----------------	------

C16H19N2O9Cl H5L (3483)

5-Chloro-2-hydroxy-1,3-phenylenebis(methylamine-N,N-diethanoic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	EMF	KCl	20°C	0.10M	C			K1=8.5	1952SAb (93917)	2115
------	-----	-----	------	-------	---	--	--	--------	-----------------	------

K(Ca+HL)=7.09

K(Ca+H2L)=2.8

Method: H electrode

C16H20N2O8 H4L CAS 6411-02-5 (1919)

1-Phenyl-ethylenediamine-N,N,N',N'-tetraethanoic acid (DL)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KNO3	20°C	0.10M	U			K1=11.25	1989SLa (94020)	2116
------	----	------	------	-------	---	--	--	----------	-----------------	------

Ca++	gl	KNO3	20°C	0.10M	U			K1=11.25	1969NDb (94021)	2117
------	----	------	------	-------	---	--	--	----------	-----------------	------

Ca++	gl	KCl	25°C	0.10M	U			K1=10.90	19670Tb (94022)	2118
------	----	-----	------	-------	---	--	--	----------	-----------------	------

C16H20N2O10 H6L (704)

1,2-Dihydroxy-3,6-di-(methyleneiminodiethanoic acid)-benzene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KNO3	25°C	0.10M	C			K1=8.00	1988ZHa (94060)	2119
------	----	------	------	-------	---	--	--	---------	-----------------	------

K(Ca+H2L)=5.14

K(Ca+HL)=7.18

K(CaHL+H)=9.09

K(CaL+H)=11.05

B(Ca2L)=14.35

C16H20N2O10 H6L CAS 28021-27-4 (5166)

1,4-Dihydroxyphenyl-2,5-bis(methyleneimino)-N,N,N',N'-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	oth/un	25°C	0.0	U				1970TTb (94073)	2120
------	----	--------	------	-----	---	--	--	--	-----------------	------

K(Ca+HL)=7.0

K(Ca+H2L)=5.3

K(Ca+H3L)=2.2

K(2Ca+HL)=15.3

C16H20N2O12S H6L (3484)
2-Hydroxy-5-sulfo-1,3-phenylenebis(methylamine-N,N-diethanoic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	EMF	KCl	20°C	0.10M	C			K1=9.2 K(Ca+HL)=7.88 K(Ca+H2L)=2.8	1952SAb (94081)	2121
------	-----	-----	------	-------	---	--	--	--	-----------------	------

Method: H electrode

C16H22N2O4P2 H2L (7262)
1,2-Diaminoethane-N,N'-bis(methylenephosphinic acid); (CH2NHCH2PO(OH)C6H5)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	R4N.X	25°C	0.10M	M			K1=2.92	1996BCa (94125)	2122
------	----	-------	------	-------	---	--	--	---------	-----------------	------

Medium: 0.1 M Me4NNO3.

C16H22O6 L (6733)
4'-Acetyl-2,3-benzo-1,4,7,10,13-pentaoxacyclopentadeca-2-ene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	cal	alc/w	25°C	100%	U	H		K1=0.5	1988SVa (94246)	2123
------	-----	-------	------	------	---	---	--	--------	-----------------	------

C16H23NO8 L CAS 53408-96-1 (1765)
2,3-(4'-Nitrobenzo)-1,4,7,10,13,16-hexaoxacyclooctadeca-2-ene;
4'-Nitrobenzo-18-crown-6

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	ISE	R4N.X	25°C	0.10M	C			K1=3.55	1986XJa (94263)	2124
------	-----	-------	------	-------	---	--	--	---------	-----------------	------

C16H24N2O8 H4L CAS 38557-30-1 (1256)
Ethylene-bis(N,N'-(2,6-dicarboxy)piperidine); ((HOOCC)2.C5H8N.CH2.)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	NaNO3	25°C	0.10M	U			K1=7.28	1979PBa (94315)	2125
------	----	-------	------	-------	---	--	--	---------	-----------------	------

C16H24O6 L Benzo18-crown-6 CAS 14098-24-9 (513)
2,3-Benzo-1,4,7,10,13,16-hexaoxacyclooctadeca-2-ene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	oth	alc/w	35°C	3.0%	C			K1=1.64	1999MTd (94373)	2126
------	-----	-------	------	------	---	--	--	---------	-----------------	------

Method: capillary zone electrophoresis. Medium: 3% v/v EtOH/H2O, 0.005 M acetate buffer, pH 5.5.

Ca++	cal	non-aq	25°C	100%	C	H		K1=2.50	1999WBa (94374)	2127
------	-----	--------	------	------	---	---	--	---------	-----------------	------

Medium: N,N-dimethylformamide. DH(K1)=-15.7 kJ mol⁻¹.

Ca++ cal non-aq 25°C 100% U H K1=6.05 1993BDb (94375)2128
Medium: acetone. DH=-40.7 kJ mol⁻¹; TDS=-14.2 Calorimetric titration

Ca++ cal non-aq 25°C 100% C H K1=2.28 1986ICa (94376)2129
Medium: MeOH. DH(K1)=-8.62 kJ mol⁻¹, DS(K1)=14.7 J K⁻¹ mol⁻¹.

Ca++ sp alc/w 25°C 100% U K1=3.50 1981EMb (94377)2130
Medium: MeOH

C16H24O14 H4L CAS 61696-54-6 (6104)
1,4,7,10,13,16-Hexaoxacyclooctadeca-2,3,11,12-tetracarboxylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	M		K1=4.3 B(CaHL)=8.5	1991FGb (94487)2131	

Medium: 0.10 M Et4NNO3.

C16H25NO4 L (7444)
1-Aza-4,7,10,13-tetraoxa-1-phenyl-cyclopentadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	non-aq	RT	100%	C		K1=4.84	2001AVa (94509)2132	

Method: spectrophotometric titration. Medium: acetonitrile.

C16H26N2O4 L (5849)
2,3-Benzo-1,4,10,13-tetraoxa-7,16-diazacyclooctadeca-2-ene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	alc/w	25°C	100%	U		K1=3.8	1988CFa (94554)2133	

Medium: MeOH

C16H26N2O10 H2L CAS 93031-54-0 (5831)
1,4,7,10-Tetraoxa-13,16-diazacyclooctadecane-11,18-dione-13,16-diethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	C		K1=5.34	2002DCb (94561)2134	

Medium: 0.10 M Me4NNO3.

C16H26N2O12 H4L (6659)
1,4,10,13-Tetraoxa-7,16-diaza-2,3,11,12-tetracarboxycyclooctadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	U		K1=6.6	1990AFa (94584)2135	

B(CaHL)=15.2

C16H26N2O12 H4L CAS 130190-52-2 (6660)
1,4,10,13-Tetraoxa-7,16-diaza-2,3,7,16-tetracarboxycyclooctadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M U K1=9.0 1990AFa (94598)2136
B(CaHL)=16.7

C16H26O8S4 H4L CAS 53480-92-5 (1162)
Butane-1,1,4,4-tetramercaptopropionic acid; (CH2.CH(S.CH2.CH2.COOH)2)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaClO4 25°C 0.10M U K1=2.55 1975PJa (94637)2137

C16H26O12 H3L CAS 172911-85-2 (7641)
Methyl-2,3,4-tris-O-(2-carboxyethyl)-alpha-D-glucopyranoside;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ISE KCl 25°C 0.10M C K1=2.07 1995BBf (94641)2138
Method: calcium ion selective electrode. For the beta isomer, K1=2.05

C16H27N5O8 H3L (6621)
1,4,7-Tris(carboxymethyl)-1,4,7,10,13-pentaazacyclopentadecan-9,14-dione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M C K1=5.65 1995IOa (94661)2139

C16H28N2O8 H4L (5167)
1,2-Diaminoethane-N,N'-diethanoic-N,N'-di-2-(3-methyl)butanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 20°C 0.10M U K1=6.05 1969NDc (94703)2140

C16H28N2O8 H4L (5168)
1,2-Diaminoethane-N,N'-diethanoic-N,N'-di-2-pentanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 20°C 0.10M U K1=9.24 1969NDc (94728)2141

C16H28N2O8 H4L (5138)
1,2-Diaminooctane-N,N,N',N'-tetraethanoic acid;
(HOOCCH2)2N.CH2.CH(C6H13)N(CH2COOH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	KNO3	20°C	0.10M	U		K1=11.70	1979MBd (94754)	2142

		C16H28N2O8	H4L				(2850)		
1,8-Diaminooctane-N,N,N',N'-tetraethanoic acid; ((H00CCH2)2N(CH2)4)2									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	KNO3	20°C	0.10M	U		K1=4.6 K(Ca+HL)=3.7	1964ANa (94785)	2143
------	----	------	------	-------	---	--	------------------------	-----------------	------

Ca++	gl	KCl	20°C	0.10M	U		K1=4.51 K(Ca+HL)=3.68 K(Ca+CaL)=3.03	1955SAb (94786)	2144
------	----	-----	------	-------	---	--	--	-----------------	------

		C16H28N4O8	H4L	DOTA			CAS 60239-18-1	(1017)	
1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetraethanoic acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	R4N.X	25°C	0.10M	C		K1=17.219 K(CaL+H)=3.80 K(CaL+2H)=7.57	2000BCa (94853)	2145
------	----	-------	------	-------	---	--	--	-----------------	------

Medium: 0.10 M NMe4Cl.

Ca++	gl	R4N.X	25°C	0.10M	M		K1=16.70	1996CHc (94854)	2146
------	----	-------	------	-------	---	--	----------	-----------------	------

Medium: 0.1 M Me4NCl.

Ca++	gl	KCl	25°C	0.10M	C		K1=16.37 K(CaL+H)=3.60	1991CMb (94855)	2147
------	----	-----	------	-------	---	--	---------------------------	-----------------	------

Ca++	cal	R4N.X	25°C	0.10M	C	H		1984DFa (94856)	2148
------	-----	-------	------	-------	---	---	--	-----------------	------

Medium: 0.10 M Me4NNO3. DH(K1)=-48.9 kJ mol⁻¹, DS(K1)=167 J K⁻¹ mol⁻¹.

Ca++	gl	R4N.X	25°C	0.10M	C		K1=17.226 K(Ca+HL)=8.68 K(Ca+H2L)=3.11	1982DSa (94857)	2149
------	----	-------	------	-------	---	--	--	-----------------	------

Ca++	EMF	KCl	20°C	0.10M	C		K1=15.9	1981SFa (94858)	2150
------	-----	-----	------	-------	---	--	---------	-----------------	------

Method: Pt/H2 electrode.

Ca++	gl	KCl	20°C	0.10M	U		K1=15.85	1976SFb (94859)	2151
------	----	-----	------	-------	---	--	----------	-----------------	------

		C16H29N3O7	H3L				(7395)		
4,8,12-Tris(carboxymethyl)-1-oxa-4,8,12-triazacyclotetradecane;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	R4N.X	25°C	0.10M	C		K1=4.85	1997CCa (94949)	2152
------	----	-------	------	-------	---	--	---------	-----------------	------

$$K(\text{Ca}(\text{OH})\text{L}+\text{H})=9.91$$

Medium: Me4NNO3

C16H29N3O8 H3L CAS 259211-79-5 (7775)

1,4-Dioxa-7,10,13-triazacyclopentadecane-7,10,13-triethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	R4N.X	25°C	0.10M	C		K1=8.51	2000CDd (94958)	2153
------	----	-------	------	-------	---	--	---------	-----------------	------

Medium: 0.10 M (Me4N)NO3.

C16H29N3O9 H4L TTDA-HP (7932)

N'-(2-Hydroxypropyl)di(carboxymethyl)triazadodecanedioic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	R4N.X	25°C	0.10M	M		K1=12.02	2001Cwa (94981)	2154
------	----	-------	------	-------	---	--	----------	-----------------	------

$$K(\text{Ca}+\text{HL})=6.29$$

Medium: 0.10 M Me4NNO3. Method: by competition with EDTA

C16H29N5O8 H3L (6505)

Diethylenetriaminepentaethanoic acid N,N'-bismethylamide;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	NaClO4	25°C	0.10M	C	H		1993RCa (94994)	2155
------	----	--------	------	-------	---	---	--	-----------------	------

$$K(\text{Ca}+\text{HL})=2.20$$

DH(K1)=-25.9, DH(Ca+HL)=-5.3 kJ mol⁻¹. DS(K1)=50, DS(Ca+HL)=24 J K⁻¹ mol⁻¹

Ca++	gl	NaCl	25°C	0.10M	U		K1=7.17	1990CQa (94995)	2156
------	----	------	------	-------	---	--	---------	-----------------	------

$$K(\text{CaL}+\text{H})=4.45$$

C16H30N2O8 H2L CAS 72912-01-7 (1568)

1,4,10,13-Tetraoxa-7,16-diazacyclooctadecane-N,N'-diethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	R4N.X	25°C	0.10M	C	H	K1=8.707	1989DSa (95019)	2157
------	----	-------	------	-------	---	---	----------	-----------------	------

By calorimetry: DH(CaL)=-34.7 kJ mol⁻¹; DS=46.

Ca++	gl	NaNO3	25°C	0.10M	U		K1=8.57	1988HSb (95020)	2158
------	----	-------	------	-------	---	--	---------	-----------------	------

Ca++	gl	R4N.X	25°C	0.10M	U		K1=8.39	1983CRb (95021)	2159
------	----	-------	------	-------	---	--	---------	-----------------	------

C16H30N4O6 H2L (6295)

1,2-Diaminoethane-N,N'-bis(2-propylethanoamide)-N,N'-diethanoic acid;(Me2CHNHCOCH2N(CH2COOH)CH2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ gl KCl 25°C 0.10M U K1=6.51 B2=12.66 1999WLa (95068)2160
 K(CaL+H)=3.43
 *K(CaL)=-10.93

C16H30N4O8 H4L (3473)
 N,N'-Dimethyl-2,2'-ethylenedi-iminobis(ethylenediethanoic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	KCl	20°C	0.10M	U		K1=9.45 K(Ca+HL)=4.39	1964PCa (95079)2161	
------	----	-----	------	-------	---	--	--------------------------	---------------------	--

C16H32N2O4 L Cryptand 1,2,1H CAS 119017-36-6 (6587)
 4,7,14,20-Tetraoxa-1,10-diazabicyclo[8.7.5]docosane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	alc/w	25°C	95%	M		K1=4.01	1990LNa (95115)2162	
------	----	-------	------	-----	---	--	---------	---------------------	--

Medium: 95% MeOH, 0.05 M Bu4NBr. For the 9,13-dihydroxy- analogue: K1=4.55

C16H32N2O5 L Cryptand 2,2,1 CAS 31364-42-8 (837)
 1,10-Diaza-4,7,13,16,21-pentaoxabicyclo[8,8,5]tricosane (2,2,1);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	ISE	non-aq	25°C	100%	C	H	K1=5.81	1999WBa (95153)2163	
------	-----	--------	------	------	---	---	---------	---------------------	--

Medium: N,N-dimethylformamide. Method: competitive titration against Ag+, using Ag+ ISE. By calorimetry: DH(K1)=-38.5 kJ mol⁻¹.

Ca++	gl	R4N.X	25°C	0.05M	C	H	K1=7.7	1996BCh (95154)2164	
------	----	-------	------	-------	---	---	--------	---------------------	--

Medium: 0.05 M Et4NClO4. By calorimetry: DH(K1)=-5.3 kJ mol⁻¹.

Ca++	kin	non-aq	25°C	100%	U	T	K1=3.85	1996GSa (95155)2165	
------	-----	--------	------	------	---	---	---------	---------------------	--

Medium: DMSO. Also K1=3.72 (T=35 C), 3.60 (T=45 C) and 3.48 (T=55 C).

Ca++	EMF	non-aq	25°C	100%	C	H	K1=3.47	1995CDb (95156)2166	
------	-----	--------	------	------	---	---	---------	---------------------	--

Medium: DMSO, 0.1 M Et4NClO4. DH=-25.6 kJ mol⁻¹, DS=-19.4 J K⁻¹ mol⁻¹.

Ca++	sp	non-aq	25°C	100%	U	T	H	K1=3.67	1994GSb (95157)2167
------	----	--------	------	------	---	---	---	---------	---------------------

At 35 C: K1=3.55; 45 C: K1=3.44; 55 C: K1=3.33. DH(K1)=-21 kJ mol⁻¹, DS=1
 Medium: DMSO

Ca++	sp	non-aq	20°C	100%	U		K1=6.6	1992PSa (95158)2168	
------	----	--------	------	------	---	--	--------	---------------------	--

Medium: DMF, 0.01 M Me4NI

Ca++	cal	alc/w	25°C	100%	U	H		1986BUa (95159)2169	
------	-----	-------	------	------	---	---	--	---------------------	--

B(Ca2L2) >5
 Medium: MeOH. DH=-32.5 kJ mol⁻¹; DS=80

Ca++	sp	non-aq	25°C	100%	U		K1=3.29	1983PSc (95160)2170	
------	----	--------	------	------	---	--	---------	---------------------	--

Medium: DMSO

Ca++ ISE non-aq 25°C 100% U K1=6.67 1981CRa (95161)2171

Medium: DMF

Ca++ ISE non-aq 25°C 100% U K1=11.4 1980CRa (95162)2172

Medium: Propylene carbonate

Ca++ kin oth/un 25°C 0.10M U H K1=6.86 1977LPb (95163)2173

In piperidine buffer, pH 11.5. DH=-5.4 kJ mol⁻¹

Ca++ cal R4N.X 25°C 0.06M C H 1976KLc (95164)2174

Medium: 0.057 M Me4NBr. Method: flow microcalorimetry.

DH(K1)=-12.1 kJ mol⁻¹, DS(K1)=92 J K⁻¹ mol⁻¹.

Ca++ gl R4N.X 25°C 0.05M C I K1=6.95 1975LSc (95165)2175

In 95% MeOH: K1=9.61

Ca++ kin KCl 25°C 0.10M U H K1=6.79 1975LWb (95166)2176

Using stopped-flow. DH=-29.7 kJ mol⁻¹. Also K1=6.95 by potentiometry in
0.04 to 0.08M NMe4Br; DH=-11.3

C16H32N4O4 L (6794)

4,10-Bis(N,N-dimethylethanamido)-1,7-dioxo-4,10-diazacyclododecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ cal alc/w 25°C 100% U H K1=>5.5 1990KMb (95317)2177

Medium: MeOH. DH=-46.6 kJ mol⁻¹

C16H32N4O6 H2L (7344)

4,10-Bis(2-hydroxyethyl)-1,4,7,10-Tetraazacyclododecane-1,7-bis(ethanoic acid);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M C K1=10.1 1997HTa (95325)2178

C16H32N4O6 L CAS 98608-90-3 (1322)

N,N'-Bis(carbamoylmethyl)-1,7,10,16-tetraoxa-4,13-diazacyclooctadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaClO4 25°C 0.50M U K1=5.65 1981KMb (95331)2179

C16H32N8O4 L CAS 157599-02-5 (8676)

1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetraacetamide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.10M C K1=7.54 1995MHa (95372)2180

C16H34N2O5 L (6953)
7,13-Bis(2-methoxyethyl)-1,4,10-trioxa-7,13-diazacyclopentadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M C K1=2.8 1995LLa (95408)2181
Medium: Et4NClO4

C16H34N2O5 L DHPK-21 CAS 106288-71-5 (8327)
N,N'-Bis(2-hydroxypropyl)-1,4,10-trioxa-7,13-diazacyclopentadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.10M C K1=3.86 1986HBe (95425)2182

C16H34N2O6 L CAS 69930-74-1 (1321)
N,N'-Bis(2-hydroxyethyl)-1,7,10,16-tetraoxa-4,13-diazacyclooctadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M C K1=4.08 1995LLa (95440)2183
Medium: Et4NClO4

Ca++ gl NaClO4 25°C 0.50M U K1=4.08 1981KMb (95441)2184

C16H34N4O2 L CAS 60598-04-1 (1530)
4,7-Dimethyl-1,4,7,10-tetraaza-13,18-dioxabicyclo[8,5,5]eicosane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M U K1=2.2 1978LMa (95466)2185

C16H36N4O4 L (6703)
1,4,7,10-Tetrakis(2-hydroxyethyl)-1,4,7,10-tetraazacyclododecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M C K1=7.41 2000DFb (95565)2186
Medium: 0.10 M Et4NClO4.

C16H38N4O6P2 H2L CAS 583879-34-9 (9251)
4,10-Dimethyl-1,4,7,10-tetraazacyclododecane-1,7-bis(methanephosphonic acid
monoethyl ester);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M C K1=3.45 2003BGa (95593)2187
K(CaL+OH)=3.6
K(CaL+2OH)=7.2

Medium: 0.10 M Me4NCl.

C16H41N3O12P4 H8L (6911)

N'-Octyl-diethylenetriamine-N,N,N'',N''-tetra(methylenephosphonic acid);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl04 25°C 0.10M M 1987ZGa (95665)2188

K(Ca+HL)=3.63
K(Ca+H2L)=3.43
K(Ca+H3L)=3.22
K(Ca+H4L)=2.30

K(Ca+H5L)=0.91.

Ca++ gl oth/un 25°C 0.10M U 1984ZGa (95666)2189

K(Ca+HL)=3.63
K(Ca+H2L)=3.43
K(2Ca+H2L)=7.54
K(Ca+H3L)= 3.22

K(Ca+H4L)=2.30; K(2Ca+H3L)=7.16; K(2Ca+HL)=8.02; K(Ca+H5L)=0.91

C17H12N2O10S2 H5L CAS 3440-76-4 (4119)

2-(2'-Carboxyphenylazo)chromotropic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M U 1971KMb (95715)2190

K(Ca+HL)=3.37

Ca++ gl KNO3 25°C 0.10M U 1968NMb (95716)2191

K(Ca+HL)=3.40

C17H14N2O HL CAS 2046-17-5 (5214)

1-(2-Methylphenylazo)-2-hydroxynaphthalene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl mixed 25°C 75% U K1=6.96 1972MCb (95790)2192

Medium: 75% acetone, 0.1 M KNO3

C17H14N2O HL CAS 6756-41-8 (5215)

1-(4-Methylphenylazo)-2-hydroxynaphthalene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl mixed 25°C 75% U K1=7.58 1972MCb (95805)2193

Medium: 75% acetone, 0.1 M KNO3

C17H14N2O2 HL CAS 1229-55-6 (5216)

1-(2-Methoxyphenylazo)-2-hydroxynaphthalene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	mixed	25°C	75%	U		K1=7.66	1972MCb (95824)	2194
------	----	-------	------	-----	---	--	---------	-----------------	------

Medium: 75% acetone, 0.1 M KNO3

C17H14N2O2	HL						CAS 13441-91-1	(5217)	
------------	----	--	--	--	--	--	----------------	--------	--

1-(4-Methoxyphenylazo)-2-hydroxynaphthalene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	mixed	25°C	75%	U		K1=7.39	1972MCb (95839)	2195
------	----	-------	------	-----	---	--	---------	-----------------	------

Medium: 75% acetone, 0.1 M KNO3

C17H14N2O8S2	H4L						CAS 15475-90-8	(2605)	
--------------	-----	--	--	--	--	--	----------------	--------	--

2-(2-Tolylazo)-chromotropic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	KNO3	25°C	0.10M	U			1971KMb (95938)	2196
------	----	------	------	-------	---	--	--	-----------------	------

K(Ca+HL)=2.56

C17H14N2O9S2	H4L						(5228)		
--------------	-----	--	--	--	--	--	--------	--	--

2-(2-Methoxyphenylazo)chromotropic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	KNO3	25°C	0.10M	U			1971KMb (95942)	2197
------	----	------	------	-------	---	--	--	-----------------	------

K(Ca+HL)=3.25

C17H16O4	H2L						CAS 4372-32-1	(486)	
----------	-----	--	--	--	--	--	---------------	-------	--

Dibenzylpropanedioic acid; H00C.C(CH2.C6H5)2.C00H

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	sp	none	25°C	0.0	U		K1=2.56	1976K0a (96174)	2198
------	----	------	------	-----	---	--	---------	-----------------	------

C17H18N3O3F	HL	Ciprofloxacin					CAS 189257-90-7	(7142)	
-------------	----	---------------	--	--	--	--	-----------------	--------	--

1-Cyclopropyl-6-fluoro-1,4-dihydro-4-oxo-7[1-piperazinyl]-3-quinoline carboxylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	KCl	25°C	0.20M	C		K1=3.17 B(CaHL)=11.29	1996TBc (96221)	2199
------	----	-----	------	-------	---	--	--------------------------	-----------------	------

C17H20N4O6	HL	Riboflavin					CAS 83-88-5	(1438)	
------------	----	------------	--	--	--	--	-------------	--------	--

7,8-Dimethyl-10(D-1'-ribityl)isoalloxazine, Vitamin B2, Vitamin H

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

 Ca++ sol mixed 25°C 95% U K1=2.1 1983LRb (96327)2200
 Medium: acetone, 1 M LiClO₄.3H₂O. Also data in MeCN

Ca++ sol oth/un 22°C U K1=0.23 1980Lda (96328)2201
 Medium: variable Ca(ClO₄)₂ content 0.1-0.9 M
 The same constant measured spectrophotometrically: K1=-0.65

C17H21N4O9P H3L CAS 130-40-5 (3495)
 Flavin mononucleotide, Riboflavin-5'-phosphoric acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	ix	NaCl	23°C	0.10M	U		K1=2.06	1958WAa (96383)2202	
------	----	------	------	-------	---	--	---------	---------------------	--

C17H22N2O9 H5L CAS 85929-35-7 (3493)
 2-Hydroxy-5-methyl-1,3-phenylenebis(methyliminodiethanoic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	EMF	KCl	20°C	0.10M	C		K1=8.4 K(Ca+HL)=6.67 K(Ca+H2L)=2.8	1952SAb (96402)2203	
------	-----	-----	------	-------	---	--	--	---------------------	--

Method: H electrode

C17H24N4O6 H3L (7349)
 3,6,9,15-Tetraazabicyclo[9.3.1]pentadeca-1(15),11,13-triene-3,6,9-triethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	R4N.X	25°C	0.10M	C		K1=12.379 K(CaL+H)=3.66	1997DQa (96445)2204	
------	----	-------	------	-------	---	--	----------------------------	---------------------	--

Medium:Me4NNO₃

Ca++	EMF	KCl	20°C	0.10M	C		K1=8.3	1981SFa (96446)2205	
------	-----	-----	------	-------	---	--	--------	---------------------	--

Method: Pt/H₂ electrode.

C17H26N4O4 H2L CAS 205595-08-0 (8972)
 3,11-Bis(carboxymethyl)-3,7,11,17-tetraazabicyclo[11.3.1]heptadeca-1(17),13,15-triene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	R4N.X	25°C	0.10M	C		K1=3.32	1998CDa (96501)2206	
------	----	-------	------	-------	---	--	---------	---------------------	--

Medium: 0.10 M Me4NNO₃.

C17H27NO5 L CAS 98269-22-8 (8844)
 13-(2-Methoxyphenyl)-1,4,7,10-tetraoxa-13-azacyclopentadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ sp alc/w RT 50% C I K1=1.7 2002GNe (96542)2207
 Medium: 50% v/v MeOH/H2O, pH 7.4 (0.01 M Tris buffer), 0.1 M Me4NCl.
 In 10% MeOH/H2O, K1=1.2.

C17H28O8S4 H4L (1163)
 Pentane-1,1,5,5-tetramercaptopropionic acid; CH2(CH2.CH(S.CH2.CH2.COOH)2)2

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaClO4 25°C 0.10M U K1=3.11 1975PJa (96562)2208

C17H30N4O8 H4L TRITA CAS 60239-20-5 (1018)
 1,4,7,10-Tetraazacyclotridecane-1,4,7,10-tetraethanoic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M C K1=16.37 1991CMb (96623)2209
 K(CaL+H)=3.60

 Ca++ cal KNO3 25°C 0.10M C H 1984DFa (96624)2210
 DH(K1)=-25.5 kJ mol-1, DS(K1)=146 J K-1 mol-1.

 Ca++ gl KNO3 25°C 0.10M C K1=12.085 1982DSa (96625)2211
 K(Ca+HL)=5.451

 Ca++ EMF KCl 20°C 0.10M C K1=10.4 1981SFa (96626)2212
 Method: Pt/H2 electrode.

 Ca++ gl KCl 20°C 0.10M U K1=8.06 1976SFb (96627)2213

C17H30O6 H2L CAS 159029-04-6 (7605)
 15-(Methoxymethoxy)-9,11-dioxo-pentadecanoic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp alc/w RT 80% C K1=2.23 1994HWc (96669)2214
 Medium: 80%MeOH/H2O. Also data for many analogues.

C17H31N3O8 H3L CAS 282717-18-4 (7776)
 1,4-Dioxa-7,10,14-triazacyclohexadecane-7,10,14-triethanoic acid;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M C K1=7.23 2000CDd (96677)2215
 *K(CaL)=-9.7

Medium: 0.10 M (Me4N)NO3.

C17H32N4O6 H3L (6696)
 1,4,7,10-Tetraazacyclododecane-1,4,7-tri(2-methyl)ethanoic acid;

C8H17N4(CH(CH3)COOH)3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	R4N.X	25°C	0.10M	C		K1=13.82 K(CaL+H)=5.76 K(Ca+HL)=6.2	1995KTa (96688)	2216
------	----	-------	------	-------	---	--	---	-----------------	------

Medium: Me4NCl

C17H32N4O6	H3L	(7253)
------------	-----	--------

1,4,7,10-Tetraazacyclododecane-1-propyl-4,7,10-triethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	R4N.X	25°C	0.10M	M		K1=10.65	1996CHc (96692)	2217
------	----	-------	------	-------	---	--	----------	-----------------	------

Medium: 0.1 M Me4NCl.

C17H32N4O7	H3L	CAS 120041-08-9 (6702)
------------	-----	------------------------

10-Hydroxypropyl-1,4,7,10-tetraazacyclododecane-1,4,7-triethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	R4N.X	25°C	0.10M	C		K1=14.06 K(CaL+H)=5.38	2000BCa (96707)	2218
------	----	-------	------	-------	---	--	---------------------------	-----------------	------

Ca++	gl	R4N.X	25°C	0.10M	M		K1=14.18	1996CHc (96708)	2219
------	----	-------	------	-------	---	--	----------	-----------------	------

Medium: 0.1 M Me4NCl.

Ca++	gl	R4N.X	25°C	0.10M	C		K1=14.83	1995KTa (96709)	2220
------	----	-------	------	-------	---	--	----------	-----------------	------

Medium: Me4NCl

C17H32N4O8	H3L	(7255)
------------	-----	--------

1,4,7,10-Tetraazacyclododecane-1-(2,3-dihydroxypropyl)-4,7,10-triethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	R4N.X	25°C	0.10M	M		K1=13.96	1996CHc (96723)	2221
------	----	-------	------	-------	---	--	----------	-----------------	------

Medium: 0.1 M Me4NCl

C17H32N4O9	H3L	CAS 124628-01-9 (2013)
------------	-----	------------------------

1,4,7,10-Tetraazacyclododecane-1,4,7-tri(2-hydroxymethylethanoic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	R4N.X	25°C	0.10M	C		K1=8.84 K(CaL+H)=5.80 K(CaL+2H)=11.34 K(CaL+OH)=5.94	2000BCa (96730)	2222
------	----	-------	------	-------	---	--	---	-----------------	------

Medium: 0.10 M NMe4Cl.

C17H34N4O4S L CAS 503465-04-1 (9247)
4,7,13,16-Tetraoxa-1,10,21,23-tetraazabicyclo[8.8.7]pentacosane-22-thione;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	alc/w	25°C	95%	C		K1=2.24	2004KV a (96754)	2223
------	----	-------	------	-----	---	--	---------	------------------	------

Medium: 95% MeOH/H2O, 0.01 M Et4NClO4.

C17H36N4O4 H2L (8282)
2,12-Dimethyl-5,9-di(2-carboxyethyl)-2,5,9,12-tetraazatridecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	KNO3	25°C	0.10M	C		K1=1.9	1989HA a (96777)	2224
------	----	------	------	-------	---	--	--------	------------------	------

C17H37N3O4 L CAS 119167-07-6 (6042)
4,7,10-Tri-(2-hydroxypropyl)-1-oxa-4,7,10-triazacyclododecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	NaNO3	25°C	0.10M	U		K1=4.60	1988HS b (96783)	2225
------	----	-------	------	-------	---	--	---------	------------------	------

C18H12N2O11S2 H5L (5251)
2-(2'-Oxalophenylazo)chromotropic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	KNO3	25°C	0.10M	U			1971KM b (96866)	2226
------	----	------	------	-------	---	--	--	------------------	------

K(Ca+HL)=3.41

C18H14N2O3 H3L (4127)
2-(2',4'-Dihydroxyphenylazo)-4-phenylphenol;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	sp	KCl	rt	0.10M	U			1960DE a (96915)	2227
------	----	-----	----	-------	---	--	--	------------------	------

K1eff=1.68 (pH 10)

C18H14N2O9S2 H4L (5252)
2-(2'-Methyl-benzoylazo)chromotropic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	KNO3	25°C	0.10M	U			1971KM b (96933)	2228
------	----	------	------	-------	---	--	--	------------------	------

K(Ca+HL)=2.95

C18H14N2O10S2 H5L (5253)
2-(2-Phenylethanoic acidazo)chromotropic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	KN03	25°C	0.10M	U					1971KMb (96937)2229	
K(Ca+HL)=3.50											

C18H14N2O11S2		H5L								(4132)	
2-(2'-(Carboxyhydroxymethyl)phenylazo)chromotropic acid;											

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo

Ca++	gl	KN03	25°C	0.10M	U					1971KMb (96943)2230	
K(Ca+HL)=3.92											

C18H14N2O11S2		H5L								(4133)	
2-(2'-(Carboxymethoxy)phenylazo)chromotropic acid;											

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo

Ca++	gl	KN03	25°C	0.10M	U					1971KMb (96950)2231	
K(Ca+HL)=5.13											

C18H16N4O4		H2L								(3500)	
2-(4,5-Dihydro-3-methyl-5-oxo-1-phenyl-1H-pyrazol-4-ylazo)phenoxyethanoic acid;											

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo

Ca++	gl	diox/w	30°C	75%	U			K1=7.29		1962SCc (97206)2232	

C18H18O8		H2L								(5631)	
1,4-bis(2-Carboxymethoxyphenyl)-1,4-dioxabutane;											

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo

Ca++	gl	alc/w	25°C	90%	M			K1=6.63		1998KLa (97301)2233	
Medium: 90% v/v MeOH/H2O, 0.1 MMe4NC1											

C18H20N2O6		H4L								CAS 10328-28-6 (3501)	
Ethylenedinitrilo-N,N'-bis(2'-hydroxyphenyl)-N,N'-diethanoic acid;											

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo

Ca++	gl	KCl	25°C	0.10M	C			K1=14.36		1993MMa (97381)2234	
K(CaL+H)=7.80											
K(CaHL+H)=6.56											

Ca++	gl	KN03	25°C	0.10M	C			K1=14.7		1992GVa (97382)2235	
K(Ca+HL)=10.5											
K(Ca+H2L)=6.6											
*K(CaH2L)=-7.6											
*K(CaHL)=-9.3											

Ca++ gl KNO3 25°C 0.10M U K1=7.2 1958FFa (97383)2236
K(Ca+HL)=4.8
K(Ca+H2L)=1.7

C18H20N4O4 H2L (7083)
2,11-Diaza[3.3](2,6)pyridinophane-N,N'-diethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M C K1=10.0 1995KHa (97469)2237

C18H22N2O8 H4L (5244)
(trans-1,2,3,4-Tetrahydronaphthalene-2,3-dinitrilo)tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M U K1=11.63 1970YKa (97525)2238

C18H22N4O4 H2L CAS 2444-14-6 (3502)
N,N'-Bis(2-pyridylmethyl)diaminoethane-N,N'-diethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl oth/un 25°C 0.10M U K1=7.9 1965LCa (97535)2239

C18H22O4 H2L B(CH2AcAcH)2 (2252)
1,3-Di(hexa-3,5-dione)-benzene; C6H4((CH2)2.CO.CH2.CO.CH3)2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl diox/w 24°C 50% U K1=6.3 1979ACa (97556)2240

C18H24N2O2 H2L CAS 58015-12-6 (5245)
N,N'-Bis(2-hydroxy-5-methylphenylmethylene)ethylenediamine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ EMF oth/un ? ? U K1=9.5 1975DTa (97583)2241

K(Ca+H2L)=2.2

C18H26N4O8 H4L CAS 319016-30-3 (7715)
N'-(2-Pyridylmethyl)-diethylenetriamine-N,N,N'',N''-tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M M K1=8.35 2000Cwa (97690)2242

Medium: 0.1 M NMe4NO3.

C18H26N6 L (6628)
3,6,14,17,23,24-Hexaazatricyclo[17.3.1.1]tetracos-1(23),8,10,12(24),19,21-hexaene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	M		K1=4.4	1996MBb (97706)	2243
Ca++	gl	KCl	25°C	0.20M	C		K1=4.4	1992RMa (97707)	2244

C18H26O8N2P2		H6L		CAS 53431-87-1 (2325)					
N,N'-Bis(2-hydroxybenzyl)ethylenediamine-N,N'-bis(methylenephosphonic)									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	C		K1=8.36 K(Ca+H2L)=3.61 K(CaL+H)=10.72 K(CaHL+H)=9.59	1975MMc (97738)	2245

C18H27N2O3F		L		CAS 173417-90-8 (6571)					
23-Fluoro-4,7,20-trioxa-1,10-diazatricyclo[8.7.5.1,12,16]tricos-12,14,16(23)triene									
;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	EMF	non-aq	25°C	100%	C	H	K1=2.21	1999BHa (97745)	2246
Medium: MeOH, 0.05 M Et4NClO4. By calorimetry DH(K1)=-0.4 kJ mol-1.									
Method: by competition with Ag+, using Ag/Ag+ electrode.									

C18H27N3O12		H6L		(3503)					
1,3,5-Triaminocyclohexane-N,N,N',N',N'',N''-hexaethanoic acid;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	30°C	0.10M	U		K1=5.5 K(CaL+Ca)=3.6 K(Ca+HL)=4.7 K(Ca+H2L)=2.9	1963GHa (97752)	2247

C18H28N4O4		H2L		(7378)					
7-Methyl-3,7,11,17-tetraazabicyclo[11.3.1]heptadeca-1(17),13,15-triene-3,11-diethanoic acid;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	C		K1=3.74	1997CDb (97780)	2248
Medium: NMe4NO3									

C18H28N4O10		H3L		Ac-DVDA		CAS 93620-52-1 (5414)			
N-Acetyl-aspartyl-valyl-aspartyl-alanine;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo

Ca++ gl KCl 25°C 0.50M U K1=3.60 1984ABc (97789)2249
B(CaHL)=3.11

C18H28O5 L CAS 15196-73-3 (2359)
2,3-(4'-Dimethylethylbenzo)-1,4,7,10,13-pentaoxacyclopentadeca-2-ene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ EMF non-aq 25°C 100% U K1=6.05 1982MRb (97799)2250
Medium: anhydrous propylene carbonate, 0.1M Et4NClO4

C18H28O6 H2L O(EAcAcE)20 CAS 73199-63-0 (2251)
1,11-Dioxacycloeicosane-5,7,15,17-tetraone;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl diox/w 24°C 50% U K1=7.4 1979ACa (97826)2251

C18H28O10 H2L (OE0AcAcOE)2 CAS 62950-36-1 (2254)
1,4,10,13,16,22-Hexaoxacyclotetracosane-6,8,18,20-tetraone;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl diox/w 24°C 50% U K1=7.8 1979ACa (97864)2252

C18H30N2O11 H2L CAS 93049-99-1 (5832)
1,4,7,10,13-Pentaoxa-16,19-diazacycloeicosane-14,21-dione-16,19-diethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M C K1=5.36 2002DCb (97902)2253
Medium: 0.10 M Me4NNO3.

C18H30N2O12 H4L (7125)
1,4,10,13-Tetraoxa-7,16-diazacyclooctadecane-7,16-bis(malonic acid);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl 25°C 0.15M U K1=7.55 1995BGa (97923)2254

C18H30N4O12 H6L CAS 869-52-3 (3504)
2,2',2''-Nitrilotris(ethyliminodiethanoic acid); N(CH2.CH2.N(CH2.COOH)2)3

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ EMF KCl 20°C 0.10M C K1=9.4 1964PCa (97939)2255
K(Ca+HL)=7.65

Method: H electrode

C18H30N4O12 H6L TTHA CAS 869-52-3 (694)
 Triethylenetetraaminehexaethanoic acid;((HOOCH2)2NCH2CH2N(CH2COOH)CH2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	20°C	0.10M	U		K1=10.52 K(CaHL+H)=4.75 K(CaL+H)=8.56 K(Ca+CaL)=4.3	1969ALb (97987)	2256
Ca++	gl	KNO3	25°C	0.10M	U		K(CaHL+H)=4.87 K(CaL+H)=8.53 B(Ca2L)=14.2	1967BMd (97988)	2257
Ca++	gl	KNO3	25°C	0.10M	U		K1=9.89 K(Ca+H2L)=3.76 K(Ca+HL)=8.23 K(CaL+Ca)=4.32 K(Ca2L+Ca)=3.01	1965BMf (97989)	2258
Ca++	gl	KCl	30°C	0.10M	U		K1=10.06 K(Ca+H2L)=2.4 K(Ca+HL)=8.07 K(CaL+Ca)=4.10	1963GHa (97990)	2259

C18H32N4O8 H4L TETA CAS 60239-22-7 (1019)
 1,4,8,11-Tetraazacyclotetradecane-1,4,8,11-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	C		K1=8.53 K(CaL+H)=6.99	1991CMb (98168)	2260
Ca++	cal	KNO3	25°C	0.10M	C	H		1984DFa (98169)	2261
DH(K1)=-8.8 kJ mol-1, DS(K1)=130 J K-1 mol-1.									
Ca++	gl	KNO3	25°C	0.10M	C		K1=8.322 K(Ca+HL)=5.09	1982DSa (98170)	2262
Ca++	EMF	KCl	20°C	0.10M	C		K1=9.5	1981SFa (98171)	2263
Method: Pt/H2 electrode.									
Ca++	gl	KCl	20°C	0.10M	U		K1=9.48	1976SFb (98172)	2264

C18H32N4O8 H4L (8192)
 3-Methyl-1,5,8,11-tetraazacyclotridecane-1,5,8,11-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ EMF KCl 20°C 0.10M C K1=11.9 1981SFa (98241)2265
Method: Pt/H2 electrode. For the 3-ethyl- derivative, K1=8.3;
for the 3,3-dimethyl- derivative, K1=4.3

C18H32N4O9 H4L CAS 189282-31-3 (8974)
4,7,10,13-Tetrakis-(carboxymethyl)-1-oxa-4,7,10,13-tetraazacyclopentadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	C		K1=10.14 K(CaL+Ca)=3.04	1999CDb (98252)2266	

Medium: 0.10 M NMe4NO3.

C18H33NO9 HL 4NH18-C6A CAS 83572-66-1 (5404)
2-Carboxy-3-N-butylformamide-1,4,7,10,13,16-hexaoxacyclooctadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	alc/w	25°C	90%	U		K1=5.8 B2=9.9	1984FWa (98285)2267	

Medium: 90% v/v MeOH/H2O, 0.05 M R4NX

C18H34N2O8 H2L CAS 68670-15-5 (5851)
1,4,10,13-Tetraoxa-7,16-diazacyclooctadecane-7,16-di-(3-propanoic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.15M	U		K1=7.10	1995BGa (98330)2268	

C18H34N4O6 H2L (6845)
1,2-Diaminoethane-N,N'-bis(t-butylethanoamide)-N,N'-diethanoic
acid;Me3CNHCOCH2N(CH2COOH)CH2)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	U		K1=6.65 B2=13.42 K(CaL+H)=3.46 *K(CaL)=-11.09	1999WWa (98363)2269	

C18H34N4O8 H3L (7256)
1,4,7,10-Tetraazacyclododecane-1-(2-hydroxy-3-methoxypropyl)-4,7,10-triethanoic
acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	M		K1=13.72	1996CHc (98366)2270	

Medium: 0.1 M Me4NCl

C18H34N4O9 H3L D03A-B (7301)
10-[2,3-Dihydroxy-(1-hydroxymethyl)-propyl]-1,4,7,10-tetraazacyclododecane-1,4,7-triethanoic ac.;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl	25°C	0.10M	C	I	K1=12.1	1996TKa (98373)	2271
In 0.1 M KCl K=13.3; In 0.1 M Me4NCl K=14.3 *****									
C18H36N2O5		L				Cryptand 1,2,2H	(6605)		
1,10-Diaza-4,7,14,20,23-Pentaoxabicyclo[8.8.7]pentacosane;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	alc/w	25°C	95%	M		K1=5.20	1990LNa (98403)	2272
Medium: 95% MeOH, 0.05 M Bu4NBr. For the 12,16-dihydroxy- analogue: K1=5.92 *****									
C18H36N2O5		L				Cryptand 2,2,1H	CAS 119017-37-7	(6588)	
5,8,15,18,23-Pentaoxa-1,12-diazabicyclo[10.8.5]pentacosane;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	alc/w	25°C	95%	M		K1=4.36	1990LNa (98411)	2273
Medium: 95% MeOH, 0.05 M Bu4NBr. For the 9,16-dihydroxy- analogue: K1=5.63 *****									
C18H36N2O6		L				Cryptand 2,2,2	CAS 23978-09-8	(514)	
1,10-Diaza-4,7,13,16,21,24-hexaoxabicyclo[8.8.8]hexacosane;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	cal	non-aq	25°C	100%	C	H	K1=3.16	1999WBa (98479)	2274
Medium: N,N-dimethylformamide. DH(K1)=-17.0 kJ mol-1.									
Ca++	gl	R4N.X	25°C	0.05M	C	H	K1=5.9	1996BCh (98480)	2275
Medium: 0.05 M Et4NClO4. By calorimetry: DH(K1)=-2.3 kJ mol-1.									
Ca++	sp	non-aq	25°C	100%	U		K1=2.03	1994GSb (98481)	2276
Medium: DMSO									
Ca++	gl	non-aq	25°C	100%	U	H	K1=12.9	1993BDb (98482)	2277
Medium: acetone. DH=-73.5 kJ mol-1; TDS=-0.2									
Ca++	cal	non-aq	25°C	100%	C	H		1992BSc (98483)	2278
Medium: propylene carbonate. DH(K1)=-63.8 kJ mol-1, DS(K1)=-9.1 J K-1 mol-1.									
Ca++	ISE	oth/un	25°C	0.05M	M		K1=8.14	1992BUb (98484)	2279
K1=8.16 (by calorimetric competitive titration)									
Ca++	sp	non-aq	20°C	100%	U		K1=3.98	1992PSa (98485)	2280
Medium: DMF, 0.01 M Me4NI									
Ca++	EMF	R4N.X	25°C	0.10M	C	IH	K1=4.91	1987CSa (98486)	2281

In 0.1M Et4NClO4. In 5% CH3CN, K=5.43; 10%, K=5.77; 20%, K=6.11; 30%, K=6.67
40%, K=7.01; 50%, K=7.60, 60%, K=8.12; 100%, K=10.5

Ca++ cal alc/w 25°C 100% U H 1986BUa (98487)2282
B(Ca2L2)=8.16

Medium: MeOH. DH=-22.0 kJ mol-1; DS=82

Ca++ con none 25°C 0.0 C K1=4.26 1986KHe (98488)2283
Method: conductance stopped-flow. Medium pH 11.3.

Ca++ ISE non-aq 25°C 100% U K1=10.76 1984CTc (98489)2284
In propylene carbonate

Ca++ sp non-aq 25°C 100% U K1=1.91 1983PSc (98490)2285
Medium: DMSO

Ca++ gl alc/w 25°C 95% C K1=7.5 1981ANa (98491)2286
Medium: 95% MeOH, 0.1 M Me4NCl

Ca++ ISE non-aq 25°C 100% U K1=3.84 1981CRa (98492)2287
Medium: DMF

Ca++ ISE non-aq 25°C 100% U K1=10.7 1980CRa (98493)2288
Medium: Propylene carbonate

Ca++ kin oth/un 25°C 0.10M U H K1=4.45 1977LPb (98494)2289
In piperidine buffer, pH 11.5. DH=-2.1 kJ mol-1.

Ca++ cal R4N.X 25°C 0.06M C IH 1976KLc (98495)2290
Medium: 0.057 M Me4NBr. Method: flow microcalorimetry. DH(K1)=-0.8 kJ
mol-1, DS(K1)=82 J K-1 mol-1. In 95% (v/v) MeOH/H2O, DH(K1)=-27.6, DS=53.

Ca++ gl R4N.X 25°C 0.10M C H K1=4.57 1975ANa (98496)2291
Medium: Me4NCl. DH(K1)=-0.8 kJ mol-1, DS=84.1

Ca++ gl R4N.X 25°C 0.05M C I K1=4.4 1975LSc (98497)2292
In 95% MeOH: K1=7.60

Ca++ kin KCl 25°C 0.10M U H K1=4.40 1975LWb (98498)2293
Using stopped-flow. DH=-2.9 kJ mol-1. By potentiometry K1=4.40 in 0.04-0.08
NMe4Br.

C18H36N4O4 L (6795)
4,10-Bis(N,N-dimethylpropanamido)-1,7-dioxo-4,10-diazacyclododecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ cal alc/w 25°C 100% U H K1=4.10 1990KMb (98779)2294
Medium: MeOH. DH=-45.9 kJ mol-1

C18H36N4O6 H2L (7345)
4,10-Bis(2-hydroxypropyl)-1,4,7,10-Tetraazacyclododecane-1,7-bis(ethanoic acid);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M C K1=11.0 1997HTa (98787)2295

C18H38N2O6 L CAS 72911-99-0 (649)
4,13-Bis(2-methoxyethyl)-1,7,10,16-tetraoxo-4,13-diazacyclooctadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M C K1=2.4 1995LLa (98831)2296
Medium: Et4NClO4

C18H38N2O6 L (5802)
7,16-Di(2-hydroxypropyl)-1,4,10,13-tetraoxa-7,16-diazacyclooctadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.10M U K1=3.59 1986HBc (98849)2297

C18H38N4O8P2 H6L CAS 187240-55-7 (7347)
1,4,7,10-Tetraazacyclododecane-1,7-bis(ethanoic acid)-4,10-bis(methylene-ethylphosphinic acid);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M C K1=9.7 1997HTa (98865)2298

C18H38N4O10P2 H6L CAS 187240-54-6 (7346)
1,4,7,10-Tetraazacyclododecane-1,7-bis(ethanoic acid)-4,10-bis(ethylmethylenephosphonic acid);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M C K1=9.4 1997HTa (98869)2299

C18H40N2O10P2 H2L (7241)
1,4,10,13-Tetraoxa-7,16-diazacyclooctadecane-7,16-diylldimethylenediphosphonic acid bis(Et-ester);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M U K1=5.43 1996BJa (98886)2300
Medium: 0.1 M Me4NCl

C19H17N3O4S2 HL Cephaloridine CAS 50-59-9 (8404)
7-[a-(2-Thienyl)acetamido]-3-(1-pyridylmethyl)-3-cephem-4-carboxylic acid betaine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	C		K1=3.75	2000GFb (99188)	2301

C19H18N4O4		H2L					(4142)		
4-(2'-(2''-Carboxyethoxy)phenylazo)-3-methyl-1-Phe-pyrazol-5(2H)-one;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	diox/w	30°C	75%	U		K1=6.5	1965SMh (99245)	2302

C19H19NO7		H2L					(7003)		
3-Methoxy-5-(N,N-dicarboxymethyl)aminomethyl-4-hydroxybenzophenone;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U		K1=6.7 K(Ca+HL)=3.0	1981SYa (99256)	2303

C19H20N2O2		L				Butazolidine	CAS 50-33-9	(4143)	
4-Butyl-1,2-diphenylpyrazolidine-3,5-dione;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	alc/w	20°C	50%	U		K1=1.35	1957WSa (99293)	2304
Medium: 50% EtOH, 0.1 M KCl									

C19H22N2O6		H4L					CAS 102165-09-3	(9199)	
Propylenediamine-N,N'-bis(2-hydroxyphenylethanoic acid);									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl	25°C	0.10M	C		K1=6.17 B(CaHL)=16.43 B(CaH2L)=25.86	2004SGb (99325)	2305

Additional method: UV-visible spectrometry

C19H23O6P		L					(5731)		
1,2:8,9-Dibenzo-5-methylphosphinyl-3,7,10,13,16-pentaoxacyclohexadeca-1,8-diene;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	oth	non-aq	25°C	100%	U		K1=2.44 B2=4.79	1989SSc (99343)	2306
Medium: CH3CN. Ca as Ca(NCS)2; for Ca(ClO4)2: K1=3.02; B2=5.74. Method: IR									
With 5-adamantyl analogue: K1=3.6, B2=6.1									

C19H28N4O6		H3L					CAS 106967-44-6	(8973)	
3,7,11-Tris(carboxymethyl)-3,7,11,17-tetraazabicyclo[11.3.1]heptadeca-1(17),13,15-triene;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	C		K1=5.85	1998CDa (99404)	2307
Medium: 0.10 M Me4NN03.									

C19H28N4O8		H4L	TTDA-PY				(7933)		
N'-(2-Pyridylmethyl)di(carboxymethyl)triazadodecanedioic acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	M		K1=12.02 K(Ca+HL)=7.96	2001CWa (99415)	2308
Medium: 0.10 M Me4NN03. Method: by competition with EDTA									

C19H30O14		H4L					CAS 172606-64-3 (7668)		
Methyl-1,3,4,5-tetrakis-O-(2-carboxyethyl)-beta-D-fructopyranoside;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	KCl	25°C	0.10M	C		K1=2.25	1995BBf (99440)	2309
Method: calcium ion selective electrode.									

C19H30O14		H4L					CAS 172606-65-4 (7683)		
Methyl-1,3,4,6-tetrakis-O-(2-carboxyethyl)-alpha-D-fructofuranoside;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	KCl	25°C	0.10M	C		K1=2.13	1995BBf (99441)	2310
Method: calcium ion selective electrode.									

C19H30O14		H4L					CAS 172911-87-4 (7642)		
Methyl-2,3,4,6-tetrakis-O-(2-carboxyethyl)-alpha-D-glucopyranoside;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	KCl	25°C	0.10M	C		K1=2.28	1995BBf (99443)	2311
Method: calcium ion selective electrode. For the beta isomer, K1=2.18									

C19H34N4O8		H4L	cPenta				CAS 98515-24-3 (8328)		
1,4,8,12-Tetrazacyclopentadecane-N,N',N'',N'''-tetraethanoic acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	C		K1=3.29 K(Ca+HL)=2.74	1988DDa (99462)	2312
Medium: 0.10 M Me4NN03.									

C19H39N3O5		L					CAS 60598-00-7 (1537)		
4-Methyl-1,4,10-triaza-7,13,16,21,24-pentaoxa-bicyclo[8,8,8]hexacosane;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	U		K1=4.6	1978LMa (99485)	2313

C20H13N3O7S		H3L		Eriochrome B1 T			CAS 1787-61-7	(997)	
1-(1-Hydroxy-2-naphthylazo)-6-nitro-2-naphthol-4-sulfonic acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	oth/un	18°C	0.02M	U		K1=5.4	1948SBa (99554)	2314

C20H13N3O7S		H3L		EriochromeBla A			CAS 16279-54-2	(5299)	
3-Hydroxy-4-(2-hydroxy-1-alpha-naphthylazo)-7-nitronaphthalene-1-sulfonic acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	oth/un	18°C	0.02M	U		K1=5.25	1948SBa (99582)	2315

C20H14N2O		HL					(5291)		
1-(1-Naphthylazo)-2-hydroxynaphthalene;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	mixed	25°C	75%	U		K1=6.03	1972MCb (99594)	2316
Medium: 75% acetone, 0.1 M KNO3									

C20H14N2O		HL					CAS 2653-64-7	(5292)	
1-(2-Naphthylazo)-2-hydroxynaphthalene;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	mixed	25°C	75%	U		K1=6.77	1972MCb (99609)	2317
Medium: 75% acetone, 0.1 M KNO3									

C20H14N2O2		H2L					CAS 13082-06-9	(3506)	
1,1'-Azo-(2-hydroxynaphthalene);									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	diox/w	30°C	75%	U			1957SFb (99624)	2318
							K(Ca+H2L=CaL+2H)=-15.0		

C20H14N2O5S		H3L		Solochrome 6B			CAS 3564-14-5	(3507)	
1-(1-Hydroxy-2-naphthylazo)-2-naphthol-4-sulfonic acid, Mordant Black3, Eriochrome blue-black B;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	oth/un	18°C	0.02M	U		K1=5.7	1948SBa (99641)	2319

C20H14N2O5S H3L EriochrBluBlk R CAS 2538-85-4 (3508)
3-Hydroxy-4-(2-hydroxy-1-naphthylazo)naphthalene-1-sulfonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	sp	oth/un	25°C	0.10M	U			K1=5.58	1957HRa (99682)	2320
Ca++	sp	oth/un	18°C	0.02M	U			K1=5.25	1948SBa (99683)	2321

C20H14N2O8S2 H4L PalatineFB GGNA CAS 89276-70-0 (3509)
3-Hydroxy-4-(1-hydroxy-8-sulfo-2-naphthylazo)naphthalene-1-sulfonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	oth/un	?	?	U			K1=7.5	1959RSb (99703)	2322

C20H14N2O11S3 H2L Hydroxynaphthol CAS 63451-35-4 (2835)
Hydroxynaphthol blue, 1-(2-Hydroxy-4-sulfo-1-naphthylazo)-2-naphthol-3,

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	sp	none	25°C	0.0	U				1980WNa (99721)	2323

K(Ca+HL=CaL+H)=7.79

Data for similar ligands also included

Ca++	sp	none	25°C	0.0	U				1978BRb (99722)	2324
------	----	------	------	-----	---	--	--	--	-----------------	------

K1eff=2.82

Keff at pH 10

C20H16N2O HL CAS 36458-50-1 (5293)
2-(Naphthylaminomethyl)-8-hydroxyquinoline;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	diox/w	25°C	50%	U			K1=3.5	1972HUb (99760)	2325

Medium: 50% v/v dioxan, 0.1 M KCl

C20H16N2O2 H2L CAS 3946-91-6 (2733)
N,N'-Bis(2'-hydroxybenzylidene)-1,2-diaminobenzene; (HOC6H4CH:N)2.C6H4

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	mixed	25°C	80%	C			K1=4.28 B(CaHL)=13.49	1997HMc (99769)	2326

Medium: 80% w/w DMSO/H2O, 0.5 M NaClO4.

C20H16N4O5S H2L EriochromeRed B CAS 14954-75-7 (3510)
4-(4,5-Dihydro-3-Me-5-oxo-1-Phe-1H-pyrazol-4-ylazo)-3-naphthol-1-sulfonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++ EMF alc/w 25°C 100% C K1=3.34 2004ZTa (100069)2333
 Medium: 100% methanol, 0.05 M Bu4NClO4. Method: Ag electrode,
 competition with Ag+ ion.

Ca++ con mixed 25°C 20% C K1=3.78 2003SIa (100070)2334
 Medium: 20% w/w propylene carbonate/ethylene carbonate.

Ca++ vlt non-aq 25°C 100% C K1=3.23 1991SSb (100071)2335
 Method: competitive complexation with Tl+; use of Tl(Hg)/Tl couple.
 Medium: acetonitrile, 0.05 M Et4NClO4.

Ca++ dis non-aq 25°C 100% U K1=3.8 1989DMA (100072)2336
 Medium: CHCl3

Ca++ oth non-aq 25°C 100% U K1=4.2 1989SSc (100073)2337
 Medium: CH3CN. Ca as Ca(NCS)2; for Ca(ClO4)2: K1=4.6. Method: IR-spec.

Ca++ vlt alc/w 25°C 100% C K1=3.52 1987CBd (100074)2338
 B(Ca2L)=5.98
 Medium: methanol, 0.10 M Et4NI or Bu4NClO4. Method: polarography.

Ca++ sol none 25°C 0.0 U I K1=0.0 1975SNa (100075)2339

 C20H31N2O4F L CAS 173417-87-3 (6461)
 26-Fluoro-4,7,13,16-tetraoxa-1,10-diazatricyclo[8.8.7.1,20,24]hexacosa-20,22,24(26)-triene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	EMF	non-aq	25°C	100%	C	H	K1=4.36	1999BHa (100437)2340	
------	-----	--------	------	------	---	---	---------	----------------------	--

Medium: MeOH, 0.05 M Et4NClO4. By calorimetry DH(K1)=-2.2 kJ mol-1.
 Method: by competition with Ag+, using Ag/Ag+ electrode.

C20H32N2O4 L CAS 61696-66-0 (6497)
 4,7,13,16-Tetraoxa-1,10-diazatricyclo[8.8.7.1,20,24]hexacosa-20,22,24(26)-triene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	EMF	non-aq	25°C	100%	C	H	K1=2.15	1999BHa (100454)2341	
------	-----	--------	------	------	---	---	---------	----------------------	--

Medium: MeOH, 0.05 M Et4NClO4. By calorimetry DH(K1)=3.7 kJ mol-1.
 Method: by competition with Ag+, using Ag/Ag+ electrode.

C20H34O5 HL ProstaglandinE1 CAS 745-65-3 (6330)
 Prostaglandin E1, [11a,13E,15S]-11,15-Dihydroxy-9-oxoprost-13-enoic acid

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	dis	NaNO3	20°C	0.15M	C		K1=1.57	1973APa (100523)2342	
------	-----	-------	------	-------	---	--	---------	----------------------	--

Method: ion exchange using 45Ca isotope. With prostaglandin F1(beta): K1=0.9

C20H36N4O8 H4L (8193)
3,3-Dimethyl-1,5,8,12-tetraazacyclotetradecane-1,5,8,12-tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ EMF KCl 20°C 0.10M C K1=3.1 1981SFa (100571)2343
Method: Pt/H2 electrode. For the 3,3,10,10-tetramethyl- homologue, K1=3.0

C20H36O6 L DiCy-18-crown-6 CAS 16069-36-6 (1653)
2,3:11,12-Dicyclohexyl-1,4,7,10,13,16-hexaoxacyclooctadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ EMF alc/w 25°C 100% C K1=3.94 2004ZTa (100613)2344
Medium: 100% methanol, 0.05 M Bu4NClO4. Method: Ag electrode,
competition with Ag+ ion.

Ca++ con mixed 25°C 20% C K1=3.81 2003SIa (100614)2345
Medium: 20% w/w propylene carbonate/ethylene carbonate.

Ca++ vlt non-aq 25°C 100% C K1=3.96 1991SSb (100615)2346
Method: competitive complexation with Tl+; use of Tl(Hg)/Tl couple.
Medium: acetonitrile, 0.05 M Et4NClO4.

C20H37N5O8 H3L (7381)
Diethylenetriamine-N,N,N',N'',N''-pentaethanoic acid bis(isopropylamide);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M C K1=7.39 1997WCa (100728)2347

C20H38N4O10 H3L CAS 214461-75-3 (1659)
10-(2-Hydroxypropyl)-1,4,7,10-tetraazacyclododecane-1,4,7-tris(2-hydroxymethylethan
oic acid);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M C K1=11.09 2000BCa (100747)2348
K(CaL+Ca)=3.70

Medium: 0.10 M NMe4Cl.

C20H40N2O6 L Cryptand 2,2,2H (6606)
1,10-Diaza-4,7,14,17,23,26-Hexaoxabicyclo[10.8.8]octacosane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl alc/w 25°C 95% M K1=3.75 1990LNa (100781)2349
Medium: 95% MeOH, 0.05 M Bu4NBr. For the 12,19-dihydroxy- analogue: K1=6.64

C20H40N2O6 L Cryptand 3,2,1H (6589)

1,7-Diaza-4,11,14,17,23,26-hexaoxabicyclo[13.8.5]octacosane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	alc/w	25°C	95%	M			K1=3.72	1990LNa (100790)	2350
Medium: 95% MeOH, 0.05 M Bu4NBr. For the 9,19-dihydroxy- analogue: K1=6.81										

C20H40N2O7 L Cryptand 3,2,2 CAS 31255-22-8 (1763)										
Cryptand 3,2,2										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	alc/w	25°C	90%	M			K1=4.74	1977LSc (100803)	2351
Medium: 90% (w/w) MeOH/H2O, 0.1 M Et4NBr.										

Ca++	cal	R4N.X	25°C	0.06M	C	H			1976KLc (100804)	2352
Medium: 0.057 M Me4NBr. Method: flow microcalorimetry.										
DH(K1)=-0.7 kJ mol-1, DS(K1)=40 J K-1 mol-1.										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.05M	C	I		K1=2.0	1975LSc (100805)	2353
In 95% MeOH: K1=4.47										

C20H40N8O4 L CAS 219143-29-0 (1185)										
1,4,7,10-Tetrakis(methylcarbamoylemethyl)-1,4,7,10-tetraazacyclododecane;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	C			K1=9.47 K(CaL+H)=3.9	2000BCa (100844)	2354
Medium: 0.10 M NMe4Cl.										

C20H42N2O6 L (6402)										
7,16-Bis(1,1-dimethyl-2-hydroxyethyl)-1,4,10,13-tetraoxa-7,16-diazacyclooctadecane;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaNO3	25°C	0.10M	C			K1=2.97	1991DHa (100859)	2355

C20H42N2O8 L (6935)										
N,N'-Bis(1-hydroxy-2-ethoxyethyl)-1,4-diaza-7,10,13,16-tetraoxacyclooctadecane;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	cal	alc/w	25°C	90%	U	H		K1=4.38	1994IZa (100870)	2356
L=N,N'-Bis(1-Hydroxy-2-ethoxyethyl)-1,4-diaza-7,10,13,16-tetraoxacyclooctadecane. Medium: 90% v/v MeOH/H2O. DH(K1)=-13.8 kJ mol-1.										

C20H42N4O4 L CAS 39678-14-3 (1543)										
4,7-Dimethyl-1,4,7,10-tetraaza-13,16,21,24-tetraoxa-bicyclohexacosane;										

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	U		K1=4.3 K(Ca+HL)=1.6	1978LMa (100880)	2357

C20H44N4O4 L CAS 102202-74-4 (6041)
1,4,7,10-Tetra-(2-hydroxypropyl)-1,4,7,10-tetraazacyclododecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	NaNO3	25°C	0.10M	U		K1=5.68	1988HSb (100922)	2358
------	----	-------	------	-------	---	--	---------	------------------	------

C20H44N4O4 L (6730)
1,4,7,10-Tetra-(2-methoxyethyl)-1,4,7,10-tetrazacyclododecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	R4N.X	25°C	0.10M	C		K1=5.47	1993SFb (100935)	2359
------	----	-------	------	-------	---	--	---------	------------------	------

Medium: 0.1 M Et4NClO4.

C20H48N4O8P4 H4L (6569)
1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetrakis(methyleneethylphosphinic acid);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	KCl	25°C	0.10M	C		K1=9.39	1997HTa (100988)	2360
------	----	-----	------	-------	---	--	---------	------------------	------

Ca++	gl	KNO3	25°C	0.10M	C		K1=9.39	1991LSc (100989)	2361
------	----	------	------	-------	---	--	---------	------------------	------

C21H14N2O7S H4L CAS 3737-95-9 (5313)
3-Hydroxy-4-(2-hydroxy-4-sulfo-1-naphthylazo)-2-naphthalenecarboxylic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	sp	alc/w	20°C	25%	U		K1=6.26	1971KBc (101027)	2362
------	----	-------	------	-----	---	--	---------	------------------	------

Medium: 25% MeOH, 0.1 M KCl

C21H18N2O2 H2L (7319)
N,N'-3,4-Toluenebis(salicylideneimine); CH3.C6H3(N:CH.C6H4OH)2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	mixed	25°C	80%	C		K1=4.31 B(CaHL)=14.32	1997HMa (101112)	2363
------	----	-------	------	-----	---	--	--------------------------	------------------	------

In 80 % (wt/wt) DMSO-H2O, I= 0.5 M NaClO4

C21H21N2O8Cl H2L Demeclocycline CAS 64-73-3 (5759)
7-Chloro-6-demethyltetracycline;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

 Ca++ gl NaCl 37°C 0.15M U K1=4.569 1985LBb (101175)2364
 B(Ca2L)=8.343
 B(CaH2L2)=24.269
 B(CaHL2)=16.355

Ca++ gl KNO3 25°C 0.10M C K1=5.52 1979DDd (101176)2365
 K(Ca+HL)=3.29

Also data for other tetracycline analogues.

C21H26N4O4Br2 H2L CAS 354154-84-0 (8978)

N,N'-Bis-(2-(N"-2-hydroxy-5-bromobenzyl)aminoethyl)malondiamide;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	gl	diox/w	25°C	13%	C		K1=4.12 B(CaHL)=13.90 B(CaH-2L)=-16.59	2001CLa (101282)	2366
------	----	--------	------	-----	---	--	--	------------------	------

Medium: 13% v/v dioxane/H2O, 0.10 M KNO3.

C21H27O7P H2L (6338)

1,2:8,9-Dibenzo-5-phospha-5-oxo-5-methyl-19-crown-7;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	oth	non-aq	25°C	100%	U		K1=1.66 B2=3.87	1989SSc (101298)	2367
------	-----	--------	------	------	---	--	-----------------	------------------	------

Medium: CH3CN. Ca as Ca(NCS)2; for Ca(ClO4)2 K1=2.07; B2=4.4. Method: IR

Data also for 5-adamantyl, 5-phenyl and 5-phenoxy analogues

C21H30N4O8 H3L Tyr-Val-Asp-Ala (6015)

Tyrosyl-valyl-aspartyl-alanine

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	nmr	KCl	25°C	0.50M	U		K1=3.04 K(Ca+HL)=2.44 (definition ?)	1987ZAa (101365)	2368
------	-----	-----	------	-------	---	--	---	------------------	------

C21H30N7O17P3 H4L NADPH CAS 2646-71-1 (7185)

Nicotinamide adenine dinucleotide phosphate reduced;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	nmr	none	RT	0	U			1995MMF (101372)	2369
------	-----	------	----	---	---	--	--	------------------	------

K1eff=2.61

Medium: D2O, pH 8.5-9.5. Coordination site is the adenine phosphate. For the ribose phosphate site, K1eff=2.49; for nicotinamide phosphate, K1=2.02

C21H31N3O9 H4L TTDA-H1P (7934)

N'-(2-Hydroxy-1-phenylethyl)di(carboxymethyl)triazadodecanedioic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	M		K1=12.86 K(Ca+HL)=5.30	2001Cwa (101397)	2370

Medium: 0.10 M Me4NN03. Method: by competition with EDTA

C21H31N3O9 H4L TTDA-H2P (7935)
N'-(2-Hydroxy-2-phenylethyl)di(carboxymethyl)triazadodecanedioic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	M		K1=12.74 K(Ca+HL)=4.45	2001Cwa (101402)	2371

Medium: 0.10 M Me4NN03. Method: by competition with EDTA

C21H31N5O8 H3L (7254)
1,4,7,10-Tetraazacyclododecane-1-(4-nitrobenzyl)-4,7,10-triethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	M		K1=11.26	1996CHc (101405)	2372

Medium: 0.1 M Me4NCl.

C21H31N5O8 H4L (8194)
3,6,9,12,18-Pentaazabicyclo[12.3.1]heptadeca-1(18),14,16-triene-3,6,9,12-tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	EMF	KCl	20°C	0.10M	C		K1=5.5	1981SFa (101412)	2373

Method: Pt/H2 electrode.

C21H42N4O6S L CAS 503465-05-2 (9248)
4,12,18,21,26,29-Hexaoxa-1,7,9,15-tetraazabicyclo[13.8.8]hentriacontane-8-thione;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	alc/w	25°C	95%	C		K1=2.44	2004KVa (101459)	2374

Medium: 95% MeOH/H2O, 0.01 M Et4NClO4.

C22H16N2O2 H2L (4153)
2'-Hydroxy-1-(5'-phenyl-phenylazo)-2-hydroxynaphthalene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	KCl	rt	0.10M	U		K1eff=1.75 (pH 10)	1960DEa (101526)	2375

C22H17N4O14ClP2S2 H8L ClPhosphonazo 3 CAS 1914-99-4 (2577)
2,7-Bis((4-chloro-2-phosphophenyl)azo)chromotropic acid;

B(CaH₂L₂)=25.540

B(CaHL₂)=17.618

B(Ca₂L)=8.671

C22H₂₄N₂O₈ H₄L CAS 91044-24-5 (1920)

meso-1,2-Diphenyl-1,2-diaminoethane-N,N',N'-tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO₃ 20°C 0.10M U K₁=5.67 1989SLa (101835)2384

C22H₂₄N₂O₈ H₄L CAS 91044-25-6 (1921)

rac-1,2-Diphenyl-1,2-diaminoethane-N,N',N'-tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO₃ 20°C 0.10M U K₁=12.09 1989SLa (101848)2385

Ca++ gl KCl 25°C 0.10M U K₁=12.11 19670Tb (101849)2386

C22H₂₄N₂O₉ H₂L CAS 14206-58-7 (5650)

6-Deoxy-5-beta-hydroxytetracycline;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl 37°C 0.15M C K₁=5.600 B₂=8.885 1981BBc (101862)2387

B(CaHL)=13.058

B(CaH₂L₂)=25.263

C22H₂₄N₂O₉ H₂L Oxotetracycline CAS 79-57-2 (2202)

Oxytetracycline, 5-Hydroxy-tetracycline;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaCl 37°C 0.15M C K₁=4.462 B₂=8.385 1981BBc (101875)2388

B(CaH₂L₂)=24.625

B(CaHL₂)=16.654

B(Ca₂L)=7.884

C22H₂₄N₂O₁₀ H₄L CAS 132796-79-3 (8113)

1,2-Bis(2-aminophenoxy)ethane-N,N',N'-tetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp KCl 22°C 0.10M C K₁=6.97 1980TSb (101891)2389

Also data for the 5-methyl-2-aminophenoxy (K₁=7.4) and 5-bromo-

2-aminophenoxy (K₁=5.8) derivatives.

C22H₂₅O₃P L CAS 97745-35-2 (2069)

Adamantyl(diphenoxy)phosphonyl

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sol	non-aq	25°C	100%	U		K1=3.86	1987TCa (101921)	2390
Medium: CH2Cl2, 2% MeCN. Metal as picrate									

C22H26N4O10		H4L		BAPTA			(7230)		
1,2-Bis(o-aminophenoxy)ethane-N,N,N',N'-tetraethanoic acid; (HOOCCCH2)2NCH(OC6H4NH2)2									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	C		K1=6.78	1993YTa (101969)	2391

C22H26O10		H2L					(5628)		
1,10-bis(2-Carboxymethoxy-phenyl)-1,4,7,10-tetraoxadecane;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	alc/w	25°C	90%	M		K1=6.04	1998KLa (102006)	2392
Medium: 90% v/v MeOH/H2O, 0.1 M Me4NCl									

C22H29N5O6		H3L					(6506)		
N,N"-2-Bis(2-pyridylmethyl)diethylenetriamine-N,N',N"-triethanoic acid;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl	25°C	0.10M	U		K1=7.97 K(Ca+H)=5.30	1990CQa (102095)	2393

C22H31N3O10		H5L					CAS 445269-58-9 (8992)		
(4S)-4-Benzyl-3,6,10-tris(carboxymethyl)-3,6,10-triazadodecanedioic acid;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	M		K1=15.95	2002CLb (102180)	2394
Medium: 0.1 M Me4NNO3.									

C22H36N2O6		L		Bz-Cryptand	222		CAS 31250-18-7 (2269)		
5,6-Benzo-4,7,13,16,21,24-hexaoxa-1,10-diazabicyclo[8:8:8]hexacos-5-ene;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.05M	U	H	K1=3.9	1998DBa (102263)	2395
Medium: 0.05 M Et4NClO4. By calorimetry: DH(K1)=-2.8 kJ mol-1,									
Ca++	EMF	alc/w	25°C	100%	U	H	K1=7.04	1987BUb (102264)	2396
In MeOH, 0.05M Et4NClO4. DH=-17.7 kJ mol-1									
Ca++	ISE	NaClO4	25°C	0.10M	U	I	K1=4.05	1984CTc (102265)	2397

In propylene carbonate K1=10.10

C22H41N5O8 H3L CAS 189687-33-0 (7103)

Diethylenetriamine-N,N',N"-triethanoic acid-N,N"-bis(butylamide);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M C K1=7.45 1997WCa (102386)2398

C22H42N2O6 L (6401)

7,16-Bis(tetrahydrofurfuryl)-1,4,10,13-tetraoxa-7,16-diazacyclooctadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 0.10M C K1=3.07 1991DHa (102400)2399

C22H44N2O7 L Cryptand 3,2,2H (6607)

1,10-Diaza-4,7,14,17,20,26,29-Heptaobicyclo[13.8.8]hentriacontane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl alc/w 25°C 95% M K1=4.12 1990LNa (102411)2400

Medium: 95% MeOH, 0.05 M Bu4NBr. For the 12,22-dihydroxy- analogue: K1=8.73

C22H44N2O8 L Cryptand 3,3,2 CAS 132162-57-3 (1762)

Cryptand 3,3,2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.05M C K1=2 1975LSc (102424)2401

C22H44N6O5S2 L CAS 503465-08-5 (9241)

9,20,23,28,31-Pentaoxa-1,4,6,12,14,17-hexaazabicyclo[15.8.8]tritriacontane-5,13-dithione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl alc/w 25°C 95% C K1=2.48 2004KVa (102434)2402

Medium: 95% MeOH/H2O, 0.01 M Et4NClO4.

C22H48N6O2 L CAS 39678-22-3 (1542)

4,7,13,16-Tetramethyl-1,4,7,10,13,16-hexaaza-21,24-dioxabicyclohexacosane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M U K1=1.5 1978LMa (102481)2403

C23H23N05 L CAS 218619-58-0 (7808)

Dibenzo-pyridino-18-crown-6;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	EMF	alc/w	25°C	100%	C		K1=3.04	2004ZTa (102651)	2404
Medium: 100% methanol, 0.05 M Bu4NClO4. Method: Ag electrode, competition with Ag+ ion.									

C23H25N05S		L					CAS 464185-98-6	(9292)	
4'-[(2-Benzothiazole)ethenyl]-2:3-benzo-15-crown-5;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	non-aq	20°C	100%	C		K1=5.6 B2=10.30	2003FFa (102688)	2405
Medium: CH3CN.									

C23H26N207		H2L					(2559)		
6-Desoxy-6-dimethyl-tetracycline;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl	37°C	0.15M	C		K1=5.159 B2=9.942	1988LVa (102706)	2406
							B(CaHL)=12.718		
							B(CaL2)=19.550		
							B(CaH2L2)=26.376		

C23H27N208I		H2L					CAS 6602-90-0	(361)	
4-Methyltetracycline Iodide;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	U		K1=4.0	1979HFa (102717)	2407

C23H27N307		L					CAS 13614-98-7	(2203)	
Minocycline, 6-Dimethyl-6-deoxy-7-dimethylaminotetracycline;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl	37°C	0.15M	C		K1=5.981	1981BBc (102725)	2408
							B(CaHL)=14.183		
							B(CaH2L2)=27.228		

C23H30N204		L					CAS 361454-16-2	(8960)	
N-(Phenylmethylene)-4-(1,4,7,10-tetraoxa-13-azacyclopentadec-13-yl)benzamine;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	non-aq	RT	100%	C		K1=4.71	2001AVa (102746)	2409
Method: spectrophotometric titration. Medium: acetonitrile.									

C23H30N404Br2		H2L					CAS 354154-85-1	(8979)	
N,N'-Bis-(3-N"-2-hydroxy-5-bromobenzyl)aminopropyl malondiamide;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	diox/w	25°C	13%	C		K1=4.26 B(CaHL)=14.69 B(CaH-2L)=-16.47	2001CLa (102762)	2410
Medium: 13% v/v dioxane/H2O, 0.10 M KNO3.									

C23H30N4O7		L					CAS 356535-57-4	(8845)	
13-[2-Methoxy-4-[(4-nitrophenyl)azo]phenyl]-1,4,7,10-tetraoxa-13-azacyclopentadecane;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	alc/w	RT	50%	C		K1=ca.0.3	2002GNe (102767)	2411
Medium: 50% v/v MeOH/H2O, pH 7.4 (0.1M Tris buffer), 0.1 M Me4NCl.									

C23H33N3O11		H5L					CAS 158599-72-5	(7657)	
S-2-(4-Ethoxybenzyl)-1,4,7-triazaheptane-N,N,N',N'',N'''-pentaethanoic acid;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	C		K1=11.74 K(CaL+H)=5.75 K(CaLH+H)=4.16 K(CaL+Ca)=2.18	1999SBd (102817)	2412

C23H42N2O9		HL					CAS 111216-12-7	(5568)	
2-Carboxy-3-monopiperidine-18-crown-6 derivative;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	nmr	alc/w	25°C	90%	U		K1=5.1 K(Ca+HL)=5.0	1987DDa (102839)	2413
Medium: 90% MeOH/H2O									

C24H20B-		HL					CAS 4358-26-3	(2489)	
Tetraphenylborate;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	dis	non-aq	25°C	100%	U	I	K1=2.15	1969PKb (102883)	2414
Medium: 0.01-0.10 nitrobenzene. K1(0.01)=2.20, K1(0.05)=2.30 (tracer amounts Ca++)									

C24H20N4O14Cl2P2S2		H8L					(4165)		
2,7-Bis(4'-chloro-5'-methyl-2'-phosphonophenylazo)chromotropic acid;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo

Ca++ sp KNO3 25°C 0.20M U 1967BMc (102913)2415
B(CaH8I2)=95.9

C24H24N2O6 H4L CAS 385439-50-9 (9197)

p-Xylylenediamine-N,N'-bis(o-hydroxyphenyl)ethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaCl	25°C	0.10M	C			K1=6.05 B(CaHL)=16.55 B(CaH2L)=25.07	2004SGb (102943)	2416

Additional method: UV-visible spectrometry

C24H24N2O8 H4L CAS 89593-26-0 (8632)

N,N'-[1,2-Ethynediylbis(2,1-phenylenemethylene)]bis[N-(carboxymethyl)]glycine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U			K1=4.8	1984VSc (102947)	2417

C24H25O7P L (2067)

Phenylphosphonyldibenzo-17-crown-6

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	sol	non-aq	25°C	100%	U			K1=3.75	1987TCa (102962)	2418

Medium: CH2Cl2 2% MeCN. Metal as picrate

C24H26N2O8 H4L CAS 89561-09-1 (8633)

N,N'-[1,2-Ethenediylbis(2,1-phenylenemethylene)]bis[N-(carboxymethyl)]glycine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U			K1=4.5	1984VSc (102972)	2419

C24H26N2O8 H4L CAS 89561-11-5 (8635)

N,N'-[1,2-Ethenediylbis(4,1-phenylenemethylene)]bis[N-(carboxymethyl)]glycine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U			K1=3.2	1984VSc (102977)	2420

C24H28N2O2 L CAS 101821-61-8 (9065)

4-{2-[10-(2-Morpholinoethyl)-9-anthryl]methyl}morpholine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	sp	diox/w	25°C	40%	C			K1=2.62	2003GHb (103002)	2421

Method: fluorescence spectroscopy. Medium: 40% w/w dioxane/H2O, 0.05 M Et4NC104.

 C24H28N2O8 H4L CAS 89561-10-4 (8634)
 N,N'-[1,2-Ethanediy]bis(2,1-phenylenemethylene)]bis[N-(carboxymethyl)]glycine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U		K1=4.0	1984VSc (103005)	2422

C24H30O7 HL (6603)
 2-[(7,8,16,17-Tetrahydro-6H,15H-dibenzo[1,4,8,11]tetraoxacyclotetradeca-7-yl)oxy]-hexanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	dis	oth/un	25°C	?	U		K1=0.79 B2=4.23	1991BUa (103031)	2423

C24H31N3O8 H3L CAS 35369-55-2 (6972)
 N,N"-Bis(2-hydroxybenzyl)-2,5,8-triazanonane-N',N"-triethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaNO3	25°C	0.50M	C		K1=7.94 K(CaL+H)=10.68 K(CaHL+H)=8.84	1994HCb (103050)	2424

Ca++	gl	KCl	25°C	0.10M	C		K1=8.47 K(CaL+H)=10.85 K(CaHL+H)=9.20 K(CaH2L+H)=7.58 K(CaH3L+H)=6.8	1994MMf (103051)	2425
------	----	-----	------	-------	---	--	--	------------------	------

 C24H32O8 L DiBz-24-Crown-8 CAS 14174-09-5 (580)
 2,3:14,15-Dibenzo-1,4,7,10,13,16,19,22-octaoxacyclotetracos-2,14-diene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	con	mixed	25°C	20%	C		K1=4.01	2003SIa (103101)	2426

Medium: 20% w/w propylene carbonate/ethylene carbonate.

Ca++	vlt	alc/w	25°C	100%	C		K1=2.53	1987CBd (103102)	2427
------	-----	-------	------	------	---	--	---------	------------------	------

Medium: methanol, 0.10 M Et4NI or Bu4NClO4. Method: polarography.
 Additional method conductivity in methanol: K1=2.40.

Ca++	ISE	alc/w	25°C	100%	U		K1=2.66	1983GGa (103103)	2428
------	-----	-------	------	------	---	--	---------	------------------	------

Medium: MeOH

 C24H36N2O4Fe L CAS 145519-34-2 (6831)
 1,1'-(1,4,10,13-Tetraoxa-7,16-diazacyclooctadeca-7,16-diyl)dimethylferrocene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ nmr non-aq 25°C 100% U K1=7.16 1992MGa (103254)2429
Method:NMR. Medium: MeCN, 0.1 M Bu4NPF6. Data also for other ferrocene[2.2]
cryptands

C24H36N4O4 L Py-2-18-aneN2O4 CAS 103837-13-4 (8062)
7,16-Bis(2-pyridinylmethyl)-1,4,10,13-tetraoxa-7,16-diazacyclooctadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M C K1=3.63 1986DSa (103262)2430

C24H36N4S2 CAS 638211-87-7 (9252)
Eicosahydro-7,10:19,22-diepthiodibenzo[1,4,11,14]tetraazacycloeicosine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M C K1=21.65 2003GMb (103277)2431

C24H36O21 H6L CAS 71735-94-9 (7414)
1,4,7,10,13,16,19,22,25-Nonaoxacycloheptacosane-2,3,11,12,20,21-hexacarboxylic
acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M M K1=5.6 1991FGb (103304)2432

B(CaHL)=9.6

Medium: 0.10 M Et4NNO3.

C24H42N6O12 H6L (6546)
1,4,7,10,13,16-Hexaazacyclooctadecane-N,N',N'',N''',N''',N''''-hexaethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaClO4 25°C 0.20M C 1985KF a (103364)2433

K(Ca+HL)=7.93

Ca++ EMF KCl 20°C 0.10M C K1=7.6 1981SFa (103365)2434

Method: Pt/H2 electrode.

C24H44O8 L Dicy-24-crown-8 CAS 17455-23-1 (2401)
2,3,14,15-Dicyclohexyl-1,4,7,10,13,16,19,22-octaoxacyclotetracosane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ con mixed 25°C 20% C K1=3.88 2003SIa (103423)2435

Medium: 20% w/w propylene carbonate/ethylene carbonate.

C24H46N2O6 L (6567)
7,16-Bis(trans-2-hydroxycyclohexyl)-1,4,10,13-tetraoxa-7,16-diazocyclooctadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaN03	25°C	0.10M	C		K1=4.72	1991DCa (103451)	2436

C24H48N2O9		L				Cryptand 3,3,3	CAS 132162-61-9	(1761)	
Cryptand 3,3,3									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.05M	C		K1=<2	1975LSc (103461)	2437

C24H48N4O6		L					CAS 56698-26-1	(1536)	
4,10,16,22,27,32-Hexaoxa-1,7,13,19-tetraazatricyclo-tetratriacontane;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	U		K1=4.1	1981GLa (103477)	2438

C24H48N6O6S2		L					CAS 503465-10-9	(9242)	
9,12,23,26,31,34-Hexaoxa-1,4,6,15,17,20-hexaazabicyclo[18.8.8]hexatricontane-5,16-dithione;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	alc/w	25°C	95%	C		K1=2.61	2004KVa (103501)	2439

Medium: 95% MeOH/H2O, 0.01 M Et4NClO4.									
C24H48N8O4		L					(6789)		
1,4,7,10-Tetrakis(N,N-dimethylethanamido)-1,4,7,10-tetraazacyclododecane;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	M		K1=6.80	1990KMb (103515)	2440

Medium: 0.10 M Me4NNO3									
C24H72O12Si12		L					CAS 18919-94-3	(1287)	
Tetracosamethyl-cyclododecasiloxane; ((CH3)2SiO)12									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	con	alc/w	25°C	100%	U		K1=0.61	19800Pa (103589)	2441

Medium: MeOH, 0.1 M Me4NBr									
C25H27N9O8S2		H2L					CAS 62893-19-0	(8405)	
Cefoperazone;									
Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	C		K1=4.27	2000GFb (103657)	2442

C25H28N2O13 H6L CAS 42281-29-8 (5335)
(Carbonylbis((6-hydroxy-5-methoxy-3-phenylene)methylenenitrilo))tetraethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	20°C	0.10M	U		K1=7.8 K(Ca+HL)=6.9 K(Ca+H2L)=4.1 K(Ca+H3L)=2.2 B(Ca2L)=13.8	1973VIb (103664)	2443

B(Ca2HL)=20.8, B(Ca2H2L)=27.2

C25H29N07 L FQC CAS 215095-38-8 (8804)
4'-(Dimethylamino)-2,7-(3,6,9-trioxaundecane-1,11-dioxy)flavone;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	non-aq	ns	100%	C		K1=3.19	2000LXa (103678)	2444

Medium: acetonitrile. By fluorescence, K1=3.34.

C25H32N6 L CAS 132177-84-5 (536)
3,11-Bis(2-pyridylmethyl)-3,7,11,17-tetraazabicyclo[11.3.1]heptadeca-1(17),13,15-triene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	C		K1=3.43	1999CDa (103741)	2445

C25H32O8 HL (6604)
2-[(6,7,9,10,18,19-Hexahydro-17H-dibenzo[1,4,7,10,13]penta-oxacyclohexadeca-18-yl)oxy]hexanoic acid

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	dis	oth/un	25°C	?	U		K1=0.79 B2=4.16	1991BUa (103747)	2446

C25H48N6O8 H3L Desferrioxamine CAS 70-51-9 (2488)
Desferrioxamine B; NH2.((CH2)5.NOH.CO.C2H4.CO.NH)2.(CH2)5.NOH.CO.CH3

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.20M	C		K1=3.03 B(CaHL)=13.25 B(CaH2L)=22.41	1999FEa (103794)	2447

Ca++	gl	NaNO3	20°C	0.1M	U		K(Ca+HL)=2.64	1963AEa (103795)	2448
------	----	-------	------	------	---	--	---------------	------------------	------

C25H50N4O5 L CAS 61136-92-3 (1535)

Pentaoxa-4,10,16,22,27-tetraaza-1,7,13,19-tricyclo-tetratriacontane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	U		K1=2.4	1981GLa (103832)	2449

C25H50N4O8S		L		CAS 503465-06-3		(9249)			
4,7,15,18,24,27,32,35-Octaoxa-1,10,12,21-tetraazabicyclo[19.8.8]heptatriacontane-11-thione;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	alc/w	25°C	95%	C		K1=3.88	2004KV a (103840)	2450
Medium: 95% MeOH/H2O, 0.01 M Et4NClO4.									

C26H18N4O9S2		H5L		Alizarin black		CAS 3258-74-0		(4168)	
1-(3'-(2"-Hydroxy-1"-naphthylazo)-21-hydroxy-5'-sulfophenylazo)-2-hydroxy-naphthalene-6-HSO4;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	oth/un	25°C	0.10M	U			1962RAa (103852)	2451
							K(2Ca+HL=Ca2L+H)=-1.1		
							K(2Ca+2HL=Ca2L2+2H)=-4.5		
							K(Ca+HL)=6-7		
							K(Ca2L2+2Ca)=2.3		

C26H25N09S		H4L		Semi-Xylenol O		(426)			
3-(N,N-Di(carboxymethyl)aminomethyl)-2-cresolsulfonephthalein;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	KN03	25°C	0.10M	U		K1=6.53	1974Y0a (103938)	2452
							B(CaHL)=13.69		

C26H27N3O10		H4L		(7231)					
2-((2-Amino-5-methylphenoxy)-methyl)-6-methoxy-8-aminoquinoline-N,N,N',N'-tetraethanoic acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	C		K1=7.28	1993YTa (103955)	2453

C26H28O4		H2L		B(CH2AcAcCH2)2B		(2253)			
3,5,16,18-Tetraoxo[7.7]metacyclophane ;Cyclo-(-C6H4.(CH2)2.CO.CH2.CO.(CH2)2-)2									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	diox/w	24°C	50%	U		K1=4.1	1979ACa (104016)	2454

C26H31N08S2 L CAS 136195-71-6 (6832)
Crown Ether Styryl Dye;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	non-aq	25°C	100%	U		K1=6 K2=<4	1992BFa (104032)	2455

Medium: CH3CN

C26H32N2O2 L CAS 588691-41-2 (9066)
4-{2-[10-(2-Morpholinoethyl)-9-anthryl]ethyl}morpholine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	diox/w	25°C	40%	C		K1=4.52 K(CaL+Ca)=2.78	2003GHb (104036)	2456

Method: fluorescence spectroscopy. Medium: 40% w/w dioxane/H2O, 0.05 M Et4NClO4.

C26H32N2O10 H4L CAS 149746-36-1 (7027)
1,2-Bis(2-amino-5-methylphenoxy)ethane-N-(2-methyl-2-propanoic)-N,N',N'-triethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	KCl	37°C	0.10M	U		K1=8.10	1993CMa (104041)	2457

Also data for aryl, alkyl & fluoro substituted analogues

C26H32N2S2 L CAS 677034-81-0 (9064)
4-(2-{10-[2-(1,4-Thiazinan-4-yl)ethyl]-9-anthryl}ethyl)thiomorpholine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	non-aq	25°C	100%	C		K1=4.36 K(CaL+Ca)=2.90	2003GHa (104042)	2458

Method: fluorescence spectroscopy. Medium: acetonitrile, 0.05 M Et4NClO4.

C26H34N4 L CAS 677034-80-9 (9063)
1-(2-{10-[2-Piperazinoethyl]-9-anthryl}ethyl)piperazine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	non-aq	25°C	100%	C		K1=6.51 K(CaL+Ca)=4.12	2003GHa (104071)	2459

Method: fluorescence spectroscopy. Medium: acetonitrile, 0.05 M Et4NClO4.

C26H34N6O8 H4L CAS 132709-65-0 (8941)
3,6,14,17,23,24-Hexaazatricyclotetracos-1,8,10,12,19,21-hexaene-3,6,14,17-tetraacetic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

 Ca++ gl KCl 25°C 0.10M M K1=13.6 1996MBb (104089)2460
 K(CaL+H)=5.1
 K(CaHL+H)=2.8

C26H34O8 H2L (3082)
 1,4-Bis(2-carboxybutoxyphenyl)-1,4-dioxabutane; (HOOCCCH(C4H9)O(C6H4)OCH2)2

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl alc/w 25°C 90% M K1=7.86 1998KLa (104104)2461
 Medium: 90% v/v MeOH/H2O, 0.1 M Me4NCl

C26H36N2O6 L DiBzCryptand222 (746)
 5,6,14,15-Dibenzo-4,7,13,16,21,24-hexaoxa-1,10-diazabicyclo[8.8.8]hexacosan-5,14-diene;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.05M U H 1998DBa (104123)2462
 Medium: 0.05 M Et4NClO4. By calorimetry: DH(K1)=-0.6 kJ mol⁻¹,

Ca++ EMF alc/w 25°C 100% U H K1=5.96 1987BUB (104124)2463
 In MeOH, 0.05M Et4NClO4. DH=-6.4 kJ mol⁻¹

Ca++ ISE NaClO4 25°C 0.10M U I K1=3.45 1984CTc (104125)2464
 In propylene carbonate, K1=9.74

C26H36N2O6Cl2 H2L (7215)
 7,16-Bis((5-chloro-2-hydroxybenzyl)-1,4,10,13-tetraoxa-7,16-diazacyclooctadecane;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ cal non-aq 25°C 100% C H 1995ZBa (104153)2465
 K(Ca+H2L)=4.48
 Medium: methanol. DH(K)=-3.3 kJ mol⁻¹, DS(K)=74.8 J K⁻¹ mol⁻¹.

C26H38N6 L CAS 180684-75-7 (7295)
 1,8,14,17,24,31-Hexaazatricyclo[25.3.1.1.0.0]dotriaconta-10,12,14,26,28,

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.20M C K1=4.2 1996FJa (104202)2466

C26H43NO6 HL Glycocholic ac. CAS 475-31-0 (5821)
 N-Cholylglycine, N-3,7,12-Trihydroxy-24-oxocholan-24-yl-glycine;

 Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ nmr oth/un 25°C ? U 1986KBb (104270)2467

K1eff=2.02

At pH 5.0

C26H45N07S HL Taurocholic ac. CAS 145-42-6 (5822)
Cholyltaurine; 5-Cholan-24-oic acid N-(2-sulfoethyl)amide-3,7,12-triol;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	nmr	oth/un	25°C	?	U			1986KBb (104275)	2468

K1eff=1.23

At pH 5.0

C26H48N206 L (6003)
5,6,14,15-Dicyclohexyl-4,7,13,16,21,24-hexaoxa-1,10-diazabicyclo[8.8.8]hexacosane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	EMF	alc/w	25°C	100%	U		K1=5.12	1987BUb (104292)	2469

C26H50N207 L (6931)
N,N'-Bis(1-tetrahydrofuryl-2-ethoxyethyl)-1,4-diaza-7,10,13-trioxacyclopentadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	cal	alc/w	25°C	90%	U	H	K1=3.2	1994IZa (104318)	2470

L=N,N'-Bis(1-tetrahydrofuryl-2-ethoxyethyl)-1,4-diaza-7,10,13-trioxacyclopentadecane. Medium: 90% v/v MeOH/H2O. DH(K1)=-9.9 kJ mol⁻¹.

C26H52N405 L CAS 78648-22-3 (1534)
4,10,16,22,33-Pentaoxa-1,7,13,19-tetraazatricyclo[11,11,6,5(7.19)pentatriacontane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	U		K1=<2	1981GLa (104325)	2471

C26H52N607S2 L CAS 503465-16-5 (9245)
4,12,20,26,29,34,37-Heptaoxa-1,7,9,15,17,23-hexaazabicyclo[21.8.8]nonatriacontane-8,16-dithione;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	alc/w	25°C	95%	C		K1=3.44	2004KVa (104335)	2472

Medium: 95% MeOH/H2O, 0.01 M Et4NC104.

C26H52N607S2 L CAS 503465-12-1 (9243)
9,12,15,26,29,34,37-Heptaoxa-1,4,6,18,20,23-hexaazabicyclo[21.8.8]nonatricontane-5,19-dithione;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ gl alc/w 25°C 95% C K1=2.55 2004KV a (104345)2473
Medium: 95% MeOH/H2O, 0.01 M Et4NClO4.

C27H29N010 H2L Daunorubicine CAS 23541-50-6 (5660)
Daunomycin;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp oth/un 20°C 0.15M U K(Ca+HL)=3.3 1982KMd (104437)2474

C27H32N05S+ L CAS 423763-94-4 (8997)
3-Ethyl-2-[4-(2,3,5,6,8,9,11,12-octahydro-1,4,7,10,13-benzopentaoxacyclopentadecin-15-yl)butadien

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp non-aq 25°C 100% C K1=5.14 2002GVc (104513)2475
Medium: acetonitrile, 0.01 M Et4NClO4.

C27H33N07 L FLC CAS 223390-37-2 (8805)
2-[4-Dimethylaminophenyl]-6-methyl-3-(1,4,7,10-tetraoxacyclododec-2-ylmethoxy)-4H-1-Benzopyran-4;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp non-aq ns 100% C K1=5.52 2000LXa (104523)2476
Medium: acetonitrile. By fluorescence, K1=5.48.

C27H33N709 HL CAS 159356-07-7 (8682)
N,N'N'-(Nitrilotri-2,1-ethanediyl)tris[1,2-dihydro-3-hydroxy-1-methyl-2-oxo)4-pyridinecarboxamide

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M U K1=7.6 1995XFa (104541)2477
B(CaHL)=13.7
B(CaH2L)=18.9

C27H33N9015P2 H2L FAD CAS 146-14-5 (3521)
Flavin adenine dinucleotide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ix NaCl 23°C 0.1M U K1=2.02 1958WAa (104543)2478

C27H36N1009 H3L TrenHOPY (7967)
Tris[(2,3-dimethyl-5-hydroxy-6-carboxamido-4-pyrimidinone)ethyl]amine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	U		K1=7.51 B(CaH2L)=19.67	2001SBb (104577)	2479

C27H38N6O12 H4L DGYVDA (6016)

Aspartyl-glycyl-tyrosyl-valyl-aspartyl-alanine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	nmr	KCl	25°C	0.50M	U		K(Ca+HL)=3.07 ? K(Ca+H2L)=1.93 ?	1987ZAa (104583)	2480

C27H44O L Vitamin D3 CAS 67-97-0 (6103)

7-Dehydrocholesterol, Cholecalciferol

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	alc/w	37°C	70%	U		K1=3.37 B2=7.33	1989QYa (104607)	2481

Medium: 70% (v/v) EtOH/H2O, 0.1 M KNO3

C27H47N3O6 L (8029)

Tripodal ionophore 3;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	non-aq	25°C	100%	C		K(CaP+L=LiPL)=4.19	2001Lfa (104621)	2482

Method: Analyses by spectrophotometry. Medium: chloroform. P is picrate.

C28H24O16S4 H8L CAS 206559-10-6 (7767)

25,26,27,28-Tetrahydroxycalix[4]arene-5,11,17,23-tetrasulfonic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	cal	oth/un	25°C	0.10M	C	H	K(Ca+H4L)=3.32	2001BIa (104691)	2483

Medium: 0.10 m Na4H4L, pH=2. DH(Ca+H4L)=3.0 kJ mol⁻¹.

C28H34N2O6 HL CAS 83874-22-0 (6920)

Cezomycin;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	alc/w	25°C	100%	C		K1=5.4 B2=12.8	1994ABc (104754)	2484

Medium: MeOH; 0.1 M (C4H9)4NCF3SO3H

C28H35N3O6 L CAS 114880-42-1 (7377)

3-(p-13-Aza-1,4,7,10-tetroxacyclopentadecan-13ylstyryl)-7-dimethylamino-1,4-benzoxa

zin-2-one;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	sp	non-aq	RT	100%	C			K1=4.28	1998ABc (104758)	2485
------	----	--------	----	------	---	--	--	---------	------------------	------

Medium: acetonitrile. Method: fluorescence spectroscopy.

C28H35O7P		L						CAS 90275-27-7	(2068)	
-----------	--	---	--	--	--	--	--	----------------	--------	--

Adamantylphosphonyldibenzo-17-crown-6

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	sol	non-aq	25°C	100%	U			K1=4.69	1987TCa (104765)	2486
------	-----	--------	------	------	---	--	--	---------	------------------	------

Medium: CH2Cl2, 2% MeCN. Metal as picrate

C28H36N2O2		L						CAS 588691-42-3	(9067)	
------------	--	---	--	--	--	--	--	-----------------	--------	--

4-{3-[10-(3-Morpholinopropyl)-9-anthryl]propyl}morpholine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	sp	diox/w	25°C	40%	C			K1=5.07 K(CaL+Ca)=4.05	2003GHb (104774)	2487
------	----	--------	------	-----	---	--	--	---------------------------	------------------	------

Method: fluorescence spectroscopy. Medium: 40% w/w dioxane/H2O, 0.05 M Et4NClO4.

C28H36N2O7S2		HL						CAS 150196-54-6	(7735)	
--------------	--	----	--	--	--	--	--	-----------------	--------	--

3-(3-Sulfopropyl)-2-[4-[N-(1,4,7,10,13-pentaoxa-16-azacyclooctadeca)]]styryl-benzot hiazolium;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	sp	non-aq	18°C	100%	C			K1=1.7	1997LHa (104780)	2488
------	----	--------	------	------	---	--	--	--------	------------------	------

Medium: acetonitrile.

C28H37N5O8		H3L						(7382)		
------------	--	-----	--	--	--	--	--	--------	--	--

Diethylenetriamine-N,N,N',N'',N"-pentaethanoic acid bis(benzylamide);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	KCl	25°C	0.10M	C			K1=7.13	1997WCa (104799)	2489
------	----	-----	------	-------	---	--	--	---------	------------------	------

C28H38O9		H2L						(3355)		
----------	--	-----	--	--	--	--	--	--------	--	--

1,7-Bis(2-carboxybutoxyphenyl)-1,4,7-trioxaheptane; (HOOCCH(C4H9)O(C6H4)OCH2CH2)2O

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	gl	alc/w	25°C	90%	M			K1=6.80	1998KLa (104808)	2490
------	----	-------	------	-----	---	--	--	---------	------------------	------

Medium: 90% v/v MeOH/H2O, 0.1 M Me4NCl

C28H38O10		H2L						CAS 100113-54-0	(3391)	
-----------	--	-----	--	--	--	--	--	-----------------	--------	--

1,10-Bis(2-carboxybutoxyphenyl)-1,4,7,10-tetraoxadecane;
(HOOC(C₄H₉)O(C₆H₄)OCH₂CH₂OCH₂)₂

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	alc/w	25°C	90%	M		K1=6.00	1998KLa (104812)	2491

Medium: 90% v/v MeOH/H₂O, 0.1 M Me₄NCI

C28H40O6 L CAS 29471-17-8 (1262)
2,3:11,12-Bis(4'-tert-butylbenzo)-1,4,7,10,13,16-hexaoxacyclooctadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	EMF	non-aq	25°C	100%	U		K1=6.86	1982MRb (104832)	2492

Medium: anhydrous propylene carbonate, 0.1M Et₄NCI₀₄

C28H40O10 L DiBz-30-crown10 CAS 104946-67-0 (1776)
2,3:17,18-Dibenzo-1,4,7,10,13,16,19,22,25,28-decaoxacyclotriaconta-2,17-diene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	vlt	non-aq	25°C	100%	C		K1=4.12	1991SSb (104866)	2493

Method: competitive complexation with Tl⁺; use of Tl(Hg)/Tl couple.
Medium: acetonitrile, 0.05 M Et₄NCI₀₄.

Ca++	sp	alc/w	25°C	100%	U I		K1=4.25	1987GKb (104867)	2494
------	----	-------	------	------	-----	--	---------	------------------	------

Medium: MeOH. In DMF K1=3.28, in DMSO K1=2.92

Ca++	EMF	non-aq	25°C	100%	U		K1=5.23	1982MRb (104868)	2495
------	-----	--------	------	------	---	--	---------	------------------	------

Medium: anhydrous propylene carbonate, 0.1M Et₄NCI₀₄

C28H52N4O10 H5L CAS 137203-80-6 (8096)
1-N-Dodecyltriethylenetetramine-N,N',N'', N''',N'''-pentaethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	alc/w	25°C	50%	C		K1=11.3 K(CaL+Ca)=5.5 K(CaL+H)=10.7 K(CaHL+H)=4.6	2001SYb (104987)	2496

Medium: 50% EtOH/H₂O, 0.10 M KNO₃.

C28H54N2O8 L (6936)
N,N'-Bis(1-furanyl-2-ethoxyethyl)-1,4-diaza-7,10,13,16-tetraoxacyclooctadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	cal	alc/w	25°C	90%	U H		K1=4.25	1994IZa (105025)	2497

L=N,N'-Bis(1-furanyl-2-ethoxyethyl)-1,4-diaza-7,10,13,16-tetraoxacyclooctadecane. Medium: 90% v/v MeOH/H₂O. DH(K1)=-15.3 kJ mol⁻¹.

C28H56N6O8S2 L CAS 503465-18-7 (9246)
4,12,15,23,29,32,37,40-Octaoxa-1,7,9,18,20,26-hexaazabicyclo[24.8.8]dotetracontane-8,19-dithione;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl alc/w 25°C 95% C K1=3.10 2004KVa (105036)2498
Medium: 95% MeOH/H2O, 0.01 M Et4NClO4.

C28H56N6O8S2 L CAS 503465-14-3 (9244)
9,12,15,18,29,32,37,40-Octaoxa-1,4,6,21,23,26-hexaazabicyclo[24.8.8]dotetratricontane-5,22-dithio

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl alc/w 25°C 95% C K1=2.67 2004KVa (105046)2499
Medium: 95% MeOH/H2O, 0.01 M Et4NClO4.

C29H35N05 L CAS 201154-06-5 (7825)
N-(1-Pyrenylmethyl)-1,4,7,10,13-pentaoxa-16-azacyclooctadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp mixed 25°C 90% C 1997KKa (105096)2500
K(Ca(SCN)2+L)=2.93
Method: fluorescence emission. Medium: MeOH/CHCl3 (9:1 v/v).

C30H18N6O21S6 H9L Calcichrome (4173)
Cyclo-tris-7-(1-azo-8-hydroxynaphthalene-3,6-disulfonic acid);

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp NaNO3 20°C 0.20M U 1965BBb (105178)2501
B(CaH2L)=26.45

C30H30N20O10 L CAS 259886-49-2 (8959)
Cucurbit[5]uril;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sol none 25°C dil C K1=1.73 2001BCf (105213)2502
Method: dissolution of ligand in a 0.002-0.02 M CaX2 solution; spectro
photometric measurement. For decamethylcucurbit[5]uril, K1=1.61

C30H36N8O3 Furan-cryptand CAS 121954-37-8 (7451)
39,40,41-Trioxa-1,4,11,14,17,24,29,36-octaazapentacyclo[12.12.12.1.1.1]henLetetraco
ntadodecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp non-aq 25°C 100% U H K1=6.64 1996AAb (105247)2503
Medium: MeCN

tacyclo[12.12.12.1(6,9).1(19,22).1(31,34]hentetetraconta-4,6,8....dodecaene

C30H41N5O10 H3L (7506)
1,4,7,10,13-Tetraaza-1,13-(2-methoxybenzyl)-tridecane-2,12-dione-4,7,10-triethanoic
acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 0.10M U K1=7.74 1998WLb (105294)2504
K(CaL+H)=5.22

C30H49N3O8 H4L (5361)
Dodecylbenzenediethylenetriaminetetraethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ EMF KNO3 20°C 0.10M U 1968CHa (105348)2505
K(Ca+2H3L)=16.92
K(2Ca+2H2L)=15.28
K(3Ca+2HL)=14.62

C30H57N08 HL 18NH15-C5A CAS 79145-86-1 (5405)
2-Carboxy-3-N-octadecanylformamide-1,4,7,10,13-pentaoxycyclopentadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl alc/w 25°C 90% U K1=3.5 B2=7.1 1984FWa (105380)2506
Medium: 90% v/v MeOH/H2O, 0.05 M R4NX

C30H62N2O3 L (2956)
1,10-Di(decylaza)-4,7,13-trioxacyclopentadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ cal alc/w 25°C 100% U H K1=2.51 1986BUa (105386)2507
Medium: MeOH. DH(K1)=-11.7 kJ mol⁻¹; DS=9 J K⁻¹ mol⁻¹

C31H32N2O13S H6L Xylenol orange CAS 63721-85-5 (432)
5,5'-Bis-N,N-bis(carboxymethyl)aminomethyl-4'-hydroxy-3,3'-dimethylfuchstone-2"-sulf
onic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KNO3 25°C 0.10M C M K1=8.64 1998GBa (105439)2508
K(CaL+H)=10.10
K(CaL+Ca)=4.69
K(Ca2L+H)=8.47

```

-----
Ca++      sp  KNO3   25°C 0.10M U      K1=8.65      1974Y0a (105440)2509
                                   K(Ca+HL)=6.82
                                   K(Ca+H2L)=2.97
                                   K(Ca+CaL)=6.02
                                   K(Ca+CaHL)=2.5

```

```

*****
C32H30N2O8      H4L      CAS 81374-97-2 (8216)
N,N'-[1,8-Naphthalenediylbis(3,1-phenylenemethylene)]bis[N-(carboxymethyl)]-glycine
;

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++      gl  KCl    25°C 0.10M U      K1=4.2      1982LVa (105586)2510
*****

```

```

C32H30N2O8      H4L      CAS 81374-96-1 (8215)
N,N'-[1,8-Naphthalenediylbis(4,1-phenylenemethylene)]bis[N-(carboxymethyl)]-glycine
;

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++      gl  KCl    25°C 0.10M U      K1=5.5      1982LVa (105591)2511
*****

```

```

C32H32N2O12      H6L      Cresolphthalexo CAS 2411-89-4 (1997)
o-Cresolphthalein-3,3'-bis(methyliminodiethanoic acid)

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++      gl  oth/un 25°C 0.10M U      K1=7.91      1981GMd (105603)2512
                                   B(CaHL)=19.11
                                   B(Ca2L)=12.76

```

```

-----
Ca++      gl  KCl    20°C 0.1M U      K1=7.8      1954AGb (105604)2513
                                   K(Ca+HL)=6.9
                                   K(Ca+H2L)=3.2
                                   K(Ca+CaL)=5.0
                                   K(Ca+H3L)=2.3

```

```

K(Ca+CaHL)=1
*****
C32H33N3O12F2      L      CAS 149696-88-8 (7035)
2,3:14,15-Difluorobenzo-8,9-(4-dicarboxymethyliminobenzo)-4,13-diaza-4,13-dicarboxy
methylcyclooc-

```

```

-----
Metal      Mtd Medium Temp Conc Cal Flags Lg K values      Reference ExptNo
-----
Ca++      sp  R4N.X 30°C 0.10M U      K1eff=5.70      1993SKf (105616)2514

```

```

Medium: Me4NCl. K1eff at pH 7.2
*****
C32H37N09S      H4L      SemiMeThymolBlu (427)

```

3-(N,N-Di(carboxymethyl)-aminomethyl)thymolsulfonephthalein;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	sp	KN03	25°C	0.10M	U			K1=6.52 B(CaHL)=14.34	1974Y0a (105660)	2515

C32H38N4O6Cl2 HL CAS 172033-56-6 (8675)
2,2'-[1,4,10,13-Tetraoxa-7,16-diazacyclooctadecane-7,16-diylbis(methylene)]bis[5-Cl-8-quinolinol]

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	cal	non-aq	25°C	100%	C	H		K(Ca+HL)=4.71	1995ZBa (105676)	2516

Medium: methanol. DH(K)=-25.2 kJ mol⁻¹, DS(K)=5.7 J K⁻¹ mol⁻¹.

C32H38N4O6Cl2 H2L (7214)
7,16-Bis((5-chloro-8-hydroxy-7-quinolinyl)methyl)-1,4,10,13-tetraoxa-7,16-diazacyclooctadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	cal	alc/w	25°C	100%	U	H		K(Ca+H2L)=5.31	1996BBf (105686)	2517

Medium: MeOH; 0.1 M Me4NCl. DH(K)=-3.5 kJ mol⁻¹. Data also for similar
ariat ligands with substituted oxine side chains

C32H43N2O7S HL CAS 189057-31-6 (7756)
3-(4-Carboxybutyl)-2-[4-[N-(1,4,7,10,13-pentaoxa-16-azacyclooctadeca)]]styryl-benzo
thiazolium;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	sp	non-aq	18°C	100%	C			K1=4.2	1997LHa (105753)	2518

Medium: acetonitrile.

C32H43O9P H2L CAS 120885-36-1 (6339)
1,2:12,13-Dibenzo-7-phospha-7-oxo-7-adamantyl-24-crown-9

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	oth	non-aq	25°C	100%	U			K1=2.32 B2=4.24	1989SSc (105760)	2519

In CH3CN; Ca++ is used as Ca(NCS)2; For Ca(ClO4)2 K1=3.24; B2=5.31;

Method: IR-spectroscopy

C32H45N5O10 H3L (7507)
1,4,7,10,13-Pentaaza-1,13-di(2-ethyl-(2-methoxyphenyl))tridecane-2,12-dione-4,7,10-
triethanoic a;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	U		K1=7.54 K(CaL+H)=5.37	1998WLb (105783)	2520

C32H48N2O3 L CAS 170801-55-5 (8952)

1,5-Bis[2,2'-azo-4,4'-(1,1,3,3-tetramethylbutyl)phenoxy]-3-oxapentane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	alc/w	RT	100%	C		K1=1.35	2000GDa (105794)	2521

Medium: MeOH.

C32H48N2O4 L CAS 170801-51-1 (8953)

6,7,9,10-Tetrahydro-2,14-bis(1,1,3,3-tetramethylbutyl)dibenzotrioxadiazacyclotridecine 16-oxide;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	alc/w	RT	100%	C		K1=1.15	2000GDa (105798)	2522

Medium: MeOH.

C32H58N2O12 H2L CAS 88454-81-3 (5409)

2,11-Bis(carboxy)-3,12-bis(octanylformamide)-18-crown-6 (anti);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	alc/w	25°C	90%	U		K1=10.1	1984FWa (105835)	2523

Medium: 90% v/v MeOH/H2O, 0.05 M R4NX

C32H58N2O12 H2L CAS 88454-82-4 (5408)

3,11-Bis-carboxy-2,12-bis(octanylformamide)-18-crown-6 (syn);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	alc/w	25°C	90%	U		K1=8.9 B(CaHL)=12.7	1984FWa (105841)	2524

Medium: 90% v/v MeOH/H2O, 0.05 M R4NX

C32H64N4O10 L CAS 42133-16-4 (8579)

4,10,13,19,25,28,33,36,41,44-Decaoxa-1,7,16,22-tetraazatricyclo[20.8.8.87,16]hexate tracontane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	alc/w	25°C	90%	M		K1=4.0	1977LSc (105847)	2525

Medium: 90% (w/w) MeOH/H2O, 0.1 M Et4NBr.

C33H39N11 L Pyr-cryptand CAS 141258-00-6 (7452)

1,4,12,15,18,26,31,39,42,43,44-Undecaazapentacyclo[13.13.13.1.1.1]tetratetraconta

pentadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	non-aq	25°C	100%	U	H	K1=6.26	1996AAb (105912)	2526
Medium: CH3CN									
.13.1(6,10).1(20,24).1(33,37)]tetratetraconta-4-6-8-10(44),11...pentadecaene									

C33H41N3O6			L				(8027)		
Tripodal ionophore ;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	non-aq	25°C	100%	C			2001LFa (105920)	2527
							K(CaP+L=LiPL)=5.16		
Method: Analyses by spectrophotometry. Medium: chloroform. P is picrate.									

C33H44N3O14P			H6L				CAS 193901-91-6 (7981)		
(4,4-Diphenylcyclohexyl)(methylene-2-dien pentaethanoic acid) phosphoric acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	NaCl04	25°C	0.10M	C		K1=10.45 K(CaL+H)=5.66	2001CCa (105935)	2528

C34H38N2O14			H2L				(7072)		
7,16-Bis(3-carboxy-6-methoxy-2-oxo-2H-1-benzopyran-7-yl)-1,4,10,13-tetraoxa-diazacyclooctadecane;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	none	RT	0	U		K1=2.22	1994CGa (106026)	2529
Method: fluorimetry									

C34H53N5O8			H3L				(7508)		
1,4,7,10,13-Pentaaza-1,13-bis(adamantany1)tridecane-2,12-dione-4,7,10-triethanoic acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KCl	25°C	0.10M	U		K1=7.49 K(CaL+H)=5.27	1998WLb (106091)	2530

C34H53O8Br			H2L				CAS 38784-08-6 (2336)		
5-Bromolasalocid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	alc/w	25°C	100%	M			1988JTa (106094)	2531
							K(Ca+HL)=4.81		

K(Ca+2HL)=7.4

Medium: MeOH

C34H54O8 H2L Lasalocid CAS 25999-20-6 (2335)

Lasalocid acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ nmr non-aq 20°C 100% C 1998MLa (106110)2532

K(Ca+HL)=0.0

Medium: CD3OD. Method: 13C nmr.

Ca++ dis non-aq 25°C 100% U 1993LPa (106111)2533

K(Ca+2HL=CaL2+2H)=-9.7

Method: extraction into CHCl3. K is for Ca(aq)+2HL(org)=CaL2(org)+2H(aq).

Ca++ gl alc/w 25°C 100% M 1988JTa (106112)2534

K(Ca+HL)=5.00

K(Ca+2HL)=7.5

Medium: MeOH

Ca++ cal alc/w 25°C 100% U H 1988PPa (106113)2535

Medium: MeOH. DH(CaL)=20.7 kJ mol⁻¹; DS=165. DH(CaL2)=31.4; DS=256

Ca++ gl alc/w 25°C 100% U 1982BDc (106114)2536

K(Ca+4HL)=4.88

Medium: MeOH

C34H64O10 H2L D218-6A2 CAS 88454-79-9 (5406)

11,12-Bis(dodecanyl)-1,2-bis(carboxy)-1,4,7,10,13,16-hexaoxacyclooctadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl alc/w 25°C 90% U K1=9.4 1984FWa (106176)2537

B(CaHL)=13.8

Medium: 90% v/v MeOH/H2O, 0.05 M R4NX

C35H45N9 L CAS 312304-65-7 (7962)

29,32,35-TriMe-1,14,29,32,35,38,39,40,41-Nonaazahexacyclohentetraconta-3,5,7,8,10,12,16,18,20,21,

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 25°C 0.10M U K1=8.54 2001BBa (106199)2538

K(CaL+H)=8.44

K(CaHL+H)=7.79

K(CaH2L+H)=5.46

Medium: 0.10 M NMe4NO3.

C36H33N7O15S3 H6L O-TRENSEX CAS 169209-69-2 (7370)

Tris-N-(2-aminoethyl-(8-hydroxyquinoline-5-sulphonato-7-carboxamido))amine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	NaClO4	25°C	0.10M	C			K1=14.98 B(CaH2L)=26.76	2002BBd (106238)	2539

C36H36N24O12 L Cucurbituril CAS 283175-97-3 (6744)
Cucurbit[6]uril;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	sol	none	25°C	dil	C			K1=3.61	2001BCf (106248)	2540

Method: dissolution of ligand in a 0.002-0.02 M CaX2 solution;
spectrophotometric measurement.

Ca++	cal	mixed	25°C	50%	C	H		K1=2.80	1998BJb (106249)	2541
------	-----	-------	------	-----	---	---	--	---------	------------------	------

Medium: 50% (v/v) HCOOH/H2O. DH(K1)=-6.5 kJ mol-1

Ca++	sol	none	25°C	0.0	U			K1=9.13	1992BCa (106250)	2542
------	-----	------	------	-----	---	--	--	---------	------------------	------

C36H42N8 L Xylyl-cryptand CAS 172881-87-7 (7456)
1,4,12,15,18,26,31,39-Octaazapentacyclo[13.13.13.1.1.1]tetratatetracontadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	sp	non-aq	25°C	100%	U			K1=4.5 B(Ca2L)=6.29	1996AAd (106314)	2543

Medium: CH3CN

C36H44O7P2 L (5725)
1,17-Di(diphenylphosphinyl))-3,6,9,12,15-pentaoxaseptadecane;
Ph2PO.C2H4(O.C2H4)4OC2H4POPh2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	cal	non-aq	25°C	100%	U			K1=2.65 B2=3.50	1991SGa (106329)	2544

Medium: CH3CN; Ca as Ca(NCS)2

Ca++	cal	alc/w	25°C	100%	U	H		K1=2.85 B2=3.55	1989SGc (106330)	2545
------	-----	-------	------	------	---	---	--	-----------------	------------------	------

Medium: EtOH. K=2.82 for polyethylene glycol analogue with 45 -(OCH2CH2)-
units

C36H47N3O6 L (8028)
Tripodal ionophore 2;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	sp	non-aq	25°C	100%	C			K(CaP+L=LiPL)=4.63	2001LFa (106371)	2546

Method: Analyses by spectrophotometry. Medium: chloroform. P is picrate.

C36H52N8O6S2 L CAS 86701-12-4 (4454)

Ascidia cyclamide;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++		nmr mixed	25°C	95%	C			K1=2.9	2000CGa (106394)	2547

Medium: 95% acetonitrile/H2O. Method: 1H nmr

C36H56N8O8S2 L L-Allothreonine CAS 108312-45-4 (4586)

Cyclo(-L-allothreonyl-2-[(1R)-1-amino-2-methylpropyl]-4-thiazolecarbonyl-L-isoleucyl-1-)-2;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++		sp non-aq	25°C	100%	C			K1=4.0 B2= 4.50	2000CGa (106433)	2548

Medium: acetonitrile. Method: circular dichroism.

C36H58N10O10S4 H5L CAS 136685-24-0 (6875)

(1-Cys-,1'-Cys,4-Cys-,4'-Cys)-dithiobis(Ac-1-Cys-Pro-D-Val-4-Cys-NH2);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++		gl non-aq	20°C	100%	U			K1=3.21 B2=6.86	1993EAa (106439)	2549

Method: circular dichroism. Medium: MeCN, ClO4-

C36H62O11 HL Monensin CAS 17090-79-8 (737)

Monensin, 1,6-dioxaspiro[4,5]decane derivative;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++		ISE alc/w	25°C	100%	M			K1=4.45	1984CTa (106485)	2550

Medium: MeOH. In EtOH K1=6.78

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++		ISE non-aq	25°C	100%	M			K1=6.02	1984CTa (106486)	2551

Medium: N,N-dimethylformamide. In DMSO K1=5.60

C37H44N2O13S H6L MeThymol Blue (428)

3,3'-Bis(N,N-di(carboxymethyl)aminomethyl)thymolsulfonephthalein;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++		sp KNO3	25°C	0.10M	U			K1=8.25	1974Y0a (106574)	2552

B(CaHL)=19.15

B(CaH2L)=26.50

K(Ca+CaL=Ca2L)=5.38

K(Ca+CaHL=Ca2HL)=2.1

C38H32O4P2 L (1320)

1,4-Di(2-diphenylphosphinylphenyl)-1,4-dioxabutane;
Ph2PO.C6H4.O.CH2.CH2.O.C6H4.P(O)Ph2

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	cal	alc/w	25°C	100%	U	H	K1=1.35 B2=3.46	1989SGc (106646)	2553

Medium: C2H5OH

C38H42N4O24S4 H9L (5477)
1,5,10,14-Tetrakis(2,3-dihydroxy-5-sulfobenzoyl)-1,5,10,14-tetraazatetradecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	KNO3	25°C	0.10M	C			1982KRb (106667)	2554

B(CaH4L)=48.89
B(CaH3L)=39.86
B(CaH2L)=30.12
B(Ca2L)=16.2

C38H44N2O12 H4L Thymolphthalexo CAS 1913-93-5 (1963)
Thymolphthalexon, Thymolphthalein-3',3''-bis(methyliminodiethanoic acid)

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	NaNO3	20°C	0.20M	U			1965BBb (106673)	2555

B(Ca2L2)=42.74

C38H48N8O6S2 H4L CAS 81098-23-9 (1789)
Patellamide B;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	nmr	mixed	25°C	95%	C		K1=2.8	2000CGa (106678)	2556

Data for Patellamide D. Medium: 95% acetonitrile/H2O. Method: 1H nmr

C38H68N8O10 L CAS 269398-65-4 (4484)
Cyclo[-2-aminobutanoyl-isoleucyl-threonyl-D-valyl-2-aminobutanoyl-isoleucyl-threonyl-D-valyl-];

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	non-aq	25°C	100%	C		K1=5.5	2000CGa (106703)	2557

Medium: acetonitrile. Method: circular dichroism

C40H36O4P2 HL CAS 126763-08-4 (7791)
1,2-Bis[2-(diphenylphosphinylmethyl)phenoxy]-ethane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	EMF	non-aq	25°C	100%	C		K1=9.96	1997PKc (106728)	2558

Medium: nitrobenzene

C40H36O5P2 L CAS 86341-96-0 (5724)
1,7-Di(2-diphenylphosphinyl)phenyl-1,4,7-trioxahheptane;Ph2P0.C6H4.0.C2H4.0.C2H4.0.C6H4.POPh2

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ EMF non-aq 25°C 100% C K1=12.39 1997PKc (106737)2559

Medium: nitrobenzene

Ca++ EMF non-aq 25°C 100% C K1=16.50 1997PKc (106738)2560

Medium: nitrobenzene

Ca++ cal alc/w 25°C 100% U H K1=1.44 B2=2.51 1989SGc (106739)2561

Medium: EtOH. Also for 1,4,7,10-tetraoxadecane analogue, 1,4,7,10,13-analogue and for 1,4,7,10,13,16- analogue

C40H38N2O16 H6L FluoRhod-1 (7028)
FluoRhod-1;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp oth/un 37°C ? U K1=5.12 1993SMc (106752)2562

Method: spectrofluorimetry. Also data for analogous alkyl substituted ligands, including FluoRhod-2 (K1=5.97).

C40H50N2O010 L CAS 143902-45-8 (8935)
Decamethylcucurbit[5]uril;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ cal mixed 25°C 50% C H K1=2.40 2000ZKb (106802)2563

Medium: 50% v/v formic acid/H2O. Method: competitive calorimetric titration with SrCl2. DH(K1)=17.1 kJ mol-1, DS(K1)=103 J K-1 mol-1.

C42H40O5P2 L CAS 163172-12-6 (2080)
Bis((2-diphenylphosphinylmethyl)phenyl)diethyleneglycol ether;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ EMF non-aq 25°C 100% C K1=10.14 1997PKc (106920)2564

Medium: nitrobenzene

C42H52N4O6 L CAS 405917-44-4 (9250)
Tetraoxadiazacyclooctadecane-7,16-diylbis(methylene)bis-methyl-4-pyridinylidenecyclohexadienone;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp R4N.X 25°C 0.10M C 2004C0a (106960)2565

K(Ca+H2L=CaL+2H)=13.57

Medium: buffered 0.1 M Et4NCl, pH 8.5. By fluorescence emission spectroscopy, K=13.57.

C44H44O6P2 L CAS 126763-09-5 (7790)

1,8-Bis[2-(diphenylphosphinylmethyl)phenoxy]-3,6-dioxaoctane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ EMF non-aq 25°C 100% C K1=8.36 1997PKc (107124)2566

Medium: nitrobenzene

C44H50N2O10 H2L CAS 329183-28-0 (8807)

25,27-Bis(carboxymethoxy)-26,28-bis[(N,N-diethylaminocarbonyl)methoxy]calix[4]arene
;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl non-aq 25°C 100% C K1=9.9 2000ABb (107139)2567

B(CaHL)=16.7

B(Ca2L)=13.58

B(Ca2HL2)=31.69

Medium: MeOH, 0.05 M Et4NClO4.

C44H52N4O8 L CAS 246035-33-6 (2925)

25,27-Bis(N,N-diethylaminocarbonylmethoxy)-26,28-bis(aminocarbonylmethoxy)calix[4]arene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp non-aq 25°C 100% C K1=5.9 B2= 9.70 1999USa (107154)2568

Medium: MeOH, 0.10 M Et4NCl

C44H72N4O8 L CAS 61894-23-3 (8580)

7,16:25,34-Bis(ethanoxyethanoxyethano)dibenzo[1,4,17,20,7,14,23,30]tetraoxatetraaza cyclodotriac..

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl alc/w 25°C 90% M K1=3.6 1977LSc (107191)2569

Medium: 90% (w/w) MeOH/H2O, 0.1 M Et4NBr.

C45H48N3O3P3 L CAS 90179-28-5 (5682)

N,N',N''-tris(Diphenylphosphinylmethyl)-1,4,7-triazacyclononane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ con non-aq 25°C 100% U I M 1984YSb (107221)2570

K(CaI+L)=3.2

Medium: tetrahydrofuran:CHCl3 1:1. In CH3CN:CHCl3 1:1 K=2.4

C46H46N2O4 L CAS 185118-12-1 (7824)

N,N'-Bis(1-pyrenylmethyl)-1,4,10,13-tetraoxa-7,16-diazacyclooctadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp mixed 25°C 90% C 1997KKa (107245)2571

K(Ca(SCN)2+L)=2.16

Method: fluorescence emission. Medium: MeOH/CHCl3 (9:1 v/v).

C46H46N2O16 H4L (7071)

7,16-Bis[2-(2,4-dicarboxyphenyl)-5-methoxy-1-benzofuran-6-yl]-tetraoxa-7,16-diazacyclooctadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp none RT 0 U K1=1.82 1994CGa (107254)2572

Method: fluorimetry

C46H48O8P2 L CAS 119494-80-3 (7785)

1,14-Bis[2-(diphenylphosphinyl)phenoxy]-3,6,9,12-tetraoxatetradecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ EMF non-aq 25°C 100% C K1=13.11 1997PKc (107274)2573

Medium: nitrobenzene

C46H56N4O10 HL Vincristine CAS 2068-78-2 (5998)

Vincristine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ vlt oth/un 25°C 0.15M U 1986BVa (107289)2574

K(Ca+H2L)=3.27

Medium: 0.15 M Na acetate, pH 5.5

C46H58N4O9 HL Vinblastine CAS 143-67-9 (6046)

Vinblastine;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ ISE KCl 25°C 1.00M U K1=3.2 1989Vsa (107291)2575

C46H58O6 HL (6716)

Calix[4]arene-0(1)-ethanoic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl alc/w 25°C 100% C K1=7.9 1993ABb (107293)2576

B(CaHL)=20.3
B(CaH2L)=32.42
B(CaH3L)=42.3

Medium: MeOH, 0.01 M Et4NClO4. Data also for tert-butyl and ethyl esters

C47H75NO17 H2L Nystatin CAS 1400-61-9 (5799)

Nystatin, Mycostatin;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sol mixed 25°C 1% U K1=3.54 B2=6.93 1985B0a (107336)2577
Medium: 1 % v/v DMF/water; 3 M NaClO4

C48H52O8P2 L CAS 126763-11-9 (7786)
1,14-Bis[2-(diphenylphosphinylmethyl)phenoxy]-3,6,9,12-tetraoxatetradecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ EMF non-aq 25°C 100% C K1=11.54 1997PKc (107368)2578
Medium: nitrobenzene

C48H52O9P2 L CAS 198490-22-1 (7788)
1,17-Bis[2-(diphenylphosphinyl)phenoxy]-3,6,9,12,15-pentaoxaheptadecane;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ EMF non-aq 25°C 100% C K1=13.64 1997PKc (107372)2579
Medium: nitrobenzene

C48H54N6O8 L CAS 449738-94-7 (8791)
1,7-Dioxa-4,10-diazacyclododecane-4,10-bis[methylene-8-(1,3,3-trimethyl-6-nitro-spirobenzopyran)]

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp alc/w 25°C 100% C K1=7.80 2002NFa (107382)2580
Medium: 100% MeOH. Method: electrospray ionization mass spectrometry.

C48H60O8 H2L R-Bu-Calixarene CAS 147513-53-9 (6705)
4-tert-Butylcalix[4]arenedicarboxylic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl alc/w 25°C 100% C K1=9.0 1993ABb (107397)2581
B(Ca2L)=11.8

Medium: MeOH, 0.01 M Et4NClO4. Data also for di-tert-butyl ester

C48H64O4 L CAS 105880-81-7 (8677)
tert-Butylcalix-4-arene tetramethyl ether;

DH(K1)=-29 kJ mol⁻¹

C52H68N4O8 L (4823)
25,27-Bis(N,N-diethylaminocarbonylmethoxy)-26,28-bis(N-butylaminocarbonylmethoxy)calix[4]arene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp non-aq 25°C 100% C K1=<1 1999USa (107503)2588
Medium: MeOH, 0.10 M Et4NCl

C52H72O6 L (9263)
5,11,17,23-Tetra(t-butyl)-25,27-dimethoxy-26,28-dimethoxyethoxycalix[4]arene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp non-aq 25°C 100% C K1=3.22 2004BCb (107524)2589
Medium: acetonitrile, 0.01 M Et4NClO4.

C56H80O8 L (9259)
5,11,17,23-Tetra(t-butyl)-25,26,27,28-tetramethoxyethoxycalix[4]arene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp non-aq 25°C 100% C K1=3.91 2004BCb (107610)2590
Medium: acetonitrile, 0.01 M Et4NClO4.

C58H78O11 HL CAS 465527-74-6 (9287)
7,13,19,25-Tetra-t-butyl-28-methoxy-27,29,30-triethylacetate-2,3-dihomo-3-oxacalix[4]arene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp alc/w 25°C 100% C K1=3.1 2001MAa (107618)2591
Medium: MeOH, 0.01 M Et4NCl.

C58H80O10 L (9264)
5,11,17,23-Tetra-t-butyl-25,27-di(2-methoxyethoxy)-26,28-di(ethylacetate)calix[4]arene;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ sp non-aq 25°C 100% C K1=4.63 B2= 8.07 2004BCb (107627)2592
Medium: acetonitrile, 0.01 M Et4NClO4.

C60H82N2O10 L CAS 155377-20-1 (8806)
5,11,17,23-Tetra-butyl-25,27-bis(carboxymethoxy)-bis[(N,N-diethylaminocarbonyl)methoxy]calix[4]arene

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

 Ca++ gl non-aq 25°C 100% C K1=9.96 2000ABb (107662)2593
 B(CaHL)=16.85
 B(Ca2L)=15.43
 B(Ca2HL2)=31.6

Medium: MeOH, 0.05 M Et4NClO4.

C60H84N4O8 L (8174)
 25,26,27,28-Tetrakis-(N-ethylaminocarbonylmethoxy)calix[4]arene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ sp alc/w 25°C 100% U H K1=5.1 2000ABa (107671)2594
 Medium: 100% MeOH, DH(K1)=-6.4 kJ mol⁻¹ by colorimetry
 K value for Mg++ less than 1

C60H84N4O8 L CAS 246035-32-5 (2735)
 25,27-Bis(N,N-diethylaminocarbonylmethoxy)-26,28-bis(aminocarbonylmethoxy)-t-butylcalix[4]arene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ sp non-aq 25°C 100% C K1=6.0 1999USa (107675)2595
 Medium: MeOH, 0.10 M Et4NCl

C62H84O14 L CAS 135581-11-2 (8630)
 9,23-Dioxpentacyclo[23.3.1.13,7.111.15.117.21]dotriacontane, ethanoic acid derivative;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ sp non-aq 25°C 100% C K1=>6 1991ACc (107689)2596
 Medium: acetonitrile, 0.01 M Et4NClO4.

C62H111N11O12 L CAS 59865-13-3 (9048)
 Cyclosporin A;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ nmr non-aq 25°C 100% C K1=4.4 2003CGa (107715)2597
 Method: ¹H nmr. Medium: d3-acetonitrile, 0.1 M C(ClO4)2. By competition with patellamide, K1=5.1.

C64H80O6 L (9262)
 5,11,17,23-Tetra-t-butyl-25,27-di(phenylmethoxy)-26,28-di(2-methoxyethoxy)-calix[4]arene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++ sp non-aq 25°C 100% C K1=3.00 2004BCb (107759)2598

Medium: acetonitrile, 0.01 M Et4NClO4.

C66H80O8 L (9261)
5,11,17,23-Tetra(t-butyl)-25,27-diethoxycarbonylmethoxy-26,28-diphenylmethoxycalix[4]arene;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	non-aq	25°C	100%	C		K1=3.78	2004BCb (107774)	2599

Medium: acetonitrile, 0.01 M Et4NClO4.

C68H100N4O8 L CAS 246035-35-8 (3034)
25,27-Bis(N,N-diethylaminocarbonylmethoxy)-26,28-bis(N-butylaminocarbonylmethoxy)-t-butylcalix[4]

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	non-aq	25°C	100%	C		K1=>6	1999USa (107800)	2600

Medium: MeOH, 0.10 M Et4NCl

C68H100N4O8 L CAS 114155-16-7 (7183)
4-tert-Butylcalix[4]arene tetradiethylacetamide;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	cal	alc/w	25°C	100%	U	H		1995ABc (107809)	2601

Medium: 100% Methanol. DH(K1)=-25.0 kJ mol⁻¹, DS(K1)>88 J K⁻¹ mol⁻¹.

C69H102N4O9 L CAS 116352-85-3 (9286)
para-t-Butyldihomooxalix[4]arene tetra(diethyl)amide;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	EMF	alc/w	25°C	100%	C		K1=5.0	2004MFa (107827)	2602

Method: competitive potentiometry with Ag+. Medium: MeOH, 0.01 M Et4NCl.

C77H82O9 L CAS 253317-20-3 (9288)
p-Tert-butyldihomooxalix[4]arene tetraphenylketone;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	sp	alc/w	25°C	100%	C		K1=4.0	1999MAb (107889)	2603

Medium: MeOH, 0.01 M Et4NCl.

C96H144O24 L CAS 169888-22-6 (7534)
C-Undecylcalix[4]resorcinarene octa-alpha-(methyl ethanoate);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	dis	non-aq	25°C	100%	U			1995FDa (107960)	2604

K=5.48

Medium: CDCl₃. Method: by H₂O/CDCl₃ extraction of picrate salt.

K: MA(org)+L(org)=MLA(org) where A=picrate.

C102H174N6O73 L CAS 571203-64-0 (9253)
4,13-Bis(2-(6-deoxy-β-cyclodextrin-6-yl)aminoethylamidomethyl)-4,13-diazatrioxacycl
opentadecane;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	C		K1=5.35 K(Ca+HL)=4.59 K(Ca+H2L)=3.47	2003WWa (107971)	2605

Medium: 0.10 M Et₄NClO₄.

C112H120N4O16P4 L CAS 195455-62-0 (9276)
1,21,23,25-Tetrapentyl-7,11,15,28-tetra[(diphenylphosphinyl)acetamidomethylene]
cavitand;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	NaCl	rt	0.01M	C		K1=14.0	2003MGa (107987)	2606

Method: segmented sandwich membrane ISE.
Phosphonic acid diethyl ester derivative: K1=16.9

C114H198N6O73 L CAS 571203-66-2 (9254)
4,13-Bis(8-(6-deoxy-β-cyclodextrin-6-yl)aminoethylamidomethyl)-4,13-diazatrioxac
yclopentadecan

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	R4N.X	25°C	0.10M	C		K1=5.15 K(Ca+HL)=4.89 K(Ca+H2L)=4.49	2003WWa (107997)	2607

Medium: 0.10 M Et₄NClO₄.

C120H192O24 L CAS 175349-58-3 (7495)
C-Undecylcalix[4]resorcinarene octa-α-(tert-butyl ethanoate);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	dis	non-aq	25°C	100%	U		K=5.57	1995FDa (108003)	2608

Medium: CDCl₃. Method: by H₂O/CDCl₃ extraction of picrate salt.

K: MA(org)+L(org)=MLA(org) where A=picrate.

C120H200N8O16 L CAS 169888-21-5 (7490)
C-Undecylcalix[4]resorcinarene octa-α-(N,N-diethyl acetamide);

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	-------------	-----------	--------

Ca++	dis non-aq 25°C 100% U	1995FDa (108014)2609
------	------------------------	----------------------

 $K=7.74$

Medium: CDC13. Method: by H2O/CDC13 extraction of picrate salt.

K: $MA(org)+L(org)=MLA(org)$ where A=picrate.

Polymer (1877)

4-Bis(carboxymethyl)-iminomethylene-oligostyrene; (C₁₃H₁₅N₄O₄)_n

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++ g1 KNO3 25°C 0.10M U K1=4.56 1980YTb (108043)2610

$$(H_2L)_n: \quad (.CH_2.CH.C_6H_4.CH_2.N(CH_2.COOH)_2)_n \quad \text{where } n=6-8$$

Polymer (5383)

4-Polyvinyl-N-benzyliminodiethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++	EMF	oth/un	?	?	U	K1=2.91	1966HEa (108049)2611
------	-----	--------	---	---	---	---------	----------------------

Polymer	Albumin	(3526)
---------	---------	--------

Albumin;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K	values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	---	--------	-----------	--------

Ca++ sol oth/un 38°C 0.16M U 1936WHa (108064)2612

$$K1' = 2.20$$

Polymer H2L X-14885A (4547)

Antibiotic X14885A, calcium ionophore

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++ gl alc/w 25°C 100% U K1=7.9 1989ABb (108072)2613

Medium: MeOH, $I=0$ M. When $I=0.1$ M, $K=6.0$

Polymer H2L (8999)

Bacteriorhodopsin;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++ ISE oth/un 22°C dil C 1995YAa (108080)2614

$$K_{1eff}=5.11$$
$$K_{2eff}=4.34$$

Method: Ca ion selective electrode. Medium pH 3.9.

Polymer	HL	Bleomycin	(2324)
---------	----	-----------	--------

Bleomycin A2, B2 etc.

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	gl	oth/un	25°C	?	U		K1=3.92	1980LPb (108083)	2615

Polymer					Calmodulin		CAS 73298-54-1	(2957)	
Calmodulin									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	ISE	KCl	25°C	0.11M	C	H	K1=6.79 K3=5.39 K4=5.02	B2=13.03 1989HGa (108104)	2616
In PIPES buffer, pH 7.0. DH(B4)=22.5 kJ mol ⁻¹ ; DS(B4)=523.7.									

Polymer					Casein		(3527)		
Casein;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	oth	NaCl	38°C	0.16M	U		K11=3.43, K12=3.11, K13=2.90 K14=2.74, K15=2.61, K16=2.49 K17=2.38, K18=2.28, K19=2.18 K1,10=2.08, K1,11=1.97	1946KLa (108115)	2617
K1,12=1.85, K1,13=1.72, K1,14=1.56, K1,15=1.36, K1,16=1.04. See reference for definitions. Calculated from Weir & Hastings, J.Biol.Chem., 1936, 114, 397									
Ca++	oth	oth/un	5°C	0.20M	U		K'=2.73	1942CLa (108116)	2618
Method: ultracentrifuge. Medium: 0.2 NaOH +40g casein/l. See reference for definition									

Ca++	sol	oth/un	?	?	U		K1=2.23	1936WHa (108117)	2619

Polymer					Cephalin		(4184)		
Cephalin									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	oth	NaCl	25°C	0.16M	U		K'=3.10, Frog heart	1943DZa (108118)	2620
See reference for definition									

Polymer					DNA		(4185)		
Deoxyribonucleic acid;									

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg K values	Reference	ExptNo
Ca++	oth	NaCl	25°C	0.20M	U	I	K'=1.92(calf thymus)	1957WNa (108132)	2621

Method:dialysis. By ion exchange: $K'=2.21$. See reference for definitions

Polymer (5379)
 Dextran derivative of N-propyliminodiethanoic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	oth/un	20°C	0.10M	U			$K_1=3.64$	1968VGa (108159)	2622

Polymer Globulin (3528)
 Globulin;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	oth	NaCl	25°C	0.16M	U			$K'=3.0$ (pseudoglobulin) $K'=2.9$ (euglobulin P1) $K'=2.0$ (euglobulin P2) $K'=3.1$ (euglobulin P3)	1939DGa (108198)	2623

From frog heart(horse serum). See reference for definitions

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	sol	oth/un	?	?	U			$K_1=2.32$	1936WHa (108199)	2624

Polymer Humic acid (1524)
 Humic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	KCl	24°C	0.10M	C			$K_{1eff}=3.6$ $K_{eff}(2Ca+L)=6.7$	1999OWa (108229)	2625

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	dis	NaCl04	25°C	0.10M	U			$K(Ca+HnL)=ca.2.5$ at pH 3.9	1981CSa (108230)	2626

Polymer (4181)
 Phosphatidic acid;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	gl	oth/un	24°C	0.10M	U			$K_1=4.2$	1966AKa (108267)	2627
Ca++	oth	oth/un	24°C	0.03M	U			$K_1=4.14$	1965AKa (108268)	2628

Method: light scattering. Medium: 0.03 M NaCl, 0.05 M tris buffer

Polymer (4183)
 Phosphatidylserine;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
-------	-----	--------	------	------	-----	-------	----	----------	-----------	--------

Ca++ gl R4N.X 20°C 0.10M U K1=4.1 1965HFb (108275)2629
K(Ca+HL)=4.0

Medium: Pr4NI

Polymer (4192)
Polyacrylic acid and 7.5% divinylbenzene copolymer

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl NaNO3 25°C 1.0M U H 1968GLc (108303)2630
K'=-8.03(n'=0.1)

K'=-8.71(n'=0.2), -9.39(n'=0.3), DH=27.6(n'=0.1), 39.7(n'=0.2) kJ mol⁻¹

DS=-59(n'=0.1), -33(n'=0.2) J K⁻¹ mol⁻¹. See ref. for definition

Polymer HL (3531)
Polyacrylic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl KCl 25°C 1.0M U 1955GLb (108319)2631
K'=2.0

See reference for definitions. K'=2.6 (Co), 1.8(Mg), 3.36(Mn), 3.32(Zn)

Polymer Elastase CAS 39445-21-1 (7314)
Porcine pancreatic elastase;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ oth oth/un 25°C 0.15M U 1980JMb (108385)2632
K1eff=5.32

Medium: 0.1 M KCl, 0.05 M MOPS, pH 6.85. Method: enhancement of Tb lumin-
escence

Polymer RNA (4205)
Ribonucleic acid;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ oth NaCl 25°C 0.15M U 1957WNa (108412)2633
K'=2.32(calf liver)

Method: dialysis. See reference for definition

Polymer (4182)
Triphosphoinositide;

Metal Mtd Medium Temp Conc Cal Flags Lg K values Reference ExptNo

Ca++ gl R4N.X 20°C 0.10M U K1=5.0 1965HFb (108418)2634
K(Ca+HL)=3.8

Medium: Pr4NI. Ligand assumed as H2L

Polymer L (8039)
alpha-Amylase;

Metal	Mtd	Medium	Temp	Conc	Cal	Flags	Lg	K values	Reference	ExptNo
Ca++	cal	oth/un	27°C	0.01M	C	H			2000SKa (108420)	2635

K1eff=0.26

Medium: tris buffer, pH 7.3. DH(K1eff)=-16 kJ mol⁻¹.

Additional method: dialysis.

REFERENCES

- 2005AAa G Anderegg, F Arnaud, R Delgado, K Popov et; Pure & Appl.Chem., 77, 1445 (2005)
- 2005ACa R Alieva, F Chyrarov et al; Zh.Neorg.Khim., 50, 137 (2005)
- 2004ACa R Alieva, F Chyrarov, K Makhmudov; Zh.Neorg.Khim., 49, 1577 (2004)
- 2004ACb R Alieva, F Chyrarov, I Babamly et al.; Zh.Neorg.Khim., 49, 1580 (2004)
- 2004AZa H Abdollahi, S Zeinali; Talanta, 62, 151 (2004)
- 2004BCb L Baklouti, J Cherif, R Abidi, F Arnaud-Neu; Org.Biomol.Chem., 2, 2786 (2004)
- 2004COa D Citterio, M Omagari, T Kawada, K Suzuki; Anal.Chim.Acta, 504, 227 (2004)
- 2004FCa D Filippov, V Chernikov, L Kochergina; Zh.Neorg.Khim., 49, 117 (2004)
- 2004GMa A Garand, A Mucci; Marine Chem., 91, 27 (2004)
- 2004GMc S Gadzhieva, K Makhmudov; Zh.Neorg.Khim., 49, 1397 (2004)
- 2004KVa T Kirichenko, V Vetrogon, N Lukyanenko; Anal.Chim.Acta, 505, 277 (2004)
- 2004MFa P Marcos, S Felix, J Ascenso, M Segurado; New J.Chem., 28, 748 (2004)
- 2004SGb M Sierra, M Gomez-Gallego, J Lucena; J.Chem.Soc., Dalton Trans., 3741 (2004)
- 2004VGa L Van Loon, M Glaus, K Vercammen; J.Solution Chem., 33, 1573 (2004)
- 2004ZTa J Zolgharnein, H Tahmasebi, M Habibi; J.Inclusion Phenom., 49, 231 (2004)
- 2003ADa F Arnaud-Neu, R Delgado, S Chaves; Pure & Appl.Chem., 75, 71 (2003)
- 2003BGa C Bianchini, G Giambastiani, F Vizza; Org.Biomol.Chem., 1, 879 (2003)
- 2003BSa E Bianchi, S Sajadi, B Song, H Sigel; Chem.Eur.J., 9, 881 (2003)
- 2003CDb F Crea, G D'Ascenzo, A De Robertis; Talanta, 61, 611 (2003)
- 2003CGa R Cusack, L Grondahl, D Fairlie, L Gahan; J.Inorg.Biochem., 97, 191 (2003)
- 2003DVa A De Visscher, J Vanderdeelen; Monatsh.Chem., 134, 769 (2003)
- 2003FFa Y Fedorov, O Fedorova, S Gromov, J Aaron; New J.Chem., 27, 280 (2003)
- 2003FHa A Fernandez-Botello, A Holy, H Sigel; Polyhedron, 22, 1067 (2003)
- 2003GHa J Geue, N Head, A Ward, S Lincoln; Aust.J.Chem., 56, 917 (2003)
- 2003GHb J Geue, N Head, A Ward, S Lincoln; Aust.J.Chem., 56, 301 (2003)
- 2003GMB J Gao, A Martell; Org.Biomol.Chem., 1, 2801 (2003)
- 2003MGa E Malinowska, L Gorski, D Wojciechowska; New J.Chem., 27, 1440 (2003)
- 2003RHa D Rai, N Hess, Y Xia, L Rao, H Cho; J.Solution Chem., 32, 665 (2003)
- 2003SIa R Samant, V Ijeri, A Srivastava; J.Chem.Eng.Data, 48, 203 (2003)
- 2003SVa O Szabadka, E Varga, L Nagy; Talanta, 59, 1081 (2003)
- 2003WWa L West, O Wyness, B May, S Lincoln; Org.Biomol.Chem., 1, 887 (2003)
- 2002BBd F Biaso, P Baret, J Pierre, G Serratrice; J.Inorg.Biochem., 89, 123 (2002)
- 2002CLb T Cheng, T Lee, M Ou, C Li, G Liu, Y Wang; Helv.Chim.Acta, 85, 1033 (2002)
- 2002CSa E Cielen, A Stobiecka, A Tahri, N Boens; J.Chem.Soc., Perkin Trans., II, 1197 (2002)
- 2002DCb R Delgado, M Cabral, R Castanheira, A Zhang; Polyhedron, 21, 2265 (2002)

2002FBa R Ferrari,S Bernes,L Gasque; Inorg.Chim.Acta,339,193 (2002)
 2002FGb A Fernandez-Botello,R Gomez-Coca,H Sigel; Inorg.Chim.Acta,331,109 (2002)
 2002GNe T Gunnlaugsson,M Nieuwenhuyzen; J.Chem.Soc.,Perkin Trans.,II,141 (2002)
 2002GVC S Gromov,A Vedernikov,E Ushakov,U Edlund; Helv.Chim.Acta,85,60 (2002)
 2002KSb L Kapinos,H Sigel; Inorg.Chim.Acta,337,131 (2002)
 2002MKc E Matczak-Jon,B Kurzak,A Kamecka; Polyhedron,21,321 (2002)
 2002NFa M Nakamura,T Fujioka,H Sakamoto,K Kimura; New J.Chem.,26,554 (2002)
 2001AAa Z Anwar,H Azab; J.Chem.Eng.Data,46,34 (2001)
 2001AOa H Azab,A Orabi,E El-Salam; J.Chem.Eng.Data,46,346 (2001)
 2001AVa L Antonov,M Vladimirova,M Mitewa; J.Inclusion Phenom.,40,23 (2001)
 2001BBa C Bazzicalupi,A Bencini,A Bianchi,F Pina; Inorg.Chem.,40,6172 (2001)
 2001BCf H Buschmann,E Cleve,K Jansen,A Wego; J.Inclusion Phenom.,40,117 (2001)
 2001BIa C Bonal,Y Israeli,J Morel; J.Chem.Soc.,Perkin Trans.II,1075 (2001)
 2001CCa P Caravan,C Comuzzi,W Crooks; Inorg.Chem.,40,2170 (2001)
 2001CLa D Cao,H Lin,Z Zhou,S Zhu,X Su,Y Chen; Can.J.Chem.,79,455 (2001)
 2001CTc L Ciavatta,G de Tommaso,M Iuliano; Anal.Lett.,34,1053 (2001)
 2001Cwa T-H Cheng,Y-M Wang,K-T Lin; J.Chem.Soc.,Dalton Trans.,3357 (2001)
 2001LFa H-J Lu,Y-T Fan,Y-J Wu; Polyhedron,20,3281 (2001)
 2001MAa P Marcos,J Ascenso,M Segurado,J Pereira; Tetrahedron,57,6977 (2001)
 2001MNB V Markhayeva,L Nikolayeva et al.; Zh.Neorg.Khim.,47,915 (2001)
 2001PRA K Popov,H Ronkkomaki,L Lajunen; Pure & Appl.Chem.,73,1641 (2001)
 2001SBb C Sunderland,M Botta,K Raymond; Inorg.Chem.,40,6746 (2001)
 2001SBc H Sigel,E Bianchi,N Corfu,B Martin; Chem.Eur.J.,7,3729 (2001)
 2001SGd P Singh,B Garg,D Kumar,B Singh; Indian J.Chem.,40A,1339 (2001)
 2001SYb M Sonoda,I Yoshida,I Murase; J.Coord.Chem.,54,153 (2001)
 2000ABa F Arnaud-Neu,S Barbosa,S Fanni et al.; Ind.Eng.Chem.Res.,39,3489 (2000)
 2000ABb F Arnaud-Neu,S Barbosa,A Casnati; New J.Chem.,24,967 (2000)
 2000ADA H Azab,F Deghaidy,A Orabi; J.Chem.Eng.Data,45,709 (2000)
 2000ANA V Athawale,S Nerkar; Monatsh.Chem.,131,267 (2000)
 2000BCa A Bianchi,L Calabi,C Giorgi,P Losi; J.Chem.Soc.,Dalton Trans.,697 (2000)
 2000CDd M Cabral,R Delgado,M Duarte; Helv.Chim.Acta,83,702 (2000)
 2000CGa R Cusack,L Grondahl,L Gahan; J.Chem.Soc.,Perkin Trans.II,323 (2000)
 2000Cwa T-H Cheng,Y-M Wang,W-T Lee; Polyhedron,19,2027 (2000)
 2000DFb R Dhillon,S Lincoln,S Madbak; Inorg.Chem.,39,1855 (2000)
 2000FEC E Farkas,E Enyedy,H Csoka; J.Inorg.Biochem.,79,205 (2000)
 2000FGa Y Fovet,J-Y Gal; Talanta,53,617 (2000)
 2000GDa L Goldenberg,N Denisov,J Biernat; J.Inclusion Phenom.,38,171 (2000)
 2000Gfb A Gaber,O Farghaly,M Ghandour,H El-Said; Monatsh.Chem.,131,1031 (2000)
 2000GKa R Gomez-Coca,L Kapinos,H Sigel; J.Chem.Soc.,Dalton Trans.,2077 (2000)
 2000KAb M Khalil,A Attia; J.Chem.Eng.Data,45,1108 (2000)
 2000KHa M Khalil; J.Chem.Eng.Data,45,70 (2000)
 2000KLb G Kampf,M Luth,J Mueller et al; Z.Naturforsch.,55B,1141 (2000)
 2000LKc I Lazar,R Kiraly,Z Takacs; J.Coord.Chem.,51,293 (2000)
 2000LXa H Li,H Xie,P Wang,S Wu; New J.Chem.,24,105 (2000)
 2000RGa O Reany,T Gunnlaugsson,D Parker; J.Chem.Soc.,Perkin Trans.II,1819 (2000)
 2000SDa K Sawada,W Duan,M Ono,K Satoh; J.Chem.Soc.,Dalton Trans.,919 (2000)
 2000SKa A Saboury,F Karbassi; Thermochim.Acta,362,121 (2000)
 2000SMd M Shamsipur,T Madrakian; Polyhedron,19,1681 (2000)
 2000SMg M Shamsipur,T Madrakian; J.Coord.Chem.,52,139 (2000)
 2000VGB V Vasil'ev,S Gridchin,L Kochergina; Koord.Khim.26,344 (2000)

- 2000ZKb X Zhang, K Krakowiak, J Bradshaw, R Izatt; *Ind. Eng. Chem. Res.*, 39, 3516 (2000)
- 1999BHa H Buschmann, J Hermann, H Plenio; *Chem. Eur. J.*, 5, 2566 (1999)
- 1999BHb C Blindauer, A Holy, H Sigel; *Coll. Czech. Chem. Comm.*, 64, 613 (1999)
- 1999BSa C Blindauer, T Sjastad, E Sletten, H Sigel; *J. Chem. Soc., Dalton Trans.*, 3661 (1999)
- 1999CDa J Costa, R Delgado, M Drew, V Felix; *J. Chem. Soc., Dalton Trans.*, 4331 (1999)
- 1999CDb M Cabral, R Delgado; *Polyhedron*, 18, 3479 (1999)
- 1999CPa A Ceresa, E Pretsch; *Anal. Chim. Acta*, 395, 41 (1999)
- 1999DGa C de Stefano, A Gianguzza, D Piazzese; *Anal. Chim. Acta*, 398, 103 (1999)
- 1999DOa W Duan, H Oota, K Sawada; *J. Chem. Soc., Dalton Trans.*, 3075 (1999)
- 1999FEa E Farkas, E Enyedy; *Polyhedron*, 18, 2391 (1999)
- 1999GPa H Gamsjager, W Preis, E Konigsberger; *J. Solution Chem.*, 28, 711 (1999)
- 1999HLb V Hietapelto, R Laitinen, J Pursiainen; *Acta Chem. Scand.*, 53, 7 (1999)
- 1999LGa L Van Loon, M Glaus, K Vercammen; *Acta Chem. Scand.*, 53, 235 (1999)
- 1999MAb P Marcos, J Ascenso, M Segurado, J Pereria; *J. Phys. Org. Chem.*, 12, 695 (1999)
- 1999MKa E Matczak-Jon, B Kurzak, A Kamecka; *J. Chem. Soc., Dalton Trans.*, 3627 (1999)
- 1999MTd L Manege, T Takayanagi, M Oshima; *Bull. Chem. Soc. Jpn.*, 72, 1301 (1999)
- 1999Nwa T Nakashima, H Waki, T Tanaka, G Sugihara; *Bull. Chem. Soc. Jpn.*, 72, 1515 (1999)
- 1999OWa R Osterberg, S Wei; *Acta Chem. Scand.*, 53, 974 (1999)
- 1999SBd H Schmitt-Willich, M Brehm, C Ewers; *Inorg. Chem.*, 38, 1134 (1999)
- 1999Sfc C De Stefano, C Foti, S Sammartano; *J. Chem. Eng. Data*, 44, 744 (1999)
- 1999SSa S Sajadi, B Song, H Sigel; *Inorg. Chem.*, 38, 439 (1999)
- 1999SSc M Sway, N Samara; *J. Chem. Eng. Data*, 44, 343 (1999)
- 1999SYa B Sun, J-Z Yang, P-S Song; *Acta Chimica Sinica*, 57, 992 (1999)
- 1999Tma Y Takeda, Y Mochizuki, M Tanaka, Y Kudo; *J. Inclusion Phenom.*, 33, 217 (1999)
- 1999Usa R Ungaro, M Schwing-Weill, G Wipff; *J. Chem. Soc., Perkin Trans. II*, 1727 (1999)
- 1999VGa K Vercammen, M Glaus, L Van Loon; *Acta Chem. Scand.*, 53, 241 (1999)
- 1999VZb V Vasil'ev, G Zaitseva et al.; *Zh. Neorg. Khim.* 44, 1640 (1999)
- 1999Wba G Wenz, H-J Buschmann, E Schollmeyer; *J. Coord. Chem.*, 48, 465 (1999)
- 1999WWa Y-M Wang, Y-J Wang, Y-L Wu; *Polyhedron*, 18, 109 (1999)
- 1999ZJa J R Zeevaart, N Jarvis, W Louw et al; *J. Inorg. Biochem.* 73, 265 (1999)
- 1998ABc R Addleman, J Bennett, S Tweedy; *Talanta*, 46, 573 (1998)
- 1998BJb H-J Buschmann, K Jansen, C Meschke; *J. Solution Chem.*, 27, 135 (1998)
- 1998BRa L Burai, J Ren, A Sherry; *Inorg. Chem.*, 37, 69 (1998)
- 1998CCb C Chang, Y-H Chen, H-Y Chen, F-K Shieh; *J. Chem. Soc., Dalton Trans.*, 3243 (1998)
- 1998CCd S Chaves, A Cerva, R Delgado; *Polyhedron*, 17, 93 (1998)
- 1998CDa J Costa, R Delgado, M Drew, V Felix; *J. Chem. Soc., Dalton Trans.*, 1063 (1998)
- 1998DBa D Dantz, H Buschmann, E Schollmeyer; *Polyhedron*, 17, 1891 (1998)
- 1998FLb S Fery-Forgues, D Lavabre, A Rochal; *New J. Chem.*, 1531 (1998)
- 1998GBa M Gholivand, F Bamdad, J Ghasemi; *Talanta*, 46, 875 (1998)
- 1998GLa M Guimar, M Lito, A Covington; *J. Solution Chem.*, 27, 925 (1998)
- 1998KLa J Kim, S Lee, E Kim, J Cho, M Cho, J Lee; *J. Chem. Eng. Data*, 43, 1072 (1998)
- 1998KSa L Kapinos, B Song, H Sigel; *Inorg. Chim. Acta*, 280, 50 (1998)
- 1998KSd L Kapinos, B Song, H Sigel; *Z. Naturforsch.*, 53B, 903 (1998)
- 1998MLa M Mimouni, R Lyazghi, J Juillard; *New J. Chem.*, 367 (1998)
- 1998RRa D Rai, L Rao, Y Xia; *J. Solution Chem.*, 27, 1109 (1998)
- 1998RSa A de Robertis, C de Stefano; *Ann. Chim. (Rome)*, 88, 103 (1998)

- 1998STa J Streit,L-C Tran-Ho,E Konigsbergerf; Monatsh.Chem.,129,1225 (1998)
- 1998WLa Y-M Wang,C-H Lee,G-C Liu,R-S Sheu; J.Chem.Soc.,Dalton Trans.,4113 (1998)
- 1998WLb Y-M Wang,S-T Lin,Y-J Wang; Polyhedron,17,2021 (1998)
- 1997CCa S Chaves,A Cerva,R Delgado; J.Chem.Soc.,Dalton Trans.,4181 (1997)
- 1997CDb J Costa,R Delgado,M Figueira; J.Chem.Soc.,Dalton Trans.,65 (1997)
- 1997DBa K Davarski,P Berberova et al; Zh.Obshch.Khim.,67,7 (1997)
- 1997DBb V Deluchat,J-C Bollinger et al; Talanta 44,897 (1997)
- 1997DQa R Delgado,S Quintino,M Teixeira; J.Chem.Soc.,Dalton Trans.,55 (1997)
- 1997HMa R Hernandez-Molina,A Mederos et al; Inorg.Chim.Acta,256,319 (1997)
- 1997HMc R Hernandez-Molina,A Mederos,P Gili; Polyhedron,16,4191 (1997)
- 1997HTa J Huskens,D Torres,Z Kovacs et al; Inorg.Chem.,36,1495 (1997)
- 1997KKa K Kubo,N Kato,T Sakurai; Bull.Chem.Soc.Jpn.,70,3041 (1997)
- 1997KTa E Konigsberger,L-C Tran-Ho; Curr.Topics Soln.Chem.,2,183 (1997)
- 1997LHa I Lednev,R Hester,J Moore; J.Chem.Soc.,Faraday Trans.,93,1551 (1997)
- 1997MAa V Mironov,V Kiselev et al; Zh.Neorg.Khim.,42,787 (1997)
- 1997MKa V Mironov,V Kiselev et al; Zh.Neorg.Khim.,42,1029 (1997)
- 1997MKb V Mironov,V Kiselev,G Pashkov,L Sanina; Zh.Neorg.Khim.,42,1876 (1997)
- 1997NMa T Nakamura,H Mongi; Bull.Chem.Soc.Jpn.,70,2449 (1997)
- 1997NZa C Niu,S Zhao,Y Ma,H Zhao,Y Liu; Chin.Chem.Lett.,8,641 (1997)
- 1997PKc O Petrukhin,A Kharitonov; Anal.Chim.Acta,353,11 (1997)
- 1997SDa J Sanchiz,S Dominguez,A Mederos et al; Inorg.Chem.,36,4108 (1997)
- 1997SSg R Sigel,B Song,H Sigel; J.Am.Chem.Soc.,119,744 (1997)
- 1997STa A Saito,H Tomari,G Choppin; Inorg.Chim.Acta,258,145 (1997)
- 1997WCa Y Wang,T Cheng,G Liu; J.Chem.Soc.,Dalton Trans.,833 (1997)
- 1997ZJa J Zeevaatt,N Jarvis,I Gurkowski,GJackson; S.Afr.J.Chem., 50, 189 (1997)
- 1997ZTa M Zachariou,I Traverso et al; Anal.Chem.(USA),69,813 (1997)
- 1996AAb R Abidi,F Arnaud-Neu,M Drew,J Nelson; J.Chem.Soc.,Perkin Trans.II,2747 (1996)
- 1996AAa R Abidi,F Arnaud-Neu,M Drew,J Nelson; J.Chem.Soc.,Perkin Trans.II,2747 (1996)
- 1996AMa L Abate,P Mineo,C Rigano,S Sammatano etc; Chem.Speciation and Bioavail.,8,59 (1996)
- 1996BBf A Bordunov,J Bradshaw et al; Inorg.Chem.,35,7229 (1996)
- 1996BCa G Bates,E Cole,D Parker,R Katakya; J.Chem.Soc.,Dalton Trans.,2693 (1996)
- 1996BCh H-J Buschmann,E Cleve,E Schollmeyer; J.Coord.Chem.,39,293 (1996)
- 1996BFb E Bottari,M Festa; Ann.Chim.(Rome),86,133 (1996)
- 1996BJa L Burai,S Jakab,R Kiraly,I Lazar,I Toth; J.Chem.Soc.,Dalton Trans.,1113 (1996)
- 1996CHc C Chang; J.Chem.Soc.,Dalton Trans.,2347 (1996)
- 1996FJa P Fitzsimmons,S Jackels; Inorg.Chim.Acta,246,301 (1996)
- 1996GCa A Garcia,J Comeselle,F Barros et al; J.Inorg.Biochem.,62,57 (1996)
- 1996GMb A Gianguzza,F Maggio,S Sammartano; Chem.Speciation and Bioavail.,8,17 (1996)
- 1996GSa J Ghasemi,M Shamsipur; Polyhedron,15,923 (1996)
- 1996HSb J Huskens,A Sherry; J.Am.Chem.Soc.,118,4396 (1996)
- 1996KSc E Khairy,M Shoukry,M Khalil; Transition Met.Chem.,21,176 (1996)
- 1996MBb L Miao,D Bell,G Rothremel,S Jackels; Supramol.Chem.,6,365 (1996)
- 1996RSb A de Robertis,C de Stefano,C Foti; Ann.Chim.(Rome),86,155 (1996)
- 1996SJa R Sharma,S Joseph; Indian J.Chem.,35A,639 (1996)
- 1996SSa A Saha,N Saha,L Ji; J.Biol.Inorg.Chem.,1,231 (1996)

- 1996SSd H Sigel, B Song; *Met. Ions Biol. Syst.*, 32, 135 (1996)
- 1996TBc I Turel, N Bukovec, E Farkas; *Polyhedron*, 15, 269 (1996)
- 1996TKa E Toth, R Kiraly, J Platzek et al; *Inorg. Chim. Acta*, 249, 191 (1996)
- 1995ABc F Arnaud-Neu, G Barrett, S Fanni, D Marrs; *J. Chem. Soc., Perkin Trans. II*, 453 (1995)
- 1995AKa G Anderegg, S Kholeif; *Talanta*, 42, 1067 (1995)
- 1995BBf H Bazin, A Bouchu, G Descotes; *Can. J. Chem.*, 73, 1338 (1995)
- 1995BGa E Brucher, B Gyora, J Emri, S Jakab et al; *J. Chem. Soc., Dalton Trans.*, 3353 (1995)
- 1995BLa K Bazakas, I Lukes; *J. Chem. Soc., Dalton Trans.*, 1133 (1995)
- 1995CDb A Cassol, P di Bernardo, G Pilloni et al; *J. Chem. Soc., Dalton Trans.*, 2689 (1995)
- 1995CDc A Casale, A De Robertis, S Sammartano; *Thermochim. Acta*, 255, 109 (1995)
- 1995DGB A De Robertis, A Gianguzza, S Sammartano; *Talanta*, 42, 1651 (1995)
- 1995FDa J Fransen, P Dutton; *Can. J. Chem.*, 73, 2217 (1995)
- 1995FYa J Fein, L Yane, A Jyoti; *Geochim. Cosmo. Acta*, 59, 1053 (1995)
- 1995IOa M Inoue, P Oram, M Inoue, Q Fernando; *Inorg. Chim. Acta*, 232, 91 (1995)
- 1995JWa N Jarvis, J Wagener, G Jackson; *J. Chem. Soc., Dalton Trans.*, 1411 (1995)
- 1995KHa W Kim, D Hrnecir, G Kiefer et al; *Inorg. Chem.*, 34, 2225 (1995)
- 1995KTa K Kumar, M Tweedle, M Malley et al; *Inorg. Chem.*, 34, 6472 (1995)
- 1995LLa S Lincoln, J Lucas, T Rodopoulos; *Inorg. Chim. Acta*, 237, 147 (1995)
- 1995MHa H Maumela, R Hancock, L Carlton; *J. Am. Chem. Soc.*, 117, 6698 (1995)
- 1995MKa V Mironov, V Kiselev et al; *Zh. Neorg. Khim.*, 40, 1753 (1995)
- 1995MMf S Mazzini, R Mondelli, E Ragg, L Scaglioni; *J. Chem. Soc., Perkin Trans. II*, 285 (1995)
- 1995MPb V Mironov, G Pashkov et al; *Zh. Neorg. Khim.*, 40, 1749 (1995)
- 1995OCa T Ohyama, J Cowan; *Inorg. Chem.*, 34, 3083 (1995)
- 1995OKa K Ozutsumi, K Kohyama, K Ohtsu, T Kawashima; *J. Chem. Soc., Dalton Trans.*, 3081 (1995)
- 1995PLa J Piispanen, L Lajunen; *Acta Chem. Scand.*, 49, 235; 241 (1995)
- 1995POa R Porto; *Ann. Chim. (Rome)*, 85, 55 (1995)
- 1995PRa C Paul-Roth, K Raymond; *Inorg. Chem.*, 34, 1408 (1995)
- 1995RBa G Roselle, L Baumgartner; *Geochim. Cosmo. Acta*, 59, 1539 (1995)
- 1995RGa A de Robertis, P di Giacomo, C Foti; *Anal. Chim. Acta*, 300, 45 (1995)
- 1995RLa H Ronkkomaki, L Lajunen; *Acta Chem. Scand.*, 49, 36; 325 (1995)
- 1995RRd D Rao, E Ramaiah, K Ram; *Oriental J. Chem.*, 11, 83 (1995)
- 1995RRe D Rao, G Reddy, E Ramaiah, K Ram; *Acta Ciencia Indica, Chem.*, 21, 111 (1995)
- 1995SBA S Sajadi, M Bastian; *J. Inorg. Biochem.*, 59, 139 (1995)
- 1995SSe R Sigel, B Song, H Sigel; *J. Inorg. Biochem.*, 59, 293 (1995)
- 1995XFa J Xu, S Franklin, D Whisenhunt, K Raymond; *J. Am. Chem. Soc.*, 117, 7245 (1995)
- 1995YAA S Yoo, E Awad, M El-Sayed; *J. Phys. Chem.*, 99, 11600 (1995)
- 1995ZBa X Zhang, A Bordunov, J Bradshaw, R Izatt; *J. Am. Chem. Soc.*, 117, 11507 (1995)
- 1995ZWb S-F Zhao, Z-L Wang, Q-M Liu, C-J Niu, J-Z Ni; *Chem. J. of Chin. Univ.*, 16, 847 (1995)
- 1994ABc A Albrecht-Gary, S Blanc et al; *Inorg. Chem.*, 33, 518 (1994)
- 1994CGa R Crossley, Z Goolamali, J Gosper et al; *J. Chem. Soc., Perkin Trans. II*, 513, 1615 (1994)
- 1994DFc C de Stafano, C Foti, A Gianguzza; *Talanta*, 41, 1715 (1994)
- 1994GSb J Ghasemi, M Shamsipur; *J. Coord. Chem.*, 31, 265 (1994)
- 1994HCB R Hancock, I Cukrowski, E Cukrowska; *J. Chem. Soc., Dalton Trans.*, 2679 (1994)

1994HWc T Hu, L Weiler; *Can. J. Chem.*, 72, 1512 (1994)
 1994IZa R Izatt, X Zhang, H An, C Zhu et al; *Inorg. Chem.*, 33, 1007 (1994)
 1994MMf R Ma, I Murase, A Martell; *Inorg. Chim. Acta*, 223, 109 (1994)
 1994PRa R Pizer, P Ricatto; *Inorg. Chem.*, 33, 4985 (1994)
 1994SCa B Song, D Chen, M Bastian, R Martin, H Sigel; *Helv. Chim. Acta*, 77, 1738 (1994)
 1994SHd H Shehata; *J. Chem. Soc., Faraday Trans.*, 90, 3401 (1994)
 1994SMb H Sigel, S Massoud, N Corfu; *J. Am. Chem. Soc.*, 116, 2958 (1994)
 1993ABb F Arnaud-Neu, G Barrett et al; *Inorg. Chem.*, 32, 2644 (1993)
 1993BDd H Buschmann, H Dong, E Schmollmyer; *J. Coord. Chem.*, 30, 311 (1993)
 1993BNa L Brecevic, A Nielsen; *Acta Chem. Scand.*, 47, 668 (1993)
 1993CMA S Clarke, J Metcalfe, G Smith; *J. Chem. Soc., Perkin Trans. II*, 1187 (1993)
 1993DGA C De Stefano, A Gianguzza, S Sammartano; *Thermochim. Acta*, 214, 325 (1993)
 1993DPd R Diaz Ara, P Pascual; *Indian J. Chem.*, 32A, 903 (1993)
 1993EAa C Garcia-Echeverria, F Albericio et al; *J. Am. Chem. Soc.*, 115, 11663 (1993)
 1993GAa M Ghandour, E Aboul-Kasim, A Amrallah; *J. Indian Chem. Soc.*, 70, 615 (1993)
 1993GMA S Glab, M Maj-Zurawska et al; *Anal. Chim. Acta*, 273, 493 (1993)
 1993GSA J Ghasemi, M Shamsipur; *J. Coord. Chem.*, 28, 231 (1993)
 1993INA Y Inoue, K Nakagawa, T Hakushi; *J. Chem. Soc., Dalton Trans.*, 1333, 2279 (1993)
 1993KLa L Kaila, L Lajunen, E Rizkalla, J Elorante; *Talanta*, 40, 999 (1993)
 1993LPa R Lyazghi, Y Pointud, G Dauphin, J Juillard; *J. Chem. Soc., Perkin Trans. II*, 1681 (1993)
 1993MMA R Ma, A Martell; *Inorg. Chim. Acta*, 209, 71 (1993)
 1993RCa E Rizkalla, G Choppin, W Cacheris; *Inorg. Chem.*, 32, 582 (1993)
 1993SFB A Stephens, S Lincoln; *J. Chem. Soc., Dalton Trans.*, 2123 (1993)
 1993SKc K Saawada, T Kanda, Y Naganuma, T Suzuki; *J. Chem. Soc., Dalton Trans.*, 2557 (1993)
 1993SKf G Smith, H Kirschenlohr, J Metcalfe; *J. Chem. Soc., Perkin Trans. II*, 1205 (1993)
 1993SMA K Sawada, T Miyagawa, T Sakaguchi, K Doi; *J. Chem. Soc., Dalton Trans.*, 3777 (1993)
 1993SMc G Smith, J Metcalfe, S Clarke; *J. Chem. Soc., Perkin Trans. II*, 1195 (1993)
 1993WLa D Wambeke, W Lippens, G Herman et al; *J. Chem. Soc., Dalton Trans.*, 2017 (1993)
 1993YTa A Yuchi, A Tanaka, M Hirai, T Ysai et al; *Bull. Chem. Soc. Jpn.*, 66, 3377 (1993)
 1993ZMa I Zheltvai, I Magunov, O Timofeev; *Zh. Neorg. Khim.*, 38, (5) 768 (1993)
 1992ADa M Amorim, R Delgado, J da Silva; *Polyhedron*, 11, 1891 (1992)
 1992BCa H Buschmann, E Cleve, E Schollmeyer; *Inorg. Chim. Acta*, 193, 93 (1992)
 1992BFa A Barzykin, M Fox et al; *J. Am. Chem. Soc.*, 114, 6381 (1992)
 1992BSc H Buschmann, E Schollmeyer; *Thermochim. Acta*, 211, 13 (1992)
 1992BUB H Buschmann; *Inorg. Chim. Acta*, 195, 51 (1992)
 1992CDA S Chaves, R Delgado, M Duarte et al; *J. Chem. Soc., Dalton Trans.*, 2579 (1992)
 1992CKb G Choppin, F Khalili, E Rizkalla; *J. Coord. Chem.*, 26, 243 (1992)
 1992DAC N Dallali, Y Agrawal; *J. Indian Chem. Soc.*, 69, 219 (1992)
 1992DDa A De Robertis, C De Stefano, G Patane; *Thermochim. Acta*, 209, 7 (1992)
 1992FDa M Feofanova, N Dobrynina et al; *Koord. Khim.*, 18, 1203 (1992)
 1992FRa A Felmy, D Rai, M Mason; *J. Solution Chem.*, 21, 525 (1992)
 1992GHa S Glab, A Hulanicki; *Talanta*, 39, 1555 (1992)
 1992GNa T Gajda, L Nagy, N Rozlosnik, L Korecz; *J. Chem. Soc., Dalton Trans.*, 475 (1992)

- 1992GOa S Gillispie, J Oscarson, R Izatt; *J.Solution Chem.*, 21, 761 (1992)
- 1992GSa J Ghasemi, M Shamsipur; *J.Coord.Chem.*, 26, 337 (1992)
- 1992GVa J Gibson, O Vaughan; *J.Chem.Soc., Dalton Trans.*, 1375 (1992)
- 1992KJa Y Kinjo, L-N Ji, N Corfu, H Sigel; *Inorg.Chem.*, 31, 5588 (1992)
- 1992LBa I Lukes, K Bazakas, P Hermann, P Vojtisek; *J.Chem.Soc., Dalton Trans.*, 939 (1992)
- 1992LCb G Liang, D Chen et al; *J.Am.Chem.Soc.*, 114, 7780 (1992)
- 1992LHb F Lin, C Horvath; *J.Chromatography*, 589, 185 (1992)
- 1992LRa I Lazar, R Ramasamy, E Brucher et al; *Inorg.Chim.Acta*, 195, 89 (1992)
- 1992MGa J Medina, T Goodnow et al; *J.Am.Chem.Soc.*, 114, 10583 (1992)
- 1992MMA R Motekaitis, A Martell; *Inorg.Chem.*, 31, 11 (1992)
- 1992MSe D Mishra, U Sharma, V Bhagwat; *J.Indian Chem.Soc.*, 69, 70 (1992)
- 1992NSa N Nakasuka, M Sawaragi, K Matsumura, M Tana; *Bull.Chem.Soc.Jpn.*, 65, 1722 (1992)
- 1992PPb J Podlahova, J Podlaha; *Coll.Czech.Chem.Comm.*, 47, 1078 (1992)
- 1992PSa H Parham, M Shamsipur; *Polyhedron*, 11, 987 (1992)
- 1992RAD P Reddy, T Adharani et al; *Indian J.Chem.*, 31A, 855 (1992)
- 1992RMA G Rothermel, L Miao, A Hill et al; *Inorg.Chem.*, 31, 4854 (1992)
- 1992SCa H Sigel, D Chen et al; *Helv.Chim.Acta*, 75, 2634 (1992)
- 1992SSa L Schmit, G Schlewer, B Spiess; *J.Inorg.Biochem.*, 45, 13 (1992)
- 1992STa A Srivastava, B Tiwari; *J.Electroanal.Chem.*, 325, 301 (1992)
- 1992Wfb L Wu, W Forsling; *Acta Chem.Scand.*, 46, 418 (1992)
- 1992ZHa I Zheltvai; *Zh.Neorg.Khim.*, 37, (8)1843 (1992)
- 1991ACc F Arnaud-Neu, S Cremin, D Cunningham; *J.Inclusion Phenom.*, 10, 329 (1991)
- 1991ANA G Anderegg; *Inorg.Chim.Acta*, 180, 69 (1991)
- 1991ASa L Abate, C Stafano, P Mineo; *J.Chem.Res.(S)*, 76 (1991)
- 1991ASc M Amini, M Shamsipur; *J.Phys.Chem.*, 95, 9601 (1991)
- 1991Aa G Anderegg; *Inorg.Chim.Acta*, 180, 69 (1991)
- 1991BMb M Bruening, D Mitchell et al; *Anal.Chem.(USA)*, 21 (1991)
- 1991BSc M Bastian, H Sigel; *J.Coord.Chem.*, 23, 137 (1991)
- 1991BSd M Bastian, H Sigel; *Inorg.Chim.Acta*, 187, 227 (1991)
- 1991BUa H Bukowsky, E Uhlemann, K Gloe, P Muhl; *Polyhedron*, 10, 1591 (1991)
- 1991CIa L Ciavatta, M Iuliano, R Porto; *Ann.Chim.(Rome)*, 81, 243 (1991)
- 1991Cmb E Clarke, A Martell; *Inorg.Chim.Acta*, 190, 27, 37 (1991)
- 1991DCa A de Sousa, G Croft et al; *Inorg.Chem.*, 30, 3525 (1991)
- 1991DDb A de Robertis, C de Stefano; *Talanta*, 38, 439 (1991)
- 1991DDc A De Robertis, C De Stefano, A Gianguzza; *Thermochim.Acta*, 177, 39 (1991)
- 1991DHa K Damu, R Hancock, P Wade et al; *J.Chem.Soc., Dalton Trans.*, 293 (1991)
- 1991DLa P Duckworth, S Lincoln, J Lucas; *Inorg.Chim.Acta*, 188, 55 (1991)
- 1991DMA K Damu, H Maumela, R Hancock et al; *J.Chem.Soc., Dalton Trans.*, 2717 (1991)
- 1991FEa J Fein; *Geochim.Cosmo.Acta*, 55, 955 (1991)
- 1991FGb F Fronczek, R Gandour, T Fyles; *Can.J.Chem.*, 69, 12 (1991)
- 1991JCa L Ji, N Corfu, H Sigel; *J.Chem.Soc., Dalton Trans.*, 1367 (1991)
- 1991KNa C Krishnamoorthy, R Nakon; *J.Coord.Chem.*, 23, 233 (1991)
- 1991LSc I Lazar, A Sherry, R Ramasamy et al; *Inorg.Chem.*, 30, 5016 (1991)
- 1991MLa N Morel-Desrosiers, C Lhermet, J Morel; *J.Chem.Soc., Faraday Trans.*, 87, 2173 (1991)
- 1991RFb D Rai, A Felmy, R Fulton; *J.Solution Chem.*, 20, 623 (1991)
- 1991SGa V Solovev, L Govorkova et al.; *Izv.Akad.Nauk USSR*, (3)575 (1991)
- 1991Sma R Smith, A Martell, Y Chen; *Pure & Appl.Chem.*, 63, 1015 (1991)

1991SSa J Seewald,W Seyfried; *Geochim.Cosmo.Acta*,55,659 (1991)
 1991SSb A Semnani,M Shamsipur; *J.Electroanal.Chem.*,315,95 (1991)
 1991SYb R Singh,Y Yeboah,E Pambid; *J.Chem.Eng.Data*,36,52 (1991)
 1991ZEa J Zhang,A Ebrahimpour,G Nancollas; *J.Solution Chem.*,20,455 (1991)
 1990AFa A Anantanarayan,T Fyles; *Can.J.Chem.*,68,1338 (1990)
 1990ARA G Anderegg,M Raber; *J.Chem.Soc.,Chem.Comm.*,1194 (1990)
 1990BJb H Bieth,P Jost,B Spiess; *J.Inorg.Biochem.*,39,59 (1990)
 1990CBc S Cortes,E Brucher et al; *Inorg.Chem.*,29,5 (1990)
 1990CCa M Cabral,J Costa,R Delgado et al; *Polyhedron*,9,2847 (1990)
 1990Cdb A Casale,A De Robertis,F Licastro; *J.Chem.Research(S)*,204 (1990)
 1990CDc R Curini,G D'Ascenzo,A De Robertis; *Thermochim.Acta*,173,25 (1990)
 1990CQa W Cacheris,S Quay,S Rocklage; *Magn.Res.Imaging*,8,467 (1990)
 1990DOa M Dahlund,A Olin; *Acta Chem.Scand.*,44,321 (1990)
 1990DOD H Doi,H Ohe,H Matoba,A Ichimura,T Kitaga; *Bull.Chem.Soc.Jpn.*,63,2785 (1990)
 1990DSa R Delgado,L Siegfried et al; *Helv.Chim.Acta*,73,140 (1990)
 1990DSb N Dobrynina,I Svetlova et al; *Zh.Neorg.Khim.*,35,1216 (686) (1990)
 1990GKa G Gross,B Costisella,K Schwartz et al; *Zh.Obshch.Khim.*,60,749 (1990)
 1990GVb E Gaggelli,G Valensin; *J.Chem.Soc.,Perkin Trans.II*,401 (1990)
 1990JKa G Jackson,M Kelly; *J.Chem.Soc.,Dalton Trans.*,1889 (1990)
 1990KLa E Kozlovskii,S Ledenkov,V Vasil'ev; *Zh.Neorg.Khim.*,35,133 (73) (1990)
 1990Klb U Kramer-Schnabel,P Linder; *J.Coord.Chem.*,22,139 (1990)
 1990Kmb R Katakya,K Matthes et al; *J.Chem.Soc.,Perkin Trans.II*,1425 (1990)
 1990LNa N Lukyanenko,N Nazarova,V Vetrogon et al; *Polyhedron*,9,1369 (1990)
 1990MDa A Mederos,S Dominguez,M H-Padilla et al; *J.Coord.Chem.*,21,283 (1990)
 1990MOe M Maeda,K Okada,Y Tsukamoto et al; *J.Chem.Soc.,Dalton Trans.*,2337 (1990)
 1990PSb T Padar,T Stupko,I Isayev et al.; *Zh.Neorg.Khim.*,35,1744 (1990)
 1990RAB F Rey,J Antelo,F Arce,F Penedo; *Polyhedron*,9,665 (1990)
 1990RAD K Raju,G Atkinson; *J.Chem.Eng.Data*,35,361 (1990)
 1990RFb D Rai,A Felmy,R Fulton,D Moore; *J.Solution Chem.*,21,623 (1990)
 1990RRa P Reddy,K Reddy et al; *Indian J.Chem.*,29A,686 (1990)
 1990SAa Sadiq,M; *Marine Chem.*,31,285 (1990)
 1990YTa K Yatsimirskii,L Tsymbal,E Sinyavskaya; *Zh.Neorg.Khim.*,35,(1)117 (1990)
 1989ABb A Albrecht,S Blanc,D Boyd,G Jeminet; *J.Am.Chem.Soc.*,111,8598 (1989)
 1989CDc A Casale,A De Robertis,C De Stefano; *Thermochim.Acta*,140,59 (1989)
 1989DBb N Davidenko,G Bukievskaya,Y Parkhomenko; *Koord.Khim.*,15(8)1059 (1989)
 1989DDb P Daniele,A De Robertis,C De Stefano; *J.Solution Chem.*,18,23 (1989)
 1989DMA S Demin,V Mikhailov et al; *Zh.Neorg.Khim.*,34,252(143) (1989)
 1989DSa R Delgado,J da Silva et al; *J.Chem.Soc.,Dalton Trans.*,133 (1989)
 1989EHa A Evers,R Hancock,A Martell et al; *Inorg.Chem.*,28,2189 (1989)
 1989FRa J Fuentes,R Reboso,A Rodriguez; *Polyhedron*,8,1365,2693 (1989)
 1989GAb M Ghandour,H Azab,A Hassan et al; *Polyhedron*,8,189 (1989)
 1989GRb P Gupta,A Raina; *J.Indian Chem.Soc.*,66,271 (1989)
 1989HAa G Huber,R Alberto et al; *J.Chem.Soc.,Chem.Comm.*,879 (1989)
 1989HGa H Hopkins,R Gayden; *J.Solution Chem.*,18,743 (1989)
 1989KSc S Kashanian,M Shamsipur; *Inorg.Chim.Acta*,155,203 (1989)
 1989KTa Y Kinjo,R Tribolet,N Corfu,H Sigel; *Inorg.Chem.*,28,1480 (1989)
 1989MMb N Morel-Desrosiers,J Morel; *J.Chem.Soc.,Faraday Trans.I*,85,3461 (1989)
 1989MMd R Motekaitis,A Martell; *Inorg.Chem.*,28,3499 (1989)
 1989MSf S Massoud,H Sigel; *Eur.J.Biochem.*,179,451 (1989)

- 1989PRA N Papadopoulos, G Ritzoulis; *Ann.Chim.(Rome)*, 79, 389 (1989)
- 1989QYa L Qitao, L Yi, Z Feng; *Polyhedron*, 8, 1953 (1989)
- 1989RVa A Rao, P Venkataiah, M Mohan et al; *J.Coord.Chem.*, 20, 69 (1989)
- 1989SGc V Solovev, L Govorkova et al; *Izv.Akad.Nauk(USSR)*, 4, 814 (1989)
- 1989SIb R Singh; *Bull.Chem.Soc.Jpn.*, 62, 4089 (1989)
- 1989SKa N Skorik, O Krasnoslobodtseva, T Yakovenko; *Zh.Neorg.Khim.*, 34, 2276 (1989)
- 1989SLa M Strasak, J Lucansky, P Novomesky et al; *J.Coord.Chem.*, 19, 359 (1989)
- 1989SSc A Solotnov, V Solovev et al; *Koord.Khim.*, 15(3) 319 (1989)
- 1989SSd N Strakhova, V Solovev, O Raevskii; *Koord.Khim.*, 15(4) 483 (1989)
- 1989TKc Y Takeda, T Kimura, Y Kudo, H Matsuda; *Bull.Chem.Soc.Jpn.*, 62, 2885 (1989)
- 1989VSc M Veber, P Sipos, K Burger; *Inorg.Chim.Acta*, 156, 145 (1989)
- 1989VZc V Vasilev, G Zaitseva, S Matrenina; *Zh.Neorg.Khim.*, 34, 2877 (1989)
- 1989WSa A Williams-Jones, T Seward; *Geochim.Cosmo.Acta*, 53, 313 (1989)
- 1989YKa K Yatsimirskii, M Konstantinovskaya et al; *Zh.Neorg.Khim.*, 34, 2217(1262) (1989)
- 1988ADa M Amorim, R Delgado et al; *Talanta*, 35, 741 (1988)
- 1988BFa E Bottari, M Festa, R Jasionowska; *J.Coord.Chem.*, 17, 245 (1988)
- 1988BLa M Bonnery, V LoGatto, M Persin, G Durand; *Bull.Soc.Chim.Fr.*, I, 49 (1988)
- 1988BSa K Burger, P Sipos, M Veber, I Horvath et al; *Inorg.Chim.Acta*, 152, 233 (1988)
- 1988CDb A Casale, A De Robertis, C De Stefano; *Thermochim.Acta*, 128, 261 (1988)
- 1988CFa B Cox, P Firman, I Schneider et al; *Inorg.Chem.*, 27, 4018 (1988)
- 1988CVa P Chakrawarti, B Vijayvargiya, H Sharma; *J.Indian Chem.Soc.*, 65, 314 (1988)
- 1988DDa R Delago, J da Silva; *Port.Electrochim.Acta*, 6, 117 (1988)
- 1988GDa A Gianguzza, G Dia, S Sammartano; *J.Chem.Research(S)*, 12 (1988)
- 1988GMD M Ghandour, H Mansour, M El-Wafa, M Khodary; *J.Indian Chem.Soc.*, 65, 716 (1988)
- 1988HSb R Hancock, M Shaikjee, S Dobson et al; *Inorg.Chim.Acta*, 154, 229 (1988)
- 1988HYa Huang Zhongxian, Yang Liwei, Zhou Chuner; *Acta Chimica Sinica*, 398 (1988)
- 1988JTa J Juillard, C Tissier, G Jeminet; *J.Chem.Soc., Faraday Trans.I*, 84, 951 (1988)
- 1988KGa S Kashanian, M Gholivand et al; *Polyhedron*, 7, 1227 (1988)
- 1988KMa A Kapustinskii, E Malakhayev; *Zh.Neorg.Khim.*, 33, 1673(951) (1988)
- 1988KRa B Khan, M Raju, S Zakeeruddin; *J.Chem.Soc., Dalton Trans.*, 67 (1988)
- 1988Lba L Lambs, G Berthon; *Inorg.Chim.Acta*, 151, 33 (1988)
- 1988Lda I Lukes, I Dominak; *Chem.Papers* 42, 311 (1988)
- 1988LIa S Licht; *J.Electrochem.Soc.*, 135, 2971 (1988)
- 1988Lva L Lambs, M Venturini, H Kozlowski et al; *J.Inorg.Biochem.*, 33, 193 (1988)
- 1988Mba P Manorik, E Blizneukova, M Fedorenko; *Zh.Neorg.Khim.*, 33, 977(549) (1988)
- 1988MNa T Matkovskaya, L Nikolayeva et al; *Zh.Neorg.Khim.*, 33, 2471(1415) (1988)
- 1988MSa S Massoud, H Sigel; *Inorg.Chem.*, 27, 1447 (1988)
- 1988MSd S Massoud, H Sigel; *Bull.Chem.Soc.Ethiopia*, 2, 9 (1988)
- 1988OKa T Oomori, K Kaneshima, Y Kitano; *Marine Chem.*, 25, 57 (1988)
- 1988PGb J Perez, S Garcia, J Gutierrez; *An.Quim.*, 84, 213 (1988)
- 1988PPa Y Pointud, E Passelaigue, J Juillard; *J.Chem.Soc., Faraday Trans.I*, 84, 1713 (1988)
- 1988RBa H Rogers, C van den Berg; *Talanta*, 35, 271 (1988)
- 1988SMb H Sigel, S Massoud, R Tribolet; *J.Am.Chem.Soc.*, 110, 6857 (1988)
- 1988SRb P Smith, K Raymond; *Inorg.Chem.*, 27, 1056 (1988)
- 1988SSc V Solovev, N Strakhova, O Raevskii; *Izv.Akad.Nauk(USSR)*, 10, 2400 (1988)
- 1988SVa V Solovev, E Vnuk, O Raevskii; *Izv.Akad.Nauk(USSR)*, 4, 776 (1988)

1988SVb V Solovev, E Vnuk, O Raevskii; *Koord.Khim.*, 14(10)1372 (1988)
 1988Tia C Tissier; *Bull.Soc.Chim.Fr.*, II, 638 (1988)
 1988YSc I Yoshida, F Sagami, K Ueno; *Anal.Sci.Jpn.*, 4, 69 (1988)
 1988ZHa Zhang Hualin, Hua X, Jiang N, Yan Q Y; *Acta Chimica Sinica*, 643 (1988)
 1987AKa G Anderegg, E Koch, E Bayer; *Inorg.Chim.Acta*, 127, 183 (1987)
 1987BBc R Benken, H-J Buschmann; *Inorg.Chim.Acta*, 134, 49 (1987)
 1987BBd C Blaquiere, G Berthon; *Inorg.Chim.Acta*, 135, 179 (1987)
 1987BGc A Bevilacqua, R Gelb, W Hebard et al; *Inorg.Chem.*, 26, 2699 (1987)
 1987BKa E Bayer, E Koch, G Anderegg; *Angew.Chem.Int.Ed.Eng.*, 26, 545 (1987)
 1987BPb G Baranov, V Perekalin et al; *Koord.Khim.*, 13(6)741 (1987)
 1987BSb P Brown, R Sylva; *J.Chem.Res.(S)*, 4 (1987)
 1987BUa H-J Buschmann; *J.Solution Chem.*, 16, 181 (1987)
 1987BUB H-J Buschmann; *Inorg.Chim.Acta*, 134, 225 (1987)
 1987CBd L Chen, M Bos, P Grootenhuys; *Anal.Chim.Acta*, 201, 117 (1987)
 1987CSa B Cox, J Stroka, H Schneider; *Inorg.Chim.Acta*, 128, 207 (1987)
 1987DDa J Desroches, H Dugas, T Fyles, G Robertson; *Can.J.Chem.*, 65, 1513 (1987)
 1987DDb R Delgado, J da Silva et al; *Polyhedron*, 6, 29 (1987)
 1987Dwa H Doe, K Wakamiya, T Kitagawa; *Bull.Chem.Soc.Jpn.*, 60, 2231 (1987)
 1987GKb M Gholivand, S Kashanian et al; *Polyhedron*, 6, 535 (1987)
 1987HAa L Harju; *Talanta*, 34, 817 (1987)
 1987HAb P Hakkinen; *Finn.Chem.Lett.*, 14, 15 (1987)
 1987HJb D Herschlag, W Jenks; *J.Am.Chem.Soc.*, 109, 4665 (1987)
 1987KRa B Khan, R Raju, S Zakeeruddin; *J.Coord.Chem.*, 16, 237 (1987)
 1987MMd P Mahapatra, L Mahapatra et al; *Polyhedron*, 6, 1049 (1987)
 1987SAa K Sawada, T Araki, T Suzuki; *Inorg.Chem.*, 26, 1199 (1987)
 1987SCa S Shanbhag, G Choppin; *Inorg.Chim.Acta*, 138, 187 (1987)
 1987STb H Sigel, R Tribolet et al; *Inorg.Chem.*, 26, 2149 (1987)
 1987Tca V Tkachev, A Chaikovskaya et al; *Izv.Akad.Nauk(USSR)*, 12, 2745 (1987)
 1987ZAa H Zineddine, M Asso, D Benlian; *Inorg.Chim.Acta*, 140, 375 (1987)
 1987ZGa A Zakrzewski, J Geisler; *Chemia Analitychna.*, 32, 151 (1987)
 1986BUa H-J Buschmann; *J.Solution Chem.*, 15, 453 (1986)
 1986BVa K Burger, M Veber, P Sipos, Z Galbacs et al; *Inorg.Chim.Acta*, 124, 175 (1986)
 1986CCc R Cini, A Cinquantini, R Seeber; *Inorg.Chim.Acta*, 123, 69 (1986)
 1986CCd S Capone, A Casale, A Curro, A Robertis; *Ann.Chim.(Rome)*, 76, 441 (1986)
 1986CDc S Capone, A De Robertis, S Sammartano; *Thermochim.Acta*, 102, 1 (1986)
 1986COB C Chang, V Ochaya; *Inorg.Chem.*, 25, 355 (1986)
 1986CVb P Chakrawarti, B Vijayvargiya, H Sharma; *J.Indian Chem.Soc.*, 63, 1036 (1986)
 1986DSa K Damu, M Shaikjee, J Michael, R Hancock et; *Inorg.Chem.*, 25, 3879 (1986)
 1986FWb N Farid, A Wasfi, M El-Arab; *Indian J.Chem.*, 25A, 817 (1986)
 1986HAc P Hakkinen; *Finn.Chem.Lett.*, 13, 53 (1986)
 1986HAe J Haas; *Marine Chem.*, 19, 299 (1986)
 1986HBc R Hancock, R Bhavan, M Shaikjee et al; *Inorg.Chim.Acta*, 112, L23 (1986)
 1986HBe R Hancock, R Bhavan, C Wagner, G Hosken; *S.Afr.J.Chem.*, 39, 238 (1986)
 1986ICa R Izatt, G Clark, J Lamb, J Christensen; *Thermochim.Acta*, 97, 115 (1986)
 1986KBB E Mukidjam, S Barnes, G Elgavish; *J.Am.Chem.Soc.*, 108, 7082 (1986)
 1986KHe H Kitano, J Hasegawa, S Iwai, T Okubo; *J.Phys.Chem.*, 90, 6281 (1986)
 1986KKa E Kriss, G Kourbatova et al; *Zh.Neorg.Khim.*, 31, 1196(680) (1986)
 1986KZa B Khan, S Zakeeruddin; *Inorg.Chim.Acta*, 124, 5 (1986)
 1986MSc A Misra, K Srinivasulu; *J.Indian Chem.Soc.*, 63, 519 (1986)
 1986NIa V Novikov, T Ignateva, O Raevskii; *Zh.Neorg.Khim.*, 31, 1474(842) (1986)

1986RRa P Reddy,V Rao; J.Chem.Soc.,Dalton Trans.,2331 (1986)
 1986RRe P Reddy,B Reddy; Polyhedron,5,1947 (1986)
 1986RSa A de Robertis,C de Stefano et al; J.Chem.Res.(S),164 (1986)
 1986TSa V Thom,S Shaikjee,R Hancock; Inorg.Chem.,25,2992 (1986)
 1986VKa V Vasilev,E Kozlovskii,T Marina; Zh.Neorg.Khim.,31,2227(1283) (1986)
 1986VKb V Vasilev,E Kozlovskii et al; Zh.Neorg.Khim.,31,856(487) (1986)
 1986VZa V Vasilev,G Zaitseva,I Borisova; Zh.Neorg.Khim.,31,812(462) (1986)
 1986WAa J Walther; Geochim.Cosmo.Acta,50,733 (1986)
 1986XHa Xu Xiliang,Huang Zhongxian; Acta Chimica Sinica,1005 (1986)
 1986XJa Xiao Wenjin, Ji Zhengping, Qin Zibin; Acta Chimica Sinica,704 (1986)
 1985AAb L Asso,M Asso; Thermochim.Acta,87,373 (1985)
 1985BOa A Beezer,P O'Brien,W Sham; Inorg.Chim.Acta,108,123 (1985)
 1985BP a R Boss,A Popov; Inorg.Chem.,24,3660 (1985)
 1985CBa G Choppin,J Brock; Inorg.Chim.Acta,109,99 (1985)
 1985CDb A Casale,A De Robertis,S Sammartano; Thermochim.Acta,95,15 (1985)
 1985CRA S Capone,A de Robertis et al; Talanta,32,675 (1985)
 1985DRa P Daniele,A de Robertis et al; J.Chem.Soc.,Dalton Trans.,2353 (1985)
 1985DSa P Daniele,S Sonogo,M Ronzani et al; Ann.Chim.(Rome),75,245 (1985)
 1985EHa G Ewin,J Hill; J.Chem.Res.(S),334 (1985)
 1985GMB G Gross,T Medved,S Novak et al; Zh.Obshch.Khim.,55,734 (1985)
 1985GMC M Ghandour,H Mansour; J.Indian Chem.Soc.,62,286 (1985)
 1985HAA P Hakkinen; Finn.Chem.Lett.17 (1985)
 1985HCA Z-X Huang A Creighton,D Williams; Inorg.Chim.Acta,107,L29 (1985)
 1985JEa T Jenkins; Anal.Biochem.,145,362 (1985)
 1985KFa E Kimura,H Fujioka,A Yatsunami,H Nihira; Chem.Pharm.Bull.,33,655 (1985)
 1985KIa H Killa; J.Chem.Soc.,Faraday Trans.I,81,2659 (1985)
 1985KSA M Konstantinovskaya,E Siniavskaya et al;
 Zh.Neorg.Khim.,30,2248(1278)2571(1463) (1985)
 1985KSb A Khokhlova,L Shishin,G Chernikova; Koord.Khim.,11,328 (1985)
 1985LBb L Lambs,M Brion,G Berthon; Inorg.Chim.Acta,106,151 (1985)
 1985LBc S Lubkeova,P Balgavy et al; Chem.Zvesti,39,317 (1985)
 1985LDb M le Guyader,G Dorange,A Marchand; Bull.Soc.Chim.Fr.,I,636 (1985)
 1985LMA D Langmuir,D Melchior; Geochim.Cosmo.Acta,49,2423 (1985)
 1985MBb M Merwe,J Boeyens,R Hancock; Inorg.Chem.,24,1208 (1985)
 1985MGB A Mukhametzhanov,I Gorelov; Zh.Obshch.Khim.,55,253 (1985)
 1985MLb J Morel,C Lhermet; Can.J.Chem.,63,2639 (1985)
 1985MMA F Mulla,F Marsicano,B Nakani et al; Inorg.Chem.,24,3076 (1985)
 1985OMA E Ochiai,R Morand; J.Coord.Chem.,14,83 (1985)
 1985PBb E Bottari,R Porto; Ann.Chim.(Rome),75,393 (1985)
 1985PHb R Prigodich,P Haake; Inorg.Chem.,24,89 (1985)
 1985PMC Z Pikulikova,A Muchova; Chem.Zvesti,39,481 (1985)
 1985RAa E Rizkalla,M Antonious,S Anis; Inorg.Chim.Acta,96,171 (1985)
 1985RRc P Reddy,V Rao; Polyhedron,4,1603 (1985)
 1985RRh P Reddy,M Reddy; J.Chem.Soc.,Dalton Trans.,239 (1985)
 1985RSa A de Robertis,C de Stefano,C Rigano +; J.Chem.Res.(S),42 (1985)
 1985SCd B Sandmann,M Chien,R Sandmann; Anal.Lett.,18,149 (1985)
 1985SIA J Siepak; Pol.J.Chem.,59,651 (1985)
 1985SIB J Siepak; Pol.J.Chem.,59,955 (1985)
 1985SMg G Smith,D Miller; Biochim.Biophys.Acta,839,287 (1985)
 1985SND R Samakayev,L Nikolayeva et al; Zh.Obshch.Khim.,55,680 (1985)

1985TZa Tai Zihou,Zhu Chunsheng; Huaxue Tongbao(Chem.China),4-16 (1985)
 1985VBa V Vasilev,A Belonogova; Zh.Neorg.Khim.,30,2778(1581) (1985)
 1984ABc M Asso,D Benlian; Can.J.Chem.,62,2379 (1984)
 1984ARa R Aruga; Polyhedron,3,545 (1984)
 1984CLb R Claessens,J van der Linden; J.Inorg.Biochem.,21,73 (1984)
 1984COa R Contant; J.Chem.Res.(S),120 (1984)
 1984CTa B Cox,N Truong,J Rzeszotarska et al; J.Chem.Soc.,Faraday Trans.I,80,3275 (1984)
 1984CTc B Cox,Ng van Truong,H Schneider; J.Am.Chem.Soc.,106,1273 (1984)
 1984DDa A de Robertis,C de Stefano,R Scarcella; Thermochim.Acta,80,197 (1984)
 1984DFa R Delgado,J Frausto da Silva,M Vaz; Inorg.Chim.Acta,90,185 (1984)
 1984DMA H Doe,A Matsuda,T Kitagawa; Bunseki Kagaku,33,E511 (1984)
 1984DMb J Duffield,P May,D Williams; J.Inorg.Biochem.,20,199 (1984)
 1984EFa M Emara,N Farid,A Wasfi,M Bahr; J.Phys.Chem.,88,3345 (1984)
 1984FWa T Fyles,D Whitfield; Can.J.Chem.62,507 (1984)
 1984GKa A Grygoreva,N Konakhovich et al; Koord.Khim.,10,1461 (1984)
 1984KMa M Kabachnik,T Medved et al; Izv.Akad.Nauk(USSR),4,835 (1984)
 1984KMb M Kabachnik,T Medved et al; Izv.Akad.Nauk(USSR),4,844 (1984)
 1984MMf A Mucci,J Morse; Geochim.Cosmo.Acta,48,815 (1984)
 1984MMg R Miotekaitis,A Martell; J.Coord.Chem.,13,265 (1984)
 1984MTb F Millero,P Milne,V Thurmond; Geochim.Cosmo.Acta,48,1141 (1984)
 1984NHa B Nakani,R Hancock; J.Coord.Chem.,13,143 (1984)
 1984RFd B Rodriguez-Rios,J Fuentes-Diaz; An.Quim.,80,200 (1984)
 1984RFe B Rodriguez-Rios,J Fuentes-Diaz; An.Quim.,80,32;37 (1984)
 1984TWa S Tam,R Williams; J.Chem.Soc.,Faraday Trans.I,80,2255 (1984)
 1984VKd V Vasilev,E Kozlovskii et al; Zh.Neorg.Khim.,29,1943(1112) (1984)
 1984VOb F Vogtle,C Ohm; Chem.Ber.,117,948 (1984)
 1984VSc F Vogtle,H Schafer,C Ohm; Chem.Ber.,117,955 (1984)
 1984WNa H Wada,G Nakagawa et al; Anal.Chim.Acta,159,289 (1984)
 1984YSb K Yatsimirskii,E Siniavskaya et al; Zh.Neorg.Khim.,29,888(512) (1984)
 1984ZGa A Zakrzewski,J Geisler; Chemia Analityczna.,29,631 (1984)
 1983AMb G Arena,S Musumeci,R Purrello; Thermochim.Acta,61,129 (1983)
 1983BEb U Bips,H Elias,M Hauröder et al; Inorg.Chem.,22,3865 (1983)
 1983CFb B Cox,P Firman,H Schneider; Inorg.Chim.Acta,69,161 (1983)
 1983CRb C Chang,M Rowland; Inorg.Chem.,22,3867 (1983)
 1983Cva P Chakrawarti,B Vijayvargiya,H Sharma; J.Indian Chem.Soc.,60,89 (1983)
 1983DDa P Daniele,A de Robertis et al; Ann.Chim.(Rome),73,619 (1983)
 1983EHa G Ewin,J Hill; J.Chem.Soc.,Dalton Trans.,865 (1983)
 1983FBa T Fonong,D J Burton,D J Pietrzyk; Anal.Chem.,55,1089 (1983)
 1983GGa W Gokel,D Goli,C Minganti,L Echegoyen; J.Am.Chem.Soc.,105,6786 (1983)
 1983KSa M Khan,S Satyanarayana,M Jyoti et al; Indian J.Chem.,22A,357,364 (1983)
 1983KSc M Khan,S Satyanarayana; Indian J.Chem.,22A,584 (1983)
 1983LDA M le Guyader,G Dorange et al; Bull.Soc.Chim.Fr.,I,203 (1983)
 1983LRb L Lugina,V Romanenko,N Davidenko; Zh.Neorg.Khim.,28,665(375) (1983)
 1983LRc E Lance,C Rhodes,R Nakon; Anal.Biochem.,133,492 (1983)
 1983LSa Luo Qinhui,Shen Mengchang; Acta Chimica Sinica,871 (1983)
 1983MDa J Maslowska,A Dorabalski; Pol.J.Chem.,57,1089 (1983)
 1983MUA A Mucci; Am.J.Sci.,283,780 (1983)
 1983NPa D Noskova,J Podlahova; Polyhedron,2,349 (1983)
 1983PSc R Pizer,R Selzer; Inorg.Chem.,22,1359 (1983)

1983RRb P Reddy, M Reddy; Polyhedron, 2, 1171 (1983)
 1983RRc P Reddy, K Reddy; Inorg. Chim. Acta, 80, 95 (1983)
 1983RRe P Reddy, K Reddy, M Khan; Indian J. Chem., 22A, 959 (1983)
 1983SMa E Sass J Morse, F Millero; Am. J. Sci., 283, 218 (1983)
 1982ADa P Amico, P Daniele, C Rigano et al; Ann. Chim. (Rome), 72, 1 (1982)
 1982ANa G Anderegg; Pure & Appl. Chem., 54, 2693 (1982)
 1982ARa R Aruga; Can. J. Chem., 60, 1828 (1982)
 1982BDc J Bolte, C Demuyne, G Jemmett; Can. J. Chem., 60, 981 (1982)
 1982BGB F Bel'ski, I Goryunova et al; Izv. Akad. Nauk (USSR), 4, 103 (93) (1982)
 1982BPc E Bottari, R Porto; Monatsh. Chem., 113, 1245 (1982)
 1982Cva P Chakrawarti, B Vijayvargiya; J. Indian Chem. Soc., 59, 734 (1982)
 1982DMA P Daniele, M Marangella; Ann. Chim. (Rome), 72, 25 (1982)
 1982DRc P Daniele, C Rigano, S Sammartano; Ann. Chim. (Rome), 72, 341 (1982)
 1982DSa R Delgado, J da Silva; Talanta, 29, 815 (1982)
 1982EFa M Emara, N Farid, A Wasfi; Electrochim. Acta, 27, 647 (1982)
 1982Gwb Guo Du, Wang Erkang; Anal. Chem. (China), 277 (1982)
 1982Hka T Hirokawa, Y Kiso; J. Chromatography, 248, 341 (1982)
 1982Hmb Z-X Huang, P May, K Quinlan, D Williams; Agents Actions, 12, 536 (1982)
 1982HNa R Hancock, B Nakani; S. Afr. J. Chem., 35, 153 (1982)
 1982JGa M Jimenez, J Gutierrez, P Batanero; An. Quim., 78, 136 (1982)
 1982KBe Yu Kozlov, V Babich, I Gorelov; Zh. Obshch. Khim., 52, 658 (1982)
 1982Kka A Kapoustnikov, Y Kozlov, I Gorelov; Zh. Neorg. Khim., 27, 1154 (647) (1982)
 1982Kmd R Kiraly, R Martin; Inorg. Chim. Acta, 67, 13 (1982)
 1982KRb M Kappel, K Raymond; Inorg. Chem., 21, 3437 (1982)
 1982Lva R Leppkes, F Vogtle, F Luppertz; Chem. Ber., 115, 926 (1982)
 1982MRb J Massaux, G Roland, J Desreux; Inorg. Chim. Acta, 60, 129 (1982)
 1982MSb V Majer, K Stulik; Talanta, 29, 145 (1982)
 1982Pba Y Polykarpov, F Bel'ski et al; Izv. Akad. Nauk (USSR), 3, 710 (635) (1982)
 1982Pbb L Plummer, E Busenberg; Geochim. Cosmo. Acta, 46, 1011 (1982)
 1982PPc J Podlahova, J Podlaha; Coll. Czech. Chem. Comm., 47, 1078 (1982)
 1982PSc Y Polykarpov, B Shcherbakov et al; Izv. Akad. Nauk (USSR), 7, 1669 (1982)
 1982PSe L Plummer, E Sundquist; Geochim. Cosmo. Acta, 46, 247 (1982)
 1982Rab M Rao, J Agarwal, N Chhotray; Indian J. Chem., 21A, 1144 (1982)
 1982RRc M Rainer, B Rode; Monatsh. Chem., 113, 399 (1982)
 1982Sba B Shcherbakov, F Bel'ski et al; Izv. Akad. Nauk (USSR), 3, 560 (498) (1982)
 1982Sbb M Symons, J Benbow, H Pelmore; J. Chem. Soc., Faraday Trans. I, 78, 3671 (1982)
 1982Sgb T Smirnova, I Gorelov, V Yakoubenok; Zh. Neorg. Khim., 27, 1584 (894) (1982)
 1982SSb H Sigel, K Scheller; J. Inorg. Biochem., 16, 297 (1982)
 1982SSf H Sigel, K Scheller, B Prijs; Inorg. Chim. Acta, 66, 147 (1982)
 1982TSa M Taqui-Khan, S Satyanarayana; Indian J. Chem., 21A, 913 (1982)
 1981ANa G Anderegg; Helv. Chim. Acta, 64, 1790 (1981)
 1981ANb G Anderegg; J. Coord. Chem., 11, 171 (1981)
 1981ARb R Aruga; Australian J. Chem., 34, 501 (1981)
 1981ASb T Ait-Hamouda, M Schwing-Weill; Analusis, 9, 93 (1981)
 1981BBc M Brion, G Berthon, J Fourtillan; Inorg. Chim. Acta, 55, 47 (1981)
 1981BKc J Beattie, M Kelso; Australian J. Chem., 34, 2563 (1981)
 1981Cra B Cox, J G-Rosas, H Schneider; J. Am. Chem. Soc., 103, 1384 (1981)
 1981CSa G Choppin, P Shanbhag; J. Inorg. Nucl. Chem., 43, 921 (1981)
 1981CSb M Candida-Vaz, J. F da Silva; J. Inorg. Nucl. Chem., 43, 1573 (1981)
 1981EFa M Emara N Farid, A Wasfi; Electrochim. Acta, 26, 1705 (1981)

1981EMb G Ercolani, L Mandolini, B Masci; J. Am. Chem. Soc., 103, 7484 (1981)
 1981FHa R Farmer, P Heubel, A Popov; J. Solution Chem., 10, 523 (1981)
 1981GLa E Graf, J Lehn; Helv. Chim. Acta, 64, 1040 (1981)
 1981GMd F Gaizer, M Mate, J Lazar; Talanta, 28, 127 (1981)
 1981GNa C Gutierrez, A Navarro; Z. Phys. Chem. (Leipzig), 262, 886 (1981)
 1981GVa R Gowda, M Venkatappa; J. Electrochem. Soc. India, 30, 336 (1981)
 1981HMa Z Huang, P May, D Williams et al; Inorg. Chim. Acta, 56, 41 (1981)
 1981HWb G Hedwig, I Watson; J. Solution Chem., 10, 411 (1981)
 1981KMb S Kulstad, L Malmsten; J. Inorg. Nucl. Chem., 43, 1299 (1981)
 1981LDa D Lalart, G Dodin, J Dubois; J. Inorg. Nucl. Chem., 43, 2429 (1981)
 1981LGc D Lalart, J Guillerez, G Dodin; J. Chem. Soc., Perkin Trans. II, 1057 (1981)
 1981LIc G Liesegang; J. Am. Chem. Soc., 103, 953 (1981)
 1981MMc R Mathur, P Mathur; Indian J. Chem., 20A, 309 (1981)
 1981MVa M Masone, M Vicedomini; Ann. Chim. (Rome), 71, 517 (1981)
 1981NSc V Novak, M Svicekova et al; Chem. Zvesti, 35, 481 (1981)
 1981SFa H Stetter, W Frank, R Mertens; Tetrahedron, 37, 767 (1981)
 1981SYa T Sinitsina, I Yalovets et al; Zh. Obshch. Khim., 51, 659 (1981)
 1981TCa J Toman, R Corn et al; Anal. Chim. Acta, 123, 187 (1981)
 1981TKa B Khan, R Raju; Indian J. Chem., 20A, 860 (1981)
 1981TTa B Taqui-Khan, P Rao, M Taqui-Khan; Indian J. Chem., 20A, 857 (1981)
 1981WNa M Wozniak, G Nowogrocki; J. Chem. Soc., Dalton Trans., 2423 (1981)
 1981YYa H Yokoyama, H Yamatera; Bull. Chem. Soc. Jpn., 54, 2286 (1981)
 1980ARA R Aruga; Inorg. Chem., 19, 2895 (1980)
 1980BBc I Benedikovic, P Balgavy et al; Chem. Zvesti, 34, 78 (1980)
 1980BDa M Brooker, B Deyoung; J. Solution Chem., 9, 279 (1980)
 1980CRa R Cox, J G-Rosas, H Schneider; J. Phys. Chem., 84, 3178 (1980)
 1980GMD A Gupta, J Maize, R Gupta et al; Monatsh. Chem., 111, 735 (1980)
 1980IHa C Irving, B Hammer et al; J. Inorg. Biochem., 13, 137 (1980)
 1980JMb J de Jersey, R Martin; Biochemistry, 19, 1127 (1980)
 1980Kbb Y Kozlov, V Babich; Zh. Neorg. Khim., 25, 1692(940) (1980)
 1980KKb M Kodama, E Kimura, S Yamaguchi; J. Chem. Soc., Dalton Trans., 2536 (1980)
 1980KKd G Kurbatova, E Kriss et al; Zh. Neorg. Khim., 25, 2725(1503) (1980)
 1980KRb R Kramer; Biochim. Biophys. Acta, 592, 615 (1980)
 1980Kwa U Koch, F Wolf; Z. Chem., 20, 66 (1980)
 1980Lda L Lugina, N Davidenko; Zh. Neorg. Khim., 25, 1454 (1980)
 1980LIa J Lamb, R Izatt, C Swain et al; J. Am. Chem. Soc., 102, 475 (1980)
 1980LPb R Lenkinski, B Pearce et al; J. Am. Chem. Soc., 102, 7088 (1980)
 1980LVc H Lonnberg, A Vesala, R Kappi; Carbohydrate Res., 86, 137 (1980)
 1980LVd H Lonnberg, A Vesala; Carbohydrate Res., 78, 53 (1980)
 1980MMC J Morse, A Mucci, F Millero; Geochim. Cosmo. Acta, 44, 85 (1980)
 1980MRC J Majer, R Riecanova, Z Pikulikova; Chem. Zvesti, 34, 93 (1980)
 1980Mva J Majer, T van Quy, I Valaskova; Chem. Zvesti, 34, 637 (1980)
 1980OPa C Olliff, G Pickering, K Rutt; J. Inorg. Nucl. Chem., 42, 1201 (1980)
 1980PEa K Pearce; Australian J. Chem., 33, 1511 (1980)
 1980PJa D Plath, K Johnson, R Pytkowicz; Marine Chem., 10, 9 (1980)
 1980PPb D Plath, R Pytkowicz; Marine Chem., 10, 3 (1980)
 1980Rmb F Ramirez, J Marecek, J Szamosi; J. Org. Chem., 45, 4748 (1980)
 1980Rza E N Rizkalla, M T M Zaki; Talanta 27, 769 (1980)
 1980SAb K Scheller, T Abel, P Polanyi, H Sigel; Eur. J. Biochem., 107, 455 (1980)
 1980SHb H Stunzi, R Harris, D Perrin et al; Australian J. Chem., 33, 2207 (1980)

1980SSa H Sigel, K Scheller et al; J.Chem.Soc., Dalton Trans., 1022 (1980)
 1980TSb R Tsien; Biochemistry, 19, 2396 (1980)
 1980WNa H Wada, G Nakagawa; Anal.Chim.Acta, 121, 265 (1980)
 1980YTb M Yamada, M Takagi, K Ueno; J.Coord.Chem., 10, 257 (1980)
 1980ZRC M Zaki, E Rizkalla et al; Talanta, 27, 715 (1980)
 1979ACa A Alberts, D Cram; J.Am.Chem.Soc., 101, 3545 (1979)
 1979BLb J Bessiere, M Lejaille; Anal.Lett., 12, 753 (1979)
 1979CMB A Craggs, G Moody, J Thomas; Analyst, 104, 961 (1979)
 1979DDd M Dias, J da Silva, A Xavier; Rev.Port.Quim., 21, 5 (1979)
 1979DZc N Davidenko, N Zinich; Zh.Neorg.Khim., 24, 1608(891) (1979)
 1979DZe N Davidenko, N Zinich; Koord.Khim., 5, 3 (1979)
 1979EFc M Emara, N Farid; Egypt.J.Chem., 22, 89 (1979)
 1979EWa B Engquist, M Wedborg; Marine Chem., 7, 273 (1979)
 1979FFc F Fischer, A Fox; J.Solution Chem., 8, 309 (1979)
 1979HFa M Dias, J da Silva, A Xavier; Revista Portuguesa De Quimica, 5 (1979)
 1979HRA H Hoiland, J Ringseth, T Brun; J.Solution Chem., 8, 779 (1979)
 1979KBb I Krznaric, J Bozic, N Kallay; Croat.Chem.Acta, 52, 183 (1979)
 1979KBd Y Kozlov, V Babich; Zh.Neorg.Khim., 24, 1386(769) (1979)
 1979MBd J Majer, P Butvin et al; Chem.Zvesti, 33, 742 (1979)
 1979MTb M Mohan, M Taqui-Khan; J.Coord.Chem., 8, 207 (1979)
 1979PBa J Poldoski, T Bydalek; J.Inorg.Nucl.Chem., 41, 205 (1979)
 1979PSa N Poonia, S Sarad, A Jayakumar et al; J.Inorg.Nucl.Chem., 41, 1759 (1979)
 1979RHB C Richardson, H Holland; Geochim.Cosmo.Acta, 43, 1313 (1979)
 1979RRb P Reddy, K Reddy, M Khan; J.Inorg.Nucl.Chem., 41, 423 (1979)
 1979RZa E Rizkalla, M Zaki; Talanta, 26, 507 (1979)
 1979RZb E Rizkalla, M Zaki; Talanta, 26, 979 (1979)
 1979SPb H Stunzi, D Perrin; J.Inorg.Biochem., 10, 309 (1979)
 1979SRA H Sigel, V Rheinberger, B Fischer; Inorg.Chem., 18, 3334 (1979)
 1979Tsa L Tikhonova, O Samoilova, V Yashunskii; Zh.Neorg.Khim., 24, 1237(688) (1979)
 1979VMb D Veselinovic, D Malesev, L B-Dinic; Bull.Soc.Chim.Beograd, 44, 511 (1979)
 1979WNa M Wozniak, G Nowogrocki; Talanta, 26, 381 (1979)
 1979WNb M Wozniak, G Nowogrocki; Talanta, 26, 1135 (1979)
 1979ZJa T Zucconi, G Janauer, S Donahe, C Lewkowicz; J.Pharm.Sci., 68, 426 (1979)
 1978AKa G Arena, G Kavau, D Williams; J.Inorg.Nucl.Chem., 40, 1221 (1978)
 1978BBc J Bixler, A Bond; Inorg.Chem., 17, 3684 (1978)
 1978BKd K Balaji, S Kumar, P Gupta-Bhaya; Anal.Chem., 50, 1972 (1978)
 1978BRb H Brittain; Anal.Chim.Acta, 96, 165 (1978)
 1978EFb M Emara, N Farid, G Atkinson; Chem.Lett., 11A, 797 (1978)
 1978FGa O Forsberg, B Gelland et al; Acta Chem.Scand., A32, 345 (1978)
 1978GMf G Gross, T Medved et al; Zh.Obshch.Khim., 48, 1914 (1978)
 1978JId M Jawaideh, F Ingman; Talanta, 25, 91 (1978)
 1978KBa M Khan, M Babu; J.Inorg.Nucl.Chem., 40, 2110 (1978)
 1978KHa D Karweik, C Huber; Anal.Chem.(USA), 50, 1209 (1978)
 1978KMa M Kabachnik, T Medved et al; Izv.Akad.Nauk(USSR), 2, 433(374) (1978)
 1978Lca H Lundager, H Christensen et al; Acta Chem.Scand., A32, 79 (1978)
 1978Lma J Lehn, F Montavon; Helv.Chim.Acta, 61, 67 (1978)
 1978Mab M Mohan, E Abbott; J.Coord.Chem., 8, 175 (1978)
 1978Mac M Mohan, E Abbott; Inorg.Chem., 17, 2203 (1978)
 1978MNa E Malakhov, V Nikolskii, I Gorelov; Zh.Obshch.Khim., 48, 2601 (1978)
 1978MSd P Mitchell, H Sigel; J.Am.Chem.Soc., 100, 1564 (1978)

1978MSh Yu Maletin,I Shcheka; Koord.Khim.4,1639 (1978)
 1978NLa V Novak,J Lukansky et al; Chem.Zvesti,32,32 (1978)
 1978NLb V Novak,J Lucansky,M Svicekova,J Majer; Chem.Zvesti,32,19 (1978)
 1978RMc K Rajan,S Mainer,J Davis; Bioinorg.Chem.,9,187 (1978)
 1978RRa P Reddy,K Reddy,M Khan; J.Inorg.Nucl.Chem.,40,1265 (1978)
 1978SGc Y Svetogorov,I Gorelov; Zh.Neorg.Khim.,23,1211(668) (1978)
 1978SKh V Solovev,V Kazachenko et al; Koord.Khim.,13(7)909 (1978)
 1978TSb K Timmers,R Sternglaz; Bioinorg.Chem.,9,145 (1978)
 1977ANb G Anderegg; Z.Naturforsch.,32B,547 (1977)
 1977EOa L Ekstrom,A Olin; Acta Chem.Scand.,A31,838 (1977)
 1977GNb I Gorelov,V Nikolskii; Zh.Obshch.Khim.,47,1696 (1977)
 1977HDa K Hanck,J Dillard; Anal.Chem.(USA),49,404 (1977)
 1977LPb V Loyola,R Pizer,R Wilkins; J.Am.Chem.Soc.,99,7185 (1977)
 1977LSc J Lehn,J Simon; Helv.Chim.Acta,60,141 (1977)
 1977MBa J Macaskill,R Bates; J.Phys.Chem.,81,496 (1977)
 1977MCa C Makridou,M Cromer-Morin,J-P Scharff; Bull.Soc.Chim.Fr.,59 (1977)
 1977MFb E Moyers,J Fritz; Anal.Chem.(USA),49,418 (1977)
 1977RLb S Rehfeld,H Loken,D Eatough; Thermochim.Acta,18,256 (1977)
 1977SGa B Sen,J Gibbons; J.Chem.Eng.Data,22,309 (1977)
 1977SIc H Sigel; J.Inorg.Nucl.Chem.,39,1903 (1977)
 1977SVa J da Silva,M Vaz; J.Inorg.Nucl.Chem.,39,613 (1977)
 1977VKb R Verbeeck,R Khan,H Thun; Bull.Soc.Chim.Belges,86,503 (1977)
 1977VLa P Vlek,W Lindsay; Soil Sci.Soc.Am.J.,41,42 (1977)
 1977WVa J Wagner,P Vitali et al; Can.J.Chem.,55,4028 (1977)
 1976ACc E Atlas,C Culberson,R Pytkowicz; Marine Chem.,4,243 (1976)
 1976ANb G Anderegg; Z.Naturforsch.31B,786 (1976)
 1976BAC A Bennett,F Adams; Soil Sci.Soc.Am.J.,40,39 (1976)
 1976CJa R Coates,M Jones; J.Inorg.Nucl.Chem.,38,1549 (1976)
 1976DGe P Dietsch,T Guenter,M Roehnel; Z.Naturforsch.31,661 (1976)
 1976FRb M Frydman et al; Chemica Scripta,10,152 (1976)
 1976ITa R Izatt,R Terry,D Nelson et al; J.Am.Chem.Soc.,98,7626 (1976)
 1976ITb R Izatt,R Terry,B Haymore et al; J.Am.Chem.Soc.,98,7620 (1976)
 1976JWa Z Jablonski,T Wasag,S Millo; Roczn.Chem.50,1467 (1976)
 1976KAa S Katayman; J.Solution Chem.,5,241 (1976)
 1976KFa A I Khokhlova,V A Fedorov; Zh.Neorg.Khim.21,2995 (1976)
 1976KLc E Kauffmann,J Lehn,J Sauvage; Helv.Chim.Acta,59,1099 (1976)
 1976KMD A Kereichuk,N Mokhnatova; Zh.Neorg.Khim.,21,1195 (1976)
 1976KOa U Klanning, Osterby; J.Chem.Soc.,Faraday Trans.I,72,513 (1976)
 1976KRa M Khan,P Reddy; J.Inorg.Nucl.Chem.,38,1234 (1976)
 1976KRb R Kobos,G Rechnitz; Arch.Biochem.Biophys.,175,11 (1976)
 1976MKa W McDowell,O Keller et al; J.Inorg.Nucl.Chem.,38,1207 (1976)
 1976MMA R Motekaitis,I Murase,A Martell; Inorg.Chem.,15,2303 (1976)
 1976NGb V Nikol'skii,I Gorelov; Zh.Neorg.Khim.,21,846 (1976)
 1976OWa J Owen; Biochim.Biophys.Acta,451,321 (1976)
 1976PAa S Parthasarathy,S Ambujavalli; Inorg.Chim.Acta,17,213 (1976)
 1976PSe L Pettit,K Siddiqui; Biochem.J.,159,169 (1976)
 1976REa E Reardon; Chem.Geol.,18,309 (1976)
 1976SBb R Stearns,A Berndt; J.Phys.Chem.,80,1060 (1976)
 1976SFb H Stetter,W Frank; Angew.Chem.,15,686 (1976)
 1976SSc R Sandhu,K Singh; Thermochim.Acta,17,325 (1976)

1976SSd S Sandhu, R Sandhu, J Kumaria; Indian J.Chem., 14A, 366 (1976)
 1976TTb L I Tikhonova, G I Tkacheva; Zh.Neorg.Khim. 21, 3264 (1976)
 1976TWa M Touche, D Williams; J.Chem.Soc., Dalton Trans., 1355 (1976)
 1976VBc V P Vasil'ev, A K Belonogova; Zh.Neorg.Khim. 21, 1225 (1976)
 1976VBe V Vasil'ev, A Belonogova; Zh.Neorg.Khim., 21, 55 (1976)
 1975AHa S Angyal, R Hickman; Australian J.Chem., 28, 1279 (1975)
 1975ANa G Anderegg; Helv.Chim.Acta, 58, 1218 (1975)
 1975APc G Anderegg, N Podder et al; J.Coord.Chem., 4, 267 (1975)
 1975CSb J Carr, D Swartzfager; J.Am.Chem.Soc., 97, 315 (1975)
 1975DNa A Das, V Nair; J.Inorg.Nucl.Chem., 37, 991 (1975)
 1975DNC A Das, V Nair; J.Inorg.Nucl.Chem., 37, 2121 (1975)
 1975DTa N Dyatlova, V Temkina; Koord.Khim., 1, 66 (1975)
 1975Ewa B Elgquist, M Wedborg; Marine Chem., 3, 215 (1975)
 1975FCC T Field, J Coburn, J McCourt, W McBryde; Anal.Chim.Acta, 74, 101 (1975)
 1975GNb I Gorelov, V M Nikol'skii; Zh.Neorg.Khim. 20, 1717 (1975)
 1975IMa J Inczedy, J Marothy; Acta Chim.Acad.Sci.Hung., 86, 1 (1975)
 1975JBa M Jones, A Banks, C Brown; J.Inorg.Nucl.Chem., 37, 761 (1975)
 1975JLa F Jackman, M Lister; J.Solution Chem., 4, 1023 (1975)
 1975JTa R Jellish, L Thompson; J.Coord.Chem., 4, 199 (1975)
 1975KGa A I Kapustnikov, I P Gorelov; Zh.Neorg.Khim. 20, 904 (1975)
 1975KIc L Kourbatova, A Ivakin, E Voronova; Koord.Khim., 1, 1481 (1975)
 1975LMD A Lazarev, Yu Makashev, V Mironov, B Lobov; Zh.Fiz.Khim., 49, 2258 (1975)
 1975LSc J Lehn, J Sauvage; J.Am.Chem.Soc., 97, 6700 (1975)
 1975LWb V Loyola, R Wilkins, R Rizer; J.Am.Chem.Soc., 97, 7382 (1975)
 1975MMc D MacMillan, I Murase, A Martell; Inorg.Chem., 14, 468 (1975)
 1975MRa Z Mighri, P Rumpf; Bull.Soc.Chim.Fr., 1155, 1160 (1975)
 1975MRb Z Mighri, P Rumpf; Bull.Soc.Chim.Fr., 689 (1975)
 1975NGa V Nikolskii, I Gorelov; Zh.Neorg.Khim., 20, 3191(1764) (1975)
 1975PJa T Pratt, M Jones; J.Inorg.Nucl.Chem., 37, 2403 (1975)
 1975POa J Podlahova; Collec.Czech.Chem.Comm., 40, 3306 (1975)
 1975RMA S Ramamoorthy, P Manning; J.Inorg.Nucl.Chem., 37, 363 (1975)
 1975SCd L Sucha, J Cadek, K Hrabek, J Vesely; Collec.Czech.Chem.Comm., 40, 2020 (1975)
 1975SLa A Serdyukova, A Lazarev et al; Zh.Neorg.Khim., 20, 536 (1975)
 1975SNa E Shchori, N Nae, J Jagur-Grodzinski; J.Chem.Soc., Dalton Trans. 2381 (1975)
 1975TRc M Taqui-Khan, P Reddy; J.Inorg.Nucl.Chem., 37, 771 (1975)
 1975YYa H Yokoyama, H Yamatera; Bull.Chem.Soc.Jpn., 48, 2708, 2719 (1975)
 1974ARA R Aruga; J.Inorg.Nucl.Chem., 36, 3779 (1974)
 1974BKd R Byrne, D Kester; J.Marine Research, 32, 119 (1974)
 1974FRf V Fedorov, A Robov, I Shmydko et al; Zh.Neorg.Khim., 19, 1746(E:950) (1974)
 1974GMe T Gregory, E Moreno, J Patel et al; J.Res.Nat.Bur.Stand., 78, A667 (1974)
 1974HIa G Hanania, S Israelian; J.Solution Chem., 3, 57 (1974)
 1974IGa A Ivakin, V Gurevich; Zh.Neorg.Khim., 19, 1309; 1655 (1974)
 1974JAb D Jagner; Anal.Chim.Acta, 68, 83 (1974)
 1974JBa M Jones, A Banks, C Brown; J.Inorg.Nucl.Chem., 36, 1833 (1974)
 1974JLa R Jacobson, D Langmuir; Geochim.Cosmo.Acta, 38, 301 (1974)
 1974KGa A Kapustnikov, I Gorelov; Zh.Neorg.Khim., 19, 3183(1742) (1974)
 1974KKa M Taqui-Khan, C Krishnamoorthy; J.Inorg.Nucl.Chem., 36, 711 (1974)
 1974KKc A Kreshkov, K Komarova, V Gorbachev; Elektrokhim., 10, 1082(E:1025) (1974)
 1974KMb M Kabachnik, T Medved et al; Izv.Akad.Nauk(USSR), 10, 2290 (1974)

1974KOa G Kura,S Ohashi,S Kura; J.Inorg.Nucl.Chem.,36 1605 (1974)
 1974KRd A Kireeva,M Rudomino,N Dyatlova; Zh.Obshch.Khim.,44,2637 (1974)
 1974LMb P Longhi,T Mussini,E Vaghi; Chimia e Industria,56,615 (1974)
 1974MDa S Malinin,V Dernov-Pegarev; Geokhim.,454 (1974)
 1974MEa J Meyer; Anal.Biochem.,62,295 (1974)
 1974MNb R MacDonald,N North; Can.J.Chem.,52,3181 (1974)
 1974MSa M Miyazaki,Y Shimoishi,H Miyata et al; J.Inorg.Nucl.Chem.,36,2033 (1974)
 1974PGa P Patel,T Gregory,W Brown; J.Res.Nat.Bur.Stand.,78,A675 (1974)
 1974PHc R Pytkowicz,J Hawley; Limnol.Oceanography,19,223 (1974)
 1974PMa L Plummer,F Mackenzie; Am.J.Sci.,274,61 (1974)
 1974RLa E Reardon,D Langmuir; Am.J.Sci.,274,599 (1974)
 1974RMf E Riecanova,J Majer,A Bumbalova,M Kalina; Chem.Zvesti,28,332 (1974)
 1974SSc P Santschi,P Schindler; J.Chem.Soc.,Dalton Trans.,181 (1974)
 1974YOa T Yoshino,H Okazaki,S Murakami,M Kagawa; Talanta,21,673;676 (1974)
 1973ADa G Armitage,H Dunsmore; J.Inorg.Nucl.Chem.,35,817 (1973)
 1973AIa R Ainsworth; J.Chem.Soc.,Faraday Trans.I,69,1028 (1973)
 1973APa A Advani,L Pettit; Chemistry-Biology Interactions,7,181 (1973)
 1973DSc E Dvorakova,M Struhar,J Majer et al; Chem.Zvesti,27,313 (1973)
 1973FJa O Forsberg,K Johansson et al; Chemica Scripta,3,153 (1973)
 1973FSb B Finlayson,A Smith; J.Chem.Eng.Data,18,368 (1973)
 1973HRA E Hansen,J Ruzicka; Talanta,20,1105 (1973)
 1973HTb H Hull,A Turnbull; Geochim.Cosmo.Acta,37,685 (1973)
 1973ICa S Ingle,C Culberson et al; Marine Chem.,1,295 (1973)
 1973KYa R Kalyanaraman,L Yeatts,W Marshall; J.Chem.Thermodyn.,5,899 (1973)
 1973MAb M Mashihara,T Ando,I Murase; Bull.Chem.Soc.Jpn.,46,844 (1973)
 1973POa H Powell; J.Chem.Soc.,Dalton Trans.,1947 (1973)
 1973SCd H Steger,A Corsini; J.Inorg.Nucl.Chem.,35,1621 (1973)
 1973SFa S Shimokawa,H Fukui,J Sohma,K Hotta; J.Am.Chem.Soc.,95,1777 (1973)
 1973TKa M Taqui-Khan,C Krishnamoorthy; J.Inorg.Nucl.Chem.,35,1285 (1973)
 1973TRa M Taqui-Khan,P Reddy; J.Inorg.Nucl.Chem.,35,179 (1973)
 1973TRb M Taqui-Khan,P Reddy; J.Inorg.Nucl.Chem.,35,2813;2821 (1973)
 1973UWb E Uhlig,D Walther; Z.Anorg.Allg.Chem.,397,187 (1973)
 1973VIb N Voronina,A Ivakin,I Podgornaya et al; Zh.Obshch.Khim.,43,3,632 (1973)
 1972ADa G Armitage,H Dunsmore; J.Inorg.Nucl.Chem.,34,2811 (1972)
 1972COa E Constantinescu; Rev.Roumaine Chim.,17,1819 (1972)
 1972DHa D Dyrssen,I Hansson; Marine Chem.,1,137 (1972)
 1972DKa E Dvorakova,B Kopecka,J Majer et al; Chem.Zvesti,26,316 (1972)
 1972EMa A Ellis,I McFadden; Geochim.Cosmo.Acta,36,413 (1972)
 1972GBd I Gorelov,V Babich; Zh.Neorg.Khim.,17,641 (1972)
 1972GBc I Gorelov,V Babich; Zh.Obshch.Khim.,42,434 (1972)
 1972HUa T Hata,T Uno; Bull.Chem.Soc.Jpn.,45,2497 (1972)
 1972HUb T Hata,T Uno; Bull.Chem.Soc.Jpn.,45,477;2497 (1972)
 1972ISa I Inada,K Shimizu,J Osugi; Rev.Phys.Chem.Japan,42,1 (1972)
 1972JMa F Jordan,B McFarquhar; J.Am.Chem.Soc.,94,6557 (1972)
 1972KKb K Khlystova,V Korshunov; Elektrokhim.,8,1540(E:1506) (1972)
 1972LPa P Lumme,K Ponkala,K Nieminen; Suomen Kem.,B45,105 (1972)
 1972LUC P Lumme; Suomen Kem.,B45,27 (1972)
 1972MCb G Manku,R Chadha,N Nayar,M Sethi; J.Inorg.Nucl.Chem.,34,1091 (1972)
 1972MRb M Mohan,G Rechnitz; J.Am.Chem.Soc.,94,1714 (1972)
 1972MVA O Martynova,L Vasina et al; Dokl.Akad.Nauk SSSR,202,1337(E:173) (1972)

1972NAe F Nakayama; Soil Sci.,113,456 (1972)
 1972PIa K Pitzer; J.Chem.Soc.,Faraday Trans.II,68,101 (1972)
 1972RBa D Rorabacher,B Blencoe,D Parker; Anal.Chem.,44,2339 (1972)
 1972WFa H Wada,Q Fernando; Anal.Chem.,44,1640 (1972)
 1972YMa L Yeatts,W Marshall; J.Chem.Eng.Data,17,163 (1972)
 1972ZMa A Zhidikova,S Malinin; Geokhim.,28 (1972)
 1971BHc A Bond,G Hefter; J.Inorg.Nucl.Chem.,33,429 (1971)
 1971CHb C Childs; Can.J.Chem.,49,2359 (1971)
 1971Cva J Cadek,J Vesely,Z Sulcek; Collec.Czech.Chem.Comm.,36,3377 (1971)
 1971GBc I Gorelov,V Babich; Zh.Neorg.Khim.,16,4,902 (1971)
 1971GCa R Grabenstetter,W Cilley; J.Phys.Chem.,75,676 (1971)
 1971HRA M Heyde,L Rimai; Biochemistry,10,1121 (1971)
 1971KBc A Kosak,W Ballczo; Fresenius' Z.Anal.Chem.,253,188 (1971)
 1971KMa K Kina,H Miyata,K Toei; Bull.Chem.Soc.Jpn.,44,2710 (1971)
 1971KMb T Katayama,H Miyata,K Toei; Bull.Chem.Soc.Jpn.,44,2712 (1971)
 1971KSa J Klinman,D Samuel; Biochemistry,10,2126 (1971)
 1971KTc K Kina,K Toei; Bull.Chem.Soc.Jpn.,44,2416 (1971)
 1971KTL I Kiseleva,L Tikhonova,L Ivanova et al; Zh.Obshch.Khim.,41,12,2599 (1971)
 1971LAa D Langmuir; Geochim.Cosmo.Acta,35,1023 (1971)
 1971LSb P Lingaiah,E Sundaram; J.Indian Chem.Soc.,48,961 (1971)
 1971MAa G Manku; Australian J.Chem.,24,925 (1971)
 1971MBb H McDowell,W Brown,J Sutter; Inorg.Chem.,10,1638 (1971)
 1971MPc T Mussini,A Pagella; J.Chem.Eng.Data,16,49 (1971)
 1971Mva O Martynova,L Vasina et al; Dokl.Akad.Nauk SSSR,201,1110(E:1022) (1971)
 1971PSf E Pazukhin,G Sterlyadkina; Zh.Neorg.Khim.,16,4,1155 (1971)
 1971SEa I Shikhova,M Ermakova,N Latosh; Zh.Obshch.Khim.,41,6,1329 (1971)
 1971TIa L Tikhonova,L Ivanova; Zh.Neorg.Khim.,16,5,1238 (1971)
 1971TKc M Taqui-Khan,C Krishnamoorthy; J.Inorg.Nucl.Chem.,33,1417 (1971)
 1971TRa M Taqui-Khan,P Reddy; J.Inorg.Nucl.Chem.,33,1427 (1971)
 1971WIa B Wiers; Inorg.Chem.,10,2581 (1971)
 1971WNC M Wozniak,J Nicole,G Tridot; Compt.Rend.,272C,635 (1971)
 1971YBa R Yount,D Babcock,W Ballantyne et al; Biochemistry,10,2484 (1971)
 1970AIa A Advani,H Irving,L Pettit; J.Chem.Soc.(A),2649 (1970)
 1970AMA G Anderegg,S Malik; Helv.Chim.Acta,53,564;577 (1970)
 1970BSg P Briggs,D Satchell,G White; J.Chem.Soc.(B),1008 (1970)
 1970BTa J Bunting,K Thong; Can.J.Chem.,48,1654 (1970)
 1970CHc C Childs; Inorg.Chem.,9,2465 (1970)
 1970CMc E Clarke,A Martell; J.Inorg.Nucl.Chem.,32,911 (1970)
 1970DKa E Dvorakova,B Kopecka,J Majer et al; Chem.Zvesti,26,316 (1970)
 1970ELd B Elgquist; J.Inorg.Nucl.Chem.,32,937 (1970)
 1970GGB A Gardner,E Glueckauf; Trans.Faraday Soc.,66,1081 (1970)
 1970GMg T Gregory,E Moreno,W Brown; J.Res.Nat.Bur.Stand.,74,A461 (1970)
 1970GNC R Ghosh,V Nair; J.Inorg.Nucl.Chem.,32,3025;3033;3041 (1970)
 1970HKA Y Hasegawa,H Kawashima et al; Bull.Chem.Soc.Jpn.,43,1718 (1970)
 1970HOa M Hirai,Y Oka; Bull.Chem.Soc.Jpn.,43,778 (1970)
 1970KBd R Knyazeva,V Belmas; Zh.Neorg.Khim.,15,2564(E:1327) (1970)
 1970KLF I Kaganskii,N Lopatina; Zh.Neorg.Khim.,15,9,2333 (1970)
 1970LAC G Lafon; Geochim.Cosmo.Acta,34,935 (1970)
 1970LAe J Larson; J.Phys.Chem.,74,3392 (1970)

1970LNd Sung-Tsuen Liu,G Nancollas; J.Crystal Growth6,281 (1970)
 1970MAa H Madsen; Acta Chem.Scand.,24,1671 (1970)
 1970MAB S Malinin; Geokhim.,540 (1970)
 1970SPg A Stepanov,E Pazukhin; Zh.Neorg.Khim.,15,5,1483 (1970)
 1970TIa L Tikhonova; Radiokhim.,12,3,519 (1970)
 1970TNa G Tridot,S Nicole,M Wozniak; Chim.Anal.(Paris),52,265 (1970)
 1970TTb N Tsirolnikova,V Temkina et al; Zh.Anal.Khim.,25,5,839 (1970)
 1970YKa T Yano,H Kobayashi,K Ueno; Bull.Chem.Soc.Jpn.,43,3167 (1970)
 1969ALa A Aziz,S Lyle; Anal.Chim.Acta,47,49 (1969)
 1969ALb G Anderegg,W van der Linden; Chimia,23,191 (1969)
 1969ASb S Arslanova,A Sorochan,M Senyavin et al; Uzbeksk.Khim.Zh.,4,32 (1969)
 1969BMA J Bousquet,D Mathurin,P Vermande; Bull.Soc.Chim.Fr.,1111 (1969)
 1969BMB F Boschreig,F Marti; Inform.Quim.Anal.,23,5 (1969)
 1969DIa D Dyrssen,E Ivanova,K Aren; Vestnik Moskov Univ.,24,1,41 (1969)
 1969DMd N Dyatlova,V Medyntsev,T Balashova et al; Zh.Obshch.Khim.,39,329 (1969)
 1969GKb I Gorelov,M Kolosova; Zh.Neorg.Khim.,14,10,2687 (1969)
 1969GSb S Ghosh,A Sarkar,S Mukherjee; J.Indian Chem.Soc.,46,784 (1969)
 1969HEa H Helgeson; Am.J.Sci.,267,729 (1969)
 1969HOD G Horn; Radex Rundschau,439 (1969)
 1969HPa J Hawley,R Pytkowicz; Geochim.Cosmo.Acta,33,1557 (1969)
 1969HRA H Hendrickson,J Reinertsen; Biochemistry,8,4855 (1969)
 1969IEa R Izatt,D Eatough,J Christensen et al; J.Chem.Soc.(A),45;47 (1969)
 1969MNa R Marshall,G Nancollas; J.Phys.Chem.,73,3838 (1969)
 1969NDA V Novak,E Dvorakova,J Majer; Chem.Zvesti,23,161 (1969)
 1969NDb V Novak,E Dvorakova,M Svicekova et al; Chem.Zvesti,23,330 (1969)
 1969NDc V Novak,E Dvorakova,M Svicekova et al; Chem.Zvesti,23,861 (1969)
 1969PKb M Pivonkova,M Kyrs; J.Inorg.Nucl.Chem.,31,175 (1969)
 1969PSa S Patil,H Sharma; Can.J.Chem.,47,3851 (1969)
 1969RMA B Rodriguez,A Mederos; An.Quim.,65,557 (1969)
 1969SSc F Snavely,D Sweigart; Inorg.Chem.,8,1659 (1969)
 1969TIa L Tikhonova; Zh.Neorg.Khim.,14,9,2368 (1969)
 1969VPA E Verdier,J Piro; Ann.Chim.,(France),4,213 (1969)
 1969WKA J Watters,S Kalliney,R Machen; J.Inorg.Nucl.Chem.,31,3817;3823 (1969)
 1969YMB L Yeatts,W Marshall; J.Phys.Chem.,73,81 (1969)
 1969ZSa V Zebic,D Skaric,V Skaric; Croat.Chem.Acta,41,235 (1969)
 1968BUC J Butler; J.Electroanal.Chem.,17,309 (1968)
 1968CHA J Carron,J Hennion,J Nicole,G Tridot; Chim.Anal.(Paris),50,455 (1968)
 1968CIA R Carroll,R Irani; J.Inorg.Nucl.Chem.,30,2971 (1968)
 1968CLd A Carson,P Laye,P Smith; J.Chem.Soc.(A),141,1384 (1968)
 1968CMc A Chughtai,R Marshall,G Nancollas; J.Phys.Chem.,72,208 (1968)
 1968GFD A Gordievskii,E Filippov et al; Zh.Fiz.Khim.,42,1998 (1968)
 1968GLc R Gustafson,J Lirio; J.Phys.Chem.,72,1502 (1968)
 1968KRa I Khodakovskii,B Ryzhenko,G Naumov; Geokhim.,1486 (1968)
 1968KSA J Kuempe,W Schaap; Inorg.Chem.,7,2435 (1968)
 1968KTD S Kundra,L Thompson; J.Inorg.Nucl.Chem.,30,1847 (1968)
 1968LGA E Lapitskaya,F Gorbenko; Radiokhim.,10,90 (1968)
 1968LKA E Lapitskaya,E Kuchkina,F Gorbenko; Zh.Neorg.Khim.,13,2774 (1968)
 1968LWA D Leyden,J Whidley; Anal.Chim.Acta,42,271 (1968)
 1968MJA J Majer,V Jokl,E Dvorakova et al; Chem.Zvesti,22,415 (1968)
 1968MMb Y Moriguchi,M Miyazaki,K Ueno; Bull.Chem.Soc.Jpn.,41,1344 (1968)

1968MRb J Majer, E Riećanska; Chem.Zvesti, 22, 15 (1968)
 1968MSd W Marshall, R Slusher; J.Chem.Eng.Data, 13, 83 (1968)
 1968NAa F Nakayama; Soil Sci., 106, 429 (1968)
 1968NMB S Nakashima, H Miyata, K Toei; Bull.Chem.Soc.Jpn., 41, 2632 (1968)
 1968NPb G Nancollas, A Park; Inorg.Chem., 7, 58 (1968)
 1968OVA G Ostacoli, A Vanni, E Roletto; Ricerca Sci., 38, 318 (1968)
 1968RVA R Ripan, G Vericeanu; Stud.Univ.Babes-Bolyai, 13, 31 (1968)
 1968SMB K Suzuki, T Mattori, K Yamasaki; J.Inorg.Nucl.Chem., 30, 161 (1968)
 1968TIA L Tikhonova; Zh.Neorg.Khim., 13, 10, 2687 (1968)
 1968TRA T Tang, K Rajan, N Greca; Biophys.J., 8, 1458 (1968)
 1968TWA S Tanner, J Walker, G Choppin; J.Inorg.Nucl.Chem., 30, 2067 (1968)
 1968VGA B Voigt, A Gabert, E Leibnitz; J.Prakt.Chem., 37, 283 (1968)
 1968WMC J Watters, R Machen; J.Inorg.Nucl.Chem., 30, 2163 (1968)
 1968WRA H Wikberg, A Ringbom; Suomen Kem., B41, 177 (1968)
 1967BHD J Butler, R Huston; J.Phys.Chem., 71, 4479 (1967)
 1967BMC B Budesinsky, K Maas, A Besdekova; Collec.Czech.Chem.Comm., 32, 1528 (1967)
 1967BMD T Bohigian, A Martell; J.Am.Chem.Soc., 89, 832 (1967)
 1967CCA R Carter, R Carroll, R Irani; Inorg.Chem., 1962, 6, 939 (1967)
 1967CCb R Carter, R Carroll, R Irani; Inorg.Chem., 6, 939 (1967)
 1967CCC R Carter, M Crutchfield, R Irani; Inorg.Chem., 6, 943 (1967)
 1967CMC R Carroll, R Mesmer; Inorg.Chem., 6, 1137 (1967)
 1967DSb N Dyatlova, I Seliverstova, O Samoilova; Proc.Acad.Sci.(USSR), 172, 4 (94) (1967)
 1967GDb B Gupta, Y Dutt, R Singh; Indian J.Chem., 5, 214; 322 (1967)
 1967HEa M Herlem; Bull.Soc.Chim.Fr., 1687 (1967)
 1967HEb H Helgeson; J.Phys.Chem., 71, 3121 (1967)
 1967HMA Y Hasegawa, K Maki, T Sekine; Bull.Chem.Soc.Jpn., 40, 1845 (1967)
 1967KDa M Kabachnik, I Dyatlova, T Medved; Proc.Acad.Sci.(USSR), 175, 621 (351) (1967)
 1967KLa M Kabachnik, R Lastovskii, T Medved; Proc.Acad.Sci.(USSR), 177, 1060 (582) (1967)
 1967LMd F L'Eplattenier, I Murase, A Martell; J.Am.Chem.Soc., 89, 837 (1967)
 1967NPb G Nickless, F Pollard, T Samuelson; Anal.Chim.Acta, 39, 37 (1967)
 1967NRA F Nakayama, B Rasnick; Anal.Chem., 39, 1022 (1967)
 1967OTb N Okaku, K Toyoda, Y Moriguchi, K Ueno; Bull.Chem.Soc.Jpn., 40, 2326 (1967)
 1967RMD Y Rutkovskii, V Mironov; Zh.Neorg.Khim., 12, 3287 (1967)
 1967TMF M Taqui-Khan, A Martell; J.Am.Chem.Soc., 89, 5585; 7104 (1967)
 1967UKa E Uhlig, R Krannich; J.Inorg.Nucl.Chem., 29, 1164 (1967)
 1967WBA A Walton, W Bodin, H Furedi, A Schwartz; Can.J.Chem., 45, 2695 (1967)
 1967YMA L Yeatts, W Marshall; J.Phys.Chem., 71, 2641 (1967)
 1966AKA M Abramson, R Katzman, H Gregor, R Curci; Biochemistry, 5, 2207 (1966)
 1966BSe W Bennett, D Skovlin; J.Inorg.Nucl.Chem., 28, 591 (1966)
 1966BTa W Broecker, T Takahashi; J.Geophys.Res., 71, 1575 (1966)
 1966HEa R Hering; J.Prakt.Chem., 34, 69 (1966)
 1966IMa H Irving, M Miles; J.Chem.Soc.(A), 1268 (1966)
 1966IMb H Irving, M Miles; J.Chem.Soc.(A), 727 (1966)
 1966IPa H Irving, R Parkins; J.Inorg.Nucl.Chem., 28, 1629 (1966)
 1966KLc H Kroll, M Lipson, E Bolton; US AEC - Report TID, 22717, March 11, 1966 (1966)

1966MBb W Masterton, L Berka; J.Phys.Chem., 70, 1924 (1966)
 1966MGB E Moreno, T Gregory, W Brown; J.Res.Nat.Bur.Stand., 70, 545 (1966)
 1966MJa W Marshall, E Jones; J.Phys.Chem., 70, 4028 (1966)
 1966MKb J Majer, M Kotoucek, E Dvorakova; Chem.Zvesti, 20, 242 (1966)
 1966MSe W Marshall, R Slusher; J.Phys.Chem., 70, 4015 (1966)
 1966NSa G Nichugovskii, V Shvedov; Radiokhim., 8, 118 (1966)
 1966OCb G Ostacoli, E Campi, A Vanni, E Roletto; Ricerca Sci., 36, 427 (1966)
 1966OJa C Oestreich, M Jones; Biochemistry, 5, 2926 (1966)
 1966PMA C Postmus, L Magnusson, C Craig; Inorg.Chem., 5, 1154 (1966)
 1966SHc G Shtacher; J.Inorg.Nucl.Chem., 28, 845 (1966)
 1966SIb P Souchay, N Israili, P Gouzerh; Bull.Soc.Chim.Fr., 12, 3917 (1966)
 1966SYa K Suzuki, K Yamasaki; J.Inorg.Nucl.Chem., 28, 473 (1966)
 1966TKa L Thompson, S Kundra; J.Inorg.Nucl.Chem., 28, 2945 (1966)
 1966TMb M Taqui-Khan, A Martell; J.Am.Chem.Soc., 88, 668 (1966)
 1966Wfa H Waki, J Fritz; J.Inorg.Nucl.Chem., 28, 577 (1966)
 1965ABa G Anderegg, E Bottari; Helv.Chim.Acta, 48, 887 (1965)
 1965AKa M Abramson, R Katzman, R Curci; J.Colloid Interface Sci., 20, 777 (1965)
 1965ANA G Anderegg; Helv.Chim.Acta, 48, 1712; 1718; 1722 (1965)
 1965AUa T Ando, K Ueno; Inorg.Chem., 4, 375 (1965)
 1965BBb A Besdekova, B Budesinsky; Collec.Czech.Chem.Comm., 30, 811; 818 (1965)
 1965BBE S Boyd, A Bryson, G Nancollas, K Torrance; J.Chem.Soc., 7353 (1965)
 1965BMf T Bohigian, A Martell; Inorg.Chem., 4, 1264 (1965)
 1965BRb H Britzinger; Helv.Chim.Acta, 48, 47 (1965)
 1965CDa B Carlquist, D Dyrssen; Acta Chem.Scand., 19, 1293 (1965)
 1965CTa R Cournaud, B Tremillon; Bull.Soc.Chim.Fr., 752 (1965)
 1965DKb N Dyatlova, M Kabachnik, T Medved; Proc.Acad.Sci.(USSR), 161, 307 (1965)
 (1965)
 1965GCa S Greenberg, T Chang; J.Phys.Chem., 69, 182 (1965)
 1965HFa H Hendrickson, J Fullington; Biochemistry, 1965, 4, 1599 (1965)
 1965HFb H Henderson, J Fullington; Biochemistry, 4, 1599 (1965)
 1965Hwd H Hopkins, C Wulff; J.Phys.Chem., 69, 6 (1965)
 1965JMb V Jokl, J Majer; Chem.Zvesti, 19, 249; 281 (1965)
 1965LCa R Lacoste, G Christoffers, A Martell; J.Am.Chem.Soc., 87, 2385 (1965)
 1965LIb K Lieser; Z.Anorg.Chem., 335, 225 (1965)
 1965SIa H Sigel; Helv.Chim.Acta, 48, 1513, 1519 (1965)
 1965SMh F Snavely, W Magen, D Kozart; J.Inorg.Nucl.Chem., 27, 679 (1965)
 1965Tic L Tikhonova; Zh.Neorg.Khim., 10, 70 (1965)
 1965TPa N Tripathy, R Patnaik; J.Indian Chem.Soc., 42, 712 (1965)
 1965VTa F Verbeek, H Thun; Anal.Chim.Acta, 33, 378 (1965)
 1965WHa D Wright, J Holloway, C Reilly; Anal.Chem., 37, 884 (1965)
 1965WRa S Westerback, K Rajan, A Martell; J.Am.Chem.Soc., 87, 2567 (1965)
 1964AMa D Archer, C Monk; J.Chem.Soc., 3117 (1964)
 1964ANA G Anderegg; Helv.Chim.Acta, 47, 1801 (1964)
 1964BBa E Blasius, B Brazio; Ber.Buns.Phys.Chem., 68, 52 (1964)
 1964BBE E Blasius, B Brozio; J.Electrochem.Soc., 68, 52 (1964)
 1964COB E Campi, G Ostacoli, M Meirone, G Saini; J.Inorg.Nucl.Chem., 26, 553 (1964)
 1964DRb V Deitz, H Rootare, F Carpenter; J.Colloid Sci., 19, 87 (1964)
 1964DSc N Dyatlova, I Seliverstova, V Yashunskii; Zh.Obshch.Khim., 34, 4061 (1964)
 (1964)
 1964EMb H Ellison, A Martell; J.Inorg.Nucl.Chem., 26, 1555 (1964)

1964HDa J Hull,R Davies,L Staveley; J.Chem.Soc.,5422 (1964)
 1964HPb R Hester,R Plane; J.Chim.Phys.,40,411 (1964)
 1964KLa O Kolling,J Lambert; Inorg.Chem.,3,202 (1964)
 1964LAa F L'Eplattenier,G Anderegg; Helv.Chim.Acta,47,1792 (1964)
 1964LMa G Lenz,A Martell; Biochemistry,3,745;750 (1964)
 1964MSe W Marshall,R Slusher,E Jones; J.Chem.Eng.Data,9,187 (1964)
 1964MTc Y Murakami,M Takagi; Bull.Chem.Soc.Jpn.,37,268 (1964)
 1964OPa W O'Sullivan,D Perrin; Biochemistry,3,18 (1964)
 1964PCa Personal Communication etc; Chem.Soc.Spec.Publ.,no.17 (1964)
 1964SBa H Sigel,H Brintzinger; Helv.Chim.Acta,47,1701 (1964)
 1964STa V Skaric,V Turjak,M Branica et al; Croat.Chem.Acta,36,221 (1964)
 1963AEa G Anderegg,F L'Eplattenier,Schwarzenbach; Helv.Chim.Acta,46,1390,1400;
 1409 (1963)
 1963ANa T Ando; Bull.Chem.Soc.Jpn.,36,1593 (1963)
 1963ANb G Anderegg; Helv.Chim.Acta,46,1833;2813 (1963)
 1963AND G Anderegg; Helv.Chim.Acta,46,1011 (1963)
 1963ANF G Anderegg; Helv.Chim.Acta,46;1833 (1963)
 1963ANG G Anderegg; Helv.Chim.Acta,46,2397 (1963)
 1963CAa E Campi; Ann.Chim.(Italy),53,96 (1963)
 1963ELa E Ellis; Am.J.Sci.,261,259 (1963)
 1963GHa J Grimes,A Huggard,S Wilford; J.Inorg.Nucl.Chem.,25,1225 (1963)
 1963GRb I Greenwald; J.Phys.Chem.,67,2853 (1963)
 1963HSb K Hsu; J.Hydrology,1,288 (1963)
 1963IFa H Irving,J Frausto da Silva; J.Chem.Soc.,1144 (1963)
 1963IFb H Irving,J Frausto da Silva; J.Chem.Soc.,448;458;3308 (1963)
 1963IFc H Irving,J Frausto da Silva; J.Chem.Soc.,945 (1963)
 1963IPa H Irving,L Pettit; J.Chem.Soc.,1546 (1963)
 1963IPb H Irving,L Pettit; J.Chem.Soc.,3051 (1963)
 1963KEa H Kroll,V Elkind,R Davis; US AEC - Report TID,19989,Dec.9 (1963)
 1963MDa J Majer,E Dvorakova; Chem.Zvesti,17,402 (1963)
 1963MNC Y Murakami,K Nakamura,M Tokunaga; Bull.Chem.Soc.Jpn.,36,669 (1963)
 1963SBd H Sigel,H Brintzinger; Helv.Chim.Acta,46,701;712 (1963)
 1963STc J Stary; Anal.Chim.Acta,28,132 (1963)
 1963TAa Y Tsuchitani,T Ando,K Ueno; Bull.Chem.Soc.Jpn.,36,1534 (1963)
 1963VVa V Vasilev,V Vasileva et al; Izv.VUZ.Khim.,6,339 (1963)
 1962AMa H Asai,M Morales; Arch.Biochem.Biophys.,99,383 (1962)
 1962ANa T Ando; Bull.Chem.Soc.Jpn.,35,1395 (1962)
 1962CRa E Coates,B Rigg; Trans.Faraday Society,58,88;2058 (1962)
 1962DYa D Dyrssen; Trans.Roy.Inst.Tech.(Stockholm),188;1962 (1962)
 1962FEa T Farr,K Elmore; J.Phys.Chem.,66,315 (1962)
 1962GTa R Garrels,M Thompson; Am.J.Sci.,260,57 (1962)
 1962HEa R Hester; Thesis,Cornell Univ.Microf.62-5969 (1962)
 1962HKA R Hering,W Kruger,G Kuhn; Z.Chem.,2,374 (1962)
 1962IMb R Irani,K Moedritzer; J.Phys.Chem.,66,1349 (1962)
 1962JTa B Jakuszewski,S Taniewska-Osinska; Roczn.Chem.,36,329 (1962)
 1962MEa V la Mer; J.Phys.Chem.,66,973 (1962)
 1962MFb T Moeller,R Ferrus; Inorg.Chem.,1,55 (1962)
 1962OSa R Osterberg; Acta Chem.Scand.,16,2434 (1962)
 1962RAa G Ross,D Aikens,C Reilly; Anal.Chem.,34,1766 (1962)
 1962RDa H Rootare,V Deitz,F Carpenter; J.Colloid Interface Sci.,17,179 (1962)

1962RKa A Roppongi, T Kato; Bull.Chem.Soc.Jpn., 35, 1086; 1092 (1962)
 1962SCc F Snaveley, G Craver; Inorg.Chem., 1, 890 (1962)
 1962SEa S Smyshlyaev, N Edeleva; Isvest.VUZ.Khim., 5, 871 (1962)
 1962SHb E Segnit, H Holland, C Biscardi; Geochim.Cosmo.Acta, 26, 1301 (1962)
 1962TMa M Taqui-Khan, A Martell; J.Am.Chem.Soc., 84, 3037 (1962)
 1962TMb M Taqui-Khan, A Martell; J.Phys.Chem., 66, 10 (1962)
 1961BMb M Boulet, J Marier; Arch.Biochem.Biophys., 93, 157 (1961)
 1961BRa J Brush; Anal.Chem., 33, 798 (1961)
 1961COd B Carell, A Olin; Acta Chem.Scand., 15, 727 (1961)
 1961ICa R Irani, C Callis; J.Phys.Chem., 65, 296; 934 (1961)
 1961ISa H Irving, M Stacey; J.Chem.Soc., 2019 (1961)
 1961KCa S Kongpricha, A Clifford; J.Inorg.Nucl.Chem., 18, 270 (1961)
 1961KEa H Kroll, V Elkind, R Davis; US AEC - Report TID, 14373 (1961)
 1961KGa H Kroll, M Gordon; Fed.Proc., 20, No3, Part II, 51 (1961)
 1961MFb T Moeller, R Ferrus; J.Inorg.Nucl.Chem., 20, 261 (1961)
 1961NAa L Nanninga; Biochim.Biophys.Acta, 54, 330 (1961)
 1961PPa R Patnaik, S Pani; J.Indian Chem.Soc., 38, 229, 364/79, 709, 896 (1961)
 1961SOB G Saini, G Ostacoli, E Campi, N Cibrario; Gazz.Chim.Ital., 91, 242 (1961)
 1961VLc F Vlacil; Collec.Czech.Chem.Comm., 26, 650; 658 (1961)
 1961WAa M Walser; J.Phys.Chem., 65, 159 (1961)
 1960ANb G Anderegg; Helv.Chim.Acta, 43, 414 (1960)
 1960BGB G Bianucci, L Ghiringhelli; Ann.Chim., (Italy), 50, 99 (1960)
 1960BMb T Bohigian, A Martell; Prog.Rep.US Atom.En.Comm.Con.At30-1-1823 (1960)
 1960BMc T Bohigian, A Martell; US Comm.Con.no AT(30-1), -1823, Prog.Rep (1960)
 1960DEa H Diehl, J Ellingboe; Anal.Chem., 32, 1120 (1960)
 1960GCa S Greenberg, L Copeland; J.Phys.Chem., 64, 1057 (1960)
 1960GCB S Greenberg, T Chang, E Anderson; J.Phys.Chem., 64, 1151 (1960)
 1960HRA J Holloway, C Reilly; Anal.Chem., 32, 249 (1960)
 1960ICa R Irani, C Callis; J.Phys.Chem., 64, 1398 (1960)
 1960KAb G Kortum, K Andrussov; Z.Phys.Chem., 25, 21 (1960)
 1960KGa H Kroll, M Gordon; Ann.New York Acad.Sci., 88, 341 (1960)
 1960LUB P Lumme; Suomen Kem., B33, 85; 87 (1960)
 1960MBa E Moreno, W Brown, G Osborn; Proc.Soil Sci.Soc.Amer., 24, 94; 99 (1960)
 1960MMA R Mooney, G Meisenhelter; J.Chem.Eng.Data, 5, 373 (1960)
 1960MSb N Matorina, N Safonova; Zh.Neorg.Khim., 5, 151 (313) (1960)
 1960REb A Rescigno; Ann.Chim., (Italy), 50, 365 (1960)
 1960SAC J Schubert, G Anderegg, G Schwarzenbach; Helv.Chim.Acta, 43, 610 (1960)
 1960SRb A Sukhotin, E Ryzhkov; Zh.Fiz.Khim., 34, 2748 (1960)
 1960WAA E Wanninen; Acta Acad.Aboensias, XXI, 17 (1960)
 1959AND G Anderegg, P Nageli, F Muller et al; Helv.Chim.Acta, 42, 827 (1959)
 1959BBc R Bates, V Bower, R Canham et al; Trans.Faraday Society, 55, 2062 (1959)
 1959BUa K Burton; Biochem.J., 71, 388 (1959)
 1959BYa C Banks, R Yerick; Anal.Chim.Acta, 20, 301 (1959)
 1959CFc S Chaberek, A Frost, M Doran, N Bicknell; J.Inorg.Nucl.Chem., 11, 184 (1959)
 1959ELb A Ellis; Am.J.Sci., 257; 287; 354 (1959)
 1959KRa H Kroll; US AEC - Contract(30-1), 2096, Annual Rept (1959)
 1959KRd J Kramer; J.Sediment Petrol., 29, 465 (1959)
 1959OKb A Okac, Z Kolarik; Collec.Czech.Chem.Comm., 24, 266 (1959)
 1959OSa R Osterberg; Ark.Kemi., 13, 393 (Nature, 1957, 179, 476) (1959)
 1959PEc D Perrin; J.Chem.Soc., 290 (1959)

1959RSb C Reilly, R Schmid; *Anal. Chem.*, 31, 887 (1959)
 1959SSb N Selivanova, V Shneider; *Isvest. VUZ. Khim.*, 2, 475; 651 (1959)
 1959WLa J Watters, S Lambert; *J. Am. Chem. Soc.*, 81, 3201 (1959)
 1959WOa J Wolhoff, J Overbeek; *Rec. Trav. Chim.*, 78, 759 (1959)
 1958AKa M Akabane, A Kurosawa; *J. Chem. Soc. Jpn.*, 61, 303 (1958)
 1958DIb F Duke, M Iverson; *J. Am. Chem. Soc.*, 80, 5061 (1958)
 1958DRa E Durham, D Ryskiewick; *J. Am. Chem. Soc.*, 80, 4813 (1958)
 1958FFa A Frost, H Freedman, S Westerbäck et al; *J. Am. Chem. Soc.*, 80, 530 (1958)
 1958FNa M Frydman, G Nilsson, T Rengemo, L Sillen; *Acta Chem. Scand.*, 12, 878 (1958)
 1958GHC E Gelles, R Hay; *J. Chem. Soc.*, 3673; 3684; 3689 (1958)
 1958ISa H Irving, R Shelton, R Evans; *J. Chem. Soc.*, 3540 (1958)
 1958LUa P Lumme; *Suomen Kem.*, B31, 232; 250; 253 (1958)
 1958MHa C Muldrow, L Hepler; *J. Phys. Chem.*, 62, 982 (1958)
 1958NRA G Nilsson, T Rengemo, L Sillen; *Acta Chem. Scand.*, 12, 868 (1958)
 1958OMB N Ockerbloom, A Martell; *J. Am. Chem. Soc.*, 80, 2351 (1958)
 1958RBA T Rengemo, U Brune, L Sillen; *Acta Chem. Scand.*, 12, 873 (1958)
 1958SEb N Selivanova; *Zh. Fiz. Khim.*, 32, 1277 (1958)
 1958SSb V Spitsyn, I Savich; *Zh. Neorg. Khim.*, 3, 1979 (1958)
 1958Tia A Tikhonov; *Zh. Neorg. Khim.*, 3, 296 (1958)
 1958WAa E Walaas; *Acta Chem. Scand.*, 12, 528 (1958)
 1958YYa M Yasuda, K Yamasaki; *Naturwissenschaft*, 45, 84 (1958)
 1957BAa P Barton; *Econ. Geol.*, 52, 333 (1957)
 1957Cwa N Clark, B Willoford; *J. Am. Chem. Soc.*, 79, 1296 (1957)
 1957ELa E Egan, B Luff, Z Wakefield; *J. Am. Chem. Soc.*, 79, 2696 (1957)
 1957FCa A Frost, S Chaberek, N Bicknell; *J. Am. Chem. Soc.*, 79, 2755 (1957)
 1957HBA H Hershenson, R Brooks, M Murphy; *J. Am. Chem. Soc.*, 79, 2046 (1957)
 1957HRA G Hildebrand, C Reilly; *Anal. Chem.*, 29, 258 (1957)
 1957JAb J Jordan, T Alleman; *Anal. Chem.*, 29, 9 (1957)
 1957KFa K Khov, M Fomenko; *Chem. Abs.*, 52, 13510 (1957)
 1957LEa J Lefebvre; *J. Chim. Phys.*, 54, 567; 581; 601 (1957)
 1957LUa P Lumme; *Suomen Kem.*, B30, 176; 182; 194 (1957)
 1957MJa D Monnier, C Jegge; *Helv. Chim. Acta*, 64, 513 (1957)
 1957NAC L Nanninga; *J. Phys. Chem.*, 61, 1144 (1957)
 1957OSa R Osterberg; *Nature*, 179, 476 (1957)
 1957SAa G Schwarzenbach, G Anderegg; *Helv. Chim. Acta*, 40, 1229 (1957)
 1957SAb G Schwarzenbach, G Anderegg; *Helv. Chim. Acta*, 40, 1773 (1957)
 1957SEa O Serebrennikova; *Trudy Ural Pol. Inst.*, 58, 57 (1957)
 1957SFb F Snively, W Fernelius, B Douglas; *J. Soc. Dyers and Colourists*, 73, 491 (1957)
 1957SHA E Shterina; *Zh. Neorg. Khim.*, 2, 933 (1957)
 1957SNa B Strates, W Neuman, G Levinskis; *J. Phys. Chem.*, 61, 279 (1957)
 1957SRA R Schmid, C Reilly; *Anal. Chem.*, 29, 264 (1957)
 1957SSa G Schwarzenbach, H Senn, G Anderegg; *Helv. Chim. Acta*, 40, 1886 (1957)
 1957SYb K Suzuki, K Yamasaki; *Naturwissenschaft*, 44, 396 (1957)
 1957TBB R Tichane, W Bennett; *J. Am. Chem. Soc.*, 79, 1293 (1957)
 1957TBC R Tichane, W Bennett; *J. Chem. Soc.*, 79, 1293 (1957)
 1957WNa J Wiberg, W Neuman; *Arch. Biochem. Biophys.*, 72, 66 (1957)
 1957WSa K Wallenfels, H Sund; *Biochem. Z.*, 329, 41 (1957)
 1957Ysa V Yashunskii, M Shchukina; *Chem. Abs.*, 52, 6209b (1957)
 1957YSb V Yashunskii, M Shchukina; *Khim. Prom.*, 2, 662 (1957)

1956BCa A Bruno,S Chaberek,A Martell; J.Am.Chem.Soc.,78,2723 (1956)
 1956BMa J Bevan,C Monk; J.Chem.Soc.,1392 (1956)
 1956BP a R Bell,M Panckhurst; J.Chem.Soc.,2836 (1956)
 1956CD b H Clarke,S Datta; Biochem.J.,64,604 (1956)
 1956CH d V Chukhlantsev; Zh.Neorg.Khim.,1,1975 (1956)
 1956CH e V Chukhlantsev; Zh.Neorg.Khim.,1,2300 (1956)
 1956CS b R Care,L Staveley; J.Chem.Soc.,4571 (1956)
 1956HMa V Hughes,A Martell; J.Am.Chem.Soc.,78,1319 (1956)
 1956MA a A Martell; Rec.Trav.Chim.,75,781 (1956)
 1956MS a A Martell,G Schwarzenbach; Helv.Chim.Acta,39,653 (1956)
 1956NA a G Nancollas; J.Chem.Soc.,744 (1956)
 1956SA a R Smith,R Albery; J.Am.Chem.Soc.,78,2376 (1956)
 1956SR b B Sarma,P Ray; J.Indian Chem.Soc.,33,841 (1956)
 1956WM e S Westerback,A Martell; Nature,178,321 (1956)
 1956YV b K Yatsimirskii,V Vasilev; Zh.Fiz.Khim.,30,28;901 (1956)
 1955AS b G Anderegg,G Schwarzenbach; Helv.Chim.Acta,38,1940 (1955)
 1955BK a M Bobtelsky,S Kertes; Bull.Soc.Chim.Fr.,328 (1955)
 1955CL a J Clark; Can.J.Chem.,33,1696 (1955)
 1955CM a S Chaberek,A Martell; J.Am.Chem.Soc.,77,1477 (1955)
 1955DH b C Davies,B Hoyle; J.Chem.Soc.,1038 (1955)
 1955GL b H Gregor,L Luttinger,E Lobl; J.Phys.Chem.,59,990 (1955)
 1955GM a F Gimblett,C Monk; Trans.Faraday Society,51,793 (1955)
 1955LU a P Lumme; Ann.Acad.Sci.Fennicae,68,7 (1955)
 1955NU a R Nasanen,E Usitalo; Suomen Kem.,B28,17 (1955)
 1955PA a A Paul; Thesis,Univ.California,Berkeley,UCRL-292 (1955)
 1955SA a G Schwarzenbach,G Anderegg et al; Helv.Chim.Acta,38,1147 (1955)
 1955SA b G Schwarzenbach,G Anderegg; Z.Anorg.Chem.,282 (1955)
 1955SA c G Schwarzenbach,G Anderegg; Z.Anorg.Chem.,282,286 (1955)
 1955SI a D Singh; J.Sci.Res.Benares Hindu Univ.,6,131 (1955)
 1955WA a E Wanninen; Suomen Kem.,B28,146 (1955)
 1954AG b G Anderegg,H Glaschka,R Sallmann et al; Helv.Chim.Acta,37,113 (1954)
 1954BF a B Bryant,W Fernelius; J.Am.Chem.Soc.,76,5351 (1954)
 1954BF b B Bryant,W Fernelius; J.Am.Chem.Soc.,76,1696 (1954)
 1954BF c B Bryant,W Fernelius; J.Am.Chem.Soc.,76,3783 (1954)
 1954CH a R Charles; J.Am.Chem.Soc.,76,5854 (1954)
 1954CM b F Carini,A Martell; J.Am.Chem.Soc.,76,2153 (1954)
 1954DM a P Davies,C Monk; Trans.Faraday Society,50,128 (1954)
 1954DM b C Davies,C Monk; Trans.Faraday Society,50,132 (1954)
 1954GM b F Gimblett,C Monk; Trans.Faraday Society,50,965 (1954)
 1954NU a R Nasanen,E Usitalo; Acta Chem.Scand.,8,112;835 (1954)
 1954QU a O Quimby; J.Phys.Chem.,58,612 (1954)
 1954SC a J Schubert; J.Am.Chem.Soc.,76,3442 (1954)
 1954SE a R Seward; J.Am.Chem.Soc.,76,4850 (1954)
 1954SG a G Schwarzenbach,R Gut,G Anderegg; Helv.Chim.Acta,37,937 (1954)
 1954UF a L van Uitert,W Fernelius; J.Am.Chem.Soc.,76,375 (1954)
 1953BF a B Bryant,W Fernelius,B Douglas; J.Am.Chem.Soc.,75,3784 (1953)
 1953BG b R Bell,J George; Trans.Faraday Society,49,619 (1953)
 1953DH a C Davies,B Hoyle; J.Chem.Soc.,4134 (1953)
 1953GC a R Gosselin,E Coghlan; Arch.Biochem.Biophys.,45,301 (1953)
 1953KM a J Klotz,W Ming; J.Am.Chem.Soc.,75,4159 (1953)

1953KPa H Kroll, J Powers; Am.Chem.Soc., Abstract 124th Meeting, 129 (1953)
 1953KPb H Kroll, J Powers, G Pinching, F Butler; Am.Chem.Soc., Abstract 124th Meeting, 124 (1953)
 1953LMa R Lumb, A Martell; J.Phys.Chem., 57, 690 (1953)
 1953NEa R Nasanen, A Ekman; Acta Chem.Scand., 7, 1261 (1953)
 1953SNa V di Stefano, W Neuman; J.Biol.Chem., 200, 759 (1953)
 1953UFe L van Uitert, W Fernelius, B Douglas; J.Am.Chem.Soc., 75, 457; 2736; 2739 (1953)
 1952CCa S Chaberek, R Courtney, A Martell; J.Am.Chem.Soc., 74, 5057 (1952)
 1952CMe C Coleman-Porter, C Monk; J.Chem.Soc., 2, 4363 (1952)
 1952CMF C Coleman-Porter, C Monk; J.Chem.Soc., 4363 (1952)
 1952GMb C Gibby, C Monk; Trans.Faraday Society, 48, 632 (1952)
 1952NAa R Nasanen; Acta Chem.Scand., 6, 532 (1952)
 1952SAb G Schwarzenbach, G Anderegg, R Sallmann; Helv.Chim.Acta, 35, 1785; 1796 (1952)
 1952SCa J Schubert; J.Phys.Chem., 56, 113 (1952)
 1952SLa J Schubert, A Lindenbaum; J.Am.Chem.Soc., 74, 3529 (1952)
 1952SNa F Snavely; Inv.Coord.Arylazo Cmpds., Penn.State Coll (1952)
 1951BWa R Bell, G Waind; J.Chem.Soc., 2357 (1951)
 1951DHa C Davies, B Hoyle; J.Chem.Soc., 233 (1951)
 1951DMb T Denney, C Monk; Trans.Faraday Society, 47, 992 (1951)
 1951HEa E Heinz; Biochem.J., 321, 314 (1951)
 1951HEb E Heinz; Z.Biochem., 321, 314 (1951)
 1951MOa C Monk; Trans.Faraday Society, 47, 285; 292/7; 1233 (1951)
 1951SRa G Schwarzenbach, P Ruckstuhl, J Zurc; Helv.Chim.Acta, 34, 455 (1951)
 1951ZAa E Zebroski, H Alter, F Heumann; J.Am.Chem.Soc., 73, 5646 (1951)
 1951ZHa F Zharovskii; Trudy An.Khim.Akad.Nauk SSSR, 3, 101 (1951)
 1950BWa R Bell, G Waind; J.Chem.Soc., 1979 (1950)
 1950DWa C Davies, G Waind; J.Chem.Soc., 301 (1950)
 1950FAa T Farr; TVA Chem.Eng.Rept.No.8, 26; 52 (1950)
 1950JMb H Jones, C Monk; J.Chem.Soc., 3475 (1950)
 1950SRa J Schubert, E Russell, L Meyers; J.Biol.Chem., 185, 387 (1950)
 1949BPb R Bell, J Prue; J.Chem.Soc., 362 (1949)
 1949DMA C Davies, C Monk; J.Chem.Soc., 413 (1949)
 1949DWa C Davies, P Wyatt; Trans.Faraday Society, 45, 770 (1949)
 1949JAa J James; Trans.Faraday Society, 45, 855 (1949)
 1949JMa H Jones, C Monk, C Davies; J.Chem.Soc., 2693 (1949)
 1949PEa K Pedersen; Acta Chem.Scand., 3, 676 (1949)
 1949SAA G Schwarzenbach, H Ackermann, P Ruckstuhl; Helv.Chim.Acta, 32, 1175; 1682 (1949)
 1949SDa D Stock, C Davies; J.Chem.Soc., 1371 (1949)
 1949SGa G Schwarzenbach, H Gysling; Helv.Chim.Acta, 32, 1314 (1949)
 1949TOa B Topley; Quart.Revs., 3, 345 (1949)
 1948SAa G Schwarzenbach, H Ackermann; Helv.Chim.Acta, 31, 1029 (1948)
 1948SBa G Schwarzenbach, W Bierdermann; Helv.Chim.Acta, 31, 331; 456; 678 (1948)
 1948SCa J Schubert; J.Phys.& Colloid Chem., 52, 340 (1948)
 1947SWa G Schwarzenbach, A Willi, R Bach; Helv.Chim.Acta, 30, 1303 (1947)
 1946JOa N Joseph; J.Biol.Chem., 164, 529 (1946)
 1946KLa I Klotz; Arch.Biochem.Biophys., 9, 109 (1946)
 1945GRa I Greenwald; J.Biol.Chem., 161, 697 (1945)

1945SKa G Schwarzenbach,E Kampitsch,R Steiner; Helv.Chim.Acta,28,1133 (1945)
 1945SKb G Schwarzenbach,E Kampitsch,W Beidermann; Helv.Chim.Acta,28,828 (1945)
 1943DZa N Drinker,H Zinsser; J.Biol.Chem.,148,187 (1943)
 1942CLa A Chanutin,S Ludewig,A Masket; J.Biol.Chem.,143,737 (1942)
 1941BJa J Bjerrum; Thesis,repr.1957,P.Haase&Son,Copenhagen (1941)
 1941GRa I Greenwald; J.Biol.Chem.,141,789 (1941)
 1940GRa I Greenwald,J Redish,A Kibrick; J.Biol.Chem.,135,65 (1940)
 1940REa P Roller,G Ervin; J.Am.Chem.Soc.,62,461 (1940)
 1940TDa N Topp,C Davies; J.Chem.Soc.,87 (1940)
 1939DGa N Drinker,A Green,A Hastings; J.Biol.Chem.,131,641 (1939)
 1938CKa R Cannon,A Kibrick; J.Am.Chem.Soc.,60,2314 (1938)
 1938DAa C Davies; J.Chem.Soc.,277;2093 (1938)
 1938WDa W Wise,C Davies; J.Chem.Soc.,273 (1938)
 1937BHa A Browman,A Hastings; J.Biol.Chem.,119,241 (1937)
 1937JEa A Jensen; Z.Phys.Chem.,A180,93 (1937)
 1936WHa E Weir,A Hastings; J.Biol.Chem.,114,397 (1936)
 1935HRA F Halla,F Ritter; Z.Phys.Chem.,A175,63 (1935)
 1935KAa K Kelley,C Anderson; Bur.Mines,Bull.,384 (1935)
 1934HMa A Hastings,P McLean,L Eichelberger; J.Biol.Chem.,107,351 (1934)
 1934KIa G Kilde; Z.anorg.Chem., 218,113 (1934)
 1933BHa M le Blanc,O Harnapp; Z.Phys.Chem.,A166,321 (1933)
 1933LHa W Latimer,J Hicks,P Schutz; J.Chim.Phys.,1,620 (1933)
 1932MDa R Money,C Davies; Trans.Faraday Society,28,609 (1932)
 1931LUB J Lugg; Trans.Faraday Society,27,297 (1931)
 1930LMA E Lange,J Monheim; Z.Phys.Chem.,A150,349 (1930)
 1930RDa E Righellato,C Davies; Trans.Faraday Society,26,592 (1930)
 1929BUa N Bjerrum,A Unmack; Kgl.Danske Vid.S.Skr.,9,1;98;126;132;141 (1929)
 1928RCa W Roth,P Chall; Z.Elektrochem.,34,185 (1928)
 1925AUa M Aumeras; Compt.Rend.,184,1650 (1925)
 1925DSa M Domonovitsch,O Sarubina; Biochem.J.,163,464 (1925)
 1925HMa L Holt,V la Mer,H Chown; J.Biol.Chem.,64,509 (1925)
 1925TAa M Tamele; J.Phys.Chem.,28,502 (1925)
 1923BIa F Bichowsky; J.Am.Chem.Soc.,45,2225 (1923)
 1923BOa W Bottger; Landolt-Bornstein,"Tabellen",II,1180/1/5 (1923)
 1923KOa I Kolthoff; Rec.Trav.Chim., 42,969;973 (1923)
 1923MIa A Mitchell; J.Chem.Soc.,123,1887 (1923)
 1922OSa Y Osaka; Mem.Coll.Sci.Kyoto,5,131 (1922)
 1921BAa H Backstrom; Z.Phys.Chem.,97,179 (1921)
 1917BAa H Bassett; J.Chem.Soc.,111,620 (1917)
 1917SLb C Seyler,P Lloyd; J.Chem.Soc.,111,994 (1917)
 1916JWa J Johnston,E Williamson; J.Am.Chem.Soc.,38,975 (1916)
 1915JOa J Johnston; J.Am.Chem.Soc.,37,2001 (1915)
 1911MSa H McCoy,H Smith; J.Am.Chem.Soc.,33,468 (1911)
 1900BOa G Bodlander; Z.Phys.Chem.,35,23 (1900)

EXPLANATORY NOTES

DATA Flags are :-

T Data at other TEMPERATURES

I Data with various BACKGROUNDS
H Data for THERMOCHEMICAL quantities
M Data for TERNARY Complexes

EVALUATION Flags are :-

T or IUP=T signifies EVALUATION RATING = Tentative by IUPAC
R or IUP=R signifies EVALUATION RATING = Recommended by IUPAC

END