

# Limits and Derivatives Practice Problems

**A. Are the following true or false? If true, explain why. If false, give a counter-example.**

1. If  $\lim_{x \rightarrow a} f(x)$  does not exist, then  $f$  is undefined at the point  $x = a$ .
2. If  $f$  and  $g$  are continuous on their domains which contain  $a$ , then  $\lim_{x \rightarrow a} f(x) + g(x) = f(a) + g(a)$ .
3. If a function is continuous at  $a$ , then  $f'(a)$  exists.

**B. Evaluate the following limits (or say that the limit DNE):**

1.  $\lim_{x \rightarrow 3} \frac{x^2 - 9}{x + 3}$
2.  $\lim_{x \rightarrow 3} \frac{x^2 - 9}{x - 3}$
3.  $\lim_{x \rightarrow \pi/2} \frac{\cot(x)}{\cos(x)}$
4.  $\lim_{x \rightarrow 0} \frac{(\cos^2(x) - 1)(x + 3)}{x}$

**C. For each function  $f$ , find a value of  $c$  so that  $f$  is continuous on  $\mathbb{R}$ :**

1.  $f(x) = \begin{cases} 2x & x \leq c \\ x^2 + 1 & x > c. \end{cases}$
2.  $f(x) = \begin{cases} 2x + c & x < 2 \\ x^2 + cx + 1 & x \geq 2. \end{cases}$

**D. For each  $f$ , find  $f'$  using the limit definition of the derivative.**

1.  $f(x) = \sqrt{x+4}$
2.  $f(x) = 2x^2 + 3x$

**E. For each  $f$ , find  $f'$  and  $f''$  using any method you want.**

1.  $f(x) = 3x^3 - \frac{4}{x^2}$
2.  $f(x) = x \sin(x)$
3.  $f(x) = \frac{x^2+3}{x-4}$
4.  $f(x) = x^2 \cos(x) + x \tan(x)$
5.  $f(x) = \sin(x) \cos(x) e^x$

**F. When are the following functions increasing/decreasing? When are they concave up/down?**

1.  $f(x) = 2x^2 + 3x$
  2.  $f(x) = x^3 + 17x^2 + 2$
-

## Answers (in no particular order)

- $f'(x) = e^x(\cos^2(x) + \sin(x)\cos(x) - \sin^2(x))$ ,  $f''(x) = f'(x) + e^x(-4\cos(x)\sin(x) + \cos^2(x) - \sin^2(x))$
- 0
- $f'(x) = 4x + 3$
- 6
- increasing:  $x > \frac{-3}{4}$ , decreasing:  $x < \frac{-3}{4}$ , concave up: all of  $\mathbb{R}$ , concave down: nowhere
- $f'(x) = \frac{1}{2}(x+4)^{-1/2}$
- False (e.g.  $f(x) = \frac{x^2}{x}$  is not defined at 0, but  $\lim_{x \rightarrow 0} f(x) = 0$ )
- $f'(x) = \sin(x) + x\cos(x)$ ,  $f''(x) = \cos(x) + \cos(x) - x\sin(x)$
- 1
- True (Since  $f$  and  $g$  are continuous, so is  $f+g$ . Then by the def. of continuity,  $\lim_{x \rightarrow a} f(x) + g(x) = f(a) + g(a)$ )
- $f'(x) = 9x^2 + 8x^{-3}$ ,  $f''(x) = 18x - 24x^{-4}$
- 0
- -1
- False ( $f(x) = |x|$  is continuous at 0, but  $f'(0)$  DNE)
- $f'(x) = \frac{(2x)(x-4)-(x^2+3)}{(x-4)^2}$ ,  $f''(x) = \frac{(2x-8)(x^2-8x+16)-(x^2-8x-3)(2x-8)}{(x^2-8x+16)^2}$
- 1
- increasing:  $x > 0$  or  $x < \frac{-3}{4}$ , decreasing:  $\frac{-3}{4} < x < 0$ , concave up:  $x > \frac{-17}{3}$ , concave down:  $x < \frac{-17}{3}$
- $f'(x) = 2x\cos(x) - x^2\sin(x) + \tan(x) + x\sec^2(x)$ ,  $f''(x) = (2-x^2)\cos(x) - 4x\sin(x) + \sec^2(x)(2+2x\tan(x))$