Gwent

1.2.6

Generated by Doxygen 1.9.1

| 1 Gwent - A Calculator | 1 |
|---|----|
| 1.1 Overview | 1 |
| 1.2 Printing analog cards | 1 |
| 1.3 Documentation | 1 |
| 2 Hierarchical Index | 3 |
| 2.1 Class Hierarchy | 3 |
| 3 Class Index | 5 |
| 3.1 Class List | 5 |
| 4 Class Documentation | 7 |
| 4.1 SettingsActivity.HeaderFragment Class Reference | 7 |
| 4.1.1 Detailed Description | 7 |
| 4.2 MainActivity Class Reference | 8 |
| 4.2.1 Detailed Description | 10 |
| 4.3 OnboardingSupportActivity Class Reference | 11 |
| 4.3.1 Detailed Description | 11 |
| 4.4 PlaceholderFragment Class Reference | 12 |
| 4.4.1 Detailed Description | 13 |
| 4.5 Row Class Reference | 13 |
| 4.5.1 Detailed Description | 14 |
| 4.6 RuleActivity Class Reference | 14 |
| 4.6.1 Detailed Description | 15 |
| 4.7 SettingsActivity.RuleHeaderFragment Class Reference | 15 |
| 4.7.1 Detailed Description | 16 |
| 4.8 RuleActivity.RULES Enum Reference | 16 |
| 4.8.1 Detailed Description | 16 |
| 4.9 SectionsPagerAdapter Class Reference | 17 |
| 4.9.1 Detailed Description | 17 |
| 4.10 SettingsActivity Class Reference | 18 |
| 4.10.1 Detailed Description | 19 |
| 4.11 SettingsActivity.SoundFragment Class Reference | 19 |
| 4.11.1 Detailed Description | 19 |
| 4.12 MainActivity.THEME Enum Reference | 20 |
| 4.12.1 Detailed Description | 20 |
| 4.13 Unit Class Reference | 20 |
| 4.13.1 Detailed Description | 21 |
| Index | 23 |

Chapter 1

Gwent - A Calculator

- 1. Overview
- 2. Printing analog cards
- 3. Documentation

1.1 Overview

Gwent - A Calculator is an Android app (available in Play Store) that enables the user to play the Gwent card game from The Witcher 3: Wild Hunt with analog cards. This is accomplished by providing an easy-to-use interface which allows adding cards with certain attributes that correspond to the cards played analogously. The app then calculates the power score of the player including weather effects and card abilities. To see what this looks like, please visit the Play Store entry!

1.2 Printing analog cards

To actually play Gwent using *Gwent - A Calculator*, you need to print out analog Gwent cards. The card images can be downloaded from the following links:

| Language | zip | tar |
|----------|--------------------|-----------------------|
| English | gwent_cards_en.zip | gwent_cards_en.tar.gz |
| German | gwent_cards_de.zip | gwent_cards_de.tar.gz |

Please be aware that the Skellige faction is only available in the german packages! This PDF summarizes in which quantity you need to print which card.

When you installed the app, printed out your deck and found a friend, you are ready to go and can start playing the original Gwent game from The Witcher 3: Wild Hunt.

1.3 Documentation

If you are a developer and interested in improving the app by adding new features or fixing bugs, you are always welcome to open pull requests. An extensive reference specification of the whole app can be found on this website or in this PDF-file.

2 Gwent - A Calculator

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

| his inheritance list is sorted roughly, but not completely, alphabetically: OnPreferenceStartFragmentCallback | |
|---|------|
| SettingsActivity | 18 |
| Row | |
| RuleActivity.RULES | |
| MainActivity.THEME | . 20 |
| Unit | |
| AppCompatActivity | |
| MainActivity | 8 |
| OnboardingSupportActivity | 11 |
| RuleActivity | |
| SettingsActivity | 18 |
| Fragment | |
| PlaceholderFragment | 12 |
| FragmentStateAdapter | |
| SectionsPagerAdapter | 17 |
| PreferenceFragmentCompat | |
| SettingsActivity.HeaderFragment | 7 |
| SettingsActivity.RuleHeaderFragment | 15 |
| SettingsActivity.SoundFragment | 19 |

4 Hierarchical Index

Chapter 3

Class Index

3.1 Class List

| ere are the classes, structs, unions and interfaces with brief descriptions: | |
|---|----|
| SettingsActivity.HeaderFragment | 7 |
| MainActivity | |
| OnboardingSupportActivity | 11 |
| PlaceholderFragment | |
| A placeholder fragment containing a simple view | 12 |
| Row | 13 |
| RuleActivity | 14 |
| SettingsActivity.RuleHeaderFragment | 15 |
| RuleActivity.RULES | 16 |
| SectionsPagerAdapter | |
| A [FragmentPagerAdapter] that returns a fragment corresponding to one of the sec- | |
| tions/tabs/pages | |
| SettingsActivity | 18 |
| SettingsActivity.SoundFragment | 19 |
| MainActivity.THEME | 20 |
| Unit | 20 |


6 Class Index

Chapter 4


Class Documentation

4.1 SettingsActivity.HeaderFragment Class Reference

Inheritance diagram for SettingsActivity.HeaderFragment:



Collaboration diagram for SettingsActivity.HeaderFragment:



Public Member Functions

• void onCreatePreferences (Bundle savedInstanceState, String rootKey)

4.1.1 Detailed Description


Definition at line 93 of file SettingsActivity.java.

The documentation for this class was generated from the following file:


· gwent/SettingsActivity.java

4.2 MainActivity Class Reference

Inheritance diagram for MainActivity:



Collaboration diagram for MainActivity:



Classes

• enum THEME

Public Member Functions

· void onWindowFocusChanged (boolean hasFocus)

Static Public Member Functions

- static void ImageViewAnimatedChange (Context context, @NonNull final ImageView view, @NonNull final ImageView backgroundView, @DrawableRes final int resId)
- static void hideSystemUI (@NonNull Window window)
- static void keepScreenOn (@NonNull Window window)

Protected Member Functions

- void onCreate (Bundle savedInstanceState)
- · void onResume ()
- · void onPause ()

Private Member Functions

- void initViews ()
- void inflateFactionPopup (View view)
- void changeHorn (@NonNull Row row)
- void resetHorns ()
- void changeWeather (@NonNull ImageView view, @NonNull Row row)
- void resetWeather ()
- void checkSidebarButtons ()
- void resetAll (boolean keepRdmUnit)
- · void inflateRevengeDialog (final int revengeUnits)
- void burn (@NonNull List< Unit > burnUnits, int revengeUnits)
- List< Unit > getBurnUnits ()
- AlertDialog.Builder getAlertDialogBuilder ()
- void inflatePopup (View view, @NonNull View popupView, boolean dismissOnTouch)
- void inflateFactionLayout (boolean init)
- void inflateAddCardPopup (@NonNull final Row row, View view)
- void inflateCoinflipPopup (View view)
- void inflateCardPopup (@NonNull final Row row, View view)
- void **changeTheme** (final **THEME** theme)
- void playAddCardSound (boolean epic, int rowType)
- void playSound (@RawRes int soundResourceld)
- void updateBackground ()
- void setRowImages ()
- void updateRows ()
- · void saveRows () throws JSONException, IOException
- Row retrieveRow (String filename, int rowType) throws IOException, JSONException

Private Attributes

- final Set< Row > allRows = new HashSet<>()
- final Set< Unit > copyUnits = new HashSet<>()
- final Set < Unit > deleteUnits = new HashSet <>()
- SharedPreferences sharedPreferences
- SoundPool soundPool
- PopupWindow popupWindow
- NumberPicker epicPicker
- NumberPicker dmgPicker
- · NumberPicker abilityPicker
- TextView bindingPickerLabel
- NumberPicker bindingPicker
- NumberPicker numberPicker
- Row meleeRow
- Row rangeRow
- Row siegeRow
- ImageView backgroundImageView
- ImageView firstRowBackgroundPointBall
- ImageView firstRowPointBall
- TextView firstRowPointView
- ImageView firstRowBackgroundWeatherImageView
- ImageView firstRowWeatherImageView
- · ImageView firstRowBackgroundHornImageView
- ImageView firstRowHornImageView
- ImageView firstRowBackgroundCardImageView
- ImageView firstRowCardImageView

- TextView firstRowCardCount
- ImageView secondRowBackgroundPointBall
- · ImageView secondRowPointBall
- TextView secondRowPointView
- ImageView secondRowBackgroundWeatherImageView
- ImageView secondRowWeatherImageView
- ImageView secondRowBackgroundHornImageView
- ImageView secondRowHornImageView
- ImageView secondRowBackgroundCardImageView
- ImageView secondRowCardImageView
- TextView secondRowCardCount
- ImageView thirdRowBackgroundPointBall
- ImageView thirdRowPointBall
- TextView thirdRowPointView
- ImageView thirdRowBackgroundWeatherImageView
- ImageView thirdRowWeatherImageView
- ImageView thirdRowBackgroundHornImageView
- ImageView thirdRowHornImageView
- ImageView thirdRowBackgroundCardImageView
- ImageView thirdRowCardImageView
- TextView thirdRowCardCount
- ImageView backgroundOverallPointBall
- ImageView overallPointBall
- TextView overallPointView
- ImageButton factionButton
- · ImageButton resetButton
- · ImageButton weatherButton
- · ImageButton burnButton
- ImageView coinButton
- ImageButton settingsButton

Static Private Attributes

- static final String FILE_NAME_BACKUP_MELEE_ROW = "melee.json"
- static final String FILE NAME BACKUP RANGE ROW = "range.json"
- static final String FILE_NAME_BACKUP_SIEGE_ROW = "siege.json"

4.2.1 Detailed Description


Definition at line 56 of file MainActivity.java.

The documentation for this class was generated from the following file:


• gwent/MainActivity.java

4.3 OnboardingSupportActivity Class Reference

Inheritance diagram for OnboardingSupportActivity:



Collaboration diagram for OnboardingSupportActivity:



Protected Member Functions

• void onCreate (Bundle savedInstanceState)

Package Functions

· void updateIndicators (int position)

Private Attributes

- OnBackPressedCallback callback
- final List< ImageView > indicators = new ArrayList<>()

4.3.1 Detailed Description


Definition at line 21 of file OnboardingSupportActivity.java.

The documentation for this class was generated from the following file:


· gwent/OnboardingSupportActivity.java

4.4 PlaceholderFragment Class Reference

A placeholder fragment containing a simple view. Inheritance diagram for PlaceholderFragment:



Collaboration diagram for PlaceholderFragment:



Public Member Functions

• View onCreateView (@NonNull LayoutInflater inflater, ViewGroup container, Bundle savedInstanceState)

Static Public Member Functions

static PlaceholderFragment newInstance (int index)

Static Public Attributes

• static final int PAGES_COUNT = 5

Private Attributes

- final int[] **stringlds** = {R.string.onboarding_page1, R.string.onboarding_page2, R.string.onboarding_page3, R.string.onboarding_page4, R.string.onboarding_page5}
- final int[] **imageIds** = {R.drawable.onboarding_support_1, R.drawable.onboarding_support_2, R.drawable. ← onboarding_support_3, R.drawable.onboarding_support_4, -1}

Static Private Attributes

• static final String ARG_SECTION_NUMBER = "section_number"

4.5 Row Class Reference 13

4.4.1 Detailed Description

A placeholder fragment containing a simple view.


Definition at line 22 of file PlaceholderFragment.java.

The documentation for this class was generated from the following file:

· gwent/ui/main/PlaceholderFragment.java

4.5 Row Class Reference

Collaboration diagram for Row:



Public Member Functions

- Row (@NonNull JSONObject jsonObject, int type) throws JSONException, IllegalArgumentException
- Row (int type) throws IllegalArgumentException
- int getType ()
- void addUnit (@NonNull Unit unit)
- void removeUnit (int i)
- void removeUnit (Unit unit)
- List < Unit > getAllUnits ()
- boolean isWeather ()
- void setWeather (boolean weather)
- boolean isHorn ()
- void **setHorn** (boolean horn)
- boolean isRevenge ()
- int getOverallDamage ()
- List< Unit > getBindingUnits (int binding)
- int[] getJaskierMoralBoosterRevengeCount ()
- int getCardCount ()
- boolean isEpicOnly ()
- JSONObject toJson () throws JSONException
- void clear (boolean keepRandomUnit)

Static Public Attributes

- static final int ROW_ALL = 0
- static final int ROW_MELEE = 1
- static final int ROW_RANGE = 2
- static final int **ROW_SIEGE** = 3

Private Member Functions

• void updateOverallDamage ()

Private Attributes

- · final int type
- final List< Unit > units = new ArrayList<>()
- boolean weather = false
- boolean horn = false
- boolean jaskier = false
- boolean revenge = false
- int overallDamage = 0

Static Private Attributes

- static final String JSON KEY WEATHER = "weather"
- static final String JSON_KEY_HORN = "horn"
- static final String JSON_KEY_JASKIER = "jaskier"
- static final String JSON_KEY_REVENGE = "revenge"
- static final String JSON_KEY_UNIT_ARRAY = "units"

4.5.1 Detailed Description


Definition at line 13 of file Row.java.

The documentation for this class was generated from the following file:


· gwent/Row.java

4.6 RuleActivity Class Reference

Inheritance diagram for RuleActivity:



Collaboration diagram for RuleActivity:



Classes

enum RULES

Public Member Functions

- void onCreate (Bundle savedInstanceState)
- boolean onOptionsItemSelected (@NonNull MenuItem item)

Static Public Attributes

static final String INTENT_EXTRA_TAG = "rule_type"

4.6.1 Detailed Description


Definition at line 14 of file RuleActivity.java.

The documentation for this class was generated from the following file:


• gwent/RuleActivity.java

4.7 SettingsActivity.RuleHeaderFragment Class Reference

Inheritance diagram for SettingsActivity.RuleHeaderFragment:



Collaboration diagram for SettingsActivity.RuleHeaderFragment:



Public Member Functions

· void onCreatePreferences (Bundle savedInstanceState, String rootKey)

4.7.1 Detailed Description

Definition at line 131 of file SettingsActivity.java.

The documentation for this class was generated from the following file:

• gwent/SettingsActivity.java

4.8 RuleActivity.RULES Enum Reference

Collaboration diagram for RuleActivity.RULES:

RuleActivity.RULES

Public Attributes

- GENERAL
- COURSE
- FACTIONS
- COMMANDER
- CARDS
- · CARD ABILITIES
- SPECIAL_CARDS

4.8.1 Detailed Description


Definition at line 64 of file RuleActivity.java.

The documentation for this enum was generated from the following file:


• gwent/RuleActivity.java

4.9 SectionsPagerAdapter Class Reference

A [FragmentPagerAdapter] that returns a fragment corresponding to one of the sections/tabs/pages. Inheritance diagram for SectionsPagerAdapter:



Collaboration diagram for SectionsPagerAdapter:



Public Member Functions

- SectionsPagerAdapter (@NonNull FragmentActivity fragmentActivity)
- int getItemCount ()
- Fragment createFragment (int position)

4.9.1 Detailed Description


A [FragmentPagerAdapter] that returns a fragment corresponding to one of the sections/tabs/pages. Definition at line 12 of file SectionsPagerAdapter.java.

The documentation for this class was generated from the following file:


• gwent/ui/main/SectionsPagerAdapter.java

4.10 SettingsActivity Class Reference

Inheritance diagram for SettingsActivity:



Collaboration diagram for SettingsActivity:



Classes

- · class HeaderFragment
- · class RuleHeaderFragment
- · class SoundFragment

Public Member Functions

- void onSaveInstanceState (@NonNull Bundle outState)
- boolean onSupportNavigateUp ()
- boolean **onOptionsItemSelected** (@NonNull MenuItem item)
- boolean onPreferenceStartFragment (@NonNull PreferenceFragmentCompat caller, @NonNull Preference pref)

Protected Member Functions

• void onCreate (@Nullable Bundle savedInstanceState)

Static Private Attributes

• static final String **TITLE_TAG** = "settingsActivityTitle"

4.10.1 Detailed Description


Definition at line 20 of file SettingsActivity.java.

The documentation for this class was generated from the following file:


· gwent/SettingsActivity.java

4.11 SettingsActivity.SoundFragment Class Reference

Inheritance diagram for SettingsActivity.SoundFragment:



Collaboration diagram for SettingsActivity.SoundFragment:



Public Member Functions

• void onCreatePreferences (Bundle savedInstanceState, String rootKey)

4.11.1 Detailed Description

Definition at line 123 of file SettingsActivity.java.

The documentation for this class was generated from the following file:

· gwent/SettingsActivity.java

4.12 MainActivity.THEME Enum Reference

Collaboration diagram for MainActivity.THEME:

MainActivity.THEME

Public Attributes

- MONSTER
- NILFGAARD
- NORTHERN_KINGDOMS
- SCOIATAEL

4.12.1 Detailed Description

Definition at line 1129 of file MainActivity.java.

The documentation for this enum was generated from the following file:

· gwent/MainActivity.java

4.13 Unit Class Reference

Collaboration diagram for Unit:

Unit

Public Member Functions

- Unit (@NonNull JSONObject jsonObject) throws JSONException
- Unit (int baseAD, boolean epic, boolean jaskier, boolean revenge, int binding, boolean moralBoost)
- Unit (@NonNull Unit unit)
- int getBaseAD ()
- int getBuffAD ()
- void setBuffAD (int buffAD)
- boolean isEpic ()
- boolean isJaskier ()
- boolean isRevenge ()
- int getBinding ()
- boolean isMoralBoost ()
- boolean isBuffed ()

4.13 Unit Class Reference 21

- void setBuffed (boolean buffed)
- int getRow ()
- void setRow (int row)
- JSONObject toJson () throws JSONException
- String toString (@NonNull Context context, @Nullable Object object)

Private Attributes

- final int baseAD
- · final boolean epic
- final boolean jaskier
- final boolean revenge
- · final int binding
- final boolean moralBoost
- int **buffAD** = -1
- boolean **buffed** = false
- int row = Row.ROW ALL

Static Private Attributes

- static final String JSON_KEY_BASE_AD = "baseAD"
- static final String JSON_KEY_EPIC = "epic"
- static final String JSON_KEY_JASKIER = "jaskier"
- static final String **JSON_KEY_REVENGE** = "revenge"
- static final String JSON_KEY_BINDING = "binding"
- static final String JSON_KEY_MORAL_BOOST = "moralBoost"
- static final String JSON_KEY_ROW = "row"

4.13.1 Detailed Description

Definition at line 17 of file Unit.java.

The documentation for this class was generated from the following file:

· gwent/Unit.java

Index

```
MainActivity, 8
MainActivity.THEME, 20

OnboardingSupportActivity, 11

PlaceholderFragment, 12

Row, 13
RuleActivity, 14
RuleActivity, RULES, 16

SectionsPagerAdapter, 17
SettingsActivity, 18
SettingsActivity.HeaderFragment, 7
SettingsActivity.HeaderFragment, 15
SettingsActivity.SoundFragment, 19

Unit, 20
```