

Quantities

Quantities:

$r, s, q ::= 0 \mid 1 \mid ? \mid + \mid *$

Quantities – explanation

- 0 means a resource has been used up and is no longer available.
- 1 means a resource must be used exactly once.
- ? (pronounced “few”) means a resource must be used at most once.
- + (pronounced “many”) means a resource must be used at least once.
- * (pronounced “any”) means no restrictions on usage.

Subusage ordering

$r \sqsubseteq s$ means that a resource with quantity r may be used when quantity s is expected. This ordering is called sub-usaging. The definition below is just the skeleton, the full ordering is the reflexive-transitive closure of it.

$$* \sqsubseteq ?$$

$$* \sqsubseteq +$$

$$+ \sqsubseteq 1$$

$$? \sqsubseteq 1$$

$$? \sqsubseteq 0$$

We will denote the infimum in this order with $r \sqcap s$ and the supremum (if it exists) with $r \sqcup s$.

Addition

When we have two quantities of the same resource, we can sum the quantities.

$$0 + r = r$$

$$r + 0 = r$$

$$? + ? = *$$

$$? + * = *$$

$$* + ? = *$$

$$* + * = *$$

$$_ + _ = +$$

Multiplication

When we have a quantity r of resource A that contains quantity s of resource B , then we in fact have quantity $r \cdot s$ of resource B .

$$0 \cdot r = 0$$

$$r \cdot 0 = 0$$

$$1 \cdot r = r$$

$$r \cdot 1 = r$$

$$?.? = ?$$

$$+ \cdot + = +$$

$$_ \cdot _ = *$$

The algebra of quantities

Quantities \mathcal{Q} form a positive ordered commutative semiring with no zero divisors, i.e.:

- $(\mathcal{Q}, +, 0)$ is a commutative monoid.
- $(\mathcal{Q}, \cdot, 1)$ is a commutative monoid.
- 0 annihilates multiplication.
- Multiplication distributes over addition.
- Addition and multiplication preserve the subusage ordering in both arguments.
- If $r + s = 0$, then $r = 0$ and $s = 0$.
- If $r \cdot s = 0$, then $r = 0$ or $s = 0$.

Infimum

We can explicitly calculate the infimum as follows.

$$0 \sqcap 1 = ?$$

$$0 \sqcap + = *$$

$$0 \sqcap s = s$$

$$1 \sqcap 0 = ?$$

$$+ \sqcap 0 = *$$

$$r \sqcap 0 = r$$

$$r \sqcap s = r \cdot s$$

Complement

Complement of r is the quantity on the opposite side of the diamond. The complement of 0 is 0.

$$0^{\text{op}} = 0$$

$$1^{\text{op}} = *$$

$$?^{\text{op}} = +$$

$$+^{\text{op}} = ?$$

$$*^{\text{op}} = 1$$

Supremum

We can explicitly calculate the supremum as follows.

$$0 \sqcup 1 = \text{undefined}$$

$$0 \sqcup + = \text{undefined}$$

$$1 \sqcup 0 = \text{undefined}$$

$$1 \sqcup + = \text{undefined}$$

$$r \sqcup s = (r^{\text{op}} \cdot s^{\text{op}})^{\text{op}}$$

Subtraction

$r - s = \inf\{q \in \mathcal{Q} \mid r \sqsubseteq q + s\}$, where the \inf is taken according to the subusage ordering. Explicitly:

$r - s$	0	1	?	+	*
0	0				
1	1	0			
?	?	0	0		
+	+	*	+	*	+
*	*	*	*	*	*

Subtraction order

$r \leq_{\text{sub}} s$ holds when $s - r$ is defined.

Explicitly: $0 \leq_{\text{sub}} 1 \leq_{\text{sub}} ? \leq_{\text{sub}} + \leq_{\text{sub}} * \leq_{\text{sub}} +$

Decrementation order

$r \leq_{\text{decr}} s$ holds when $r = s - 1$.

$$* \leq_{\text{decr}} *$$

$$* \leq_{\text{decr}} +$$

$$0 \leq_{\text{decr}} 1$$

$$0 \leq_{\text{decr}} ?$$

Division with remainder

$r/s = \sup_{a \in Q} \inf_{b \in Q} \{(a, b) \mid r = a \cdot s + b\}$, where the sup and inf are taken according to the subtraction order. Note that $r/s = a$ means that $b = 0$. Explicitly:

r/s	0	1	?	+	*
0	*	0	0	0	0
1	$(*, 1)$	1	$(0, 1)$	$(0, 1)$	$(0, 1)$
?	$(*, ?)$?	?	$(0, ?)$	$(0, ?)$
+	$(*, +)$	+	$(*, 1)$	+	$(*, 1)$
*	$(*, *)$	*	*	*	*

Trait ordering

The trait ordering is similar to the subusage ordering, but 0 is above 1. Explicitly:

$$\begin{aligned} * &\leq_{\text{trait}} ? \\ * &\leq_{\text{trait}} + \\ ? &\leq_{\text{trait}} 1 \\ + &\leq_{\text{trait}} 1 \\ 1 &\leq_{\text{trait}} 0 \end{aligned}$$

Trait division

$r/s = \sup\{q \in \mathcal{Q} \mid q \cdot s \sqsubseteq r\}$, where the sup is taken according to the trait ordering. Explicitly:

r/s	0	1	?	+	*
0	0	0	0	0	0
1		1	1	1	1
?		?	1	?	1
+		+	+	1	1
*		*	+	?	1

Arithmetic order

The arithmetic order on quantities is

$0 \leq_{\text{arith}} 1 \leq_{\text{arith}} ? \leq_{\text{arith}} + \leq_{\text{arith}} *$. The idea is to compare the quantities by how “big” they are.