MetidaNCA validation report

Vladimir Arnautov

2024-07-08

Contents

1	Intr	oduction and package description	2			
	1.1	Validation purpose	2			
	1.2	Requirements	2			
	1.3	Developer software life cycle	2			
		1.3.1 Versions	2			
	1.4	Build support	3			
		1.4.1 Tier 1	3			
2	Inst	allation	4			
	2.1	System information	4			
	2.2	Installation method	4			
	2.3	Version check	4			
3	Оре	eration qualification	4			
	3.1	Coverage	4			
	3.2	Data	4			
	3.3	Testing results	4			
4	Peri	formance qualification	5			
	4.1	Parameter's names description	5			
	4.2	Output example	6			
	4.3	Results	8			
		4.3.1 Linear-trapezoidal rule; Extravascular; Dosetime 0.0; No Tau; Dose 100				
		4.3.2 Linear-Up Log-Down; Extravascular; Dosetime 0.25; Tau 9; Dose 100	12			
		4.3.3 Linear-trapezoidal rule; Intravascular; Dosetime 0.0; Tau 12; Dose 120	16			
		4.3.4 Linear/Log Trapezoidal rule; Extravascular; Dosetime 0.0; Tau 12;				
		Dose 120	20			
		4.3.5 Urine data; Linear-trapezoidal rule; Extravascular; Dosetime 0.0;	2.4			
		Dose 100	24			
		4.3.6 Pharmacodynamics data; Linear-trapezoidal rule	25			
5	Glo	ssary	26			
6	Reference					
7	Apr	pendix 1	27			

8	Appendix 8.0.1	2 Reference output	33 33
		Testing PD dataset	
		Testing PK dataset.	

1 Introduction and package description

This is Non-compartment analysis software. The package is designed for batch processing of pharmacokinetic data.

See documentation:

- Dev: https://pharmcat.github.io/MetidaNCA.jl/dev/
- Stable: https://pharmcat.github.io/MetidaNCA.jl/stable/

1.1 Validation purpose

The main validation purpose is confirmation by examination and provision of objective evidence that software specifications conform to user needs and intended uses, and that the particular requirements implemented through software can be consistently fulfilled.

1.2 Requirements

• Julia 1.6 (or higher) installed for Operating System/OS Version/Architecture in Tier 1 list

Tier 1: Julia is guaranteed to build from source and pass all tests on these platforms when built with the default options. Official binaries are always available and CI is run on every commit to ensure support is actively maintained.

1.3 Developer software life cycle

- Development stage
- Testing procedures development
- Performing testing procedures on local machine
- Push to development branch
- Make pull request to main branch
- Performing testing procedures with GitHub Actions
- Make pull request to the official registry of general Julia packages (if nessesary)
- Make release (if previous completed)

1.3.1 Versions

- X.Y.Z patch release (no breaking changes)
- X.Y.0 minor release (may include breaking changes if X = 0)
- X.0.0 major release (breaking changes, changes in public API)
- 0.#.# no stable public API
- 1.#.# or higher stable public API

1.4 Build support

1.4.1 Tier 1

• julia-version: 1.6, 1.7, 1.8

• julia-arch: x64

 $\bullet\,$ os: ubuntu-latest, mac
OS-latest, windows-latest

2 Installation

2.1 System information

• Julia version: v"1.8.5"

• Current machine: "x86 64-linux-gnu"

2.2 Installation method

MetidaNCA.jl can be installed by executing the following command in REPL:

```
import Pkg; Pkg.add("MetidaNCA")
```

2.3 Version check

The installation process is checking within each testing job via GitHub Actions. Also GitHub Action chek performed before merging into JuliaRegistries/General repository (see Automatic merging of pull requests).

Current package version: "0.5.9"

3 Operation qualification

This part of validation based on testing procedures entails running software products under known conditions with defined inputs and documented outcomes that can be compared to their predefined expectations. All documented public API included in testing procedures and part of critical internal methods. Testing procedures can be found in test directory.

3.1 Coverage

Code coverage report available on Codecov.io. Test procedures include all public API methods check.

• Coverage goal: >= 90.0%

3.2 Data

Validation data available in the repository and included in the package. See Appendix 1.

3.3 Testing results

Pkg.test("MetidaNCA")

4 Performance qualification

Purpose of this testing procedures to demonstrate performance for some critical tasks. Results from MetidaNCA compared with Phoenix WinNonlin 8.0 results, see Appendix 2.

4.1 Parameter's names description

Table 1: Parameter description

Name	Description
Cmax	Maximum concentration
Tmax	Time at Cmax
Cdose	Concentration at dose time
Clast	Last non-zero concentration
AUClast	AUC to Clast
AUMClast	AUMC to Clast
AUCall	AUC with all values
Rsq	r square
ARsq	Adjusted r square
Kel	Terminal elimination constant
${ m HL}$	Half live or $T1/2$
LZint	Intercept
$Clast_pred$	Predicted Clast
AUCinf	AUC extrapolated to infinity
AUCpct	Percentage AUClast from AUCinf
MRTlast	Mean Residence Time (last)
MRTinf	Mean Residence Time (inf)
Clinf	Clearence
Vzinf	Volume of distribution
AUCtau	AUC in Tau range
AUMCtau	AUMC in Tau range
MRTtauinf	MRT based on Tau
Cltau	Clearence in Tau range
Vztau	Volume of distribution in Tau range

4.2 Output example

Import data:

```
pkdata2 = CSV.File(
joinpath(dirname(pathof(MetidaNCA)), "..", "test", "csv", "pkdata2.csv")
) |> DataFrame
ds = pkimport(pkdata2, :Time, :Concentration, [:Subject, :Formulation];
dosetime = DoseTime(dose = 100, time = 0))
sort!(ds, :Subject)
```

Execute NCA:

```
MetidaNCA.nca!(ds[1], adm = :ev, calcm = :lint, verbose = 1)
```

Non-compartmental Pharmacokinetic Analysis
 Subject: Subject => 1; Formulation => T;

Settings:

Method: lint; Dose: 100; Dose time: 0

Time	Conc.	AUC	AUC (cum.)	AUMC	AUMC	Info
0	0	0	0	0	0	D
0.5	178.9	44.74	44.74	22.37	22.37	
1	190.9	92.45	137.2	70.09	92.45	
1.5	164.9	88.95	226.1	109.6	202	
2	140	76.22	302.4	131.8	333.8	
2.5	129.6	67.39	369.8	151	484.8	
3	131.4	65.24	435	179.5	664.3	
4	150.9	141.1	576.1	498.8	1163	
5	121.2	136	712.1	604.8	1768	
6	139.2	130.2	842.4	720.8	2489	
8	128.5	267.7	1110	1864	4352	
10	143.2	271.8	1382	2461	6813	E
12	145	288.2	1670	3172	9985	E
24	133.2	1669	3339	2.961e+04	3.96e+04	E
48	137.3	3245	6584	1.174e+05	1.57e+05	E
72	112.8	3001	9585	1.766e+05	3.336e+05	E

Cdose: 0.0, Dose time: 0 Kel start: 10.0; end: 72.0

PK/PD subject NCA result

Parameter	Value
Rsqn Vzlast	3.0 3.08222
Tmax	1.0

ARsq	0.714769
AUClast	9585.42
${\tt MRTinf}$	293.162
AUCinf_pred	44242.6
LZ	-0.00338474
LZint	5.00849
Obsnum	16.0
Clast	112.846
Dose	100.0
Tlag	0.0
Cdose	0.0
Vssinf	0.682964
AUCall	9585.42

15 rows omitted

4.3 Results

4.3.1 Linear-trapezoidal rule; Extravascular; Dosetime 0.0; No Tau; Dose 100 Code:

nca!(ds, adm = :ev, calcm = :lint)

Table 2: Plasma data results, Linear-trapezoidal rule, Extravascular

Parameter	Subject	Value	Reference	Difference
\overline{Cmax}	1	190.869	190.869	0.0
Cmax	2	261.177	261.177	0.0
Cmax	3	105.345	105.345	0.0
Cmax	4	208.542	208.542	0.0
Cmax	5	169.334	169.334	0.0
Cmax	6	154.648	154.648	0.0
Cmax	7	153.254	153.254	0.0
Cmax	8	138.327	138.327	0.0
Cmax	9	167.347	167.347	0.0
Cmax	10	125.482	125.482	0.0
Tmax	1	1.0	1.0	0.0
Tmax	2	1.0	1.0	0.0
Tmax	3	1.5	1.5	0.0
Tmax	4	1.0	1.0	0.0
Tmax	5	4.0	4.0	0.0
Tmax	6	2.5	2.5	0.0
Tmax	7	2.5	2.5	0.0
Tmax	8	4.0	4.0	0.0
Tmax	9	3.0	3.0	0.0
Tmax	10	2.0	2.0	0.0
Cdose	1	0.0	0.0	0.0
Cdose	2	0.0	0.0	0.0
Cdose	3	0.0	0.0	0.0
Cdose	4	0.0	0.0	0.0
Cdose	5	0.0	0.0	0.0
Cdose	6	0.0	0.0	0.0
Cdose	7	0.0	0.0	0.0
Cdose	8	0.0	0.0	0.0
Cdose	9	0.0	0.0	0.0
Cdose	10	0.0	0.0	0.0
Clast	1	112.846	112.846	0.0
Clast	2	85.241	85.241	0.0
Clast	3	67.901	67.901	0.0
Clast	4	97.625	97.625	0.0
Clast	5	110.778	110.778	0.0
Clast	6	69.501	69.501	0.0
Clast	7	58.051	58.051	0.0
Clast	8	74.437	74.437	0.0

Parameter	Subject	Value	Reference	Difference
	9	93.44	93.44	0.0
Clast	10	42.191	42.191	0.0
AUClast	1	9585.42	9585.42	0.0
AUClast	2	10112.2	10112.2	0.0
AUClast	3	5396.55	5396.55	0.0
AUClast	4	9317.84	9317.84	0.0
AUClast	5	9561.26	9561.26	0.0
AUClast	6	6966.6	6966.6	0.0
AUClast	7	7029.57	7029.57	0.0
AUClast	8	7110.67	7110.67	0.0
AUClast	9	8315.08	8315.08	0.0
AUClast	10	5620.89	5620.89	0.0
AUMClast	1	333582.0	333582.0	0.0
AUMClast	2	298701.0	298701.0	0.0
AUMClast	3	186032.0	186032.0	0.0
AUMClast	4	313956.0	313956.0	0.0
AUMClast	5	315182.0	315182.0	0.0
AUMClast	6	226977.0	226977.0	0.0
AUMClast	7	219798.0	219798.0	0.0
AUMClast	8	240526.0	240526.0	0.0
AUMClast	9	277614.0	277614.0	0.0
AUMClast	10	154893.0	154893.0	0.0
AUCall	10	9585.42	9585.42	0.0
AUCall	$\frac{1}{2}$	10112.2	10112.2	0.0
AUCall	$\frac{2}{3}$	5396.55	5396.55	0.0
AUCall	4	9317.84	9317.84	0.0
AUCall	5	9561.26	9517.64 9561.26	0.0
AUCall	6	6966.6	6966.6	0.0
AUCall	7	7029.57	7029.57	0.0
	-			
$AUCall \ AUCall$	$\frac{8}{9}$	7110.67 8315.08	7110.67	$0.0 \\ 0.0$
			8315.08	
AUCall	10	5620.89	5620.89	0.0
Rsq	1	0.786077	0.786077	0.0
Rsq	2	0.992764	0.992764	0.0
Rsq	3	0.813589	0.813589	0.0
Rsq	4	0.918859	0.918859	0.0
Rsq	5	0.85336	0.85336	0.0
Rsq	6	0.950119	0.950119	0.0
Rsq	7	0.970312	0.970312	0.0
Rsq	8	0.947969	0.947969	0.0
Rsq	9	0.947538	0.947538	0.0
Rsq	10	0.880923	0.880923	0.0
ARsq	1	0.714769	0.714769	0.0
ARsq	2	0.990351	0.990351	0.0
ARsq	3	0.776307	0.776307	0.0
ARsq	4	0.837717	0.837717	0.0
ARsq	5	0.82892	0.82892	0.0
ARsq	6	0.925179	0.925179	0.0

Parameter	Subject	Value	Reference	Difference
	7	0.960416	0.960416	0.0
ARsq	8	0.921954	0.921954	0.0
ARsq	9	0.921307	0.921307	0.0
ARsq	10	0.863912	0.863912	0.0
Kel	1	0.00338474	0.00338474	0.0
Kel	$\stackrel{-}{2}$	0.0141063	0.0141063	0.0
Kel	3	0.00329143	0.00329143	0.0
Kel	4	0.00769534	0.00769534	0.0
Kel	5	0.00681333	0.00681333	0.0
Kel	6	0.00769228	0.00769228	0.0
Kel	7	0.012459	0.012459	0.0
Kel	8	0.00893008	0.00893008	0.0
Kel	9	0.00564586	0.00564586	0.0
Kel	10	0.0171897	0.0171897	0.0
HL	1	204.786	204.786	0.0
HL	2	49.1374	49.1374	0.0
HL	3	210.591	210.591	0.0
HL	4	90.0736	90.0736	0.0
HL	5	101.734	101.734	0.0
HL	6	90.1095	90.1095	0.0
HL	7	55.6345	55.6345	0.0
HL	8	77.6194	77.6194	0.0
HL	9	122.771	122.771	0.0
HL	10	40.3233	40.3233	0.0
$Clast_{pred}$	1	117.306	117.306	0.0
$Clast_{nred}$	2	82.5367	82.5367	0.0
$Clast_{pred}$ $Clast_{pred}$	3	66.9311	66.9311	0.0
$Clast_{pred}^{pred}$	4	100.768	100.768	0.0
$Clast_{pred}^{pred}$	5	105.298	105.298	0.0
$Clast_{pred}^{pred}$	6	71.9399	71.9399	0.0
$Clast_{pred}^{pred}$	7	61.1727	61.1727	0.0
$Clast_{pred}^{pred}$	8	75.6043	75.6043	0.0
$Clast_{pred}^{pred}$	9	93.7618	93.7618	0.0
$Clast_{pred}^{pred}$	10	38.8109	38.8109	0.0
AUCinf	1	42925.0	42925.0	0.0
AUCinf	2	16154.9	16154.9	0.0
AUCinf	3	26026.2	26026.2	0.0
AUCinf	4	22004.1	22004.1	0.0
AUCinf	5	25820.3	25820.3	0.0
AUCinf	6	16001.8	16001.8	0.0
AUCinf	7	11689.0	11689.0	0.0
AUCinf	8	15446.2	15446.2	0.0
AUCinf	9	24865.2	24865.2	0.0
AUCinf	10	8075.32	8075.32	0.0
\widetilde{AUCpct}	1	77.6694	77.6694	0.0
AUCpct	2	37.405	37.405	0.0
AUCpct	3	79.2649	79.2649	0.0

AUCpct AUCpct AUCpct AUCpct	4 5 6 7	57.6541 62.97	57.6541	0.0
$AUCpct \ AUCpct \ AUCpct$	6	62.97	00.05	
AUCpct			62.97	0.0
AUCpct	7	56.4636	56.4636	0.0
-	1	39.8614	39.8614	0.0
AUCpct	8	53.9649	53.9649	0.0
AUCpct	9	66.5594	66.5594	0.0
AUCpct	10	30.3942	30.3942	0.0
MRT last	1	34.801	34.801	0.0
MRT last	2	29.5388	29.5388	0.0
MRT last	3	34.4724	34.4724	0.0
MRT last	4	33.6941	33.6941	0.0
MRT last	5	32.9644	32.9644	0.0
MRT last	6	32.5808	32.5808	0.0
MRT last	7	31.2676	31.2676	0.0
MRT last	8	33.8261	33.8261	0.0
MRT last	9	33.3868	33.3868	0.0
MRT last	10	27.5567	27.5567	0.0
MRTinf	1	293.162	293.162	0.0
MRTinf	2	71.9379	71.9379	0.0
MRTinf	3	305.041	305.041	0.0
MRTinf	4	130.7	130.7	0.0
MRTinf	5	149.967	149.967	0.0
MRTinf	6	128.241	128.241	0.0
MRTinf	7	79.4983	79.4983	0.0
MRTinf	8	114.857	114.857	0.0
MRTinf	9	176.978	176.978	0.0
MRTinf	10	58.7464	58.7464	0.0
Clinf	1	0.00232964	0.00232964	0.0
Clinf	2	0.00619006	0.00619006	0.0
Clinf	3	0.00384228	0.00384228	0.0
Clinf	4	0.00454461	0.00454461	0.0
Clinf	5	0.00387293	0.00387293	0.0
Clinf	6	0.00624931	0.00624931	0.0
Clinf	7	0.00855509	0.00855509	0.0
Clinf	8	0.00647408	0.00647408	0.0
Clinf	9	0.00402168	0.00402168	0.0
Clinf	10	0.0123834	0.0123834	0.0
Vzinf	1	0.688278	0.688278	0.0
Vzinf	2	0.438815	0.438815	0.0
Vzinf	3	1.16736	1.16736	0.0
Vzinf	4	0.590566	0.590566	0.0
Vzinf	5	0.568434	0.568434	0.0
Vzinf	6	0.812414	0.812414	0.0
Vzinf	7	0.686662	0.686662	0.0
Vzinf	8	0.724974	0.724974	0.0
Vzinf	9	0.712323	0.712323	0.0
Vzinf	10	0.720395	0.720395	0.0

4.3.2 Linear-Up Log-Down; Extravascular; Dosetime 0.25; Tau 9; Dose 100 Code:

```
setdosetime!(ds, DoseTime(dose = 100, time = 0.25, tau = 9))
nca!(ds, adm = :ev, calcm = :luld)
```

Table 3: Plasma data results, Linear-Up Log-Down, Extravascular

Parameter	Subject	Value	Reference	Difference
Cmax	1	190.869	190.869	0.0
Cmax	2	261.177	261.177	0.0
Cmax	3	105.345	105.345	0.0
Cmax	4	208.542	208.542	0.0
Cmax	5	169.334	169.334	0.0
Cmax	6	154.648	154.648	0.0
Cmax	7	153.254	153.254	0.0
Cmax	8	138.327	138.327	0.0
Cmax	9	167.347	167.347	0.0
Cmax	10	125.482	125.482	0.0
Tmax	1	1.0	1.0	0.0
Tmax	2	1.0	1.0	0.0
Tmax	3	1.5	1.5	0.0
Tmax	4	1.0	1.0	0.0
Tmax	5	4.0	4.0	0.0
Tmax	6	2.5	2.5	0.0
Tmax	7	2.5	2.5	0.0
Tmax	8	4.0	4.0	0.0
Tmax	9	3.0	3.0	0.0
Tmax	10	2.0	2.0	0.0
Cdose	1	121.239	121.239	0.0
Cdose	2	62.222	62.222	0.0
Cdose	3	49.849	49.849	0.0
Cdose	4	52.421	52.421	0.0
Cdose	5	0.0	0.0	0.0
Cdose	6	57.882	57.882	0.0
Cdose	7	19.95	19.95	0.0
Cdose	8	22.724	22.724	0.0
Cdose	9	105.438	105.438	0.0
Cdose	10	13.634	13.634	0.0
Clast	1	112.846	112.846	0.0
Clast	2	85.241	85.241	0.0
Clast	3	67.901	67.901	0.0
Clast	4	97.625	97.625	0.0
Clast	5	110.778	110.778	0.0
Clast	6	69.501	69.501	0.0
Clast	7	58.051	58.051	0.0
Clast	8	74.437	74.437	0.0
Clast	9	93.44	93.44	0.0

Clast 10 42.191 42.191 0.0 AUClast 1 9566.6 9566.6 0.0 AUClast 2 10054.3 10054.3 0.0 AUClast 3 5392.46 5392.46 0.0 AUClast 4 9297.1 9297.1 0.0 AUClast 5 9519.18 9519.18 0.0 AUClast 6 6948.99 6948.99 0.0 AUClast 7 6988.77 6988.77 0.0 AUClast 8 7058.82 705.882 0.0 AUClast 9 8302.37 8302.37 8302.37 0.0 AUClast 9 8302.37 8302.37 0.0 AUCtau 1 1268.28 1268.28 0.0 AUCtau 1 1268.28 1268.28 0.0 AUCtau 1 1268.28 1268.28 0.0 AUCtau 4 1336.48 1336.48 0.0 <th< th=""><th>Parameter</th><th>Subject</th><th>Value</th><th>Reference</th><th>Difference</th></th<>	Parameter	Subject	Value	Reference	Difference
AUClast 1 9566.6 9566.6 0.0 AUClast 2 10054.3 10054.3 0.0 AUClast 3 5392.46 5392.46 0.0 AUClast 4 9297.1 9297.1 0.0 AUClast 5 9519.18 9519.18 0.0 AUClast 6 6948.99 6948.99 0.0 AUClast 7 6988.77 698.77 0.0 AUClast 8 7058.82 7058.82 0.0 AUClast 9 8302.37 8302.37 0.0 AUClast 10 5486.84 5486.84 0.0 AUCtau 1 1268.28 1268.28 0.0 AUCtau 1 1268.28 1268.28 0.0 AUCtau 3 754.649 754.649 0.0 AUCtau 4 1336.48 1336.48 0.0 AUCtau 5 1310.9 1310.9 0.0 AUCtau	Clast	10	42.191	42.191	0.0
AUClast 3 5392.46 5392.46 0.0 AUClast 4 9297.1 9297.1 0.0 AUClast 5 9519.18 9519.18 0.0 AUClast 6 6948.99 6948.99 0.0 AUClast 7 6988.77 6988.77 0.0 AUClast 8 7058.82 7058.82 0.0 AUClast 9 8302.37 8302.37 0.0 AUClast 10 5486.84 5486.84 0.0 AUCtau 1 1268.28 1268.28 0.0 AUCtau 1 1268.28 1268.28 0.0 AUCtau 2 1831.82 1831.82 0.0 AUCtau 3 754.649 754.649 0.0 AUCtau 4 1336.48 1336.48 0.0 AUCtau 5 1310.9 1310.9 0.0 AUCtau 6 114.24 114.24 114.24 0.0 A		1	9566.6	9566.6	0.0
AUClast 4 9297.1 9297.1 0.0 AUClast 5 9519.18 9519.18 0.0 AUClast 6 6948.99 6948.99 0.0 AUClast 7 6988.77 6988.77 0.0 AUClast 8 7058.82 705.82 0.0 AUClast 9 8302.37 8302.37 0.0 AUCtau 1 1268.28 1268.28 0.0 AUCtau 1 136.48 130.0 0.0 AUCtau 4 1336.48 130.0 0.0 AUCtau 4 1336.48 130.9 0.0 AUCtau 5 1310.9 1310.9 0.0 AUCtau 6 1114.24 1114.24 114.24 AUCtau 7	AUClast	2	10054.3	10054.3	0.0
AUClast 4 9297.1 9297.1 0.0 AUClast 5 9519.18 9519.18 0.0 AUClast 6 6948.99 6948.99 0.0 AUClast 7 6988.77 6988.77 0.0 AUClast 8 7058.82 705.82 0.0 AUClast 9 8302.37 8302.37 0.0 AUCtau 1 1268.28 1268.28 0.0 AUCtau 1 136.48 130.0 0.0 AUCtau 4 1336.48 130.0 0.0 AUCtau 4 1336.48 130.9 0.0 AUCtau 5 1310.9 1310.9 0.0 AUCtau 6 1114.24 1114.24 114.24 AUCtau 7	AUClast	3	5392.46	5392.46	0.0
AUClast 5 9519.18 9519.18 0.0 AUClast 6 6948.99 6948.99 0.0 AUClast 7 6988.77 6988.77 0.0 AUClast 8 7058.82 7058.82 0.0 AUClast 10 5486.84 5486.84 0.0 AUCtau 1 1268.28 1268.28 0.0 AUCtau 1 1268.28 1268.28 0.0 AUCtau 2 1831.82 1831.82 0.0 AUCtau 3 754.649 754.649 0.0 AUCtau 4 1336.48 1336.48 0.0 AUCtau 5 1310.9 1310.9 0.0 AUCtau 6 114.24 1114.24 0.0 AUCtau 7 1079.37 1079.37 0.0 AUCtau 8 766.62 766.62 0.0 AUCtau 9 1219.63 1219.63 0.0 AUCtau 1 </td <td>AUClast</td> <td></td> <td>9297.1</td> <td>9297.1</td> <td>0.0</td>	AUClast		9297.1	9297.1	0.0
AUClast 7 6988.77 6988.77 0.0 AUClast 8 7058.82 7058.82 0.0 AUClast 9 8302.37 8302.37 0.0 AUClast 10 5486.84 5486.84 0.0 AUCtau 1 1268.28 1268.28 0.0 AUCtau 2 1831.82 1831.82 0.0 AUCtau 3 754.649 754.649 0.0 AUCtau 4 1336.48 1336.48 0.0 AUCtau 5 1310.9 1310.9 0.0 AUCtau 6 114.24 1114.24 0.0 AUCtau 7 1079.37 1079.37 0.0 AUCtau 8 766.62 766.62 0.0 AUCtau 9 1219.63 1219.63 0.0 AUCtau 10 970.306 970.306 0.0 AUMCtau 1 5477.2 5477.2 0.0 AUMCtau 1 </td <td>AUClast</td> <td>5</td> <td>9519.18</td> <td>9519.18</td> <td>0.0</td>	AUClast	5	9519.18	9519.18	0.0
AUClast 8 7058.82 7058.82 0.0 AUClast 9 8302.37 8302.37 0.0 AUClast 10 5486.84 5486.84 0.0 AUCtau 1 1268.28 1268.28 0.0 AUCtau 2 1831.82 1831.82 0.0 AUCtau 3 754.649 754.649 0.0 AUCtau 4 1336.48 1336.48 0.0 AUCtau 4 1336.48 1310.9 0.0 AUCtau 6 1114.24 1114.24 0.0 AUCtau 6 1114.24 1114.24 0.0 AUCtau 7 1079.37 1079.37 0.0 AUCtau 8 766.62 766.62 0.0 AUCtau 9 1219.63 1219.63 0.0 AUMCtau 1 5477.2 5477.2 0.0 AUMCtau 1 5477.2 5477.2 0.0 AUMCtau 2 <td>AUClast</td> <td>6</td> <td>6948.99</td> <td>6948.99</td> <td>0.0</td>	AUClast	6	6948.99	6948.99	0.0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	AUClast	7	6988.77	6988.77	0.0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	AUClast	8	7058.82	7058.82	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUClast	9	8302.37	8302.37	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUClast	10	5486.84	5486.84	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUCtau	1	1268.28	1268.28	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUCtau	2	1831.82	1831.82	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUCtau	3	754.649	754.649	0.0
AUCtau 6 1114.24 1114.24 0.0 AUCtau 7 1079.37 1079.37 0.0 AUCtau 8 766.62 766.62 0.0 AUCtau 9 1219.63 1219.63 0.0 AUCtau 10 970.306 970.306 0.0 AUMCtau 1 5477.2 5477.2 0.0 AUMCtau 2 8367.57 8367.57 0.0 AUMCtau 3 3455.35 3455.35 0.0 AUMCtau 4 6014.65 6014.65 0.0 AUMCtau 5 6609.79 6609.79 0.0 AUMCtau 6 5064.72 5064.72 0.0 AUMCtau 7 4976.96 4976.96 0.0 AUMCtau 8 2863.01 2863.01 0.0 AUMCtau 9 5386.88 5386.88 0.0 AUCall 1 9566.6 9566.6 0.0 AUCall	AUCtau	4	1336.48	1336.48	0.0
AUCtau 7 1079.37 1079.37 0.0 AUCtau 8 766.62 766.62 0.0 AUCtau 9 1219.63 1219.63 0.0 AUCtau 10 970.306 970.306 0.0 AUMCtau 1 5477.2 5477.2 0.0 AUMCtau 2 8367.57 8367.57 0.0 AUMCtau 3 3455.35 3455.35 0.0 AUMCtau 4 6014.65 6014.65 0.0 AUMCtau 5 6609.79 6609.79 0.0 AUMCtau 6 5064.72 5064.72 0.0 AUMCtau 7 4976.96 4976.96 0.0 AUMCtau 8 2863.01 2863.01 0.0 AUMCtau 9 5386.88 5386.88 0.0 AUCall 1 9566.6 9566.6 0.0 AUCall 1 9566.6 9566.6 0.0 AUCall 3<	AUCtau	5	1310.9	1310.9	0.0
AUCtau 8 766.62 766.62 0.0 AUCtau 9 1219.63 1219.63 0.0 AUCtau 10 970.306 970.306 0.0 AUMCtau 1 5477.2 5477.2 0.0 AUMCtau 2 8367.57 8367.57 0.0 AUMCtau 3 3455.35 3455.35 0.0 AUMCtau 4 6014.65 6014.65 0.0 AUMCtau 5 6609.79 6609.79 0.0 AUMCtau 6 5064.72 5064.72 0.0 AUMCtau 7 4976.96 4976.96 0.0 AUMCtau 8 2863.01 2863.01 0.0 AUMCtau 9 5386.88 5386.88 0.0 AUCtau 9 5386.88 5386.88 0.0 AUCall 1 9566.6 9566.6 0.0 AUCall 1 9566.6 9566.6 0.0 AUCall 4<	AUCtau	6	1114.24	1114.24	0.0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	AUCtau	7	1079.37	1079.37	0.0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	AUCtau	8	766.62	766.62	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUCtau	9	1219.63	1219.63	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUCtau	10	970.306	970.306	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUMCtau	1	5477.2	5477.2	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUMCtau	2	8367.57	8367.57	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUMCtau	3	3455.35	3455.35	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUMCtau	4	6014.65	6014.65	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUMCtau	5	6609.79	6609.79	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUMCtau	6	5064.72	5064.72	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUMCtau	7	4976.96	4976.96	0.0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	AUMCtau	8	2863.01	2863.01	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUMCtau	9	5386.88	5386.88	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUMCtau	10	4713.48	4713.48	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUCall	1	9566.6	9566.6	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUCall	2	10054.3	10054.3	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUCall	3	5392.46	5392.46	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUCall	4	9297.1	9297.1	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUCall	5	9519.18	9519.18	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUCall	6	6948.99	6948.99	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUCall	7	6988.77	6988.77	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	AUCall	8	7058.82	7058.82	0.0
$egin{array}{cccccccccccccccccccccccccccccccccccc$	AUCall	9	8302.37	8302.37	0.0
$egin{array}{cccccccccccccccccccccccccccccccccccc$	AUCall	10	5486.84	5486.84	0.0
Rsq 3 0.813589 0.813589 0.0 Rsq 4 0.918859 0.918859 0.0 Rsq 5 0.85336 0.85336 0.0 Rsq 6 0.950119 0.950119 0.0	Rsq	1	0.786077	0.786077	0.0
	Rsq		0.992764	0.992764	0.0
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	Rsq	3	0.813589	0.813589	0.0
Rsq 6 0.950119 0.950119 0.0	Rsq	4	0.918859	0.918859	0.0
1	Rsq	5	0.85336	0.85336	0.0
Rsq 7 0.970312 0.970312 0.0	Rsq	6	0.950119	0.950119	0.0
	Rsq	7	0.970312	0.970312	0.0

Parameter	Subject	Value	Reference	Difference
Rsq	8	0.947969	0.947969	0.0
Rsq	9	0.947538	0.947538	0.0
Rsq	10	0.880923	0.880923	0.0
ARsq	1	0.714769	0.714769	0.0
ARsq	2	0.990351	0.990351	0.0
ARsq	3	0.776307	0.776307	0.0
ARsq	4	0.837717	0.837717	0.0
ARsq	5	0.82892	0.82892	0.0
ARsq	6	0.925179	0.925179	0.0
ARsq	7	0.960416	0.960416	0.0
ARsq	8	0.921954	0.921954	0.0
ARsq	9	0.921307	0.921307	0.0
ARsq	10	0.863912	0.863912	0.0
Kel	1	0.00338474	0.00338474	0.0
Kel	2	0.0141063	0.0141063	0.0
Kel	3	0.00329143	0.00329143	0.0
Kel	4	0.00769534	0.00769534	0.0
Kel	5	0.00681333	0.00681333	0.0
Kel	6	0.00769228	0.00769228	0.0
Kel	7	0.012459	0.012459	0.0
Kel	8	0.00893008	0.00893008	0.0
Kel	9	0.00564586	0.00564586	0.0
Kel	10	0.0171897	0.0171897	0.0
HL	1	204.786	204.786	0.0
HL	2	49.1374	49.1374	0.0
HL	3	210.591	210.591	0.0
HL	4	90.0736	90.0736	0.0
HL	5	101.734	101.734	0.0
HL	6	90.1095	90.1095	0.0
HL	7	55.6345	55.6345	0.0
HL	8	77.6194	77.6194	0.0
HL	9	122.771	122.771	0.0
HL	10	40.3233	40.3233	0.0
$Clast_{pred}$	1	117.306	117.306	0.0
$Clast_{pred}^{red}$	2	82.5367	82.5367	0.0
$Clast_{pred}^{pred}$	3	66.9311	66.9311	0.0
$Clast_{pred}^{pred}$	4	100.768	100.768	0.0
$Clast_{pred}^{red}$	5	105.298	105.298	0.0
$Clast_{pred}^{red}$	6	71.9399	71.9399	0.0
$Clast_{nred}$	7	61.1727	61.1727	0.0
$Clast_{pred}^{pred}$	8	75.6043	75.6043	0.0
$Clast_{pred}^{pred}$	9	93.7618	93.7618	0.0
$Clast_{pred}^{pred}$	10	38.8109	38.8109	0.0
AUCinf	1	42906.2	42906.2	0.0
AUCinf	2	16097.0	16097.0	0.0
AUCinf	3	26022.1	26022.1	0.0
AUCinf	4	21983.3	21983.3	0.0

Parameter	Subject	Value	Reference	Difference
\overline{AUCinf}	5	25778.2	25778.2	0.0
AUCinf	6	15984.1	15984.1	0.0
AUCinf	7	11648.2	11648.2	0.0
AUCinf	8	15394.4	15394.4	0.0
AUCinf	9	24852.5	24852.5	0.0
AUCinf	10	7941.27	7941.27	0.0
AUCpct	1	77.7035	77.7035	0.0
AUCpct	2	37.5395	37.5395	0.0
AUCpct	3	79.2774	79.2774	0.0
AUCpct	4	57.7084	57.7084	0.0
AUCpct	5	63.0727	63.0727	0.0
AUCpct	6	56.5258	56.5258	0.0
AUCpct	7	40.001	40.001	0.0
AUCpct	8	54.1467	54.1467	0.0
AUCpct	9	66.5935	66.5935	0.0
AUCpct	10	30.9073	30.9073	0.0
MRT tauinf	1	299.792	299.792	0.0
MRT tauinf	2	74.655	74.655	0.0
MRT tauinf	3	305.92	305.92	0.0
MRT tauinf	4	143.538	143.538	0.0
MRT tauinf	5	173.022	173.022	0.0
MRT tauinf	6	124.653	124.653	0.0
MRT tauinf	7	92.7359	92.7359	0.0
MRT tauinf	8	175.462	175.462	0.0
MRT tauinf	9	178.811	178.811	0.0
MRT tauinf	10	69.5163	69.5163	0.0
Cltau	1	0.0788472	0.0788472	0.0
Cltau	2	0.0545905	0.0545905	0.0
Cltau	3	0.132512	0.132512	0.0
Cltau	4	0.0748234	0.0748234	0.0
Cltau	5	0.0762832	0.0762832	0.0
Cltau	6	0.0897472	0.0897472	0.0
Cltau	7	0.0926469	0.0926469	0.0
Cltau	8	0.130443	0.130443	0.0
Cltau	9	0.081992	0.081992	0.0
Cltau	10	0.10306	0.10306	0.0
Vztau	1	23.2949	23.2949	0.0
Vztau	2	3.86993	3.86993	0.0
Vztau	3	40.2597	40.2597	0.0
Vztau	4	9.7232	9.7232	0.0
Vztau	5	11.1962	11.1962	0.0
Vztau	6	11.6672	11.6672	0.0
Vztau	7	7.43617	7.43617	0.0
Vztau	8	14.6071	14.6071	0.0
Vztau	9	14.5225	14.5225	0.0
Vztau	10	5.99545	5.99545	0.0

4.3.3 Linear-trapezoidal rule; Intravascular; Dosetime 0.0; Tau 12; Dose 120 Code:

```
setdosetime!(ds, DoseTime(dose = 120, time = 0.0, tau = 12))
nca!(ds, adm = :iv, calcm = :lint)
```

Table 4: Plasma data results, Linear-trapezoidal rule, Intravascular

Parameter	Subject	Value	Reference	Difference
Cmax	1	190.869	190.869	0.0
Cmax	2	261.177	261.177	0.0
Cmax	3	105.345	105.345	0.0
Cmax	4	208.542	208.542	0.0
Cmax	5	169.334	169.334	0.0
Cmax	6	154.648	154.648	0.0
Cmax	7	153.254	153.254	0.0
Cmax	8	138.327	138.327	0.0
Cmax	9	167.347	167.347	0.0
Cmax	10	125.482	125.482	0.0
Tmax	1	1.0	1.0	0.0
Tmax	2	1.0	1.0	0.0
Tmax	3	1.5	1.5	0.0
Tmax	4	1.0	1.0	0.0
Tmax	5	4.0	4.0	0.0
Tmax	6	2.5	2.5	0.0
Tmax	7	2.5	2.5	0.0
Tmax	8	4.0	4.0	0.0
Tmax	9	3.0	3.0	0.0
Tmax	10	2.0	2.0	0.0
Cdose	1	0.0	0.0	0.0
Cdose	2	0.0	0.0	0.0
Cdose	3	0.0	0.0	0.0
Cdose	4	0.0	0.0	0.0
Cdose	5	0.0	0.0	0.0
Cdose	6	0.0	0.0	0.0
Cdose	7	0.0	0.0	0.0
Cdose	8	0.0	0.0	0.0
Cdose	9	0.0	0.0	0.0
Cdose	10	0.0	0.0	0.0
Clast	1	112.846	112.846	0.0
Clast	2	85.241	85.241	0.0
Clast	3	67.901	67.901	0.0
Clast	4	97.625	97.625	0.0
Clast	5	110.778	110.778	0.0
Clast	6	69.501	69.501	0.0
Clast	7	58.051	58.051	0.0
Clast	8	74.437	74.437	0.0
Clast	9	93.44	93.44	0.0

Parameter	Subject	Value	Reference	Difference
Clast	10	42.191	42.191	0.0
AUClast	1	9585.42	9585.42	0.0
AUClast	2	10112.2	10112.2	0.0
AUClast	3	5396.55	5396.55	0.0
AUClast	4	9317.84	9317.84	0.0
AUClast	5	9561.26	9561.26	0.0
AUClast	6	6966.6	6966.6	0.0
AUClast	7	7029.57	7029.57	0.0
AUClast	8	7110.67	7110.67	0.0
AUClast	9	8315.08	8315.08	0.0
AUClast	10	5620.89	5620.89	0.0
AUCtau	1	1670.1	1670.1	0.0
AUCtau	2	2380.27	2380.27	0.0
AUCtau	3	980.346	980.346	0.0
AUCtau	4	1711.04	1711.04	0.0
AUCtau	5	1738.46	1738.46	0.0
AUCtau	6	1410.0	1410.0	0.0
AUCtau	7	1436.56	1436.56	0.0
AUCtau	8	1105.07	1105.07	0.0
AUCtau	9	1638.19	1638.19	0.0
AUCtau	10	1293.71	1293.71	0.0
AUMCtau	1	9984.82	9984.82	0.0
AUMCtau	2	14630.1	14630.1	0.0
AUMCtau	3	6024.5	6024.5	0.0
AUMCtau	4	10299.7	10299.7	0.0
AUMCtau	5	11466.1	11466.1	0.0
AUMCtau	6	8467.36	8467.36	0.0
AUMCtau	7	9003.02	9003.02	0.0
AUMCtau	8	6457.01	6457.01	0.0
AUMCtau	9	10095.8	10095.8	0.0
AUMCtau	10	8367.3	8367.3	0.0
AUCall	1	9585.42	9585.42	0.0
AUCall	2	10112.2	10112.2	0.0
AUCall	3	5396.55	5396.55	0.0
AUCall	4	9317.84	9317.84	0.0
AUCall	5	9561.26	9561.26	0.0
AUCall	6	6966.6	6966.6	0.0
AUCall	7	7029.57	7029.57	0.0
AUCall	8	7110.67	7110.67	0.0
AUCall	9	8315.08	8315.08	0.0
AUCall	10	5620.89	5620.89	0.0
Rsq	1	0.786077	0.786077	0.0
Rsq	2	0.992764	0.992764	0.0
Rsq	3	0.813589	0.813589	0.0
Rsq	4	0.918859	0.918859	0.0
Rsq	5	0.863677	0.863677	0.0
Rsq	6	0.950119	0.950119	0.0
Rsq	7	0.970312	0.970312	0.0

——————————————————————————————————————	Subject	Value	Reference	Difference
Rsq	8	0.947969	0.947969	0.0
Rsq	9	0.947538	0.947538	0.0
Rsq	10	0.879699	0.879699	0.0
ARsq	1	0.714769	0.714769	0.0
ARsq	$\stackrel{-}{2}$	0.990351	0.990351	0.0
ARsq	3	0.776307	0.776307	0.0
ARsq	4	0.837717	0.837717	0.0
ARsq	5	0.844202	0.844202	0.0
ARsq	6	0.925179	0.925179	0.0
ARsq	7	0.960416	0.960416	0.0
ARsq	8	0.921954	0.921954	0.0
ARsq	9	0.921307	0.921307	0.0
ARsq	10	0.867669	0.867669	0.0
Kel	1	0.00338474	0.00338474	0.0
Kel	2	0.0141063	0.0141063	0.0
Kel	3	0.00329143	0.00329143	0.0
Kel	4	0.00769534	0.00769534	0.0
Kel	5	0.00685799	0.00685799	0.0
Kel	6	0.00769228	0.00769228	0.0
Kel	7	0.012459	0.012459	0.0
Kel	8	0.00893008	0.00893008	0.0
Kel	9	0.00564586	0.00564586	0.0
Kel	10	0.0165438	0.0165438	0.0
HL	1	204.786	204.786	0.0
HL	2	49.1374	49.1374	0.0
HL	3	210.591	210.591	0.0
HL	4	90.0736	90.0736	0.0
HL	5	101.072	101.072	0.0
HL	6	90.1095	90.1095	0.0
HL	7	55.6345	55.6345	0.0
HL	8	77.6194	77.6194	0.0
HL	9	122.771	122.771	0.0
HL	10	41.8978	41.8978	0.0
$Clast_{pred}$	1	117.306	117.306	0.0
$Clast_{pred}^{rrad}$	2	82.5367	82.5367	0.0
$Clast_{pred}^{pred}$	3	66.9311	66.9311	0.0
$Clast_{pred}^{pred}$	4	100.768	100.768	0.0
$Clast_{pred}^{pred}$	5	105.196	105.196	0.0
$Clast_{pred}^{pred}$	6	71.9399	71.9399	0.0
$Clast_{pred}^{pred}$	7	61.1727	61.1727	0.0
$Clast_{pred}^{pred}$	8	75.6043	75.6043	0.0
$Clast_{pred}^{pred}$	9	93.7618	93.7618	0.0
$Clast_{pred}^{pred}$	10	39.4088	39.4088	0.0
AUCinf	1	42925.0	42925.0	0.0
AUCinf	2	16154.9	16154.9	0.0
AUCinf	3	26026.2	26026.2	0.0
AUCinf	4	22004.1	22004.1	0.0
v				

Parameter	Subject	Value	Reference	Difference
\overline{AUCinf}	5	25714.4	25714.4	0.0
AUCinf	6	16001.8	16001.8	0.0
AUCinf	7	11689.0	11689.0	0.0
AUCinf	8	15446.2	15446.2	0.0
AUCinf	9	24865.2	24865.2	0.0
AUCinf	10	8171.16	8171.16	0.0
AUCpct	1	77.6694	77.6694	0.0
AUCpct	2	37.405	37.405	0.0
AUCpct	3	79.2649	79.2649	0.0
AUCpct	4	57.6541	57.6541	0.0
AUCpct	5	62.8175	62.8175	0.0
AUCpct	6	56.4636	56.4636	0.0
AUCpct	7	39.8614	39.8614	0.0
AUCpct	8	53.9649	53.9649	0.0
AUCpct	9	66.5594	66.5594	0.0
AUCpct	10	31.2106	31.2106	0.0
MRT tauinf	1	302.403	302.403	0.0
MRT tauinf	2	75.5906	75.5906	0.0
MRT tauinf	3	312.721	312.721	0.0
MRT tauinf	4	148.341	148.341	0.0
MRT tauinf	5	172.093	172.093	0.0
MRT tauinf	6	130.191	130.191	0.0
MRT tauinf	7	91.9083	91.9083	0.0
MRT tauinf	8	161.574	161.574	0.0
MRT tauinf	9	176.305	176.305	0.0
MRT tauinf	10	70.2607	70.2607	0.0
Cltau	1	0.0718519	0.0718519	0.0
Cltau	2	0.0504145	0.0504145	0.0
Cltau	3	0.122406	0.122406	0.0
Cltau	4	0.070133	0.070133	0.0
Cltau	5	0.0690266	0.0690266	0.0
Cltau	6	0.0851065	0.0851065	0.0
Cltau	7	0.0835329	0.0835329	0.0
Cltau	8	0.10859	0.10859	0.0
Cltau	9	0.0732516	0.0732516	0.0
Cltau	10	0.0927567	0.0927567	0.0
Vztau	1	21.2282	21.2282	0.0
Vztau	2	3.57389	3.57389	0.0
Vztau	3	37.1892	37.1892	0.0
Vztau	4	9.11369	9.11369	0.0
Vztau	5	10.0651	10.0651	0.0
Vztau	6	11.0639	11.0639	0.0
Vztau	7	6.70465	6.70465	0.0
Vztau	8	12.1601	12.1601	0.0
Vztau	9	12.9744	12.9744	0.0
$\underline{\hspace{1cm}}Vztau$	10	5.60675	5.60675	0.0

4.3.4~ Linear/Log Trapezoidal rule; Extravascular; Dosetime 0.0; Tau 12; Dose 120~

Code:

```
setdosetime!(ds, DoseTime(dose = 120, time = 0.0, tau = 12))
nca!(ds, adm = :ev, calcm = :logt)
```

Table 5: Plasma data results, Linear/Log Trapezoidal rule, Extravascular

Parameter	Subject	Value	Reference	Difference
Cmax	1	190.869	190.869	0.0
Cmax	2	261.177	261.177	0.0
Cmax	3	105.345	105.345	0.0
Cmax	4	208.542	208.542	0.0
Cmax	5	169.334	169.334	0.0
Cmax	6	154.648	154.648	0.0
Cmax	7	153.254	153.254	0.0
Cmax	8	138.327	138.327	0.0
Cmax	9	167.347	167.347	0.0
Cmax	10	125.482	125.482	0.0
Tmax	1	1.0	1.0	0.0
Tmax	2	1.0	1.0	0.0
Tmax	3	1.5	1.5	0.0
Tmax	4	1.0	1.0	0.0
Tmax	5	4.0	4.0	0.0
Tmax	6	2.5	2.5	0.0
Tmax	7	2.5	2.5	0.0
Tmax	8	4.0	4.0	0.0
Tmax	9	3.0	3.0	0.0
Tmax	10	2.0	2.0	0.0
Cdose	1	0.0	0.0	0.0
Cdose	2	0.0	0.0	0.0
Cdose	3	0.0	0.0	0.0
Cdose	4	0.0	0.0	0.0
Cdose	5	0.0	0.0	0.0
Cdose	6	0.0	0.0	0.0
Cdose	7	0.0	0.0	0.0
Cdose	8	0.0	0.0	0.0
Cdose	9	0.0	0.0	0.0
Cdose	10	0.0	0.0	0.0
Clast	1	112.846	112.846	0.0
Clast	2	85.241	85.241	0.0
Clast	3	67.901	67.901	0.0
Clast	4	97.625	97.625	0.0
Clast	5	110.778	110.778	0.0
Clast	6	69.501	69.501	0.0
Clast	7	58.051	58.051	0.0
Ctast	•	00.001	00.00-	0.0

Parameter	Subject	Value	Reference	Difference
Clast	9	93.44	93.44	0.0
Clast	10	42.191	42.191	0.0
AUClast	1	9572.86	9572.86	0.0
AUClast	2	10054.0	10054.0	0.0
AUClast	3	5391.53	5391.53	0.0
AUClast	4	9296.22	9296.22	0.0
AUClast	5	9518.65	9518.65	0.0
AUClast	6	6948.58	6948.58	0.0
AUClast	7	6987.06	6987.06	0.0
AUClast	8	7064.78	7064.78	0.0
AUClast	9	8298.96	8298.96	0.0
AUClast	10	5485.65	5485.65	0.0
AUCtau	1	1668.36	1668.36	0.0
AUCtau	2	2379.57	2379.57	0.0
AUCtau	3	979.109	979.109	0.0
AUCtau	4	1709.79	1709.79	0.0
AUCtau	5	1738.24	1738.24	0.0
AUCtau	6	1408.16	1408.16	0.0
AUCtau	7	1432.02	1432.02	0.0
AUCtau	8	1080.02	1080.02	0.0
AUCtau	9	1630.98	1630.98	0.0
AUCtau	10	1292.83	1292.83	0.0
AUMCtau	1	9973.81	9973.81	0.0
AUMCtau	2	14631.1	14631.1	0.0
AUMCtau	3	6022.93	6022.93	0.0
AUMCtau	4	10308.0	10308.0	0.0
AUMCtau	5	11473.1	11473.1	0.0
AUMCtau	6	8471.1	8471.1	0.0
AUMCtau	7	8982.04	8982.04	0.0
AUMCtau	8	6271.74	6271.74	0.0
AUMCtau	9	10040.8	10040.8	0.0
AUMCtau	10	8361.79	8361.79	0.0
AUCall	1	9572.86	9572.86	0.0
AUCall	2	10054.0	10054.0	0.0
AUCall	3	5391.53	5391.53	0.0
AUCall	4	9296.22	9296.22	0.0
AUCall	5	9518.65	9518.65	0.0
AUCall	6	6948.58	6948.58	0.0
AUCall	$\overline{7}$	6987.06	6987.06	0.0
AUCall	8	7064.78	7064.78	0.0
AUCall	9	8298.96	8298.96	0.0
AUCall	10	5485.65	5485.65	0.0
Rsq	10	0.786077	0.786077	0.0
Rsq	$\frac{1}{2}$	0.992764	0.992764	0.0
Rsq	$\frac{2}{3}$	0.932704 0.813589	0.932704 0.813589	0.0
Rsq	$\frac{3}{4}$	0.013369 0.918859	0.813389 0.918859	0.0
Rsq	5	0.918839 0.85336	0.918839 0.85336	0.0
-	6	0.89500 0.950119	0.85550	0.0
Rsq	O	0.950119	0.950119	0.0

	G 1	***	D (D. (%
Parameter	Subject	Value	Reference	Difference
Rsq	7	0.970312	0.970312	0.0
Rsq	8	0.947969	0.947969	0.0
Rsq	9	0.947538	0.947538	0.0
Rsq	10	0.880923	0.880923	0.0
ARsq	1	0.714769	0.714769	0.0
ARsq	2	0.990351	0.990351	0.0
ARsq	3	0.776307	0.776307	0.0
ARsq	4	0.837717	0.837717	0.0
ARsq	5	0.82892	0.82892	0.0
ARsq	6	0.925179	0.925179	0.0
ARsq	7	0.960416	0.960416	0.0
ARsq	8	0.921954	0.921954	0.0
ARsq	9	0.921307	0.921307	0.0
ARsq	10	0.863912	0.863912	0.0
Kel	1	0.00338474	0.00338474	0.0
Kel	2	0.0141063	0.0141063	0.0
Kel	3	0.00329143	0.00329143	0.0
Kel	4	0.00769534	0.00769534	0.0
Kel	5	0.00681333	0.00681333	0.0
Kel	6	0.00769228	0.00769228	0.0
Kel	7	0.012459	0.012459	0.0
Kel	8	0.00893008	0.00893008	0.0
Kel	9	0.00564586	0.00564586	0.0
Kel	10	0.0171897	0.0171897	0.0
HL	1	204.786	204.786	0.0
HL	2	49.1374	49.1374	0.0
HL	3	210.591	210.591	0.0
HL	4	90.0736	90.0736	0.0
HL	5	101.734	101.734	0.0
HL	6	90.1095	90.1095	0.0
HL	7	55.6345	55.6345	0.0
HL	8	77.6194	77.6194	0.0
HL	9	122.771	122.771	0.0
HL	10	40.3233	40.3233	0.0
$Clast_{pred}$	1	117.306	117.306	0.0
$Clast_{pred}$	2	82.5367	82.5367	0.0
$Clast_{pred}$	3	66.9311	66.9311	0.0
$Clast_{pred}$	4	100.768	100.768	0.0
$Clast_{pred}^{r}$	5	105.298	105.298	0.0
$Clast_{pred}$	6	71.9399	71.9399	0.0
$Clast_{pred}$	7	61.1727	61.1727	0.0
$Clast_{pred}$	8	75.6043	75.6043	0.0
$Clast_{pred}$	9	93.7618	93.7618	0.0
$Clast_{pred}$	10	38.8109	38.8109	0.0
AUCinf	1	42912.5	42912.5	0.0
AUCinf	2	16096.8	16096.8	0.0
AUCinf	3	26021.2	26021.2	0.0

Parameter	Subject	Value	Reference	Difference
\overline{AUCinf}	4	21982.5	21982.5	0.0
AUCinf	5	25777.7	25777.7	0.0
AUCinf	6	15983.7	15983.7	0.0
AUCinf	7	11646.4	11646.4	0.0
AUCinf	8	15400.3	15400.3	0.0
AUCinf	9	24849.1	24849.1	0.0
AUCinf	10	7940.08	7940.08	0.0
AUCpct	1	77.6921	77.6921	0.0
AUCpct	2	37.5401	37.5401	0.0
AUCpct	3	79.2802	79.2802	0.0
AUCpct	4	57.7107	57.7107	0.0
AUCpct	5	63.074	63.074	0.0
AUCpct	6	56.5272	56.5272	0.0
AUCpct	7	40.0069	40.0069	0.0
AUCpct	8	54.1257	54.1257	0.0
AUCpct	9	66.6026	66.6026	0.0
AUCpct	10	30.9119	30.9119	0.0
MRT tauinf	1	302.635	302.635	0.0
MRT tauinf	2	75.3237	75.3237	0.0
MRT tauinf	3	313.068	313.068	0.0
MRT tauinf	4	148.311	148.311	0.0
MRT tauinf	5	172.558	172.558	0.0
MRT tauinf	6	130.226	130.226	0.0
MRT tauinf	7	91.8667	91.8667	0.0
MRT tauinf	8	164.918	164.918	0.0
MRT tauinf	9	176.985	176.985	0.0
MRT tauinf	10	68.1676	68.1676	0.0
Cltau	1	0.0719271	0.0719271	0.0
Cltau	2	0.0504294	0.0504294	0.0
Cltau	3	0.12256	0.12256	0.0
Cltau	4	0.0701841	0.0701841	0.0
Cltau	5	0.0690354	0.0690354	0.0
Cltau	6	0.0852177	0.0852177	0.0
Cltau	7	0.0837976	0.0837976	0.0
Cltau	8	0.111109	0.111109	0.0
Cltau	9	0.0735756	0.0735756	0.0
Cltau	10	0.0928198	0.0928198	0.0
Vztau	1	21.2504	21.2504	0.0
Vztau	2	3.57495	3.57495	0.0
Vztau	3	37.2362	37.2362	0.0
Vztau	4	9.12034	9.12034	0.0
Vztau	5	10.1324	10.1324	0.0
Vztau	6	11.0783	11.0783	0.0
Vztau	7	6.72589	6.72589	0.0
Vztau	8	12.4421	12.4421	0.0
Vztau	9	13.0318	13.0318	0.0
$\underline{\hspace{1cm}} Vztau$	10	5.39972	5.39972	0.0

4.3.5 Urine data; Linear-trapezoidal rule; Extravascular; Dosetime 0.0; Dose $100\,$

Code:

```
upkds = upkimport(upkdata, :st, :et, :conc, :vol, :subj;
dosetime = MetidaNCA.DoseTime(dose = 100))
MetidaNCA.nca!(upkds)
```

Table 6: Urine data results

Parameter	Value	Reference	Difference
\overline{AUCall}	17.125	17.125	0.0
Prec	16.0	16.0	0.0
Tmax	1.5	1.5	0.0
Rlast	0.333333	0.333333	0.0
AR	16.0	16.0	0.0
ARsq	0.810983	0.810983	0.0
HL	5.15526	5.15526	0.0
AUClast	17.125	17.125	0.0
AUCinf	19.6042	19.6042	0.0
Vol	11.0	11.0	0.0
AUCpct	12.6461	12.6461	0.0
Kel	0.134454	0.134454	0.0
Maxrate	4.0	4.0	0.0
Rsq	0.905492	0.905492	0.0

${\bf 4.3.6} \quad {\bf Pharmacodynamics\ data;\ Linear-trapezoidal\ rule}$

Code:

```
pd = MetidaNCA.pdimport(pddata, :time, :obs;
bl = 3.0, th = 1.5, id = Dict(:subj => 1))
pdres = MetidaNCA.nca!(pd)
```

Table 7: Pharmacodynamics data results

Parameter	Value	Reference	Difference
\overline{Tmax}	5.0	5.0	0.0
TBBL	5.51905	5.51905	0.0
TIMEBTW	2.28095	2.28095	0.0
AUCBTW	6.92619	6.92619	0.0
AUCBBL	8.73571	8.73571	0.0
TBTH	3.2381	3.2381	0.0
AUCNETT	12.15	12.15	0.0
Rmax	8.0	8.0	0.0
AUCABL	7.38571	7.38571	0.0
AUCATH	13.9595	13.9595	0.0
TATH	5.7619	5.7619	0.0
AUCNETB	-1.35	-1.35	0.0
AUCBTH	1.80952	1.80952	0.0
TABL	3.48095	3.48095	0.0

5 Glossary

- Installation qualification (IQ) Establishing confidence that process equipment and ancillary systems are compliant with appropriate codes and approved design intentions, and that manufacturer's recommendations are suitably considered.
- Operational qualification (OQ) Establishing confidence that process equipment and sub-systems are capable of consistently operating within established limits and tolerances.
- Product performance qualification (PQ) Establishing confidence through appropriate testing that the finished product produced by a specified process meets all release requirements for functionality and safety.
- Repository GitHub repository: https://github.com/PharmCat/MetidaNCA.jl
- Master branch main branch on GitHub (link).
- Current machine pc that used for validation report generating.

6 Reference

- General Principles of Software Validation; Final Guidance for Industry and FDA Staff
- Guidance for Industry Process Validation: General Principles and Practices
- Glossary of Computer System Software Development Terminology

7 Appendix 1

7.0.1 Testing PK dataset.

 Subject	Formulation	 Time	
: 1	+ T	 0.0	+: 0.0
1	Т	0.5	178.949
1	l T	1.0	190.869
1	l T	1.5	164.927
1	T	2.0	139.962
1	T	2.5	129.59
1	T	3.0	131.369
1	T	4.0	150.854
1	T	5.0	121.239
1	T	6.0	139.229
1	T	8.0	128.52
1	T	10.0	143.243
1	T	12.0	144.964
1	I T	24.0	133.16
1	I T	48.0	137.271
1	T	72.0	112.846
1 2	l R	0.0	0.0
1 2	l R	0.5	62.222
1 2	l R	1.0	261.177
1 2	l R	1.5	234.063
1 2	R	2.0	234.091
1 2	l R	2.5	222.881
1 2	l R	3.0	213.896
1 2	l R	4.0	196.026
1 2	R	5.0	199.634
1 2	R	6.0	196.037
2	R	8.0	213.352
2	l R	10.0	200.088
2			196.035
2	·		160.338
2	R	48.0	110.28
2	•	72.0	85.241
] 3	•	0.0	0.0
] 3	R	0.5	49.849
] 3	R	1.0	77.367
3	R	1.5	105.345
3	R	2.0	100.943
3	R	2.5	72.746
3	R	3.0	69.985
3	•	4.0	93.565
3	R	5.0	91.981
3	R	6.0	82.71
3	l R	8.0	84.205

3 R 24.0 81.259 3 R 48.0 70.107 3 R 48.0 70.107 3 R 70.0 67.901 4 R 70.0 0.0 0.0 0.0 4 R 70.5 52.421 4 R 1.0 208.542 4 R 1.5 188.923 4 R 2.0 165.177 4 R 2.5 146.996 4 R 3.0 152.701 4 R 4.0 154.345 4 R 5.0 128.398 4 R 5.0 128.398 4 R 6.0 149.807 4 R 8 5.0 128.398 4 R 8 5.0 128.398 4 R 8 10.0 136.819 4 R 10.0 136.819 4 R 10.0 136.819 4 R 10.0 136.819 4 R 12.0 132.257 4 R 44.0 141.247 4 R 48.0 129.138 4 R 72.0 97.625 5 T 0.0 0.0 5 T 1.5 153.964 5 T 2.5 151.452 5 T 2.0 152.34 5 T 2.5 151.452 5 T 3.0 161.312 5 T 4.0 169.334 5	1 3	l R	10.0	85.342
3 R 48.0 70.107 3 R 72.0 67.901 4 R 0.0 0.0 0.0 4 R 0.5 52.421 4 R 1.0 208.542 4 R 1.5 188.923 4 R 2.0 165.177 4 R 2.5 146.996 4 R 3.0 152.701 4 R 3.0 152.701 4 R 5.0 128.398 4 R 5.0 128.398 4 R 5.0 128.398 4 R 6.0 149.807 4 R 8 10.0 136.819 4 R 10.0 136.819 4 R 12.0 132.257 4 R 24.0 141.247 4 R 24.0 141.247 4 R 24.0 141.247 4 R 72.0 97.625 5 T 0.0 0.0 5 T 1.5 153.964 5 T 1.5 153.964 5 T 2.5 151.452 5 T 3.0 161.312 5 T 3.0 161.312 5 T 3.0 166.651 5 T 3.0 166.651 5 T 3.0 168.668 5 T 3.0 168.668 5 T 3.0 163.668 5 T 3.0 163.665 163.668 5 T 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3	3	l R	12.0	76.027
3 R 72.0 67.901	3	l R	24.0	81.259
	3	l R	48.0	70.107
	3	l R	72.0	67.901
	1 4	l R		0.0
	•			
	•			
				•
				•
	•			
	•			
		l R		
	4	l R	12.0	132.257
4	1 4	l R	24.0	141.247
	4	l R	48.0	129.138
	4	l R	72.0	97.625
	J 5	l T	0.0	0.0
	J 5	Т	0.5	0.0
5 T 2.0 152.34 5 T 2.5 151.452 5 T 3.0 161.312 5 T 4.0 169.334 5 T 5.0 162.907 5 T 6.0 166.651 5 T 8.0 168.668 5 T 10.0 155.103 5 T 12.0 154.066 5 T 24.0 162.974 5 T 48.0 109.814 5 T 72.0 110.778 6 T 0.5 57.882 6 T 1.5 138.651 6 T 1.5 138.651 6 T 2.5 154.648 6 T 3.0 122.316 6 T 4.0 132.857 6 T 4.0 132.857 6 T 5.0 126.067 6 T 6.0 140.466	J 5	l T	1.0	9.545
5 T 2.0 152.34 5 T 2.5 151.452 5 T 3.0 161.312 5 T 4.0 169.334 5 T 5.0 162.907 5 T 6.0 166.651 5 T 8.0 168.668 5 T 10.0 155.103 5 T 12.0 154.066 5 T 24.0 162.974 5 T 48.0 109.814 5 T 72.0 110.778 6 T 0.5 57.882 6 T 1.5 138.651 6 T 1.5 138.651 6 T 2.5 154.648 6 T 3.0 122.316 6 T 4.0 132.857 6 T 4.0 132.857 6 T 5.0 126.067 6 T 6.0 140.466	J 5	Т	1.5	153.964
5 T 4.0 169.334 5 T 5.0 162.907 5 T 6.0 166.651 5 T 8.0 168.668 5 T 10.0 155.103 5 T 12.0 154.066 5 T 24.0 162.974 5 T 48.0 109.814 5 T 72.0 110.778 6 T 0.5 57.882 6 T 1.0 100.498 6 T 1.5 138.651 6 T 2.5 154.648 6 T 3.0 122.316 6 T 4.0 132.857 6 T 5.0 126.067 6 T 5.0 126.067				
I 5 T 6.0 166.651 I 5 T 8.0 168.668 I 5 T 10.0 155.103 I 5 T 12.0 154.066 I 5 T 24.0 162.974 I 5 T 48.0 109.814 I 5 T 72.0 110.778 I 6 T 0.0 0.0 I 6 T 0.5 57.882 I 6 T 1.0 100.498 I 6 T 1.5 138.651 I 6 T 2.0 147.287 I 6 T 2.5 154.648 I 6 T 3.0 122.316 I 6 T 4.0 132.857 I 6 T 5.0 126.067 I 6 T 6.0 140.466 I 6 T 8.0 115.542				
5 T 8.0 168.668 5 T 10.0 155.103 5 T 12.0 154.066 5 T 24.0 162.974 5 T 48.0 109.814 5 T 72.0 110.778 6 T 0.0 0.0 6 T 0.5 57.882 6 T 1.0 100.498 6 T 1.5 138.651 6 T 2.0 147.287 6 T 2.5 154.648 6 T 3.0 122.316 6 T 4.0 132.857 6 T 5.0 126.067 6 T 6.0 140.466 6 T 8.0 115.542				
5 T 10.0 155.103 5 T 12.0 154.066 5 T 24.0 162.974 5 T 48.0 109.814 5 T 72.0 110.778 6 T 0.0 0.0 6 T 0.5 57.882 6 T 1.0 100.498 6 T 1.5 138.651 6 T 2.0 147.287 6 T 2.5 154.648 6 T 3.0 122.316 6 T 4.0 132.857 6 T 5.0 126.067 6 T 6.0 140.466 6 T 8.0 115.542				
5 T 12.0 154.066 5 T 24.0 162.974 5 T 48.0 109.814 5 T 72.0 110.778 6 T 0.0 0.0 6 T 0.5 57.882 6 T 1.0 100.498 6 T 1.5 138.651 6 T 2.0 147.287 6 T 2.5 154.648 6 T 3.0 122.316 6 T 4.0 132.857 6 T 5.0 126.067 6 T 6.0 140.466 6 T 8.0 115.542				
5 T 24.0 162.974 5 T 48.0 109.814 5 T 72.0 110.778 6 T 0.0 0.0 6 T 0.5 57.882 6 T 1.0 100.498 6 T 1.5 138.651 6 T 2.0 147.287 6 T 2.5 154.648 6 T 3.0 122.316 6 T 4.0 132.857 6 T 5.0 126.067 6 T 6.0 140.466 6 T 8.0 115.542				
5 T 48.0 109.814 5 T 72.0 110.778 6 T 0.0 0.0 6 T 0.5 57.882 6 T 1.0 100.498 6 T 1.5 138.651 6 T 2.0 147.287 6 T 2.5 154.648 6 T 3.0 122.316 6 T 4.0 132.857 6 T 5.0 126.067 6 T 6.0 140.466 7 8.0 115.542				
5 T 72.0 110.778 6 T 0.0 0.0 6 T 0.5 57.882 6 T 1.0 100.498 6 T 1.5 138.651 6 T 2.0 147.287 6 T 2.5 154.648 6 T 3.0 122.316 6 T 4.0 132.857 6 T 5.0 126.067 6 T 6.0 140.466 6 T 8.0 115.542				
6 T 0.0 0.0 6 T 0.5 57.882 6 T 1.0 100.498 6 T 1.5 138.651 6 T 2.0 147.287 6 T 2.5 154.648 6 T 3.0 122.316 6 T 4.0 132.857 6 T 5.0 126.067 6 T 6.0 140.466 6 T 8.0 115.542				
6 T 0.5 57.882 6 T 1.0 100.498 6 T 1.5 138.651 6 T 2.0 147.287 6 T 2.5 154.648 6 T 3.0 122.316 6 T 4.0 132.857 6 T 5.0 126.067 6 T 6.0 140.466 6 T 8.0 115.542				
6 T 1.0 100.498 6 T 1.5 138.651 6 T 2.0 147.287 6 T 2.5 154.648 6 T 3.0 122.316 6 T 4.0 132.857 6 T 5.0 126.067 6 T 6.0 140.466 6 T 8.0 115.542				
6 T 1.5 138.651 6 T 2.0 147.287 6 T 2.5 154.648 6 T 3.0 122.316 6 T 4.0 132.857 6 T 5.0 126.067 6 T 6.0 140.466 6 T 8.0 115.542				
6 T 2.0 147.287 6 T 2.5 154.648 6 T 3.0 122.316 6 T 4.0 132.857 6 T 5.0 126.067 6 T 6.0 140.466 6 T 8.0 115.542				
6 T 2.5 154.648 6 T 3.0 122.316 6 T 4.0 132.857 6 T 5.0 126.067 6 T 6.0 140.466 6 T 8.0 115.542	1 6			
6 T 3.0 122.316 6 T 4.0 132.857 6 T 5.0 126.067 6 T 6.0 140.466 6 T 8.0 115.542	1 6	l T	2.0	147.287
6 T 4.0 132.857 6 T 5.0 126.067 6 T 6.0 140.466 6 T 8.0 115.542	1 6	l T	2.5	154.648
6 T 5.0 126.067 6 T 6.0 140.466 6 T 8.0 115.542	1 6	l T	3.0	122.316
6 T 6.0 140.466 6 T 8.0 115.542	1 6	Т	4.0	132.857
6 T 8.0 115.542	1 6	Т	5.0	126.067
	1 6	Т	6.0	140.466
6 T 10.0 102.16	1 6	Т	8.0	115.542
	l 6	T	10.0	102.16

6	Т	12.0	113.751
6	T	24.0	101.049
6	T	48.0	92.55
6	T	72.0	69.501
7	I R	0.0	0.0
7	l R	0.5	19.95
, , 7	R R	1.0	128.405
7	l R	1.5	136.807
, , 7	R R	2.0	113.109
, , 7	_	2.5	153.254
7	R R	3.0	123.606
7	l R	4.0	142.655
, , 7	_	5.0	112.347
7	R R	6.0	139.919
, , 7		8.0	105.513
, , 7	_	10.0	134.408
, , 7	R R	12.0	123.37
, , 7	_	24.0	110.511
, , 7	R R	48.0	90.291
, , 7	_	72.0	58.051
8	R R	0.0	0.0
8	R R	0.5	136.91
8	R R	1.0	126.646
8	R R	1.5	118.5
8	l R	2.0	134.926
8	R R	2.5	113.213
8	R R	3.0	130.896
8	l R	4.0	138.327
8	R R	5.0	22.724
8	R R	6.0	53.774
8	R R	8.0	55.107
			102.871
	R R	12.0	134.133
8	l R	24.0	108.021
8	_	48.0	98.466
8	R R	72.0	74.437
9	T	0.0	0.0
9		0.5	113.362
9	Т	1.0	128.273
9	Т	1.5	125.395
9		2.0	146.933
9	T	2.5	140.559
9	T	3.0	167.347
9	T	4.0	157.504
9	T	5.0	141.35
9	,	6.0	140.282
9	T	8.0	105.438
9	T	10.0	164.843
9	T	12.0	135.58
		. – - •	. =====================================

١	9	Т		24.0		117.125
	9	T		48.0	-	109.745
	9	T		72.0		93.44
	10	R		0.0	-	0.0
	10	R		0.5	-	13.634
	10	R		1.0		62.561
	10	R		1.5		112.655
	10	R		2.0	-	125.482
	10	R		2.5		116.255
	10	R		3.0	-	112.674
	10	R		4.0		116.986
	10	R		5.0	-	119.81
	10	R		6.0		107.557
	10	R		8.0		120.479
	10	R		10.0		124.171
	10	R		12.0		106.476
	10	R		24.0		116.508
	10	R		48.0		45.204
	10	R		72.0		42.191
ı		'	<u>.</u> 1.		١.	

7.0.2 Testing urine PK dataset.

				. •				٠.		•
١	subj		conc		st		et		vol	
:		-+-		+-		+-		+-		:
	1	-	1		0		1		1	1
	1	-	2		1		2		2	1
	1	-	2		2		6		3	1
	1	-	1		6		12		3	
	1	-	1		12		18		2	1
						1		1		

7.0.3 Testing PD dataset.

				٠	
	subj		time		obs
:-		-+-		+-	:
	1		0.0		0
	1		1.0		1
	1		2.0		4
	1		2.5		7
	1	-	3.0		5
	1	-	3.3		4
	1	-	3.6		3
-	1	-	4.0		2
	1	-	5.0		8
-	1	-	6.0		1
	1		7.0		2
-	1	-	8.0		1
-	1	-	9.0		1
١.		٠٠.		٠,	'

8 Appendix 2

8.0.1 Reference output.

 $A via lible\ at\ https://github.com/PharmCat/MetidaNCA.jl/tree/main/docs/src/pdf.$

See Appendix 2.1.pdf,

Appendix 2.2.pdf,

Appendix 2.3.pdf,

Appendix 2.4.pdf,

Appendix 2.5.pdf.