Rajalakshmi Engineering College

Name: Saii Anish R 1

Email: 241501175@rajalakshmi.edu.in

Roll no: 241501175 Phone: 8438920387

Branch: REC

Department: I AI & ML FB

Batch: 2028

Degree: B.E - AI & ML



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 6_MCQ

Attempt : 1 Total Mark : 20 Marks Obtained : 18

Section 1: MCQ

1. What is the difference between r+ and w+ modes?

Answer

in r+ the pointer is initially placed at the beginning of the file and the pointer is at the end for w+

Status: Correct Marks: 1/1

2. Fill in the blanks in the following code of writing data in binary files.

import _____ (1)
rec=[]
while True:
 rn=int(input("Enter"))
 nm=input("Enter")

```
temp=[rn, nm]
 rec.append(temp)
  ch=input("Enter choice (y/N)")
  if ch.upper=="N":
    break
f.open("stud.dat","
 _____.dump(rec,f)(3)
          .close()(4)
Answer
(pickle,wb,pickle,f)
Status: Correct
                                                                   Marks: 1/1
3. Which of the following is true about
fp.seek(10,1)
Answer
Move file pointer ten characters ahead from the current position
Status: Correct
                                                                   Marks: 1/1
4. Which clause is used to clean up resources, such as closing files in
Python?
Answer
finally
Status: Correct
                                                                   Marks: 1/1
```

- 5. Match the following:
- a) f.seek(5,1) i) Move file pointer five characters behind from the current position
- b) f.seek(-5,1) ii) Move file pointer to the end of a file
- c) f.seek(0,2) iii) Move file pointer five characters ahead from the current

		- 4					
n	\sim	0	ıŧ	47	1	n	١
p	u	J	ıι	ı١	J	ш	
-	7/	√−.	₽ =		_		

d) f.seek(0) iv) Move file pointer to the beginning of a file

Answer

a-iii, b-i, c-ii, d-iv

Status: Correct Marks: 1/1

6. What happens if an exception is not caught in the except clause?

Answer

The program will display a traceback error and stop execution

Status: Correct Marks: 1/1

7. Fill in the code in order to get the following output:

Output:

Name of the file: ex.txt

fo = open(_____(1), "wb") print("Name of the file: ",_____)(2)

Answer

1) ex.txt2) fo.name

Status: Wrong Marks: 0/1

8. What is the correct way to raise an exception in Python?

Answer

raise Exception()

Status: Correct Marks: 1/1

9. What is the purpose of the except clause in Python?

Answer

To handle exceptions during code execution

Status: Correct Marks: 1/1

10. How do you create a user-defined exception in Python?

Answer

By creating a new class that inherits from the Exception class

Status: Correct Marks: 1/1

11. What is the default value of reference_point in the following code?

file_object.seek(offset [,reference_point])

Answer

0

Status: Correct Marks: 1/1

12. What will be the output of the following Python code?

```
f = None
for i in range (5):
    with open("data.txt", "w") as f:
    if i > 2:
        break
print(f.closed)
Answer
```

True

Status: Correct Marks: 1/1

13. Which of the following is true about the finally block in Python?

Answer

The finally block is always executed, regardless of whether an exception occurs or not

Marks: 1/1 Status: Correct

14. What will be the output of the following Python code?

Predefined lines to simulate the file content

```
lines = [
  "This is 1st line".
  "This is 2nd line".
  "This is 3rd line",
  "This is 4th line",
  "This is 5th line"
print("Name of the file: foo.txt")
# Print the first 5 lines from the predefined list
for index in range(5):
  line = lines[index]
  print("Line No %d - %s" % (index + 1, line.strip()))
Answer
Displays Output
Status: Correct
```

15. Fill the code to in order to read file from the current position.

Assuming exp.txt file has following 3 lines, consider current file position is beginning of 2nd line

Marks : 1/1

Meri,25

John,21

Raj,20

```
Ouptput:
[John,21\n','Raj,20\n']
   f = open("exp.txt", "w+")
   print ___
   Answer
   1) f.seek(0, 1)2) f.readlines()
    Status: Correct
                                                                     Marks: 1/1
   16. What is the output of the following code?
   class MyError(Exception):
      pass
   try:
      raise MyError("Something went wrong")
   except MyError as e:
      print(e)
    Answer
   Something went wrong
   Status: Correct
                                                                     Marks:
   17. What happens if no arguments are passed to the seek function?
    Answer
    error
   Status: Wrong
                                                                     Marks: 0/1
        What is the output of the following code?
```

```
x = \text{"hello"} + 5
except TypeError:
      print("Type Error occurred")
   finally:
      print("This will always execute")
   Answer
   Type Error occurredThis will always execute
   Status: Correct
                                                                       Marks: 1/1
        What is the output of the following code?
   try:
      x = 1 / 0
   except ZeroDivisionError:
      print("Caught division by zero error")
   finally:
      print("Executed")
   Answer
   Caught division by zero errorExecuted
                                                                      Marks : 1/1
   Status: Correct
   20. How do you rename a file?
   Answer
   os.rename(existing_name, new_name)
   Status: Correct
                                                                       Marks: 1/1
```