

App Framework Android Integration

Document History				
Version	Date	Author	Section	Changes
0.1	09-Aug-2016	Ritesh Jha, Rakesh Krishnamurthy	All	Initial draft

Author	Ritesh Jha, Rakesh Krishnamurthy
Approved By	Depth Shivakumar
Email Id	Rakesh.krishnamurthy@philips.com , ritesh.jha@philips.com

Contents

1. Introduction	3
2. Integration	3
2.1 Artifactory	3
2.2 Root gradle changes	3
2.3 Dependencies.....	4
2.3.1 Gradle dependencies.....	4
2.3.2 Library dependencies	5
2.5 Some more dependencies	6
2.6 Proxy dependencies	6
2.7.Prerequisites	6
3.Steps for API integration of different configuration	7
4. Manifest Details	8
Kindly find manifest details in source folder to find the various Android Components added and used.	
8	
5. Notes	8

1. Introduction

This document will provide step by step procedure to integrate various horizontal components within **AppFramework** application.

Source code Links:

<http://maartens-mini.ddns.htc.nl.philips.com:8081/artifactory/simple/libs-release-local-android/com/philips/cdp/appFramework/0.1.0>

BigBucket Link:

https://atlas.natlab.research.philips.com/bitbucket/projects/MAF/repos/app-framework_android/browse

2. Integration

Integration can be done in following ways.

2.1 Artifactory

All dependent libraries should be downloaded from artifactory.

Artifactory path:

<http://maartens-mini.ddns.htc.nl.philips.com:8081/artifactory/simple/libs-release-local-android/com/philips/cdp/appFramework/>

2.2 Root gradle changes

```
buildscript {  
    repositories {  
        maven { url 'http://maartens-mini.ddns.htc.nl.philips.com:8081/artifactory/jcenter' }  
    }  
    dependencies {  
        classpath 'com.android.tools.build:gradle:2.1.0'  
    }  
}  
allprojects {  
    repositories {
```

```
maven { url 'http://maartens-mini.ddns.htc.nl.philips.com:8081/artifactory/libs-  
release-local-android' }  
maven { url 'http://maartens-mini.ddns.htc.nl.philips.com:8081/artifactory/jcenter' }  
maven { url 'http://maartens-mini.ddns.htc.nl.philips.com:8081/artifactory/ext-  
release-local' }  
maven { url 'http://maartens-mini.ddns.htc.nl.philips.com:8081/artifactory/libs-  
release-local-android' }  
maven { url 'http://maartens-mini.ddns.htc.nl.philips.com:8081/artifactory/libs-  
stage-local-android' }  
  
}}
```

2.3 Dependencies

2.3.1 Gradle dependencies

```
dependencies {  
    compile 'com.android.support:support-annotations:23.2.0'  
    compile 'com.android.support:multidex:1.0.1'  
    compile 'com.android.support:design:23.1.1'  
  
    compile(group: 'com.philips.cdp', name: 'registrationApi', version: '7.0.1', ext: 'aar') {  
        exclude group: 'com.android.support'  
        transitive = true  
    }  
  
    compile(group: 'com.philips.cdp', name: 'uikitLib', version: '3.2.3', ext: 'aar') {  
        transitive = true  
    }  
    compile(group: 'com.philips.cdp', name: 'product-registration-lib', version: '1.1.1', ext:  
'aar') {  
        exclude group: 'com.android.support'  
        transitive = true  
    }  
  
    compile(group: 'com.philips.cdp', name: 'digitalCare', version: '6.1.0', ext: 'aar'){  
        exclude group: 'com.android.support'  
        transitive=true  
    }  
  
    compile(group: 'com.philips.cdp', name: 'iap', version: '4.1.0', ext: 'aar'){
```

```
        exclude group: 'com.android.support'
        transitive=true
    }

    compile(group: 'com.philips.cdp', name: 'AppInfra', version: '1.1.1', ext: 'aar')

} }
    compile (name: 'AppInfraLib-release', ext:'aar')
}
```

2.3.2 Library dependencies

1. User Registration : 7.0.1
2. Uikit Library : 3.2.3
3. Product Registration : 1.1.1
4. Digital Care : 6.1.0
5. InAppPurchase : 4.1.0
6. AppInfra : 1.1.1

2.4 Package Options

```
packagingOptions {
    exclude 'META-INF/DEPENDENCIES.txt'
    exclude 'META-INF/LICENSE.txt'
    exclude 'META-INF/NOTICE.txt'
    exclude 'META-INF/NOTICE'
    exclude 'META-INF/LICENSE'
    exclude 'META-INF/DEPENDENCIES'
    exclude 'META-INF/notice.txt'
    exclude 'META-INF/license.txt'
    exclude 'META-INF/dependencies.txt'
    exclude 'META-INF/LGPL2.1'
    pickFirst 'lib/mips/librsjni.so'
    pickFirst 'lib/mips/libblasV8.so'
}
```

```
pickFirst 'lib/mips/libRSSupport.so'  
pickFirst 'lib/x86/librsjni.so'  
pickFirst 'lib/x86/libblasV8.so'  
pickFirst 'lib/x86/libRSSupport.so'  
pickFirst 'lib/armeabi-v7a/librsjni.so'  
pickFirst 'lib/armeabi-v7a/libblasV8.so'  
pickFirst 'lib/armeabi-v7a/libRSSupport.so'  
pickFirst 'lib/arm64-v8a/libRSSupport.so'  
pickFirst 'lib/arm64-v8a/librsjni.so'  
exclude 'META-INF/INDEX.LIST'  
}}
```

2.5 Some more dependencies

```
minSdkVersion 19  
targetSdkVersion 23  
compileSdkVersion 23  
buildToolsVersion "23.0.3"
```

2.6 Proxy dependencies

Gradle dependencies can get some network/proxy related issues with Philips. In order to fix this issue, we are using below proxy settings in gradle.properties of root folder.

```
systemProp.https.proxyHost=42.99.164.34  
systemProp.https.proxyPort=10015
```

We are using these proxy settings locally. But Eindhoven, does not use above proxy settings.

2.7.Prerequisites

NA

Status: Proposed
Philips Innovation Campus, Bengaluru

Page 6 of 8
Company Restricted

3.Steps for API integration of different configuration

Any invocation in the application context of the app can be done by creating an application class and adding them there. Following are some sample codes to initialize elements for ActivityLife cycle callbacks and User registration

Eg: Following is the Application class used to initialize User Registration component :

```
public class AppFrameworkApplication extends Application{
    public static AppInfraInterface gAppInfra;
    public static LoggingInterface loggingInterface;

    @Override
    public void onCreate() {
        MultiDex.install(this);
        super.onCreate();
        AppInfraSingleton.setInstance( new
        AppInfra.Builder().build(getApplicationContext()));
        gAppInfra = AppInfraSingleton.getInstance();
        loggingInterface =
        gAppInfra.getLogging().createInstanceForComponent(BuildConfig.APPLICATION_ID,
        BuildConfig.VERSION_NAME);
        loggingInterface.enableConsoleLog(true);
        loggingInterface.enableFileLog(true);

        initializeUserRegistrationLibrary();
    }

    private void initializeUserRegistrationLibrary() {
        AppTaggingInterface aiAppTaggingInterface = gAppInfra.getTagging();
        aiAppTaggingInterface.createInstanceForComponent("User Registration",
            RegistrationHelper.getRegistrationApiVersion());
        aiAppTaggingInterface.setPreviousPage("demoapp:home");
        aiAppTaggingInterface.setPrivacyConsent(AppTaggingInterface.PrivacyStatus.OPTIN);
        RegistrationConfiguration.getInstance().
            setPrioritisedFunction(RegistrationFunction.Registration);
        RLog.init(this);
        String languageCode = Locale.getDefault().getLanguage();
        String countryCode = Locale.getDefault().getCountry();
        PILLocaleManager localeManager = new PILLocaleManager(this);
        localeManager.setInputLocale(languageCode, countryCode);
        RegistrationHelper.getInstance().initializeUserRegistration(this);
    }
}
```

4. Manifest Details

Kindly find manifest details in source folder to find the various Android Components added and used.

5. Notes

1. Please refer interface Spec Doc or Java documents for more details on APIs for each individual component.
2. Please refer demo app for implementation details of various CoCo.