

NOTICE

**This document replaces any document
with a version lower than**

1.0.0rc6

**The questions in those documents no
longer reflect the current types of
questions that are asked in
The Challenge.**

**DO NOT REFER TO THOSE DOCUMENTS
FOR THE TYPES OF QUESTIONS ASKED.**

[THIS PAGE WAS LEFT BLANK INTENTIONALLY]

THE CHALLENGE

Practice Questions

Question 1. State the value of

$$10 \times 2$$


Question 2. State the value of

$$100 + 600 \div 200$$

Question 3. Solve for the value of x in the equation

$$12x - 345 = 678$$

Question 4.



Determine the values of a , b and c of the function

$$y = a \sin \left(\frac{x}{b} \right) + c$$

given the graph of that function as shown above, where $b > 0$. Hence state the exact value of $2^a \times 3^b \times 5^c$.

Question 5. State the remainder when the polynomial

$$P(x) = 4x^7 + 12x^6 + 17x^5 + 22x^4 + 27x^3 + 32x^2 + 37x + 24$$

is divided by the linear function $L(x) = 2x + 3$.

Question 6. Solve the quadratic equation with real roots (Equation (A), Equation (B) or Equation (C)) for the **values** of x .

$$(A) \quad \frac{x^2}{4} + 13x + 493 = 0$$

$$(B) \quad x^2 + 12x + 27 = 0$$

$$(C) \quad \frac{x^2}{4} + 5x + 425 = 0$$

Question 7. Determine the 4th term in the binomial expansion of

$$\left(x^3 - \frac{1}{3x^3}\right)^6$$

Question 8. Solve for the value of x in the equation

$$\sqrt{2\sqrt{3}\sqrt{x} + 4} - 5 = 0$$

Question 9. Solve for the **values** of x in the equation

$$3 \left| \frac{-1 \times \ln(2x)}{\ln(4)} + 5 \right| - 9 = 0$$

Question 10. Differentiate the following expression with respect to x .

$$\ln(2 - 3x) - \sin(5x + 6) + \cos(5x + 6)$$

Question 11. State the value of

$$\int_{-5}^0 (8x^3 + 4x^2 + 4x) \, dx$$

Question 12. Integrate the following expression with respect to x , leaving out the constant of integration (C) in your answer.

$$3e^{x+7} + 9 \cos(x + 3) + 2 \sec^2(x)$$

Question 13. Solve for the **values** of x in the equation

$$\frac{d}{dx} \left(\frac{x^4}{4} + \frac{11x^3}{3} + 17x^2 + 24x - 92 \right) = 0$$

Question 14. Solve for the **values** of x in the following simultaneous equations (Equation (D) and Equation (E)).

$$(D) \quad 5y = x + 46$$

$$(E) \quad (x + 5)^2 + (y - 16)^2 = 65$$

END OF PRACTICE QUESTIONS DOCUMENT

THE CHALLENGE

Practice Questions' Answers

NOTE THE FOLLOWING:

- The system **will accept** any answer that is *algebraically* and *reasonably* equivalent to the suggested answer.
 - For example, both $\tan x$ and $\frac{\sin x}{\cos x}$ will be accepted as the anti-derivative of $\sec^2 x$ as they are *algebraically* and *reasonably* equivalent to each other.
- Any answer that is in the Times New Roman font are in **exact form**. The system **will not accept** any answer that has been rounded off.
- Any answer that is in the Arial font are **rounded off**. The system **will not accept** any answer that is **not exactly as shown** in this answer key.
 - However, if your answer contains a few more decimal places (e.g. "123.000") than the suggested answer (e.g. "123"), **your answer will be accepted** by the system.

No.	Answer	Remarks
1	20	—
2	103	—
3	85.25	This is the value of x .
4	7031250	There are no other acceptable answers .
5	0	—
6	-9 and -3	These are the roots of Equation (B).
7	$-\frac{20}{27}$	There are no other acceptable answers .
8	36.75	This is the value of x .
9	8 and 32768	These are the solutions to the equation.
10	$-5 \sin(5x + 6) - 5 \cos(5x + 6) - \frac{3}{2 - 3x}$	The system will accept any equivalent form of the answer.
11	-1133.333	This needs to be rounded to 3 decimal places.
12	$3e^{x+7} + 2 \tan(x) + 9 \sin(x + 3)$	The system will accept any equivalent form of the answer.
13	-1 and -4 and -6	Your answer must show all three roots .
14	-1 and -6	These are the solutions to the simultaneous equations.

END OF ANSWERS DOCUMENT