The Challenge: Sample Questions

Last updated on 22 SEPTEMBER 2020

Question 1

Find the value of:

$$10 \times 2$$

Question 2

Evaluate:

$$100 + 600 \div 200$$

Question 3

Solve for *x*:

$$12x - 345 = 678$$

Question 4

Factorise the following expression **completely**:

$$\left(8w^3 + 27x^3\right)\left(4y^2 - 9z^2\right)$$

Question 5

Determine the 4th term in the binomial expansion of:

$$\left(x^3 - \frac{1}{3x^3}\right)^6$$

Question 6

Solve for x:


$$\sqrt{2\sqrt{3x} + 4} - 5 = 0$$

Question 7

Solve for the **values** of x:

$$3 \left| \frac{-1 \times \ln(2 \times x)}{\ln(4)} + 5 \right| - 9 = 0.$$

Question 8



Determine the values of a, b and c in

$$y = a \sin\left(\frac{x}{b}\right) + c$$

given the graph of that equation as shown above.

Question 9

Differentiate the following with respect to x:

$$\ln\left(2-3x\right) - \sin\left(5x+6\right) + \cos\left(5x+6\right)$$

Question 10

Calculate:

$$\int_{-5}^{0} \left(8x^3 + 4x^2 + 4x \right) dx.$$

Question 11

Integrate the following with respect to x, leaving out the constant of integration (C) in your answer:

$$3e^{x+7} + 9\cos(x+3) + 2\sec^2(x)$$

Question 12

Solve the quadratic equation with real root(s) for x:

A)
$$\frac{x^2}{4} + 13x + 493 = 0$$

B)
$$x^2 + 12x + 27 = 0$$

C)
$$\frac{x^2}{4} + 5x + 425 = 0$$

Question 13

Solve for the **values** of x:

$$\frac{d}{dx}\left(\frac{x^4}{4} + \frac{11x^3}{3} + 17x^2 + 24x - 92\right) = 0.$$

Question 14

Solve for the **values** of *x* in the following simultaneous equations:

$$5y = x + 46,$$

 $(x+5)^2 + (y-16)^2 = 65.$

END OF SAMPLE QUESTIONS

The Challenge: Sample Questions' ANSWERS

Question 1

20

Question 2

103

Question 3

$$x = 85.25$$

Question 4

$$(2w + 3x) (4w^2 - 6wx + 9x^2) (2y + 3z) (2y - 3z)$$

Question 5

$$-\frac{20}{27}$$

Question 6

$$x = 36.75$$

Question 7

$$x_1 = 8 \text{ or } x_2 = 32768$$

Question 8

$$a = 1, b = 2 \text{ and } c = 8$$

Question 9

$$-5\sin(5x+6) - 5\cos(5x+6) - \frac{3}{2-3x}$$

Question 10

-1133.333

Question 11

$$3e^{x+7} + \frac{2\sin(x)}{\cos(x)} + 9\sin(x+3) = 3e^{x+7} + 2\tan(x) + 9\sin(x+3)$$

Question 12

$$x_1 = -9$$
 and $x_2 = -3$

Question 13

$$x_1 = -1$$
, $x_2 = -6$ and $x_3 = -4$

Question 14

$$x_1 = -1 \text{ and } x_2 = -6$$

END OF ANSWERS DOCUMENT