THE CHALLENGE Practice Questions

This Document Replaces Version 1.0.0a10.dev3's Practice Questions

Question 1

Find the value of:

$$10 \times 2$$

Question 2

Evaluate:

$$100 + 600 \div 200$$

Question 3

Solve for *x*:

$$12x - 345 = 678$$

Question 4

State the remainder when

$$4x^7 + 12x^6 + 17x^5 + 22x^4 + 27x^3 + 32x^2 + 37x + 24$$

is divided by 2x + 3.

Question 5

Determine the 4th term in the binomial expansion of:

$$\left(x^3 - \frac{1}{3x^3}\right)^6$$

Question 6

Solve for x:


$$\sqrt{2\sqrt{3x} + 4} - 5 = 0$$

Question 7

Solve for the **values** of x:

$$3 \left| \frac{-1 \times \ln(2 \times x)}{\ln(4)} + 5 \right| - 9 = 0.$$

Question 8



Determine the values of a, b and c in

$$y = a \sin\left(\frac{x}{b}\right) + c$$

given the graph of that equation as shown above, where b>0. Hence state the exact value of $2^a\times 3^b\times 5^c$.

Question 9

Differentiate the following with respect to x:

$$\ln(2 - 3x) - \sin(5x + 6) + \cos(5x + 6)$$

Question 10

Calculate:

$$\int_{-5}^{0} \left(8x^3 + 4x^2 + 4x \right) dx.$$

Question 11

Integrate the following with respect to x, leaving out the constant of integration (C) in your answer:

$$3e^{x+7} + 9\cos(x+3) + 2\sec^2(x)$$

Question 12

Solve the quadratic equation with real roots for x:

A)
$$\frac{x^2}{4} + 13x + 493 = 0$$

B)
$$x^2 + 12x + 27 = 0$$

C)
$$\frac{x^2}{4} + 5x + 425 = 0$$

Question 13

Solve for the **values** of x:

$$\frac{d}{dx}\left(\frac{x^4}{4} + \frac{11x^3}{3} + 17x^2 + 24x - 92\right) = 0.$$

Question 14

Solve for the **values** of *x* in the following simultaneous equations:

$$5y = x + 46,$$

 $(x + 5)^2 + (y - 16)^2 = 65.$

END OF SAMPLE QUESTIONS DOCUMENT

THE CHALLENGE Sample Questions' Answers

Question 1

20

Question 2

103

Question 3

x = 85.25

Question 4

0

Question 5

 $-\frac{20}{27}$

Question 6

x = 36.75

Question 7

 $x_1 = 8 \text{ or } x_2 = 32768$

Question 8

7031250

Question 9

$$-5\sin(5x+6) - 5\cos(5x+6) - \frac{3}{2-3x}$$

Question 10

-1133.333

Question 11

$$3e^{x+7} + \frac{2\sin(x)}{\cos(x)} + 9\sin(x+3) = 3e^{x+7} + 2\tan(x) + 9\sin(x+3)$$

Question 12

$$x_1 = -9$$
 and $x_2 = -3$

Question 13

$$x_1 = -1$$
, $x_2 = -6$ and $x_3 = -4$

Question 14

$$x_1 = -1 \text{ and } x_2 = -6$$

END OF ANSWERS DOCUMENT