
title: "Dynamic Model"
author: "Antonio Huerta Montellano"
date: "April 17, 2023"
output:
pdf_document: default
html_document: default

Exploración de los paneles

Importemos los paneles donde un panel corresponde a los bateadores y, el otro, a los fielderos.

Por otro lado, se mostrarán las dimensiones de cada panel

```
print("Bateadores: ")
```

```
[1] "Bateadores: "
```

```
print(dim(hitters_panel))
```

```
[1] 570 205
```

```
print("")
```

```
[1] ""
```

```
print("Fildeadores: ")
```

```
[1] "Fildeadores: "
```

```
print(dim(fielders_panel))
```

```
[1] 542 221
```

Como la posición del jugador es un control, necesitaremos pasar de columna categórica a columna numérica.

```
# Convert categorical column to numerical  
# Position;  
hitters_panel$position_num_t <- as.numeric(factor(hitters_panel$Posicion_t))  
fielders_panel$position_num_t <- as.numeric(factor(fielders_panel$Posicion_t))  
# Team:  
hitters_panel$team_num_t <- as.numeric(factor(hitters_panel$Acronimo_t))  
fielders_panel$team_num_t <- as.numeric(factor(fielders_panel$Acronimo_t))  
# Free Agent dummy  
hitters_panel <- cbind(setNames(data.frame(rep(1, nrow(hitters_panel))), "Agente_t"), hitters_panel)  
fielders_panel <- cbind(setNames(data.frame(rep(1, nrow(fielders_panel))), "Agente_t"), fielders_panel)
```

Como adelanto, se descartaron los controles por posición puesto que no son significativos para los modelos y afectan los resultados. Tal vez por el hecho de que los jugadores tienden a rotar de posición en un mismo partido e incluso a lo largo de la temporada. Agreguemos una columna de 1's que represente la dummy de ser agente libre

```
# add a column of 1s to the panel data
hitters_panel <- cbind(hitters_panel,
                      fa = rep(1, nrow(hitters_panel)))
fielders_panel <- cbind(fielders_panel,
                       fa = rep(1, nrow(fielders_panel)))
```

Debido a que en las estadísticas descriptivas se observó un shock en el año de la pandemia COVID-19, se obtendrán las estimaciones quitando el año 2020.

Segmentación por grupo

Lo que haremos es dividir los paneles en ciertas categorías. Primero, veamos todas las posiciones en los paneles

```
print("Bateadores:")
```

```
[1] "Bateadores:"
```

```
print(unique(hitters_panel$Posicion_t))
```

```
[1] SP C  CF RF DH 1B 2B SS 3B LF RP OF
Levels: 1B 2B 3B C CF DH LF OF RF RP SP SS
```

```
print("")
```

```
[1] ""
```

```
print("Fildeadores:")
```

```
[1] "Fildeadores:"
```

```
print(unique(fielders_panel$Posicion_t))
```

```
[1] SP    RP    RP/CL RF    SS
Levels: RF RP RP/CL SP SS
```

Arriba se muestran las posiciones de los jugadores en nuestras bases de datos. A pesar de que en los bateadores aparezcan posiciones defensivas se debe a que estos juegan tanto como ofensivos como defensivos. Estando en la ofensiva se juega en la misma posición que todos por lo que no es necesario especificar que ocupaba la posición de bateador (**H**). Sin embargo, cuando se dice que es un bateador designado (**DH**) ya que este solo juega en la ofensiva para sustituir a un lanzador/pitcher.

Por otro lado, veamos cuantas observaciones hay por posición.

```
hitters_panel %>% count(Posicion_t, sort = TRUE)
```

	Posicion_t	n
1	SP	112
2	C	76
3	LF	60
4	RF	59
5	2B	53
6	RP	47
7	1B	45
8	3B	31
9	DH	31
10	CF	28
11	SS	27
12	OF	1

```
fielders_panel %>% count(Posicion_t, sort = TRUE)
```

	Posicion_t	n
1	RP	299
2	SP	206
3	RP/CL	22
4	SS	12
5	RF	3

Continuemos con la segmentación de acuerdo a categorías. Primero, obtendremos el split de todas las posiciones y luego concatenaremos de acuerdo a los grupos de interés:

Ofensivos:

- **Bateador designado (DH).**
- **No bateador designado (H).**

Debido a la falta de observaciones para los *outfielders* es que se omitirá su estimación. Por otro lado, debido a que la mayoría de los datos para los fildeadores son de los lanzadores, podemos agruparlos de la siguiente manera

Defensivos:

- **Starting pitcher:** Lanzador inicial (SP).
- **Relief pitcher:** Lanzador de relevo (RP) y lanzador de cierre (RP/CL)
- **Campo corto (SS).**

Segundo, crearemos las categorías de acuerdo a la especificación mencionada arriba

Tercero, concatenaremos estas bases de datos de acuerdo a los grupos señalados anteriormente

Veamos las dimensiones de cada una de los paneles sin el shock de la COVID-19:

```
print("Regular hitter: ")
```

```
[1] "Regular hitter: "
```

```
print(dim(hitter_cov_data))
```

```
[1] 501 209
```

```
print("")
```

```
[1] ""
```

```
print("Designated hitter: ")
```

```
[1] "Designated hitter: "
```

```
print(dim(d_hitter_cov_data))
```

```
[1] 30 209
```

```
print("")
```

```
[1] ""
```

```
print("Relief pitchers: ")
```

```
[1] "Relief pitchers: "
```

```
print(dim(relief_pitcher_cov_data))
```

```
[1] 296 225
```

```
print("")
```

```
[1] ""
```

```
print("Starting pitchers: ")
```

```
[1] "Starting pitchers: "
```

```
print(dim(starting_cov_data))
```

```
[1] 185 225
```

```
print("")
```

```
[1] ""
```

```
print("Short stops: ")
```

```
[1] "Short stops: "
```

```
print(dim(shorts_cov_data))
```

```
[1] 12 225
```

Estimaciones y regresiones

Lo que resta hacer es implementar un algoritmo donde se pueda hacer el siguiente modelo para todas las estadísticas deportiva de acuerdo a si el jugador es defensivo u ofensivo:

$$Y_t(\cdot) = \beta_0 X_t + \beta_1 \text{Controles}_t + u_t$$

donde

- Controles_t :
 - Equipo.
 - Edad.
 - Año.
- α : Heterogeneidad del jugador.

Creemos la lista de variables sobre las cuáles se va a iterar el clico

Variables para los fildeadores

Las variables base para ambos tipos de jugadores son los controles

```
# Controles:
vars_ms <- 'Y_Sueldo_regular_norm_t ~ Edad_t + Anios_de_contrato_t + team_num_t'
# Controles:
vars_fe <- 'Y_Sueldo_regular_norm_t ~ Edad_t + Anios_de_contrato_t + team_num_t -1'
```

```
hitter_stats_1 = c("Edad${t}$" , "Años contrato${t}$" , "Equipo${t}$" ,
  "$X_{AB_{t}}$" , "$X_{AB_{t-1}}$" , "$X_{AB^{2}_{t}}$" , "$X_{AB^{2}_{t-1}}$" ,
  "$X_{H_{t}}$" , "$X_{H_{t-1}}$" , "$X_{H^{2}_{t}}$" , "$X_{H^{2}_{t-1}}$" ,
  "$X_{BA_{t}}$" , "$X_{BA_{t-1}}$" , "$X_{BA^{2}_{t}}$" , "$X_{BA^{2}_{t-1}}$" ,
  "Agente${t}$")
hitter_stats_2 = c("Edad${t}$" , "Años contrato${t}$" , "Equipo${t}$" ,
  "$X_{D_{t}}$" , "$X_{D_{t-1}}$" , "$X_{D^{2}_{t}}$" , "$X_{D^{2}_{t-1}}$" ,
  "$X_{HR_{t}}$" , "$X_{HR_{t-1}}$" , "$X_{HR^{2}_{t}}$" , "$X_{HR^{2}_{t-1}}$" ,
  "$X_{GS_{t}}$" , "$X_{GS_{t-1}}$" , "$X_{GS^{2}_{t}}$" , "$X_{GS^{2}_{t-1}}$" ,
  "Agente${t}$")
hitter_stats_3 = c("Edad${t}$" , "Años contrato${t}$" , "Equipo${t}$" ,
  "$X_{OPS_{t}}$" , "$X_{OPS_{t-1}}$" , "$X_{OPS^{2}_{t}}$" , "$X_{OPS^{2}_{t-1}}$" ,
  "$X_{OBP_{t}}$" , "$X_{OBP_{t-1}}$" , "$X_{OBP^{2}_{t}}$" , "$X_{OBP^{2}_{t-1}}$" ,
  "$X_{SLG_{t}}$" , "$X_{SLG_{t-1}}$" , "$X_{SLG^{2}_{t}}$" , "$X_{SLG^{2}_{t-1}}$" ,
  "Agente${t}$")
hitter_stats_4 = c("Edad${t}$" , "Años contrato${t}$" , "Equipo${t}$" ,
```

```

      "$X_{RBI_{t}}$", "$X_{RBI_{t-1}}$", "$X_{RBI^{2}_{t}}$", "$X_{RBI^{2}_{t-1}}$",
      "$X_{T_{t}}$", "$X_{T_{t-1}}$", "$X_{T^{2}_{t}}$", "$X_{T^{2}_{t-1}}$",
      "$X_{WAR_{t}}$", "$X_{WAR_{t-1}}$", "$X_{WAR^{2}_{t}}$", "$X_{WAR^{2}_{t-1}}$",
      "Agente$_{t}$")
hitter_stats <- list(hitter_stats_1,
                    hitter_stats_2,
                    hitter_stats_3,
                    hitter_stats_4)

# Cycles for loop
hitter_rep <- 4
# Stats to show
hitter_stat_num <- 6

fielder_stats_1 = c("Edad$_{t}$" , "Años contrato$_{t}$", "Equipo$_{t}$",
                    "$X_{H^{2}_{t}}$", "$X_{H^{2}_{t-1}}$", "$X_{H_{t}}$", "$X_{H_{t-1}}$",
                    "$X_{R^{2}_{t}}$", "$X_{R^{2}_{t-1}}$", "$X_{ER^{2}_{t}}$", "$X_{ER^{2}_{t-1}}$",
                    "$X_{ER_{t}}$", "$X_{ER_{t-1}}$", "$X_{R_{t}}$", "$X_{R_{t-1}}$",
                    "Agente$_{t}$")
fielder_stats_2 = c("Edad$_{t}$" , "Años contrato$_{t}$", "Equipo$_{t}$",
                    "$X_{Comando^{2}_{t}}$", "$X_{Comando^{2}_{t-1}}$", "$X_{Comando_{t}}$", "$X_{Comando_{t-1}}$",
                    "$X_{Control^{2}_{t}}$", "$X_{Control^{2}_{t-1}}$", "$X_{Control_{H_{t}}}$", "$X_{Control_{t-1}}$",
                    "$X_{Dominio^{2}_{t}}$", "$X_{Dominio^{2}_{t-1}}$", "$X_{Dominio_{t}}$", "$X_{Dominio_{t-1}}$",
                    "Agente$_{t}$")
fielder_stats_3 = c("Edad$_{t}$" , "Años contrato$_{t}$", "Equipo$_{t}$",
                    "$X_{ERA^{2}_{t}}$", "$X_{ERA^{2}_{t-1}}$", "$X_{ERA_{t}}$", "$X_{ERA_{t-1}}$",
                    "$X_{IP^{2}_{t}}$", "$X_{IP^{2}_{t-1}}$", "$X_{IP_{t}}$", "$X_{IP_{t-1}}$",
                    "$X_{L^{2}_{t}}$", "$X_{L^{2}_{t-1}}$", "$X_{L_{t}}$", "$X_{L_{t-1}}$",
                    "Agente$_{t}$")
fielder_stats_4 = c("$Edad_{t}$" , "Años contrato$_{t}$", "Equipo$_{t}$",
                    "$X_{S^{2}_{t}}$", "$X_{S^{2}_{t-1}}$", "$X_{S_{t}}$", "$X_{S_{t-1}}$",
                    "$X_{SO^{2}_{t}}$", "$X_{SO^{2}_{t-1}}$", "$X_{SO_{t}}$", "$X_{SO_{t-1}}$",
                    "$X_{WAR^{2}_{t}}$", "$X_{WAR^{2}_{t-1}}$", "$X_{WAR_{t}}$", "$X_{WAR_{t-1}}$",
                    "Agente$_{t}$")
fielder_stats_5 = c("Edad$_{t}$" , "Años contrato$_{t}$", "Equipo$_{t}$",
                    "$X_{WHIP^{2}_{t}}$", "$X_{WHIP^{2}_{t-1}}$", "$X_{WHIP_{t}}$", "$X_{WHIP_{t-1}}$",
                    "$X_{BB^{2}_{t}}$", "$X_{BB^{2}_{t-1}}$", "$X_{BB_{t}}$", "$X_{BB_{t-1}}$",
                    "$X_{W^{2}_{t}}$", "$X_{W^{2}_{t-1}}$", "$X_{W_{t}}$", "$X_{W_{t-1}}$",
                    "Agente$_{t}$")
fielder_stats <- list(fielder_stats_1,
                    fielder_stats_2,
                    fielder_stats_3,
                    fielder_stats_4,
                    fielder_stats_5)

# Cycles for loop
fielder_rep <- 5
# Stats to show
fielder_stat_num <- 6

```

Estimaciones directas

Pooling

Bateadores

Se obtendrán las estimaciones de las variables referentes a estadísticas deportivas sin controles

```
# Create a model to store the results
hitter_simple_pooling <- list()

# To store the results
hitter_results_simple_pooling_1 <- list()
hitter_results_simple_pooling_2 <- list()
hitter_results_simple_pooling_3 <- list()
hitter_results_simple_pooling_4 <- list()
hitter_results_simple_pooling <- list(result_1 = hitter_results_simple_pooling_1,
                                     result_2 = hitter_results_simple_pooling_2,
                                     result_3 = hitter_results_simple_pooling_3,
                                     result_4 = hitter_results_simple_pooling_4)

# Loop over the variables in var_hitter_list
for (j in 1:hitter_rep){

  for (i in 1:hitter_stat_num){
    # Run linear regression with grouped errors by country and robust errors
    base_vars_h <- paste(vars_ms, stat_hitter_t[[i + hitter_stat_num*(j - 1)]],
                        sep = '+')
    formula <- paste(base_vars_h,
                    stat_hitter_t_1[[i + hitter_stat_num*(j - 1)]],
                    sep = " + ")

    hitter_simple_pooling[[i + hitter_stat_num*(j - 1)]] <- plm(formula, data = hitter_data,
                                                                model = "pooling",
                                                                index = c("id", "Anio_ref"))

    hitter_results_simple_pooling[[j]][[i]] <- coeftest(hitter_simple_pooling[[i + hitter_stat_num*(j - 1)]],
                                                        vcov = vcovHC(hitter_simple_pooling[[i + hitter_stat_num*(j - 1)]],
                                                                    type = "HC1",
                                                                    cluster = "group"))
  }

  # Print the third block of results
  stargazer(hitter_results_simple_pooling[[j]],
            no.space = TRUE,
            type = "text",
            title = "Bateadores: Modelo Pooling",
            covariate.labels = hitter_stats[[j]])
}
```

Bateadores: Modelo Pooling

=====

Dependent variable:

	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.006** (0.003)	-0.006** (0.003)	-0.006** (0.002)	-0.006** (0.003)	-0.006** (0.003)	-0.006** (0.003)
Años contratot	0.001 (0.004)	-0.001 (0.004)	0.001 (0.004)	-0.001 (0.004)	-0.0003 (0.003)	-0.001 (0.003)
Equipot	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)
XABt	-0.001 (0.001)					
XABt-1	-0.001 (0.001)					
XAB2t		-0.00002 (0.00004)				
XAB2t-1		-0.00000 (0.00003)				
XHt			-0.002* (0.001)			
XHt-1			0.0003 (0.001)			
XH2t				-0.0001 (0.0001)		
XH2t-1				0.0001 (0.0001)		
XBAt					-0.031 (0.020)	
XBAt-1					0.020 (0.017)	
XBA2t						-0.046 (0.029)
XBA2t-1						0.005 (0.017)
Agentet	0.162* (0.085)	0.157* (0.081)	0.149* (0.081)	0.153* (0.086)	0.152* (0.085)	0.149* (0.085)

=====
Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Modelo Pooling

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.006** (0.002)	-0.006** (0.003)	-0.006** (0.003)	-0.006** (0.003)	-0.006** (0.003)	-0.006** (0.003)
Años contratot	0.001 (0.004)	-0.001 (0.004)	-0.002 (0.003)	-0.001 (0.003)	0.001 (0.004)	-0.001 (0.004)
Equipot	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)
XDt	-0.004					

	(0.003)					
XDt-1	-0.001					
	(0.003)					
XD2t	-0.0004					
	(0.001)					
XD2t-1	0.001					
	(0.001)					
XHRt	-0.001					
	(0.004)					
XHRt-1	0.003					
	(0.002)					
XHR2t	-0.001					
	(0.001)					
XHR2t-1	-0.0001					
	(0.0004)					
XGSt	-0.002					
	(0.001)					
XGSt-1	-0.001					
	(0.001)					
XGS2t	-0.0001					
	(0.0002)					
XGS2t-1	0.00005					
	(0.0001)					
Agentet	0.150*	0.155*	0.158*	0.160*	0.161*	0.158*
	(0.080)	(0.083)	(0.083)	(0.083)	(0.084)	(0.081)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Modelo Pooling

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.006**	-0.005**	-0.006**	-0.005**	-0.006**	-0.006**
	(0.003)	(0.003)	(0.003)	(0.003)	(0.003)	(0.003)
Años contratot	-0.0004	0.0001	-0.001	-0.0002	0.0002	0.0002
	(0.003)	(0.004)	(0.003)	(0.003)	(0.003)	(0.004)
Equipot	0.001	0.001	0.001	0.001	0.001	0.001
	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XOPSt	-0.021					
	(0.014)					
XOPSt-1	-0.001					
	(0.013)					
XOPS2t	-0.026**					
	(0.013)					
XOPS2t-1	0.008					
	(0.011)					
XOBPt	-0.043**					
	(0.022)					
XOBPt-1	0.020					
	(0.019)					

XOBP2t				-0.049*		
				(0.028)		
XOBP2t-1				0.006		
				(0.020)		
XSLGt				-0.018		
				(0.019)		
XSLGt-1				-0.023		
				(0.017)		
XSLG2t					-0.040*	
					(0.022)	
XSLG2t-1					0.014	
					(0.018)	
Agentet	0.160*	0.142*	0.156*	0.144*	0.167**	0.148*
	(0.085)	(0.086)	(0.083)	(0.083)	(0.082)	(0.085)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Modelo Pooling

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.006**	-0.006**	-0.006**	-0.006**	-0.007***	-0.006**
	(0.003)	(0.003)	(0.003)	(0.003)	(0.002)	(0.002)
Años contratot	0.0004	-0.002	-0.001	-0.001	-0.005	-0.002
	(0.004)	(0.004)	(0.003)	(0.003)	(0.004)	(0.003)
Equipot	0.001	0.001	0.001	0.001	0.001	0.001
	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XRBI	-0.003**					
	(0.001)					
XRBI-1	0.001					
	(0.002)					
XRBI2t		0.0001				
		(0.0002)				
XRBI2t-1		0.0001				
		(0.0002)				
XTt			-0.010			
			(0.008)			
XTt-1			0.011**			
			(0.005)			
XT2t				-0.003		
				(0.004)		
XT2t-1				0.001		
				(0.001)		
XWARt					0.016**	
					(0.007)	
XWARt-1					0.013**	
					(0.006)	
XWAR2t						0.005
						(0.004)
XWAR2t-1						0.005**

						(0.002)
Agentet	0.149*	0.165*	0.156*	0.156*	0.205**	0.180**
	(0.082)	(0.084)	(0.084)	(0.084)	(0.081)	(0.079)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Starting pitcher

```
# Create a model to store the results
fielder_simple_pooling <- list()

# To store the results
fielder_results_simple_pooling_1 <- list()
fielder_results_simple_pooling_2 <- list()
fielder_results_simple_pooling_3 <- list()
fielder_results_simple_pooling_4 <- list()
fielder_results_simple_pooling_5 <- list()
fielder_results_simple_pooling <- list(result_1 = fielder_results_simple_pooling_1,
                                       result_2 = fielder_results_simple_pooling_2,
                                       result_3 = fielder_results_simple_pooling_3,
                                       result_4 = fielder_results_simple_pooling_4,
                                       result_5 = fielder_results_simple_pooling_5)

# Loop over the variables in var_hitter_list
for (j in 1:fielder_rep){

  for (i in 1:fielder_stat_num){
    # Run linear regression with grouped errors by country and robust errors
    base_vars_h <- paste(vars_ms, stat_fielder_t[[i + fielder_stat_num*(j - 1)]],
                        sep = '+')
    formula <- paste(base_vars_h,
                    stat_fielder_t_1[[i + fielder_stat_num*(j - 1)]],
                    sep = " + ")

    fielder_simple_pooling[[i + hitter_stat_num*(j - 1)]] <- plm(formula, data = starting_data,
                        model = "pooling",
                        index = c("id", "Anio_ref"))

    fielder_results_simple_pooling[[j]][[i]] <- coeftest(fielder_simple_pooling[[i + fielder_stat_num*(j - 1)]],
                        vcov = vcovHC(fielder_simple_pooling[[i + fielder_stat_num*(j - 1)]],
                        type = "HC1",
                        cluster = "group"))
  }

  # Print the third block of results
  stargazer(fielder_results_simple_pooling[[j]],
            no.space = TRUE,
            type = "text",
            title = "Lanzadores Iniciales: Modelo Pooling",
            covariate.labels = fielder_stats[[j]])
}
```

Lanzadores Iniciales: Modelo Pooling

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.008*	-0.009**	-0.009**	-0.009**	-0.008**	-0.008**
	(0.004)	(0.004)	(0.004)	(0.004)	(0.004)	(0.004)
Años contratot	-0.007	-0.010	-0.011	-0.011	-0.009	-0.010
	(0.007)	(0.007)	(0.007)	(0.007)	(0.007)	(0.008)
Eqipot	0.003*	0.003*	0.003*	0.003*	0.003*	0.003*
	(0.001)	(0.002)	(0.001)	(0.002)	(0.001)	(0.002)
XH2t	-0.0001					
	(0.0001)					
XH2t-1	-0.00005					
	(0.0001)					
XHt		-0.0005				
		(0.002)				
XHt-1		0.00002				
		(0.001)				
XR2t			0.00002			
			(0.0002)			
XR2t-1			-0.0001			
			(0.0001)			
XER2t				0.0001		
				(0.0002)		
XER2t-1				-0.0002		
				(0.0001)		
XERt					-0.002	
					(0.002)	
XERt-1					-0.001	
					(0.001)	
XRt						-0.001
						(0.002)
XRt-1						-0.001
						(0.001)
Agentet	0.227*	0.252**	0.257**	0.261**	0.243*	0.247**
	(0.121)	(0.123)	(0.124)	(0.129)	(0.125)	(0.124)

Note:

*p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Modelo Pooling

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.008**	-0.009**	-0.009**	-0.008**	-0.007*	-0.006
	(0.004)	(0.004)	(0.004)	(0.004)	(0.004)	(0.004)
Años contratot	-0.010	-0.010	-0.010	-0.011	-0.011	-0.011
	(0.007)	(0.008)	(0.007)	(0.007)	(0.007)	(0.007)

Equipot	0.003*	0.003*	0.003**	0.003*	0.003**	0.003*
	(0.002)	(0.002)	(0.001)	(0.001)	(0.001)	(0.001)
XComando2t	-0.001					
	(0.006)					
XComando2t-1	-0.00001					
	(0.00001)					
XComandot		-0.002				
		(0.012)				
XComandot-1		-0.001				
		(0.001)				
XControl2t			-0.061			
			(0.043)			
XControl2t-1			-0.122***			
			(0.033)			
ControlHt				0.042		
				(0.030)		
XControlt-1				-0.076**		
				(0.031)		
XDominio2t					-0.009	
					(0.023)	
XDominio2t-1					0.048**	
					(0.020)	
XDominiot						-0.015
						(0.019)
XDominiot-1						0.052***
						(0.018)
Agentet	0.244**	0.245**	0.241**	0.218*	0.191	0.195
	(0.119)	(0.120)	(0.119)	(0.118)	(0.122)	(0.126)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Modelo Pooling

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.008**	-0.008**	-0.008**	-0.008**	-0.008*	-0.008**
	(0.004)	(0.004)	(0.004)	(0.004)	(0.004)	(0.004)
Años contratot	-0.010	-0.012	-0.007	-0.010	-0.011	-0.010
	(0.008)	(0.008)	(0.007)	(0.008)	(0.007)	(0.007)
Equipot	0.003*	0.003*	0.003*	0.003*	0.003*	0.003*
	(0.002)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XERA2t	-0.001					
	(0.003)					
XERA2t-1	-0.006**					
	(0.003)					
XERAt		-0.012*				
		(0.006)				
XERAt-1		-0.020***				
		(0.006)				
XIP2t			-0.0001			

XIP2t-1			(0.0001)	-0.00001		
			(0.0001)			
XIPt				-0.0005		
				(0.001)		
XIPt-1				-0.0002		
				(0.001)		
XL2t				-0.002		
				(0.002)		
XL2t-1				-0.001		
				(0.001)		
XLt					-0.004	
					(0.006)	
XLt-1					-0.004	
					(0.004)	
Agentet	0.236*	0.234**	0.234*	0.247*	0.241*	0.248**
	(0.125)	(0.113)	(0.120)	(0.130)	(0.127)	(0.125)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Modelo Pooling

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.010**	-0.010**	-0.009**	-0.009**	-0.009**	-0.010**
	(0.005)	(0.005)	(0.004)	(0.004)	(0.004)	(0.004)
Años contratot	-0.012	-0.012	-0.009	-0.012	-0.011	-0.015**
	(0.008)	(0.008)	(0.008)	(0.008)	(0.007)	(0.007)
Equipot	0.003*	0.003*	0.003*	0.003*	0.003*	0.003*
	(0.002)	(0.002)	(0.002)	(0.002)	(0.002)	(0.002)
XS2t	0.087					
	(0.080)					
XS2t-1	0.023**					
	(0.009)					
XSt		0.051				
		(0.051)				
XSt-1		0.064**				
		(0.030)				
XS02t			-0.0001			
			(0.0001)			
XS02t-1			0.0001			
			(0.0001)			
XS0t				0.0004		
				(0.001)		
XS0t-1				-0.00002		
				(0.001)		
XWAR2t					0.003	
					(0.004)	
XWAR2t-1					-0.001	
					(0.005)	

XWArt						0.013
						(0.009)
XWArt-1						0.008
						(0.011)
Agentet	0.288**	0.303**	0.257**	0.263**	0.262**	0.290**
	(0.144)	(0.146)	(0.119)	(0.126)	(0.119)	(0.124)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Modelo Pooling

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.007*	-0.009**	-0.009**	-0.009**	-0.009**	-0.008*
	(0.004)	(0.004)	(0.004)	(0.004)	(0.004)	(0.004)
Años contratot	-0.013	-0.014*	-0.011	-0.012	-0.012	-0.008
	(0.008)	(0.008)	(0.007)	(0.007)	(0.007)	(0.007)
Equipot	0.003**	0.003**	0.003*	0.003*	0.003*	0.003*
	(0.001)	(0.001)	(0.002)	(0.001)	(0.002)	(0.001)
XWHIP2t	-0.008					
	(0.011)					
XWHIP2t-1	-0.043***					
	(0.011)					
XWHIPt		-0.007				
		(0.010)				
XWHIPt-1		-0.036***				
		(0.011)				
XBB2t			-0.0002			
			(0.0004)			
XBB2t-1			0.0001			
			(0.0003)			
XBBt				0.001		
				(0.003)		
XBBt-1				-0.002		
				(0.002)		
XW2t					0.001	
					(0.001)	
XW2t-1					0.0001	
					(0.001)	
XWt						-0.005
						(0.006)
XWt-1						0.0002
						(0.005)
Agentet	0.174	0.266**	0.256**	0.265**	0.262**	0.233*
	(0.112)	(0.115)	(0.122)	(0.130)	(0.122)	(0.130)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Efectos fijos

Bateadores

Se obtendrán las estimaciones de las variables referentes a estadísticas deportivas sin controles

```
# Create a model to store the results
hitter_simple_within <- list()

# To store the results
hitter_results_simple_within_1 <- list()
hitter_results_simple_within_2 <- list()
hitter_results_simple_within_3 <- list()
hitter_results_simple_within_4 <- list()
hitter_results_simple_within <- list(result_1 = hitter_results_simple_within_1,
                                     result_2 = hitter_results_simple_within_2,
                                     result_3 = hitter_results_simple_within_3,
                                     result_4 = hitter_results_simple_within_4)

# Loop over the variables in var_hitter_list
for (j in 1:hitter_rep){

  for (i in 1:hitter_stat_num){
    # Run linear regression with grouped errors by country and robust errors
    base_vars_h <- paste(vars_fe, stat_hitter_t[[i + hitter_stat_num*(j - 1)]],
                        sep = '+')
    formula <- paste(base_vars_h,
                    stat_hitter_t_1[[i + hitter_stat_num*(j - 1)]],
                    sep = " + ")

    hitter_simple_within[[i + hitter_stat_num*(j - 1)]] <- plm(formula, data = hitter_data,
                                                                model = "within",
                                                                index = c("id", "Anio_ref"))

    hitter_results_simple_within[[j]][[i]] <- coeftest(hitter_simple_within[[i + hitter_stat_num*(j - 1)]],
                                                        vcov = vcovHC(hitter_simple_within[[i + hitter_stat_num*(j - 1)]],
                                                                    type = "HC1",
                                                                    cluster = "group"))
  }

  # Print the third block of results
  stargazer(hitter_results_simple_within[[j]],
            no.space = TRUE,
            type = "text",
            title = "Bateadores: Estimador Within",
            covariate.labels = hitter_stats[[j]])
}
```

Bateadores: Estimador Within

```
=====
Dependent variable:
-----
(1)      (2)      (3)      (4)      (5)      (6)
```


Edadt	-0.003 (0.006)	-0.004 (0.006)	-0.004 (0.006)	-0.004 (0.005)	-0.004 (0.005)	-0.004 (0.005)
Años contratot	-0.032*** (0.012)	-0.032** (0.013)	-0.032** (0.012)	-0.031** (0.012)	-0.031** (0.012)	-0.032*** (0.012)
Eqipot	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)
XABt	0.001 (0.001)					
XABt-1	0.0003 (0.001)					
XAB2t		0.00000 (0.00004)				
XAB2t-1		0.00000 (0.00004)				
XHt			-0.0005 (0.002)			
XHt-1			-0.0001 (0.002)			
XH2t				-0.0002 (0.0002)		
XH2t-1				-0.0001 (0.0002)		
XBAt					-0.004 (0.030)	
XBAt-1					0.034 (0.028)	
XBA2t						0.010 (0.046)
XBA2t-1						0.011 (0.024)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Estimador Within

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.004 (0.005)	-0.004 (0.005)	-0.003 (0.005)	-0.004 (0.005)	-0.003 (0.006)	-0.003 (0.006)
Años contratot	-0.032*** (0.012)	-0.032** (0.012)	-0.034*** (0.012)	-0.034*** (0.013)	-0.032*** (0.012)	-0.032** (0.012)
Eqipot	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)
XDt	0.001 (0.005)					
XDt-1	-0.001 (0.003)					
XD2t		0.00000 (0.001)				

XD2t-1	-0.0004 (0.001)				
XHRt		0.005 (0.005)			
XHRt-1		0.001 (0.004)			
XHR2t			0.001 (0.001)		
XHR2t-1			-0.0002 (0.001)		
XGSt				0.001 (0.002)	
XGSt-1				0.0004 (0.002)	
XGS2t					0.0001 (0.0002)
XGS2t-1					0.00002 (0.0002)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Estimador Within

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.004 (0.005)	-0.004 (0.005)	-0.004 (0.005)	-0.004 (0.005)	-0.004 (0.005)	-0.004 (0.005)
Años contratot	-0.031** (0.012)	-0.032** (0.012)	-0.031** (0.012)	-0.033*** (0.012)	-0.030** (0.013)	-0.033*** (0.012)
Equipot	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.002 (0.001)	0.001 (0.001)	0.001 (0.001)
XOPSt	-0.013 (0.020)					
XOPSt-1	-0.002 (0.018)					
XOPS2t		0.002 (0.021)				
XOPS2t-1		-0.003 (0.016)				
XOBPt			-0.002 (0.040)			
XOBPt-1			0.029 (0.032)			
XOBP2t				0.054 (0.045)		
XOBP2t-1				0.025 (0.027)		
XSLGt					-0.015 (0.026)	
XSLGt-1					-0.026	

XSLG2t	(0.030)	0.019
		(0.030)
XSLG2t-1		-0.016
		(0.029)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Estimador Within

=====

Dependent variable:

	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.003 (0.006)	-0.004 (0.005)	-0.002 (0.005)	-0.003 (0.006)	-0.006 (0.005)	-0.004 (0.005)
Años contratot	-0.033*** (0.013)	-0.032*** (0.012)	-0.034*** (0.013)	-0.032** (0.013)	-0.039*** (0.012)	-0.035*** (0.013)
Equipot	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)
XRBI	0.001 (0.002)					
XRBI-1	0.001 (0.002)					
XRBI2t		0.0001 (0.0004)				
XRBI2t-1		-0.0002 (0.0003)				
XTt			-0.021 (0.014)			
XTt-1			0.001 (0.014)			
XT2t				-0.002 (0.005)		
XT2t-1				0.001 (0.004)		
XWARt					0.035*** (0.009)	
XWARt-1					0.003 (0.008)	
XWAR2t						0.011 (0.008)
XWAR2t-1						-0.0001 (0.003)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Starting pitcher

```
# Create a model to store the results
fielder_simple_within <- list()

# To store the results
fielder_results_simple_within_1 <- list()
fielder_results_simple_within_2 <- list()
fielder_results_simple_within_3 <- list()
fielder_results_simple_within_4 <- list()
fielder_results_simple_within_5 <- list()
fielder_results_simple_within <- list(result_1 = fielder_results_simple_within_1,
                                     result_2 = fielder_results_simple_within_2,
                                     result_3 = fielder_results_simple_within_3,
                                     result_4 = fielder_results_simple_within_4,
                                     result_5 = fielder_results_simple_within_5)

# Loop over the variables in var_hitter_list
for (j in 1:fielder_rep){

  for (i in 1:fielder_stat_num){
    # Run linear regression with grouped errors by country and robust errors
    base_vars_h <- paste(vars_fe, stat_fielder_t[[i + fielder_stat_num*(j - 1)]],
                        sep = '+')
    formula <- paste(base_vars_h,
                     stat_fielder_t_1[[i + fielder_stat_num*(j - 1)]],
                     sep = " + ")

    fielder_simple_within[[i + hitter_stat_num*(j - 1)]] <- plm(formula, data = starting_data,
                                                                model = "within",
                                                                index = c("id", "Anio_ref"))

    fielder_results_simple_within[[j]][[i]] <- coeftest(fielder_simple_within[[i + fielder_stat_num*(j - 1)]],
                                                         vcov = vcovHC(fielder_simple_within[[i + fielder_stat_num*(j - 1)]],
                                                         type = "HC1",
                                                         cluster = "group"))
  }

  # Print the third block of results
  stargazer(fielder_results_simple_within[[j]],
            no.space = TRUE,
            type = "text",
            title = "Lanzadores Iniciales: Estimador Within",
            covariate.labels = fielder_stats[[j]])
}
```

Lanzadores Iniciales: Estimador Within

```
=====
Dependent variable:
-----
(1)      (2)      (3)      (4)      (5)      (6)
-----
```

Edadt	-0.031**	-0.030**	-0.031*	-0.031**	-0.028*	-0.028*
	(0.015)	(0.014)	(0.015)	(0.015)	(0.015)	(0.014)
Años contratot	-0.021	-0.037*	-0.028	-0.025	-0.032	-0.034*
	(0.019)	(0.020)	(0.019)	(0.017)	(0.020)	(0.020)
Eqipot	0.003	0.004*	0.004*	0.004	0.004*	0.004*
	(0.002)	(0.002)	(0.002)	(0.002)	(0.002)	(0.002)
XH2t	-0.0001					
	(0.0002)					
XH2t-1	-0.0001					
	(0.0001)					
XHt		0.004				
		(0.002)				
XHt-1		-0.001				
		(0.002)				
XR2t			0.0002			
			(0.0003)			
XR2t-1			-0.0003			
			(0.0002)			
XER2t				-0.0002		
				(0.0004)		
XER2t-1				-0.0004		
				(0.0002)		
XERt					0.003	
					(0.002)	
XERt-1					-0.0003	
					(0.002)	
XRt						0.004*
						(0.002)
XRt-1						0.001
						(0.002)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Estimador Within

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.029**	-0.029**	-0.027*	-0.025*	-0.029*	-0.028*
	(0.014)	(0.014)	(0.016)	(0.015)	(0.015)	(0.014)
Años contratot	-0.026	-0.027	-0.025	-0.027	-0.024	-0.028
	(0.020)	(0.022)	(0.020)	(0.020)	(0.020)	(0.019)
Eqipot	0.004*	0.004	0.004	0.004**	0.004*	0.003
	(0.002)	(0.003)	(0.002)	(0.002)	(0.003)	(0.002)
XComando2t	-0.013*					
	(0.008)					
XComando2t-1	0.00001**					
	(0.00000)					
XComandot		-0.004				
		(0.022)				
XComandot-1		0.001				

	(0.001)	
XControl2t	0.004	
	(0.088)	
XControl2t-1	-0.027	
	(0.050)	
ControlHt	0.025	
	(0.063)	
XControl2t-1	-0.061	
	(0.053)	
XDominio2t	-0.025	
	(0.029)	
XDominio2t-1	0.010	
	(0.030)	
XDominiot		0.011
		(0.025)
XDominiot-1		0.009
		(0.030)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Estimador Within

	Dependent variable:					
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.023 (0.015)	-0.022 (0.013)	-0.029* (0.015)	-0.030* (0.015)	-0.030** (0.015)	-0.029** (0.014)
Años contratot	-0.018 (0.019)	-0.023 (0.019)	-0.024 (0.018)	-0.030 (0.022)	-0.027 (0.018)	-0.028 (0.019)
Equipot	0.003 (0.002)	0.003 (0.002)	0.004 (0.002)	0.004 (0.002)	0.004* (0.002)	0.004* (0.002)
XERA2t	0.006 (0.005)					
XERA2t-1	-0.003 (0.005)					
XERAt		0.003 (0.013)				
XERAt-1		-0.023** (0.011)				
XIP2t			-0.00003 (0.0002)			
XIP2t-1			-0.0001 (0.0001)			
XIPt				0.001 (0.002)		
XIPt-1				-0.001 (0.002)		
XL2t					-0.001 (0.003)	
XL2t-1					-0.001 (0.001)	

XLt	0.004
	(0.009)
XLt-1	-0.008
	(0.006)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Estimador Within

=====

Dependent variable:

	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.029**	-0.029**	-0.028**	-0.028*	-0.027**	-0.029*
	(0.015)	(0.015)	(0.014)	(0.015)	(0.014)	(0.015)
Años contratot	-0.027	-0.027	-0.030	-0.035*	-0.022	-0.026
	(0.019)	(0.020)	(0.019)	(0.021)	(0.022)	(0.023)
Eqipot	0.004	0.004*	0.004*	0.004	0.004*	0.004
	(0.002)	(0.002)	(0.002)	(0.003)	(0.002)	(0.002)
XS2t	0.098***					
	(0.004)					
XS2t-1	0.040**					
	(0.018)					
XSt		0.069***				
		(0.010)				
XSt-1		0.057				
		(0.035)				
XS02t			-0.00003			
			(0.0001)			
XS02t-1			0.0003*			
			(0.0002)			
XS0t				0.002		
				(0.002)		
XS0t-1				0.001		
				(0.002)		
XWAR2t					-0.001	
					(0.003)	
XWAR2t-1					-0.007**	
					(0.003)	
XWArt						0.001
						(0.012)
XWArt-1						-0.004
						(0.018)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Estimador Within

=====

Dependent variable:

	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.022 (0.014)	-0.026* (0.015)	-0.028** (0.014)	-0.027* (0.014)	-0.030* (0.016)	-0.029* (0.015)
Años contratot	-0.018 (0.018)	-0.021 (0.018)	-0.028 (0.018)	-0.027 (0.018)	-0.029 (0.020)	-0.024 (0.018)
Eqipot	0.004 (0.002)	0.004 (0.002)	0.004 (0.002)	0.004* (0.002)	0.004 (0.002)	0.004 (0.002)
XWHIP2t	0.024 (0.019)					
XWHIP2t-1	-0.017 (0.015)					
XWHIPt		0.020 (0.021)				
XWHIPt-1		-0.015 (0.020)				
XBB2t			0.0002 (0.001)			
XBB2t-1			0.0002 (0.0004)			
XBBt				0.0002 (0.003)		
XBBt-1				0.002 (0.003)		
XW2t					0.001 (0.002)	
XW2t-1					-0.001 (0.001)	
XWt						-0.002 (0.006)
XWt-1						-0.003 (0.006)
=====						
=====						
Note:	*p<0.1; **p<0.05; ***p<0.01					

Efectos aleatorios

Bateadores

Se obtendrán las estimaciones de las variables referentes a estadísticas deportivas sin controles

```
# Create a model to store the results
hitter_simple_random <- list()

# To store the results
hitter_results_simple_random_1 <- list()
hitter_results_simple_random_2 <- list()
hitter_results_simple_random_3 <- list()
hitter_results_simple_random_4 <- list()
hitter_results_simple_random <- list(result_1 = hitter_results_simple_random_1,
                                     result_2 = hitter_results_simple_random_2,
                                     result_3 = hitter_results_simple_random_3,
```



```

                                result_4 = hitter_results_simple_random_4)

# Loop over the variables in var_hitter_list
for (j in 1:hitter_rep){

  for (i in 1:hitter_stat_num){
    # Run linear regression with grouped errors by country and robust errors
    base_vars_h <- paste(vars_ms, stat_hitter_t[[i + hitter_stat_num*(j - 1)]],
                        sep = '+')
    formula <- paste(base_vars_h,
                    stat_hitter_t_1[[i + hitter_stat_num*(j - 1)]],
                    sep = " + ")

    hitter_simple_random[[i + hitter_stat_num*(j - 1)]] <- plm(formula, data = hitter_data,
                    model = "random",
                    index = c("id", "Anio_ref"))

    hitter_results_simple_random[[j]][[i]] <- coeftest(hitter_simple_random[[i + hitter_stat_num*(j - 1)]],
                    vcov = vcovHC(hitter_simple_random[[i + hitter_stat_num*(j - 1)]],
                    type = "HC1",
                    cluster = "group"))
  }

# Print the third block of results
stargazer(hitter_results_simple_random[[j]],
          no.space = TRUE,
          type = "text",
          title = "Bateadores: Efectos Aleatorios",
          covariate.labels = hitter_stats[[j]])
}

```

Bateadores: Efectos Aleatorios

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.006** (0.003)	-0.005** (0.003)	-0.005** (0.003)	-0.005** (0.003)	-0.005** (0.003)	-0.005** (0.003)
Años contratot	-0.002 (0.004)	-0.003 (0.004)	-0.002 (0.004)	-0.003 (0.004)	-0.003 (0.004)	-0.003 (0.004)
Equipot	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)
XABt	-0.0002 (0.001)					
XABt-1	-0.0004 (0.001)					
XAB2t		-0.00001 (0.00003)				
XAB2t-1		-0.00000 (0.00002)				
XHt			-0.001			

			(0.001)			
XHt-1			0.0002			
			(0.001)			
XH2t			-0.0001			
			(0.0001)			
XH2t-1			0.00005			
			(0.0001)			
XBA _t				-0.024		
				(0.018)		
XBA _{t-1}				0.019		
				(0.016)		
XBA2 _t					-0.036	
					(0.027)	
XBA2 _{t-1}					0.005	
					(0.016)	
Agent _t	0.155*	0.148*	0.145*	0.142*	0.142*	0.140*
	(0.087)	(0.083)	(0.083)	(0.085)	(0.086)	(0.084)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Efectos Aleatorios

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.005**	-0.005**	-0.005**	-0.005**	-0.006**	-0.005**
	(0.003)	(0.003)	(0.003)	(0.003)	(0.003)	(0.003)
Años contratot	-0.002	-0.003	-0.004	-0.003	-0.002	-0.004
	(0.004)	(0.004)	(0.004)	(0.004)	(0.004)	(0.004)
Equipot	0.001	0.001	0.001	0.001	0.001	0.001
	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XD _t	-0.003					
	(0.003)					
XD _{t-1}	-0.001					
	(0.002)					
XD2 _t		-0.0003				
		(0.0005)				
XD2 _{t-1}		0.0003				
		(0.0004)				
XHR _t			0.0003			
			(0.003)			
XHR _{t-1}			0.002			
			(0.002)			
XHR2 _t				-0.0004		
				(0.001)		
XHR2 _{t-1}				-0.00001		
				(0.0003)		
XGSt					-0.001	
					(0.001)	
XGSt-1					-0.001	
					(0.001)	

XGS2t						-0.00001
						(0.0001)
XGS2t-1						0.00004
						(0.0001)
Agentet	0.143*	0.146*	0.145*	0.147*	0.155*	0.147*
	(0.081)	(0.084)	(0.084)	(0.084)	(0.086)	(0.083)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Efectos Aleatorios

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.005**	-0.005*	-0.005**	-0.005**	-0.005**	-0.005*
	(0.003)	(0.003)	(0.003)	(0.003)	(0.003)	(0.003)
Años contratot	-0.003	-0.002	-0.003	-0.003	-0.002	-0.002
	(0.004)	(0.004)	(0.004)	(0.004)	(0.004)	(0.004)
Equipot	0.001	0.001	0.001	0.001	0.001	0.001
	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XOPSt	-0.019					
	(0.013)					
XOPSt-1	-0.002					
	(0.012)					
XOPS2t		-0.019*				
		(0.011)				
XOPS2t-1		0.006				
		(0.010)				
XOBPt			-0.034			
			(0.021)			
XOBPt-1			0.018			
			(0.018)			
XOBP2t				-0.030		
				(0.026)		
XOBP2t-1				0.006		
				(0.018)		
XSLGt					-0.015	
					(0.016)	
XSLGt-1					-0.024	
					(0.015)	
XSLG2t						-0.026
						(0.019)
XSLG2t-1						0.008
						(0.017)
Agentet	0.152*	0.135	0.148*	0.140*	0.159*	0.143*
	(0.086)	(0.086)	(0.084)	(0.083)	(0.083)	(0.086)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Efectos Aleatorios

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.005** (0.003)	-0.005** (0.003)	-0.005** (0.003)	-0.005** (0.003)	-0.006** (0.003)	-0.006** (0.002)
Años contratot	-0.002 (0.004)	-0.004 (0.004)	-0.004 (0.004)	-0.003 (0.004)	-0.008** (0.004)	-0.004 (0.004)
Eqipot	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)
XRBI _t	-0.002 (0.001)					
XRBI _{t-1}	0.001 (0.002)					
XRBI _{2t}		0.0001 (0.0002)				
XRBI _{2t-1}		0.00005 (0.0002)				
XT _t			-0.010 (0.008)			
XT _{t-1}			0.010* (0.005)			
XT _{2t}				-0.002 (0.003)		
XT _{2t-1}				0.001 (0.001)		
XWAR _t					0.019*** (0.006)	
XWAR _{t-1}					0.010* (0.005)	
XWAR _{2t}						0.005 (0.003)
XWAR _{2t-1}						0.003* (0.002)
Agent _t	0.145* (0.084)	0.152* (0.083)	0.144* (0.084)	0.145* (0.085)	0.197** (0.084)	0.165** (0.080)

=====
Note: *p<0.1; **p<0.05; ***p<0.01

Starting pitcher

```
# Create a model to store the results
fielder_simple_random <- list()

# To store the results
fielder_results_simple_random_1 <- list()
fielder_results_simple_random_2 <- list()
fielder_results_simple_random_3 <- list()
fielder_results_simple_random_4 <- list()
```

```

fielder_results_simple_random_5 <- list()
fielder_results_simple_random <- list(result_1 = fielder_results_simple_random_1,
                                     result_2 = fielder_results_simple_random_2,
                                     result_3 = fielder_results_simple_random_3,
                                     result_4 = fielder_results_simple_random_4,
                                     result_5 = fielder_results_simple_random_5)

# Loop over the variables in var_hitter_list
for (j in 1:fielder_rep){

  for (i in 1:fielder_stat_num){
    # Run linear regression with grouped errors by country and robust errors
    base_vars_h <- paste(vars_ms, stat_fielder_t[[i + fielder_stat_num*(j - 1)]],
                        sep = '+')
    formula <- paste(base_vars_h,
                    stat_fielder_t_1[[i + fielder_stat_num*(j - 1)]],
                    sep = " + ")

    fielder_simple_random[[i + hitter_stat_num*(j - 1)]] <- plm(formula, data = starting_data,
                        model = "random",
                        index = c("id", "Anio_ref"))

    fielder_results_simple_random[[j]][[i]] <- coeftest(fielder_simple_random[[i + fielder_stat_num*(j - 1)]],
                        vcov = vcovHC(fielder_simple_random[[i + fielder_stat_num*(j - 1)]],
                        type = "HC1",
                        cluster = "group"))
  }

  # Print the third block of results
  stargazer(fielder_results_simple_random[[j]],
            no.space = TRUE,
            type = "text",
            title = "Lanzadores Iniciales: Efectos Aleatorios",
            covariate.labels = fielder_stats[[j]])
}

```

Lanzadores Iniciales: Efectos Aleatorios

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.010** (0.005)	-0.011** (0.005)	-0.011** (0.005)	-0.011** (0.005)	-0.010** (0.005)	-0.011** (0.005)
Años contratot	-0.007 (0.007)	-0.012 (0.007)	-0.011 (0.007)	-0.011 (0.007)	-0.010 (0.007)	-0.011 (0.007)
Equipot	0.003* (0.001)	0.003** (0.001)	0.003** (0.001)	0.003* (0.001)	0.003** (0.001)	0.003** (0.001)
XH2t	-0.0001 (0.0001)					
XH2t-1	-0.00003 (0.0001)					

XHt		0.0004					
		(0.002)					
XHt-1		-0.0001					
		(0.001)					
XR2t			0.0001				
			(0.0002)				
XR2t-1			-0.0001				
			(0.0001)				
XER2t				0.0001			
				(0.0002)			
XER2t-1				-0.0002			
				(0.0001)			
XERt					-0.001		
					(0.002)		
XERt-1					-0.001		
					(0.001)		
XRt						0.0001	
						(0.002)	
XRt-1						-0.001	
						(0.001)	
Agentet	0.290*	0.328**	0.324**	0.327**	0.311**	0.316**	
	(0.150)	(0.152)	(0.153)	(0.160)	(0.154)	(0.154)	

=====

Note:

*p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Efectos Aleatorios

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.010**	-0.010**	-0.010**	-0.009**	-0.009**	-0.009*
	(0.005)	(0.005)	(0.005)	(0.005)	(0.005)	(0.005)
Años contratot	-0.010	-0.010	-0.010	-0.012*	-0.011	-0.012
	(0.007)	(0.008)	(0.007)	(0.007)	(0.007)	(0.007)
Equipot	0.003*	0.003*	0.003**	0.003*	0.003**	0.003*
	(0.001)	(0.002)	(0.001)	(0.001)	(0.001)	(0.001)
XComando2t	-0.002					
	(0.006)					
XComando2t-1	-0.00000					
	(0.00000)					
XComandot		-0.003				
		(0.013)				
XComandot-1		-0.0004				
		(0.001)				
XControl2t			-0.057			
			(0.042)			
XControl2t-1			-0.106***			
			(0.030)			
ControlHt				0.030		
				(0.028)		
XControlt-1				-0.072**		

				(0.032)		
XDominio2t				-0.012		
				(0.020)		
XDominio2t-1				0.042**		
				(0.019)		
XDominiot				-0.010		
				(0.018)		
XDominiot-1				0.044***		
				(0.017)		
Agentet	0.306**	0.307**	0.279*	0.268*	0.277*	0.272*
	(0.147)	(0.145)	(0.147)	(0.145)	(0.143)	(0.145)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Efectos Aleatorios

	Dependent variable:					
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.010**	-0.010**	-0.010**	-0.011**	-0.010**	-0.010**
	(0.005)	(0.004)	(0.005)	(0.005)	(0.005)	(0.005)
Años contratot	-0.010	-0.012	-0.008	-0.011	-0.011	-0.010
	(0.008)	(0.008)	(0.007)	(0.008)	(0.007)	(0.007)
Equipot	0.003*	0.003*	0.003*	0.003**	0.003**	0.003**
	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XERA2t	-0.0004					
	(0.002)					
XERA2t-1	-0.006**					
	(0.003)					
XERAt		-0.009				
		(0.007)				
XERAt-1		-0.021***				
		(0.006)				
XIP2t			-0.0001			
			(0.0001)			
XIP2t-1			-0.00000			
			(0.0001)			
XIPt				-0.0002		
				(0.001)		
XIPt-1				-0.0001		
				(0.001)		
XL2t					-0.001	
					(0.002)	
XL2t-1					-0.001	
					(0.001)	
XLt						-0.003
						(0.006)
XLt-1						-0.005
						(0.004)
Agentet	0.291*	0.292**	0.294**	0.315*	0.309**	0.309**
	(0.152)	(0.139)	(0.148)	(0.163)	(0.154)	(0.155)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Efectos Aleatorios

=====

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.011** (0.005)	-0.012** (0.005)	-0.011** (0.005)	-0.011** (0.005)	-0.011** (0.005)	-0.011** (0.005)
Años contratot	-0.012 (0.007)	-0.012* (0.007)	-0.009 (0.007)	-0.013* (0.008)	-0.011 (0.007)	-0.014* (0.008)
Eqipot	0.003** (0.001)	0.003** (0.001)	0.003** (0.001)	0.003* (0.001)	0.003** (0.001)	0.003** (0.001)
XS2t	0.104*** (0.033)					
XS2t-1	0.024*** (0.008)					
XSt		0.067*** (0.025)				
XSt-1		0.060** (0.026)				
XS02t			-0.0001 (0.0001)			
XS02t-1			0.0001 (0.0001)			
XS0t				0.001 (0.001)		
XS0t-1				0.0002 (0.001)		
XWAR2t					0.001 (0.004)	
XWAR2t-1					-0.002 (0.004)	
XWArt						0.010 (0.009)
XWArt-1						0.007 (0.011)
Agentet	0.342** (0.155)	0.353** (0.157)	0.317** (0.148)	0.335** (0.156)	0.319** (0.143)	0.351** (0.146)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Efectos Aleatorios

=====

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)

Edadt	-0.008*	-0.011**	-0.011**	-0.011**	-0.011**	-0.010**
	(0.004)	(0.004)	(0.005)	(0.005)	(0.005)	(0.005)
Años contratot	-0.013	-0.013*	-0.010	-0.012	-0.012*	-0.009
	(0.008)	(0.008)	(0.007)	(0.007)	(0.007)	(0.007)
Eqipot	0.003**	0.003**	0.003**	0.003*	0.003**	0.003**
	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XWHIP2t	-0.006					
	(0.011)					
XWHIP2t-1	-0.039***					
	(0.010)					
XWHIPt		-0.005				
		(0.010)				
XWHIPt-1		-0.032***				
		(0.011)				
XBB2t			-0.0002			
			(0.0003)			
XBB2t-1			0.0001			
			(0.0003)			
XBBt				0.001		
				(0.002)		
XBBt-1				-0.001		
				(0.002)		
XW2t					0.001	
					(0.001)	
XW2t-1					0.0002	
					(0.001)	
XWt						-0.004
						(0.005)
XWt-1						0.001
						(0.004)
Agentet	0.222	0.317**	0.314**	0.326**	0.326**	0.295*
	(0.136)	(0.141)	(0.149)	(0.156)	(0.150)	(0.161)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

First Differences

Bateadores

Se obtendrán las estimaciones de las variables referentes a estadísticas deportivas sin controles

```
# Create a model to store the results
hitter_simple_fd <- list()

# To store the results
hitter_results_simple_fd_1 <- list()
hitter_results_simple_fd_2 <- list()
hitter_results_simple_fd_3 <- list()
hitter_results_simple_fd_4 <- list()
hitter_results_simple_fd <- list(result_1 = hitter_results_simple_fd_1,
                                result_2 = hitter_results_simple_fd_2,
                                result_3 = hitter_results_simple_fd_3,
```

```

                                result_4 = hitter_results_simple_fd_4)

# Loop over the variables in var_hitter_list
for (j in 1:hitter_rep){

  for (i in 1:hitter_stat_num){
    # Run linear regression with grouped errors by country and robust errors
    base_vars_h <- paste(vars_fe, stat_hitter_t[[i + hitter_stat_num*(j - 1)]],
                        sep = '+')
    formula <- paste(base_vars_h,
                     stat_hitter_t_1[[i + hitter_stat_num*(j - 1)]],
                     sep = " + ")

    hitter_simple_fd[[i + hitter_stat_num*(j - 1)]] <- plm(formula, data = hitter_data,
                                                            model = "fd",
                                                            index = c("id", "Anio_ref"))

    hitter_results_simple_fd[[j]][[i]] <- coeftest(hitter_simple_fd[[i + hitter_stat_num*(j - 1)]],
                                                  vcov = vcovHC(hitter_simple_fd[[i + hitter_stat_num*(j - 1)]],
                                                            type = "HC1",
                                                            cluster = "group"))
  }

  # Print the third block of results
  stargazer(hitter_results_simple_fd[[j]],
            no.space = TRUE,
            type = "text",
            title = "Bateadores: Primeras Diferencias",
            covariate.labels = hitter_stats[[j]])
}

```

Bateadores: Primeras Diferencias

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.011*** (0.002)	-0.011*** (0.002)	-0.011*** (0.002)	-0.012*** (0.002)	-0.012*** (0.002)	-0.011*** (0.002)
Años contratot	-0.045*** (0.009)	-0.045*** (0.009)	-0.045*** (0.009)	-0.043*** (0.009)	-0.044*** (0.009)	-0.044*** (0.009)
Equipot	0.002*** (0.001)	0.002*** (0.001)	0.002*** (0.001)	0.002*** (0.001)	0.002*** (0.001)	0.002*** (0.001)
XABt	-0.0001 (0.0004)					
XABt-1	0.001*** (0.0003)					
XAB2t		-0.00002 (0.00001)				
XAB2t-1		0.00001 (0.00003)				
XHt			-0.001*			

	(0.001)	
XHt-1	0.001	
	(0.001)	
XH2t	-0.0001***	
	(0.0001)	
XH2t-1	-0.0002*	
	(0.0001)	
XBA t	0.0001	
	(0.012)	
XBA t-1	0.039***	
	(0.010)	
XBA2t		-0.004
		(0.021)
XBA2t-1		0.030***
		(0.009)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Primeras Diferencias

	Dependent variable:					
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.011***	-0.011***	-0.011***	-0.012***	-0.011***	-0.011***
	(0.002)	(0.002)	(0.002)	(0.002)	(0.002)	(0.002)
Años contratot	-0.045***	-0.045***	-0.047***	-0.049***	-0.046***	-0.045***
	(0.009)	(0.009)	(0.010)	(0.010)	(0.009)	(0.009)
Equipot	0.002***	0.002***	0.002***	0.002***	0.002***	0.002***
	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XDt	-0.002					
	(0.002)					
XDt-1	-0.001					
	(0.002)					
XD2t		0.0001				
		(0.0004)				
XD2t-1		-0.001				
		(0.0003)				
XHRt			0.006*			
			(0.004)			
XHRt-1			0.001			
			(0.002)			
XHR2t				0.001***		
				(0.0004)		
XHR2t-1				0.0002		
				(0.0003)		
XGSt					-0.001	
					(0.001)	
XGSt-1					0.002***	
					(0.001)	
XGS2t						-0.00003
						(0.0001)

XGS2t-1 0.00004
(0.0001)

Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Primeras Diferencias

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.012*** (0.002)	-0.011*** (0.002)	-0.011*** (0.002)	-0.012*** (0.002)	-0.011*** (0.002)	-0.012*** (0.002)
Años contratot	-0.044*** (0.009)	-0.043*** (0.009)	-0.045*** (0.009)	-0.046*** (0.009)	-0.044*** (0.009)	-0.044*** (0.009)
Eqipot	0.002*** (0.001)	0.002*** (0.001)	0.002*** (0.001)	0.002*** (0.001)	0.002*** (0.001)	0.002*** (0.001)
XOPSt	-0.007 (0.009)					
XOPSt-1	0.013* (0.007)					
XOPS2t		-0.013 (0.008)				
XOPS2t-1		-0.005 (0.006)				
XOBPt			0.017 (0.022)			
XOBPt-1			0.049*** (0.015)			
XOBP2t				0.052** (0.026)		
XOBP2t-1				0.029*** (0.010)		
XSLGt					-0.011 (0.012)	
XSLGt-1					-0.010 (0.014)	
XSLG2t						-0.010 (0.014)
XSLG2t-1						-0.023* (0.014)

Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Primeras Diferencias

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)

Edadt	-0.011***	-0.012***	-0.009***	-0.011***	-0.014***	-0.012***
	(0.002)	(0.002)	(0.002)	(0.002)	(0.002)	(0.002)
Años contratot	-0.046***	-0.045***	-0.045***	-0.044***	-0.051***	-0.050***
	(0.009)	(0.009)	(0.009)	(0.009)	(0.009)	(0.009)
Eqipot	0.002***	0.002***	0.002***	0.002***	0.002***	0.002***
	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XRBI	0.0004					
	(0.001)					
XRBI	0.002					
	(0.001)					
XRBI2		0.0003				
		(0.0003)				
XRBI2		-0.0002				
		(0.0001)				
XT			-0.029***			
			(0.007)			
XT			0.002			
			(0.009)			
XT2				-0.002		
				(0.003)		
XT2				0.003**		
				(0.001)		
XW					0.030***	
					(0.003)	
XW					0.004	
					(0.005)	
XW2						0.014***
						(0.004)
XW2						0.0002
						(0.001)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Starting pitcher

```
# Create a model to store the results
fielder_simple_fd <- list()

# To store the results
fielder_results_simple_fd_1 <- list()
fielder_results_simple_fd_2 <- list()
fielder_results_simple_fd_3 <- list()
fielder_results_simple_fd_4 <- list()
fielder_results_simple_fd_5 <- list()
fielder_results_simple_fd <- list(result_1 = fielder_results_simple_fd_1,
                                   result_2 = fielder_results_simple_fd_2,
                                   result_3 = fielder_results_simple_fd_3,
                                   result_4 = fielder_results_simple_fd_4,
                                   result_5 = fielder_results_simple_fd_5)

# Loop over the variables in var_hitter_list
```

```

for (j in 1:fielder_rep){

  for (i in 1:fielder_stat_num){
    # Run linear regression with grouped errors by country and robust errors
    base_vars_h <- paste(vars_fe, stat_fielder_t[[i + fielder_stat_num*(j - 1)]],
                        sep = '+')
    formula <- paste(base_vars_h,
                    stat_fielder_t_1[[i + fielder_stat_num*(j - 1)]],
                    sep = " + ")

    fielder_simple_fd[[i + hitter_stat_num*(j - 1)]] <- plm(formula, data = starting_data,
                    model = "fd",
                    index = c("id", "Anio_ref"))

    fielder_results_simple_fd[[j]][[i]] <- coeftest(fielder_simple_fd[[i + fielder_stat_num*(j - 1)]],
                    vcov = vcovHC(fielder_simple_fd[[i + fielder_stat_num*(j - 1)]],
                    type = "HC1",
                    cluster = "group"))
  }

  # Print the third block of results
  stargazer(fielder_results_simple_fd[[j]],
            no.space = TRUE,
            type = "text",
            title = "Lanzadores Iniciales: Primeras Diferencias",
            covariate.labels = fielder_stats[[j]])
}

```

Lanzadores Iniciales: Primeras Diferencias

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.019** (0.009)	-0.018*** (0.007)	-0.019** (0.008)	-0.017** (0.008)	-0.015** (0.008)	-0.016** (0.007)
Años contratot	-0.025*** (0.009)	-0.043*** (0.007)	-0.035*** (0.007)	-0.033*** (0.007)	-0.033*** (0.008)	-0.036*** (0.008)
Equipot	0.002** (0.001)	0.004*** (0.001)	0.003*** (0.001)	0.003*** (0.001)	0.003*** (0.001)	0.003*** (0.001)
XH2t	-0.0003*** (0.0001)					
XH2t-1	0.00002 (0.0001)					
XHt		0.003* (0.001)				
XHt-1		0.0005 (0.001)				
XR2t			-0.0002 (0.0001)			
XR2t-1			0.00003 (0.0001)			

XER2t	-0.0005*** (0.0002)	
XER2t-1	-0.00004 (0.0001)	
XERt	-0.001 (0.001)	
XERt-1	0.003*** (0.001)	
XRt		-0.0002 (0.001)
XRt-1		0.003** (0.001)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Primeras Diferencias

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.020** (0.008)	-0.019** (0.007)	-0.018** (0.007)	-0.016** (0.007)	-0.019*** (0.007)	-0.019*** (0.007)
Años contratot	-0.038*** (0.009)	-0.041*** (0.008)	-0.033*** (0.008)	-0.036*** (0.008)	-0.035*** (0.008)	-0.040*** (0.008)
Equipot	0.004*** (0.001)	0.003*** (0.001)	0.004*** (0.001)	0.003*** (0.001)	0.004*** (0.001)	0.003*** (0.001)
XComando2t	-0.002 (0.003)					
XComando2t-1	0.00001*** (0.00000)					
XComandot		0.017* (0.009)				
XComandot-1		0.001*** (0.0003)				
XControl2t			-0.069*** (0.018)			
XControl2t-1			-0.026*** (0.005)			
ControlHt				0.009 (0.034)		
XControlt-1				-0.058*** (0.016)		
XDominio2t					-0.010*** (0.003)	
XDominio2t-1					0.009*** (0.003)	
XDominiot						0.030*** (0.006)
XDominiot-1						0.012** (0.005)

=====
Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Primeras Diferencias
=====

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.016** (0.008)	-0.014* (0.007)	-0.017** (0.008)	-0.015* (0.008)	-0.020*** (0.007)	-0.018** (0.008)
Años contratot	-0.033*** (0.010)	-0.035*** (0.011)	-0.029*** (0.008)	-0.029*** (0.009)	-0.034*** (0.007)	-0.033*** (0.007)
Eqipot	0.003*** (0.001)	0.003*** (0.001)	0.003*** (0.001)	0.003*** (0.001)	0.003*** (0.001)	0.003*** (0.001)
XERA2t	0.001 (0.002)					
XERA2t-1	-0.003 (0.003)					
XERAt		-0.003 (0.009)				
XERAt-1		-0.021*** (0.005)				
XIP2t			-0.0002*** (0.0001)			
XIP2t-1			0.00004 (0.0001)			
XIPt				-0.002** (0.001)		
XIPt-1				0.002* (0.001)		
XL2t					-0.003* (0.002)	
XL2t-1					-0.00002 (0.001)	
XLt						-0.007 (0.005)
XLt-1						-0.0005 (0.003)

=====
Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Primeras Diferencias
=====

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.019*** (0.007)	-0.018** (0.007)	-0.018** (0.007)	-0.017** (0.008)	-0.018** (0.007)	-0.017** (0.008)
Años contratot	-0.036***	-0.036***	-0.035***	-0.042***	-0.030***	-0.035***

	(0.008)	(0.008)	(0.009)	(0.008)	(0.009)	(0.010)
Equipot	0.003***	0.003***	0.004***	0.004***	0.003***	0.003***
	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XS2t	0.100***					
	(0.001)					
XS2t-1	0.020***					
	(0.006)					
XSt		0.074***				
		(0.007)				
XSt-1		-0.014				
		(0.022)				
XS02t			-0.0001***			
			(0.00003)			
XS02t-1			0.0003***			
			(0.0001)			
XS0t				0.001*		
				(0.0005)		
XS0t-1				0.002***		
				(0.001)		
XWAR2t					-0.002	
					(0.002)	
XWAR2t-1					-0.004***	
					(0.001)	
XWArt						-0.005
						(0.006)
XWArt-1						0.005
						(0.008)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Primeras Diferencias

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.013*	-0.014*	-0.017**	-0.015**	-0.018**	-0.015*
	(0.007)	(0.008)	(0.007)	(0.008)	(0.009)	(0.008)
Años contratot	-0.032***	-0.036***	-0.034***	-0.025***	-0.034***	-0.026***
	(0.009)	(0.009)	(0.008)	(0.008)	(0.010)	(0.009)
Equipot	0.003***	0.004***	0.003***	0.004***	0.003***	0.003***
	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XWHIP2t	0.003					
	(0.004)					
XWHIP2t-1	-0.021***					
	(0.006)					
XWHIPt		-0.004				
		(0.007)				
XWHIPt-1		-0.034**				
		(0.013)				
XBB2t			-0.0002			
			(0.0002)			

XBB2t-1	0.0005** (0.0002)	
XBBt	-0.005*** (0.001)	
XBBt-1	0.004*** (0.001)	
XW2t		-0.001 (0.001)
XW2t-1		0.0003 (0.001)
XWt		-0.010*** (0.004)
XWt-1		0.003 (0.003)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Estimaciones conjuntas

Lo que se hará ahora es volver a estimar los modelos anteriores, pero con todas las variables que fueron significativas para un nivel del %5.

Bateadores

Para los bateadores las variables significativas son:

```
# Significant variables:
# Pooling:
hitter_vars_1 <- c("X_Bateos",
                  "X_Porcentaje_On_base_plus_slugging_2",
                  "X_Porcentaje_on_base",
                  "X_Porcentaje_on_base_2",
                  "X_Porcentaje_slugging_2",
                  "X_Runs_batted_in",
                  "X_Triples",
                  "X_WAR",
                  "X_WAR_2")

# Add suffix "_t" to each name
stat_hitter_t <- paste0(hitter_vars_1, "_t")
stat_hitter_t_1 <- paste0(hitter_vars_1, "_t_1")

# Lista
hitter_vars_1 <- c(paste(stat_hitter_t, collapse = " + "),
                  paste(stat_hitter_t_1, collapse = " + "))

# Within
hitter_vars_2 <- c("X_Bateos",
                  "X_Porcentaje_On_base_plus_slugging_2",
                  "X_Porcentaje_on_base",
                  "X_Porcentaje_on_base_2",
                  "X_Porcentaje_slugging_2",
                  "X_Runs_batted_in",
                  "X_Triples",
```

```

        "X_WAR",
        "X_WAR_2")
# Add suffix "_t" to each name
stat_hitter_t <- paste0(hitter_vars_2, "_t")
stat_hitter_t_1 <- paste0(hitter_vars_2, "_t_1")
# Lista
hitter_vars_2 <- c(paste(stat_hitter_t, collapse = " + "),
                  paste(stat_hitter_t_1, collapse = " + "))
# Random effects
hitter_vars_3 <- c("X_Porcentaje_On_base_plus_slugging_2",
                  "X_Triples",
                  "X_WAR",
                  "X_WAR_2")
# Add suffix "_t" to each name
stat_hitter_t <- paste0(hitter_vars_3, "_t")
stat_hitter_t_1 <- paste0(hitter_vars_3, "_t_1")
# Lista
hitter_vars_3 <- c(paste(stat_hitter_t, collapse = " + "),
                  paste(stat_hitter_t_1, collapse = " + "))
# First Differences
hitter_vars_4 <- c("X_At_bats",
                  "X_Bateos_2",
                  "X_Bateos",
                  "X_Bateos_promedio",
                  "X_Bateos_promedio_2",
                  "X_Home_runs",
                  "X_Home_runs_2",
                  "X_Juegos_iniciados",
                  "X_Porcentaje_On_base_plus_slugging",
                  "X_Porcentaje_on_base",
                  "X_Porcentaje_on_base_2",
                  "X_Runs_batted_in",
                  "X_Triples",
                  "X_Triples_2",
                  "X_WAR",
                  "X_WAR_2")
# Add suffix "_t" to each name
stat_hitter_t <- paste0(hitter_vars_4, "_t")
stat_hitter_t_1 <- paste0(hitter_vars_4, "_t_1")
# Lista
hitter_vars_4 <- c(paste(stat_hitter_t, collapse = " + "),
                  paste(stat_hitter_t_1, collapse = " + "))

# Pooling:
formula <- paste(vars_ms,
                 hitter_vars_1[[1]],
                 sep = " + ")
formula <- paste(formula,
                 hitter_vars_1[[2]],
                 sep = " + ")
# Create a model to store the results
hitter_stimation_1 <- plm(formula, data = hitter_data,

```

```

        model = "pooling",
        index = c("id", "Anio_ref"))
# To store the results
hitter_results_stimation_1 <- coeftest(hitter_stimation_1,
                                     vcov = vcovHC(hitter_stimation_1,
                                                  type = "HC1",
                                                  cluster = "group"))
# Within:
formula <- paste(vars_fe,
                hitter_vars_2[[1]],
                sep = " + ")
formula <- paste(formula,
                hitter_vars_2[[2]],
                sep = " + ")
# Create a model to store the results
hitter_stimation_2 <- plm(formula, data = hitter_data,
                        model = "within",
                        index = c("id", "Anio_ref"))
# To store the results
hitter_results_stimation_2 <- coeftest(hitter_stimation_2,
                                     vcov = vcovHC(hitter_stimation_2,
                                                  type = "HC1",
                                                  cluster = "group"))
# Random:
formula <- paste(vars_ms,
                hitter_vars_3[[1]],
                sep = " + ")
formula <- paste(formula,
                hitter_vars_3[[2]],
                sep = " + ")
# Create a model to store the results
hitter_stimation_3 <- plm(formula, data = hitter_data,
                        model = "random",
                        index = c("id", "Anio_ref"))
# To store the results
hitter_results_stimation_3 <- coeftest(hitter_stimation_3,
                                     vcov = vcovHC(hitter_stimation_3,
                                                  type = "HC1",
                                                  cluster = "group"))
# First Differences:
formula <- paste(vars_fe,
                hitter_vars_4[[1]],
                sep = " + ")
formula <- paste(formula,
                hitter_vars_4[[2]],
                sep = " + ")
# Create a model to store the results
hitter_stimation_4 <- plm(formula, data = hitter_data,
                        model = "fd",
                        index = c("id", "Anio_ref"))
# To store the results
hitter_results_stimation_4 <- coeftest(hitter_stimation_4,
                                     vcov = vcovHC(hitter_stimation_4,

```

```

type = "HC1",
cluster = "group"))

# Modelos
hitter_models <- list(pooling = hitter_results_stimation_1,
                      within = hitter_results_stimation_2,
                      random = hitter_results_stimation_3,
                      fd = hitter_results_stimation_4)

# Print the third block of results
stargazer(hitter_models,
          no.space = TRUE,
          align = TRUE,
          type = "text",
          title = "Bateadores: Comparación de los modelos",
          covariate.labels = c("$Edad_{t}$" , "Años contrato_{t}$", "Equipo_{t}$",
                              "$X_{AB_{t}}$", "$X_{H^{2}_{t}}$", "$X_{H_{t}}$",
                              "$X_{OPS^{2}_{t}}$",
                              "$X_{BA_{t}}$", "$X_{BA^{2}_{t}}$",
                              "$X_{HR_{t}}$", "$X_{HR^{2}_{t}}$",
                              "$X_{GS_{t}}$", "$X_{OPS_{t}}$",
                              "$X_{OBP_{t}}$", "$X_{OBP^{2}_{t}}$",
                              "$X_{SLG^{2}_{t}}$", "$X_{RBI_{t}}$",
                              "$X_{T_{t}}$", "$X_{T^{2}_{t}}$",
                              "$X_{WAR_{t}}$", "$X_{WAR^{2}_{t}}$",
                              "$X_{AB_{t-1}}$", "$X_{H^{2}_{t-1}}$", "$X_{H_{t-1}}$",
                              "$X_{OPS^{2}_{t-1}}$",
                              "$X_{BA_{t-1}}$", "$X_{BA^{2}_{t-1}}$",
                              "$X_{HR_{t-1}}$", "$X_{HR^{2}_{t-1}}$",
                              "$X_{GS_{t-1}}$", "$X_{OPS_{t-1}}$",
                              "$X_{OBP_{t-1}}$", "$X_{OBP^{2}_{t-1}}$",
                              "$X_{SLG^{2}_{t-1}}$", "$X_{RBI_{t-1}}$",
                              "$X_{T_{t-1}}$", "$X_{T^{2}_{t-1}}$",
                              "$X_{WAR_{t-1}}$", "$X_{WAR^{2}_{t-1}}$",
                              "Agente_{t}$"),
          column.labels = c("Pooling", "Within",
                           "Random effects", "First-Differences"))

```

Bateadores: Comparación de los modelos

	Dependent variable:			
	Pooling	Within	Random effects	First-Differences
	(1)	(2)	(3)	(4)
Edadt	-0.006** (0.003)	-0.005 (0.005)	-0.006** (0.003)	-0.012*** (0.002)
Años contratot	-0.003 (0.005)	-0.042*** (0.014)	-0.006 (0.005)	-0.047*** (0.010)
Equipot	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.002*** (0.001)

XABt				0.004*** (0.001)
XH2t				-0.0001 (0.0001)
XHt	-0.0002 (0.001)	-0.001 (0.003)		-0.003*** (0.001)
XOPS2t	-0.007 (0.023)	-0.030 (0.033)	-0.017* (0.010)	
XBAt				-0.026 (0.025)
XBA2t				-0.024 (0.028)
XHRt				0.005 (0.005)
XHR2t				0.0002 (0.001)
XGSt				-0.006*** (0.002)
XOPSt				-0.042* (0.022)
XOBPt	-0.028 (0.025)	-0.017 (0.039)		0.076* (0.045)
XOBP2t	-0.017 (0.036)	0.077 (0.049)		0.081*** (0.028)
XSLG2t	0.004 (0.036)	0.033 (0.035)		
XRBIt	-0.003 (0.002)	0.001 (0.004)		-0.0004 (0.001)
XTt	-0.005 (0.008)	-0.015 (0.012)	-0.006 (0.008)	-0.061*** (0.010)
XT2t				0.021*** (0.005)
XWArT	0.017** (0.008)	0.037*** (0.013)	0.019** (0.007)	0.012*** (0.005)
XWAR2t	-0.001 (0.004)	-0.002 (0.010)	-0.002 (0.004)	0.009** (0.005)
XABt-1				-0.001*** (0.0004)
XH2t-1				-0.0004*** (0.0001)
XHt-1	-0.001 (0.002)	-0.001 (0.002)		-0.001 (0.002)
XOPS2t-1	0.015 (0.022)	-0.041 (0.025)	0.004 (0.010)	
XBAt-1				0.065*** (0.024)
XBA2t-1				0.024 (0.027)
XHRt-1				-0.006*** (0.002)
XHR2t-1				0.0001 (0.0004)
XGSt-1				0.005*** (0.001)

XOPSt-1				-0.059*** (0.017)
XOBPt-1	0.030 (0.026)	0.066* (0.039)		0.067** (0.027)
XOBP2t-1	-0.033 (0.029)	0.059 (0.047)		-0.042 (0.029)
XSLG2t-1	-0.005 (0.028)	-0.037 (0.028)		
XRBI-1	0.001 (0.003)	0.004 (0.003)		0.004* (0.002)
XTt-1	0.012** (0.006)	0.001 (0.011)	0.009* (0.005)	0.005 (0.005)
XT2t-1				-0.001 (0.001)
XWArt-1	0.010 (0.007)	-0.003 (0.011)	0.007 (0.006)	0.013** (0.006)
XWAR2t-1	0.003 (0.002)	-0.001 (0.003)	0.002 (0.002)	-0.001 (0.002)
Agentet	0.166** (0.081)		0.177** (0.086)	

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Como se puede observar, no todas las variables son significativas de manera conjunta. Reduciremos la cantidad de variables en la estimación ya que muchas de estas están correlacionadas con otras dentro de la misma. Nos quedaremos con las que fueron significativas en el modelo anterior, además de las WAR puesto que son un tipo de PCA.

```
# Significant variables:
# Pooling:
hitter_vars_1 <- c("X_Triples_t_1",
                  "X_WAR_t")

# Lista
hitter_vars_1 <- paste(hitter_vars_1, collapse = " + ")

# Within
hitter_vars_2 <- c("X_Porcentaje_on_base_t_1",
                  "X_WAR_t")

# Lista
hitter_vars_2 <- paste(hitter_vars_2, collapse = " + ")

# Random effects
hitter_vars_3 <- c("X_Porcentaje_On_base_plus_slugging_2_t",
                  "X_Triples_t_1",
                  "X_WAR_t")

# Lista
hitter_vars_3 <- paste(hitter_vars_3, collapse = " + ")

# First Differences
hitter_vars_4 <- c("X_At_bats_t", "X_At_bats_t_1",
                  "X_Bateos_t",
                  "X_Bateos_2_t", "X_Bateos_2_t_1",
                  "X_Juegos_iniciados_t", "X_Juegos_iniciados_t_1",
                  "X_Porcentaje_On_base_plus_slugging_t", "X_Porcentaje_On_base_plus_slugging_t_1",
                  "X_Porcentaje_on_base_t", "X_Porcentaje_on_base_t_1",
                  "X_Porcentaje_on_base_2_t",
```

```

        "X_Triples_t", "X_Triples_2_t",
        "X_WAR_t", "X_WAR_t_1",
        "X_WAR_2_t",
        "X_Bateos_promedio_t_1",
        "X_Home_runs_t_1",
        "X_Runs_batted_in_t_1")

# Lista
hitter_vars_4 <- paste(hitter_vars_4, collapse = " + ")

# Pooling:
formula <- paste(vars_ms,
                hitter_vars_1,
                sep = " + ")
# Create a model to store the results
hitter_stimation_1 <- plm(formula, data = hitter_data,
                        model = "pooling",
                        index = c("id", "Anio_ref"))

# To store the results
hitter_results_stimation_1 <- coeftest(hitter_stimation_1,
                                    vcov = vcovHC(hitter_stimation_1,
                                                  type = "HC1",
                                                  cluster = "group"))

# Within:
formula <- paste(vars_fe,
                hitter_vars_2,
                sep = " + ")
# Create a model to store the results
hitter_stimation_2 <- plm(formula, data = hitter_data,
                        model = "within",
                        index = c("id", "Anio_ref"))

# To store the results
hitter_results_stimation_2 <- coeftest(hitter_stimation_2,
                                    vcov = vcovHC(hitter_stimation_2,
                                                  type = "HC1",
                                                  cluster = "group"))

# Random:
formula <- paste(vars_ms,
                hitter_vars_3,
                sep = " + ")
# Create a model to store the results
hitter_stimation_3 <- plm(formula, data = hitter_data,
                        model = "random",
                        index = c("id", "Anio_ref"))

# To store the results
hitter_results_stimation_3 <- coeftest(hitter_stimation_3,
                                    vcov = vcovHC(hitter_stimation_3,
                                                  type = "HC1",
                                                  cluster = "group"))

# First Differences:
formula <- paste(vars_fe,
                hitter_vars_4,
                sep = " + ")

```



```

# Create a model to store the results
hitter_stimation_4 <- plm(formula, data = hitter_data,
                          model = "fd",
                          index = c("id", "Anio_ref"))

# To store the results
hitter_results_stimation_4 <- coeftest(hitter_stimation_4,
                                       vcov = vcovHC(hitter_stimation_4,
                                                       type = "HC1",
                                                       cluster = "group"))

# Modelos
hitter_models <- list(pooling = hitter_results_stimation_1,
                      within = hitter_results_stimation_2,
                      random = hitter_results_stimation_3,
                      fd = hitter_results_stimation_4)

# Print the third block of results
stargazer(hitter_models,
           no.space = TRUE,
           align = TRUE,
           type = "text",
           title = "Bateadores: Comparación de los modelos - Primer refinamiento",
           column.labels = c("Pooling", "Within",
                             "Random effects", "First-Differences"))

```

Bateadores: Comparación de los modelos - Primer refinamiento

	Dependent variable:			
	Pooling	Within	Random effects	First-Differences
	(1)	(2)	(3)	(4)
Edad_t	-0.006** (0.003)	-0.006 (0.005)	-0.006** (0.003)	-0.011*** (0.002)
Anios_de_contrato_t	-0.004 (0.004)	-0.038*** (0.012)	-0.006 (0.004)	-0.048*** (0.009)
team_num_t	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.002*** (0.001)
X_Porcentaje_On_base_plus_slugging_2_t			-0.017 (0.010)	
X_Triples_t_1	0.010* (0.005)		0.009 (0.005)	
X_At_bats_t				0.004*** (0.001)
X_At_bats_t_1				-0.001*** (0.0004)
X_Bateos_t				-0.002** (0.001)
X_Bateos_2_t				-0.0001 (0.0001)
X_Bateos_2_t_1				-0.0004***

X_Juegos_iniciados_t				(0.0001)
				-0.005***
				(0.002)
X_Juegos_iniciados_t_1				0.006***
				(0.001)
X_Porcentaje_On_base_plus_slugging_t				-0.047*
				(0.027)
X_Porcentaje_On_base_plus_slugging_t_1				-0.054***
				(0.015)
X_Porcentaje_on_base_t				0.066
				(0.043)
X_Porcentaje_on_base_t_1	0.033			0.079***
	(0.028)			(0.026)
X_Porcentaje_on_base_2_t				0.066***
				(0.014)
X_Triples_t				-0.064***
				(0.010)
X_Triples_2_t				0.023***
				(0.005)
X_WAR_t	0.016**	0.036***	0.018***	0.013***
	(0.007)	(0.009)	(0.006)	(0.005)
X_WAR_t_1				0.010**
				(0.005)
X_WAR_2_t				0.011**
				(0.004)
X_Bateos_promedio_t_1				0.031
				(0.021)
X_Home_runs_t_1				-0.007***
				(0.002)
X_Runs_batted_in_t_1				0.004**
				(0.002)
Constant	0.187**		0.170**	
	(0.081)		(0.085)	

=====

Note:

*p<0.1; **p<0.05; ***p<0.01

```
# Significant variables:
# Pooling:
hitter_vars_1 <- c("X_Triples_t_1",
                  "X_WAR_t")

# Lista
hitter_vars_1 <- paste(hitter_vars_1, collapse = " + ")

# Within
hitter_vars_2 <- c("X_WAR_t")

# Random effects
hitter_vars_3 <- c("X_WAR_t")

# First Difference
hitter_vars_4 <- c("X_At_bats_t", "X_At_bats_t_1",
                  "X_Bateos_t",
                  "X_Bateos_2_t_1",
```

```

        "X_Juegos_iniciados_t", "X_Juegos_iniciados_t_1",
        "X_Porcentaje_On_base_plus_slugging_t", "X_Porcentaje_On_base_plus_slugging_t_1",
        "X_Porcentaje_on_base_t_1",
        "X_Porcentaje_on_base_2_t",
        "X_Triples_t", "X_Triples_2_t",
        "X_WAR_t", "X_WAR_t_1",
        "X_WAR_2_t",
        "X_Home_runs_t_1",
        "X_Runs_batted_in_t_1")

# Lista
hitter_vars_4 <- paste(hitter_vars_4, collapse = " + ")

# Pooling:
formula <- paste(vars_ms,
                 hitter_vars_1,
                 sep = " + ")
# Create a model to store the results
hitter_stimation_1 <- plm(formula, data = hitter_data,
                          model = "pooling",
                          index = c("id", "Anio_ref"))
# To store the results
hitter_results_stimation_1 <- coeftest(hitter_stimation_1,
                                       vcov = vcovHC(hitter_stimation_1,
                                                    type = "HC1",
                                                    cluster = "group"))

# Within:
formula <- paste(vars_fe,
                 hitter_vars_2,
                 sep = " + ")
# Create a model to store the results
hitter_stimation_2 <- plm(formula, data = hitter_data,
                          model = "within",
                          index = c("id", "Anio_ref"))
# To store the results
hitter_results_stimation_2 <- coeftest(hitter_stimation_2,
                                       vcov = vcovHC(hitter_stimation_2,
                                                    type = "HC1",
                                                    cluster = "group"))

# Random:
formula <- paste(vars_ms,
                 hitter_vars_3,
                 sep = " + ")
# Create a model to store the results
hitter_stimation_3 <- plm(formula, data = hitter_data,
                          model = "random",
                          index = c("id", "Anio_ref"))
# To store the results
hitter_results_stimation_3 <- coeftest(hitter_stimation_3,
                                       vcov = vcovHC(hitter_stimation_3,
                                                    type = "HC1",
                                                    cluster = "group"))

# First Differences:

```

```

formula <- paste(vars_fe,
                hitter_vars_4,
                sep = " + ")
# Create a model to store the results
hitter_stimation_4 <- plm(formula, data = hitter_data,
                        model = "fd",
                        index = c("id", "Anio_ref"))
# To store the results
hitter_results_stimation_4 <- coeftest(hitter_stimation_4,
                                     vcov = vcovHC(hitter_stimation_4,
                                     type = "HC1",
                                     cluster = "group"))

# Modelos
hitter_models <- list(pooling = hitter_results_stimation_1,
                     within = hitter_results_stimation_2,
                     random = hitter_results_stimation_3,
                     fd = hitter_results_stimation_4)

# Print the third block of results
stargazer(hitter_models,
          no.space = TRUE,
          align = TRUE,
          type = "text",
          title = "Bateadores: Comparación de los modelos - Segundo refinamiento",
          column.labels = c("Pooling", "Within",
                          "Random effects", "First-Differences"))

```

Bateadores: Comparación de los modelos - Segundo refinamiento

Dependent variable:				
	Pooling	Within	Random effects	First-Differences
	(1)	(2)	(3)	(4)
Edad_t	-0.006** (0.003)	-0.006 (0.004)	-0.006** (0.003)	-0.011*** (0.002)
Anios_de_contrato_t	-0.004 (0.004)	-0.039*** (0.012)	-0.007* (0.004)	-0.050*** (0.009)
team_num_t	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.002*** (0.001)
X_Triples_t_1	0.010* (0.005)			
X_At_bats_t				0.004*** (0.001)
X_At_bats_t_1				-0.002*** (0.0003)
X_Bateos_t				-0.003*** (0.001)
X_Bateos_2_t_1				-0.0005*** (0.0001)

X_Juegos_iniciados_t				-0.005*** (0.002)
X_Juegos_iniciados_t_1				0.006*** (0.001)
X_Porcentaje_On_base_plus_slugging_t				-0.017 (0.010)
X_Porcentaje_On_base_plus_slugging_t_1				-0.049*** (0.014)
X_Porcentaje_on_base_t_1				0.107*** (0.014)
X_Porcentaje_on_base_2_t				0.081*** (0.026)
X_Triples_t				-0.064*** (0.009)
X_Triples_2_t				0.024*** (0.005)
X_WAR_t	0.016** (0.007)	0.035*** (0.009)	0.019*** (0.006)	0.014*** (0.005)
X_WAR_t_1				0.008* (0.004)
X_WAR_2_t				0.010** (0.005)
X_Home_runs_t_1				-0.006*** (0.002)
X_Runs_batted_in_t_1				0.004** (0.002)
Constant	0.187** (0.081)		0.181** (0.082)	

=====
 Note:

*p<0.1; **p<0.05; ***p<0.01

```
# Significant variables:
# Pooling:
hitter_vars_1 <- c("X_Triples_t_1",
                  "X_WAR_t")

# Lista
hitter_vars_1 <- paste(hitter_vars_1, collapse = " + ")

# Within
hitter_vars_2 <- c("X_WAR_t")

# Random effects
hitter_vars_3 <- c("X_WAR_t")

# First Differences
hitter_vars_4 <- c("X_At_bats_t", "X_At_bats_t_1",
                  "X_Bateos_t",
                  "X_Bateos_2_t_1",
                  "X_Juegos_iniciados_t", "X_Juegos_iniciados_t_1",
                  "X_Porcentaje_On_base_plus_slugging_t_1",
                  "X_Porcentaje_on_base_t_1",
                  "X_Porcentaje_on_base_2_t",
                  "X_Triples_t", "X_Triples_2_t",
```

```

        "X_WAR_t", "X_WAR_t_1",
        "X_WAR_2_t",
        "X_Home_runs_t_1",
        "X_Runs_batted_in_t_1")

# Lista
hitter_vars_4 <- paste(hitter_vars_4, collapse = " + ")

# Pooling:
formula <- paste(vars_ms,
                 hitter_vars_1,
                 sep = " + ")
# Create a model to store the results
hitter_stimation_1 <- plm(formula, data = hitter_data,
                         model = "pooling",
                         index = c("id", "Anio_ref"))

# To store the results
hitter_results_stimation_1 <- coeftest(hitter_stimation_1,
                                     vcov = vcovHC(hitter_stimation_1,
                                                  type = "HC1",
                                                  cluster = "group"))

# Within:
formula <- paste(vars_fe,
                 hitter_vars_2,
                 sep = " + ")
# Create a model to store the results
hitter_stimation_2 <- plm(formula, data = hitter_data,
                         model = "within",
                         index = c("id", "Anio_ref"))

# To store the results
hitter_results_stimation_2 <- coeftest(hitter_stimation_2,
                                     vcov = vcovHC(hitter_stimation_2,
                                                  type = "HC1",
                                                  cluster = "group"))

# Random:
formula <- paste(vars_ms,
                 hitter_vars_3,
                 sep = " + ")
# Create a model to store the results
hitter_stimation_3 <- plm(formula, data = hitter_data,
                         model = "random",
                         index = c("id", "Anio_ref"))

# To store the results
hitter_results_stimation_3 <- coeftest(hitter_stimation_3,
                                     vcov = vcovHC(hitter_stimation_3,
                                                  type = "HC1",
                                                  cluster = "group"))

# First Differences:
formula <- paste(vars_fe,
                 hitter_vars_4,
                 sep = " + ")
# Create a model to store the results
hitter_stimation_4 <- plm(formula, data = hitter_data,

```

```

        model = "fd",
        index = c("id", "Anio_ref"))
# To store the results
hitter_results_stimulation_4 <- coeftest(hitter_stimulation_4,
                                       vcov = vcovHC(hitter_stimulation_4,
                                                       type = "HC1",
                                                       cluster = "group"))

# Modelos
hitter_models <- list(pooling = hitter_results_stimulation_1,
                     within = hitter_results_stimulation_2,
                     random = hitter_results_stimulation_3,
                     fd = hitter_results_stimulation_4)

# List to store results
hitter_end_models <- list(pooling = hitter_stimulation_1,
                          within = hitter_stimulation_2,
                          random = hitter_stimulation_3,
                          fd = hitter_stimulation_4)

# Print the third block of results
stargazer(hitter_models,
          no.space = TRUE,
          align = TRUE,
          type = "text",
          title = "Bateadores: Comparación de los modelos - Econométrico final",
          column.labels = c("Pooling", "Within",
                           "Random effects", "First-Differences"))

```

Bateadores: Comparación de los modelos - Econométrico final

Dependent variable:				
	Pooling	Within	Random effects	First-Differences
	(1)	(2)	(3)	(4)
Edad_t	-0.006** (0.003)	-0.006 (0.004)	-0.006** (0.003)	-0.011*** (0.002)
Anios_de_contrato_t	-0.004 (0.004)	-0.039*** (0.012)	-0.007* (0.004)	-0.050*** (0.009)
team_num_t	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.002*** (0.001)
X_Triples_t_1	0.010* (0.005)			
X_At_bats_t				0.003*** (0.001)
X_At_bats_t_1				-0.002*** (0.0004)
X_Bateos_t				-0.003*** (0.001)
X_Bateos_2_t_1				-0.0005*** (0.0001)
X_Juegos_iniciados_t				-0.004**

X_Juegos_iniciados_t_1				(0.002)
				0.006***
				(0.001)
X_Porcentaje_On_base_plus_slugging_t_1				-0.056***
				(0.012)
X_Porcentaje_on_base_t_1				0.113***
				(0.012)
X_Porcentaje_on_base_2_t				0.063***
				(0.019)
X_Triples_t				-0.067***
				(0.010)
X_Triples_2_t				0.025***
				(0.005)
X_WAR_t	0.016**	0.035***	0.019***	0.015***
	(0.007)	(0.009)	(0.006)	(0.004)
X_WAR_t_1				0.008*
				(0.005)
X_WAR_2_t				0.010**
				(0.005)
X_Home_runs_t_1				-0.006***
				(0.002)
X_Runs_batted_in_t_1				0.004**
				(0.002)
Constant	0.187**		0.181**	
	(0.081)		(0.082)	

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Aplicaremos un teest de Hausmann a cada pareja de modelos

```
# create an empty list to store the test results
test_results <- list()

# loop through every possible pair of models
for (i in 1:(length(hitter_end_models)-1)) {
  for (j in (i+1):length(hitter_end_models)) {
    # apply phtest to the pair of models
    test_result <- phtest(hitter_end_models[[i]], hitter_end_models[[j]])
    # add the test result to the list
    test_results[[paste0(names(hitter_end_models[i]), "_vs_", names(hitter_end_models[j]))]] <- test_result
  }
}

# view the test results
test_results
```

\$pooling_vs_within

Hausman Test

data: formula
chisq = 24.791, df = 4, p-value = 5.542e-05

alternative hypothesis: one model is inconsistent

\$pooling_vs_random

Hausman Test

data: formula
chisq = 34.85, df = 4, p-value = 4.988e-07
alternative hypothesis: one model is inconsistent

\$pooling_vs_fd

Hausman Test

data: formula
chisq = 29.901, df = 4, p-value = 5.128e-06
alternative hypothesis: one model is inconsistent

\$within_vs_random

Hausman Test

data: formula
chisq = 19.316, df = 4, p-value = 0.0006812
alternative hypothesis: one model is inconsistent

\$within_vs_fd

Hausman Test

data: formula
chisq = 19.74, df = 4, p-value = 0.0005619
alternative hypothesis: one model is inconsistent

\$random_vs_fd

Hausman Test

data: formula
chisq = 26.893, df = 4, p-value = 2.089e-05
alternative hypothesis: one model is inconsistent

Se halló evidencia de un cambio estructural entre cualquiera de los modelos.

Lanzadores

```

# Significant variables:
fielder_vars_1 <- c('X_Control_2',
                   'X_Control',
                   'X_Dominio_2',
                   'X_Dominio',
                   'X_ERA_2',
                   'X_ERA',
                   'X_Saves_2',
                   'X_Saves',
                   'X_WHIP_2',
                   'X_WHIP')

# Add suffix "_t" to each name
stat_fielder_t <- paste0(fielder_vars_1, "_t")
stat_fielder_t_1 <- paste0(fielder_vars_1, "_t_1")

# Lista
fielder_vars_1 <- c(paste(stat_fielder_t, collapse = " + "),
                   paste(stat_fielder_t_1, collapse = " + "))

# Within
fielder_vars_2 <- c('X_Carreras',
                   'X_Comando_2',
                   'X_ERA',
                   'X_Saves_2',
                   'X_Saves',
                   'X_Strike_outs_2',
                   'X_WAR_2')

# Add suffix "_t" to each name
stat_fielder_t <- paste0(fielder_vars_2, "_t")
stat_fielder_t_1 <- paste0(fielder_vars_2, "_t_1")

# Lista
fielder_vars_2 <- c(paste(stat_fielder_t, collapse = " + "),
                   paste(stat_fielder_t_1, collapse = " + "))

# Random effects
fielder_vars_3 <- c('X_Control_2',
                   'X_Control',
                   'X_Dominio_2',
                   'X_Dominio',
                   'X_ERA_2',
                   'X_ERA',
                   'X_Saves_2',
                   'X_Saves',
                   'X_WHIP_2',
                   'X_WHIP')

# Add suffix "_t" to each name
stat_fielder_t <- paste0(fielder_vars_3, "_t")
stat_fielder_t_1 <- paste0(fielder_vars_3, "_t_1")

# Lista
fielder_vars_3 <- c(paste(stat_fielder_t, collapse = " + "),
                   paste(stat_fielder_t_1, collapse = " + "))

# First Differences
fielder_vars_4 <- c('X_Bateos_2',
                   'X_Bateos',
                   'X_Carreras_ganadas_2',
                   'X_Carreras_ganadas',

```

```

      'X_ERA',
      'X_Carreras',
      'X_Comando_2',
      'X_Comando',
      'X_Control_2',
      'X_Control',
      'X_Dominio_2',
      'X_Dominio',
      'X_Inning_pitched_2',
      'X_Inning_pitched',
      'X_Losses_2',
      'X_Saves_2',
      'X_Saves',
      'X_Strike_outs_2',
      'X_Strike_outs',
      'X_WAR_2',
      'X_WHIP_2',
      'X_WHIP',
      'X_Walks_2',
      'X_Walks',
      'X_Wins')
# Add suffix "_t" to each name
stat_fielder_t <- paste0(fielder_vars_4, "_t")
stat_fielder_t_1 <- paste0(fielder_vars_4, "_t_1")
# Lista
fielder_vars_4 <- c(paste(stat_fielder_t, collapse = " + "),
                    paste(stat_fielder_t_1, collapse = " + "))

# Pooling:
formula <- paste(vars_ms,
                 fielder_vars_1[[1]],
                 sep = " + ")
formula <- paste(formula,
                 fielder_vars_1[[2]],
                 sep = " + ")
# Create a model to store the results
fielder_stimation_1 <- plm(formula, data = starting_data,
                          model = "pooling",
                          index = c("id", "Anio_ref"))
# To store the results
fielder_results_stimation_1 <- coeftest(fielder_stimation_1,
                                       vcov = vcovHC(fielder_stimation_1,
                                                    type = "HC1",
                                                    cluster = "group"))

# Within:
formula <- paste(vars_fe,
                 fielder_vars_2[[1]],
                 sep = " + ")
formula <- paste(formula,
                 fielder_vars_2[[2]],
                 sep = " + ")
# Create a model to store the results

```

```

fielder_stimation_2 <- plm(formula, data = starting_data,
                           model = "within",
                           index = c("id", "Anio_ref"))
# To store the results
fielder_results_stimation_2 <- coeftest(fielder_stimation_2,
                                       vcov = vcovHC(fielder_stimation_2,
                                                       type = "HC1",
                                                       cluster = "group"))

# Random:
formula <- paste(vars_ms,
                 fielder_vars_3[[1]],
                 sep = " + ")
formula <- paste(formula,
                 fielder_vars_3[[2]],
                 sep = " + ")
# Create a model to store the results
fielder_stimation_3 <- plm(formula, data = starting_data,
                           model = "random",
                           index = c("id", "Anio_ref"))
# To store the results
fielder_results_stimation_3 <- coeftest(fielder_stimation_3,
                                       vcov = vcovHC(fielder_stimation_3,
                                                       type = "HC1",
                                                       cluster = "group"))

# First Differences:
formula <- paste(vars_fe,
                 fielder_vars_4[[1]],
                 sep = " + ")
formula <- paste(formula,
                 fielder_vars_4[[2]],
                 sep = " + ")
# Create a model to store the results
fielder_stimation_4 <- plm(formula, data = starting_data ,
                           model = "fd",
                           index = c("id", "Anio_ref"))
# To store the results
fielder_results_stimation_4 <- coeftest(fielder_stimation_4,
                                       vcov = vcovHC(fielder_stimation_4,
                                                       type = "HC1",
                                                       cluster = "group"))

# Models
fielder_models <- list(pooling = fielder_results_stimation_1,
                      within = fielder_results_stimation_2,
                      random = fielder_results_stimation_3,
                      fd = fielder_results_stimation_4)

# Print the third block of results
stargazer(fielder_models,
          no.space = TRUE,
          align = TRUE,
          type = "text",
          title = "Lanzadores Iniciales: Comparación de los modelos",

```

```
column.labels = c("Pooling", "Within",
                  "Random effects", "First-Differences"))
```

Lanzadores Iniciales: Comparación de los modelos

Dependent variable:				
	Pooling	Within	Random effects	First-Differences
	(1)	(2)	(3)	(4)
Edad_t	-0.008** (0.004)	-0.023* (0.012)	-0.009** (0.004)	-0.028*** (0.007)
Anios_de_contrato_t	-0.015* (0.009)	-0.025 (0.023)	-0.015* (0.009)	-0.042*** (0.013)
team_num_t	0.003** (0.001)	0.005** (0.002)	0.003** (0.001)	0.001 (0.002)
X_Bateos_2_t				0.001*** (0.0004)
X_Bateos_t				0.023*** (0.003)
X_Carreras_ganadas_2_t				-0.001*** (0.0004)
X_Carreras_ganadas_t				0.007 (0.006)
X_Control_2_t	-0.181** (0.074)		-0.176** (0.075)	-0.051 (0.082)
X_Control_t	0.082* (0.045)		0.076* (0.046)	-0.011 (0.045)
X_Dominio_2_t	-0.045 (0.029)		-0.047 (0.030)	-0.194*** (0.050)
X_Dominio_t	0.008 (0.023)		0.010 (0.023)	0.159*** (0.048)
X_ERA_2_t	0.001 (0.003)		0.001 (0.003)	
X_Inning_pitched_2_t				-0.001*** (0.0003)
X_Inning_pitched_t				-0.008** (0.003)
X_Losses_2_t				-0.003 (0.002)
X_Carreras_t		0.003 (0.003)		-0.037*** (0.009)
X_Comando_2_t		-0.005 (0.008)		-0.014 (0.009)
X_Comando_t				0.036*** (0.013)
X_ERA_t	-0.017* (0.009)	0.0004 (0.013)	-0.016* (0.009)	-0.066*** (0.015)
X_Saves_2_t	-0.253 (0.874)	-1.291* (0.708)	-0.284 (0.864)	-4.154** (1.822)
X_Saves_t	0.261 (0.579)	0.975** (0.482)	0.291 (0.573)	3.006** (1.237)

X_WHIP_2_t	0.006 (0.020)	0.007 (0.020)	0.114*** (0.021)
X_WHIP_t	0.005 (0.020)	0.004 (0.019)	0.031 (0.020)
X_Walks_2_t			0.001** (0.0005)
X_Walks_t			0.013** (0.006)
X_Wins_t			-0.008 (0.012)
X_Bateos_2_t_1			-0.001** (0.0003)
X_Bateos_t_1			0.010 (0.006)
X_Carreras_ganadas_2_t_1			0.001 (0.0003)
X_Carreras_ganadas_t_1			0.007 (0.007)
X_Control_2_t_1	-0.019 (0.036)	-0.021 (0.037)	-0.099*** (0.035)
X_Control_t_1	-0.027 (0.037)	-0.028 (0.037)	-0.039 (0.025)
X_Dominio_2_t_1	0.009 (0.037)	0.008 (0.037)	-0.131*** (0.027)
X_Dominio_t_1	0.044* (0.024)	0.041* (0.024)	0.048** (0.022)
X_ERA_2_t_1	0.006 (0.005)	0.005 (0.004)	
X_Inning_pitched_2_t_1			0.0002 (0.0003)
X_Inning_pitched_t_1			-0.011*** (0.002)
X_Losses_2_t_1			-0.007*** (0.002)
X_Strike_outs_2_t	-0.0001 (0.0001)		0.0001 (0.0001)
X_Strike_outs_t			0.011*** (0.003)
X_WAR_2_t	0.002 (0.004)		-0.002 (0.005)
X_Carreras_t_1	-0.002 (0.003)		0.003 (0.003)
X_Comando_2_t_1	0.00001 (0.00000)		0.0004*** (0.0001)
X_Comando_t_1			-0.054*** (0.012)
X_ERA_t_1	-0.016* (0.009)	-0.029** (0.012)	-0.017* (0.009)
X_Saves_2_t_1	-0.217** (0.106)	0.166* (0.097)	-0.214** (0.104)
X_Saves_t_1	0.419** (0.182)	-0.168 (0.163)	0.412** (0.179)
X_WHIP_2_t_1	-0.020 (0.021)	-0.017 (0.021)	0.010 (0.029)

X_WHIP_t_1	-0.003 (0.019)	-0.004 (0.019)	0.003 (0.025)
X_Walks_2_t_1			0.001 (0.0005)
X_Walks_t_1			-0.010 (0.007)
X_Wins_t_1			0.017** (0.007)
X_Strike_outs_2_t_1	0.0003 (0.0002)		0.001*** (0.0002)
X_Strike_outs_t_1			-0.010* (0.005)
X_WAR_2_t_1	-0.008** (0.004)		-0.021*** (0.003)
Constant	0.251** (0.121)	0.261** (0.126)	

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Seguiremos el proceso análogo de refinamiento para cada modelo

```
# Significant variables:
fielder_vars_1 <- c('X_Control_2_t',
                   'X_Control_t',
                   'X_Dominio_t_1',
                   'X_ERA_t_1',
                   'X_ERA_t',
                   'X_Saves_2_t_1',
                   'X_Saves_t_1')

# Lista
fielder_vars_1 <- paste(fielder_vars_1, collapse = " + ")

# Within
fielder_vars_2 <- c('X_ERA_t_1',
                   'X_Saves_2_t',
                   'X_Saves_2_t_1',
                   'X_Saves_t',
                   'X_WAR_2_t_1')

# Lista
fielder_vars_2 <- paste(fielder_vars_2, collapse = " + ")

# Random effects
fielder_vars_3 <- c('X_Control_2_t',
                   'X_Control_t',
                   'X_Dominio_t_1',
                   'X_ERA_t',
                   'X_ERA_t_1',
                   'X_Saves_2_t_1',
                   'X_Saves_t_1')

# Lista
fielder_vars_3 <- paste(fielder_vars_3, collapse = " + ")

# First Differences
fielder_vars_4 <- c('X_Bateos_2_t',
                   'X_Bateos_2_t_1',
                   'X_Bateos_t',
```

```

        'X_Carreras_ganadas_2_t',
        'X_ERA_t',
        'X_ERA_t_1',
        'X_Carreras_t',
        'X_Comando_2_t_1',
        'X_Comando_t',
        'X_Comando_t_1',
        'X_Control_2_t_1',
        'X_Control_t_1',
        'X_Dominio_2_t',
        'X_Dominio_t',
        'X_Dominio_2_t_1',
        'X_Dominio_t_1',
        'X_Inning_pitched_2_t',
        'X_Inning_pitched_t',
        'X_Inning_pitched_t_1',
        'X_Losses_2_t_1',
        'X_Saves_2_t',
        'X_Saves_t',
        'X_Strike_outs_2_t_1',
        'X_Strike_outs_t',
        'X_Strike_outs_t_1',
        'X_WAR_2_t_1',
        'X_WHIP_2_t',
        'X_Walks_2_t',
        'X_Walks_t',
        'X_Wins_t_1')

# Lista
fielder_vars_4 <- paste(fielder_vars_4, collapse = " + ")

# Pooling:
formula <- paste(vars_ms,
                 fielder_vars_1,
                 sep = " + ")
# Create a model to store the results
fielder_stimation_1 <- plm(formula, data = starting_data,
                          model = "pooling",
                          index = c("id", "Anio_ref"))

# To store the results
fielder_results_stimation_1 <- coeftest(fielder_stimation_1,
                                       vcov = vcovHC(fielder_stimation_1,
                                                       type = "HC1",
                                                       cluster = "group"))

# Within:
formula <- paste(vars_fe,
                 fielder_vars_2,
                 sep = " + ")
# Create a model to store the results
fielder_stimation_2 <- plm(formula, data = starting_data,
                          model = "within",
                          index = c("id", "Anio_ref"))

# To store the results

```



```

fielder_results_stimation_2 <- coeftest(fielder_stimation_2,
                                       vcov = vcovHC(fielder_stimation_2,
                                                       type = "HC1",
                                                       cluster = "group"))

# Random:
formula <- paste(vars_ms,
                 fielder_vars_3,
                 sep = " + ")
# Create a model to store the results
fielder_stimation_3 <- plm(formula, data = starting_data,
                           model = "random",
                           index = c("id", "Anio_ref"))
# To store the results
fielder_results_stimation_3 <- coeftest(fielder_stimation_3,
                                       vcov = vcovHC(fielder_stimation_3,
                                                       type = "HC1",
                                                       cluster = "group"))

# First Differences:
formula <- paste(vars_fe,
                 fielder_vars_4,
                 sep = " + ")
# Create a model to store the results
fielder_stimation_4 <- plm(formula, data = starting_data ,
                           model = "fd",
                           index = c("id", "Anio_ref"))
# To store the results
fielder_results_stimation_4 <- coeftest(fielder_stimation_4,
                                       vcov = vcovHC(fielder_stimation_4,
                                                       type = "HC1",
                                                       cluster = "group"))

# Modelos
fielder_models <- list(pooling = fielder_results_stimation_1,
                       within = fielder_results_stimation_2,
                       random = fielder_results_stimation_3,
                       fd = fielder_results_stimation_4)

# Print the third block of results
stargazer(fielder_models,
           no.space = TRUE,
           align = TRUE,
           type = "text",
           title = "Lanzadores Iniciales: Comparación de los modelos - Primer refinamiento",
           column.labels = c("Pooling", "Within",
                             "Random effects", "First-Differences"))

```

Lanzadores Iniciales: Comparación de los modelos - Primer refinamiento

```

=====
                        Dependent variable:
-----

      Pooling      Within      Random effects      First-Differences

```

	(1)	(2)	(3)	(4)
Edad_t	-0.008** (0.004)	-0.020* (0.012)	-0.009** (0.004)	-0.016*** (0.005)
Anios_de_contrato_t	-0.013* (0.007)	-0.017 (0.020)	-0.013* (0.007)	-0.057*** (0.012)
team_num_t	0.002 (0.001)	0.004 (0.002)	0.002 (0.001)	0.002 (0.001)
X_Control_2_t	-0.157** (0.071)		-0.148** (0.071)	
X_Control_t	0.091** (0.041)		0.084** (0.041)	
X_Bateos_2_t				0.0005** (0.0002)
X_Bateos_2_t_1				-0.0004*** (0.0001)
X_Bateos_t				0.020*** (0.002)
X_Carreras_ganadas_2_t				-0.001*** (0.0003)
X_Dominio_t_1	0.047*** (0.014)		0.043*** (0.014)	0.042*** (0.009)
X_Inning_pitched_2_t				-0.001*** (0.0001)
X_Inning_pitched_t				-0.001 (0.002)
X_Inning_pitched_t_1				0.001 (0.001)
X_Losses_2_t_1				-0.003*** (0.001)
X_ERA_t_1	-0.019*** (0.006)	-0.034*** (0.011)	-0.019*** (0.006)	-0.035*** (0.006)
X_Carreras_t				-0.023*** (0.003)
X_Comando_2_t_1				0.0004*** (0.0001)
X_Comando_t				0.047*** (0.006)
X_Comando_t_1				-0.046*** (0.006)
X_Control_2_t_1				-0.098*** (0.014)
X_Control_t_1				-0.047** (0.020)
X_Dominio_2_t				-0.152*** (0.012)
X_Dominio_t				0.136*** (0.021)
X_Dominio_2_t_1				-0.084*** (0.011)
X_ERA_t	-0.013** (0.006)		-0.012** (0.006)	-0.047*** (0.007)
X_Saves_2_t		-1.883*** (0.656)		-2.416*** (0.448)

X_Saves_2_t_1	-0.194**	0.066***	-0.170**	
	(0.090)	(0.019)	(0.083)	
X_Saves_t_1	0.374**		0.332**	
	(0.159)		(0.145)	
X_Saves_t		1.447***		1.745***
		(0.465)		(0.294)
X_Strike_outs_2_t_1				0.001***
				(0.0001)
X_Strike_outs_t				0.006***
				(0.001)
X_Strike_outs_t_1				-0.006***
				(0.002)
X_WAR_2_t_1		-0.008**		-0.017***
		(0.003)		(0.002)
X_WHIP_2_t				0.084***
				(0.012)
X_Walks_2_t				0.001***
				(0.0002)
X_Walks_t				0.007***
				(0.002)
X_Wins_t_1				0.004
				(0.003)
Constant	0.257**		0.275**	
	(0.123)		(0.132)	

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

```
# Significant variables:
fielder_vars_1 <- c('X_Control_2_t',
                   'X_Control_t',
                   'X_Dominio_t_1',
                   'X_ERA_t_1',
                   'X_ERA_t',
                   'X_Saves_2_t_1',
                   'X_Saves_t_1')

# Lista
fielder_vars_1 <- paste(fielder_vars_1, collapse = " + ")

# Within
fielder_vars_2 <- c('X_ERA_t_1',
                   'X_Saves_2_t',
                   'X_Saves_2_t_1',
                   'X_Saves_t',
                   'X_WAR_2_t_1')

# Lista
fielder_vars_2 <- paste(fielder_vars_2, collapse = " + ")

# Random effects
fielder_vars_3 <- c('X_Control_2_t',
                   'X_Control_t',
                   'X_Dominio_t_1',
                   'X_ERA_t',
                   'X_ERA_t_1',
                   'X_Saves_2_t_1',
                   'X_Saves_t_1')
```

```

# Lista
fielder_vars_3 <- paste(fielder_vars_3, collapse = " + ")
# First Differences
fielder_vars_4 <- c('X_Bateos_2_t',
                    'X_Bateos_2_t_1',
                    'X_Bateos_t',
                    'X_Carreras_ganadas_2_t',
                    'X_ERA_t',
                    'X_ERA_t_1',
                    'X_Carreras_t',
                    'X_Comando_2_t_1',
                    'X_Comando_t',
                    'X_Comando_t_1',
                    'X_Control_2_t_1',
                    'X_Control_t_1',
                    'X_Dominio_2_t',
                    'X_Dominio_t',
                    'X_Dominio_2_t_1',
                    'X_Dominio_t_1',
                    'X_Inning_pitched_2_t',
                    'X_Losses_2_t_1',
                    'X_Saves_2_t',
                    'X_Saves_t',
                    'X_Strike_outs_2_t_1',
                    'X_Strike_outs_t',
                    'X_Strike_outs_t_1',
                    'X_WAR_2_t_1',
                    'X_WHIP_2_t',
                    'X_Walks_2_t',
                    'X_Walks_t',
                    '-1')

# Lista
fielder_vars_4 <- paste(fielder_vars_4, collapse = " + ")

# Pooling:
formula <- paste(vars_ms,
                 fielder_vars_1,
                 sep = " + ")
# Create a model to store the results
fielder_stimation_1 <- plm(formula, data = starting_data,
                           model = "pooling",
                           index = c("id", "Anio_ref"))

# To store the results
fielder_results_stimation_1 <- coeftest(fielder_stimation_1,
                                       vcov = vcovHC(fielder_stimation_1,
                                                       type = "HC1",
                                                       cluster = "group"))

# Within:
formula <- paste(vars_fe,
                 fielder_vars_2,
                 sep = " + ")
# Create a model to store the results

```

```

fielder_stimation_2 <- plm(formula, data = starting_data,
                           model = "within",
                           index = c("id", "Anio_ref"))
# To store the results
fielder_results_stimation_2 <- coeftest(fielder_stimation_2,
                                       vcov = vcovHC(fielder_stimation_2,
                                                       type = "HC1",
                                                       cluster = "group"))

# Random:
formula <- paste(vars_ms,
                 fielder_vars_3,
                 sep = " + ")
# Create a model to store the results
fielder_stimation_3 <- plm(formula, data = starting_data,
                           model = "random",
                           index = c("id", "Anio_ref"))
# To store the results
fielder_results_stimation_3 <- coeftest(fielder_stimation_3,
                                       vcov = vcovHC(fielder_stimation_3,
                                                       type = "HC1",
                                                       cluster = "group"))

# First Differences:
formula <- paste(vars_fe,
                 fielder_vars_4,
                 sep = " + ")
# Create a model to store the results
fielder_stimation_4 <- plm(formula, data = starting_data ,
                           model = "fd",
                           index = c("id", "Anio_ref"))
# To store the results
fielder_results_stimation_4 <- coeftest(fielder_stimation_4,
                                       vcov = vcovHC(fielder_stimation_4,
                                                       type = "HC1",
                                                       cluster = "group"))

# Modelos
fielder_models <- list(pooling = fielder_results_stimation_1,
                      within = fielder_results_stimation_2,
                      random = fielder_results_stimation_3,
                      fd = fielder_results_stimation_4)
# List to store models:
fielder_end_models <- list(pooling = fielder_stimation_1,
                          within = fielder_stimation_2,
                          random = fielder_stimation_3,
                          fd = fielder_stimation_4)

# Print the third block of results
stargazer(fielder_models,
          no.space = TRUE,
          align = TRUE,
          type = "text",
          title = "Lanzadores Iniciales: Comparación de los modelos - Segundo refinamiento",
          column.labels = c("Pooling", "Within",

```

"Random effects", "First-Differences"))

Lanzadores Iniciales: Comparación de los modelos - Segundo refinamiento

Dependent variable:				
	Pooling (1)	Within (2)	Random effects (3)	First-Differences (4)
Edad_t	-0.008** (0.004)	-0.020* (0.012)	-0.009** (0.004)	-0.016*** (0.004)
Anios_de_contrato_t	-0.013* (0.007)	-0.017 (0.020)	-0.013* (0.007)	-0.058*** (0.012)
team_num_t	0.002 (0.001)	0.004 (0.002)	0.002 (0.001)	0.002* (0.001)
X_Control_2_t	-0.157** (0.071)		-0.148** (0.071)	
X_Control_t	0.091** (0.041)		0.084** (0.041)	
X_Bateos_2_t				0.0005** (0.0002)
X_Bateos_2_t_1				-0.0004*** (0.0001)
X_Bateos_t				0.020*** (0.002)
X_Carreras_ganadas_2_t				-0.001*** (0.0003)
X_Dominio_t_1	0.047*** (0.014)		0.043*** (0.014)	0.042*** (0.009)
X_Inning_pitched_2_t				-0.001*** (0.0001)
X_Losses_2_t_1				-0.003*** (0.001)
X_ERA_t_1	-0.019*** (0.006)	-0.034*** (0.011)	-0.019*** (0.006)	-0.036*** (0.006)
X_Carreras_t				-0.023*** (0.003)
X_Comando_2_t_1				0.0004*** (0.0001)
X_Comando_t				0.048*** (0.006)
X_Comando_t_1				-0.046*** (0.006)
X_Control_2_t_1				-0.098*** (0.013)
X_Control_t_1				-0.053*** (0.012)
X_Dominio_2_t				-0.151*** (0.011)
X_Dominio_t				0.134*** (0.020)
X_Dominio_2_t_1				-0.084***

			(0.011)
X_ERA_t	-0.013**	-0.012**	-0.046***
	(0.006)	(0.006)	(0.007)
X_Saves_2_t		-1.883***	-2.435***
		(0.656)	(0.439)
X_Saves_2_t_1	-0.194**	0.066***	-0.170**
	(0.090)	(0.019)	(0.083)
X_Saves_t_1	0.374**		0.332**
	(0.159)		(0.145)
X_Saves_t		1.447***	1.770***
		(0.465)	(0.295)
X_Strike_outs_2_t_1			0.001***
			(0.0001)
X_Strike_outs_t			0.005***
			(0.001)
X_Strike_outs_t_1			-0.005***
			(0.001)
X_WAR_2_t_1		-0.008**	-0.017***
		(0.003)	(0.002)
X_WHIP_2_t			0.081***
			(0.012)
X_Walks_2_t			0.001***
			(0.0002)
X_Walks_t			0.006***
			(0.002)
Constant	0.257**	0.275**	
	(0.123)	(0.132)	

```
=====
Note:                                     *p<0.1; **p<0.05; ***p<0.01
```

Aplicaremos un teest de Hausmann a cada pareja de modelos

```
# create an empty list to store the test results
test_results <- list()

# loop through every possible pair of models
for (i in 1:(length(fielder_end_models)-1)) {
  for (j in (i+1):length(fielder_end_models)) {
    # apply phtest to the pair of models
    test_result <- phtest(fielder_end_models[[i]], fielder_end_models[[j]])
    # add the test result to the list
    test_results[[paste0(names(fielder_end_models[i]), "_vs_", names(fielder_end_models[j])))] <- test_result
  }
}

# view the test results
test_results
```

```
$pooling_vs_within
```

```
Hausman Test
```

```
data: formula
chisq = 4.2929, df = 5, p-value = 0.5081
alternative hypothesis: one model is inconsistent
```

\$pooling_vs_random

Hausman Test

```
data: formula
chisq = 4.8623, df = 10, p-value = 0.9002
alternative hypothesis: one model is inconsistent
```

\$pooling_vs_fd

Hausman Test

```
data: formula
chisq = 9.4283, df = 6, p-value = 0.1509
alternative hypothesis: one model is inconsistent
```

\$within_vs_random

Hausman Test

```
data: formula
chisq = 4.4388, df = 5, p-value = 0.4881
alternative hypothesis: one model is inconsistent
```

\$within_vs_fd

Hausman Test

```
data: formula
chisq = 101.17, df = 7, p-value < 2.2e-16
alternative hypothesis: one model is inconsistent
```

\$random_vs_fd

Hausman Test

```
data: formula
chisq = 9.501, df = 6, p-value = 0.1473
alternative hypothesis: one model is inconsistent
```

Solo hay evidencia de un cambio estructural entre el estimador *within* y *fd*.

Cambio estructural para el 2020 - COVID-19

Estimaremos los mismos modelos refinados, pero omitiendo el año 2020 para evaluar si hay un cambio estructural

Bateadores

```
# Pooling:
formula <- paste(vars_ms,
                 hitter_vars_1,
                 sep = " + ")
# Create a model to store the results
hitter_stimation_1_cov <- plm(formula, data = hitter_cov_data,
                             model = "pooling",
                             index = c("id", "Anio_ref"))

# To store the results
hitter_results_stimation_1_cov <- coeftest(hitter_stimation_1,
                                          vcov = vcovHC(hitter_stimation_1,
                                                         type = "HC1",
                                                         cluster = "group"))

# Within:
formula <- paste(vars_ms,
                 hitter_vars_2,
                 sep = " + ")
# Create a model to store the results
hitter_stimation_2_cov <- plm(formula, data = hitter_cov_data,
                             model = "within",
                             index = c("id", "Anio_ref"))

# To store the results
hitter_results_stimation_2_cov <- coeftest(hitter_stimation_2,
                                          vcov = vcovHC(hitter_stimation_2,
                                                         type = "HC1",
                                                         cluster = "group"))

# Random:
formula <- paste(vars_ms,
                 hitter_vars_3,
                 sep = " + ")
# Create a model to store the results
hitter_stimation_3_cov <- plm(formula, data = hitter_cov_data,
                             model = "random",
                             index = c("id", "Anio_ref"))

# To store the results
hitter_results_stimation_3_cov <- coeftest(hitter_stimation_3,
                                          vcov = vcovHC(hitter_stimation_3,
                                                         type = "HC1",
                                                         cluster = "group"))

# First Differences:
formula <- paste(vars_fe,
                 hitter_vars_4,
                 sep = " + ")
# Create a model to store the results
hitter_stimation_4_cov <- plm(formula, data = hitter_cov_data,
```

```

        model = "fd",
        index = c("id", "Anio_ref"))
# To store the results
hitter_results_stimation_4_cov <- coeftest(hitter_stimation_4,
                                           vcov = vcovHC(hitter_stimation_4,
                                                           type = "HC1",
                                                           cluster = "group"))

# Models:
hitter_models_cov <- list(pooling = hitter_results_stimation_1_cov,
                          within = hitter_results_stimation_2_cov,
                          random = hitter_results_stimation_3_cov,
                          fd = hitter_results_stimation_4_cov)

# Store models:
hitter_end_models_cov <- list(pooling = hitter_stimation_1_cov,
                              within = hitter_stimation_2_cov,
                              random = hitter_stimation_3_cov,
                              fd = hitter_stimation_4_cov)

# Print the third block of results
stargazer(hitter_models_cov,
           no.space = TRUE,
           align = TRUE,
           type = "text",
           title = "Bateadores: Comparación de los modelos - COVID-19",
           column.labels = c("Pooling", "Within",
                             "Random effects", "First-Differences"),
           covariate.labels = c("$Edad_{t}$", "Años contrato$_{t}$", "Equipo$_{t}$",
                                "$X_{T_{t-1}}$", "$X_{BA_{t-1}}$", "$X_{GS_{t-1}}$",
                                "$X_{OBP^{2}_{t}}$", "$X_{WAR_{t}}$", "$X_{WAR^{2}_{t}}$",
                                "Intercepto"))

```

Bateadores: Comparación de los modelos - COVID-19

	Dependent variable:			
	Pooling	Within	Random effects	First-Differences
	(1)	(2)	(3)	(4)
Edadt	-0.006** (0.003)	-0.006 (0.004)	-0.006** (0.003)	-0.011*** (0.002)
Años contratot	-0.004 (0.004)	-0.039*** (0.012)	-0.007* (0.004)	-0.050*** (0.009)
Equipot	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.002*** (0.001)
XTt-1	0.010* (0.005)			
XBA t-1				0.003*** (0.001)
XGSt-1				-0.002*** (0.0004)
XOBP2t				-0.003***

XWARt				(0.001)
				-0.0005***
XWAR2t				(0.0001)
				-0.004**
Intercepto				(0.002)
				0.006***
X_Porcentaje_On_base_plus_slugging_t_1				(0.001)
				-0.056***
X_Porcentaje_on_base_t_1				(0.012)
				0.113***
X_Porcentaje_on_base_2_t				(0.012)
				0.063***
X_Triples_t				(0.019)
				-0.067***
X_Triples_2_t				(0.010)
				0.025***
				(0.005)
X_WAR_t	0.016**	0.035***	0.019***	0.015***
	(0.007)	(0.009)	(0.006)	(0.004)
X_WAR_t_1				0.008*
				(0.005)
X_WAR_2_t				0.010**
				(0.005)
X_Home_runs_t_1				-0.006***
				(0.002)
X_Runs_batted_in_t_1				0.004**
				(0.002)
Constant	0.187**		0.181**	
	(0.081)		(0.082)	

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Fildeadores

```
# Pooling:
formula <- paste(vars_ms,
                 fielder_vars_1,
                 sep = " + ")
# Create a model to store the results
fielder_stimation_1_cov <- plm(formula, data = starting_cov_data,
                              model = "pooling",
                              index = c("id", "Anio_ref"))
# To store the results
fielder_results_stimation_1_cov <- coeftest(fielder_stimation_1,
                                             vcov = vcovHC(fielder_stimation_1,
                                                             type = "HC1",
                                                             cluster = "group"))
# Within:
formula <- paste(vars_fe,
                 fielder_vars_2,
                 sep = " + ")
```

```

# Create a model to store the results
fielder_stimation_2_cov <- plm(formula, data = starting_cov_data,
                              model = "within",
                              index = c("id", "Anio_ref"))

# To store the results
fielder_results_stimation_2_cov <- coeftest(fielder_stimation_2,
                                           vcov = vcovHC(fielder_stimation_2,
                                                         type = "HC1",
                                                         cluster = "group"))

# Random:
formula <- paste(vars_ms,
                fielder_vars_3,
                sep = " + ")
# Create a model to store the results
fielder_stimation_3_cov <- plm(formula, data = starting_cov_data,
                              model = "random",
                              index = c("id", "Anio_ref"))

# To store the results
fielder_results_stimation_3_cov <- coeftest(fielder_stimation_3,
                                           vcov = vcovHC(fielder_stimation_3,
                                                         type = "HC1",
                                                         cluster = "group"))

# First Differences:
formula <- paste(vars_fe,
                fielder_vars_4,
                sep = " + ")
# Create a model to store the results
fielder_stimation_4_cov <- plm(formula, data = starting_cov_data,
                              model = "fd",
                              index = c("id", "Anio_ref"))

# To store the results
fielder_results_stimation_4_cov <- coeftest(fielder_stimation_4,
                                           vcov = vcovHC(fielder_stimation_4,
                                                         type = "HC1",
                                                         cluster = "group"))

# Modelos
fielder_models_cov <- list(pooling = fielder_results_stimation_1_cov,
                          within = fielder_results_stimation_2_cov,
                          random = fielder_results_stimation_3_cov,
                          fd = fielder_results_stimation_4_cov)

# Store model results:
fielder_end_models_cov <- list(pooling = fielder_stimation_1_cov,
                              within = fielder_stimation_2_cov,
                              random = fielder_stimation_3_cov,
                              fd = fielder_stimation_4_cov)

# Print the third block of results
stargazer(fielder_models_cov,
          no.space = TRUE,
          align = TRUE,
          type = "text",
          title = "Lanzadores Iniciales: Comparación de los modelos - COVID-19",

```

```

column.labels = c("Pooling", "Within",
                  "Random effects", "First-Differences"),
covariate.labels = c("$Edad_{t}$", "Años contrato$_{t}$", "Equipo$_{t}$",
                    "$X_{Control^{2}_{t}}$", "$X_{Control_{t}}$",
                    "$X_{Dominio_{t-1}}$", "$X_{H_{t}}$",
                    "$X_{ER^{2}_{t}}$", "$X_{ERA_{t-1}}$", "$X_{ERA_{t}}$",
                    "$X_{S_{t-1}}$", "$X_{S^{2}_{t-1}}$", "$X_{S_{t}}$",
                    "$X_{Comando^{2}_{t-1}}$", "$X_{Comando_{t}}$",
                    "$X_{Dominio_{t}}$", "$X_{L^{2}_{t-1}}$",
                    "$X_{SO^{2}_{t-1}}$", "$X_{SO_{t}}$", "$X_{BB_{t}}$",
                    "Intercepto"))

```

Lanzadores Iniciales: Comparación de los modelos - COVID-19

Dependent variable:				
	Pooling	Within	Random effects	First-Differences
	(1)	(2)	(3)	(4)
Edadt	-0.008** (0.004)	-0.020*	-0.009** (0.004)	-0.016*** (0.004)
Años contratot	-0.013* (0.007)	-0.017 (0.020)	-0.013* (0.007)	-0.058*** (0.012)
Eqipot	0.002 (0.001)	0.004 (0.002)	0.002 (0.001)	0.002* (0.001)
XControl2t	-0.157** (0.071)		-0.148** (0.071)	
XControlt	0.091** (0.041)		0.084** (0.041)	
XDominiot-1				0.0005** (0.0002)
XHt				-0.0004*** (0.0001)
XER2t				0.020*** (0.002)
XERAt-1				-0.001*** (0.0003)
XERAt	0.047*** (0.014)		0.043*** (0.014)	0.042*** (0.009)
XSt-1				-0.001*** (0.0001)
XS2t-1				-0.003*** (0.001)
XSt	-0.019*** (0.006)	-0.034*** (0.011)	-0.019*** (0.006)	-0.036*** (0.006)
XComando2t-1				-0.023*** (0.003)
XComandot				0.0004*** (0.0001)
XDominiot				0.048*** (0.006)
XL2t-1				-0.046***

			(0.006)
XS02t-1			-0.098***
			(0.013)
XS0t			-0.053***
			(0.012)
XBBt			-0.151***
			(0.011)
Intercepto			0.134***
			(0.020)
X_Dominio_2_t_1			-0.084***
			(0.011)
X_ERA_t	-0.013**	-0.012**	-0.046***
	(0.006)	(0.006)	(0.007)
X_Saves_2_t	-1.883***		-2.435***
	(0.656)		(0.439)
X_Saves_2_t_1	-0.194**	0.066***	-0.170**
	(0.090)	(0.019)	(0.083)
X_Saves_t_1	0.374**	0.332**	
	(0.159)	(0.145)	
X_Saves_t	1.447***		1.770***
	(0.465)		(0.295)
X_Strike_outs_2_t_1			0.001***
			(0.0001)
X_Strike_outs_t			0.005***
			(0.001)
X_Strike_outs_t_1			-0.005***
			(0.001)
X_WAR_2_t_1	-0.008**		-0.017***
	(0.003)		(0.002)
X_WHIP_2_t			0.081***
			(0.012)
X_Walks_2_t			0.001***
			(0.0002)
X_Walks_t			0.006***
			(0.002)
Constant	0.257**	0.275**	
	(0.123)	(0.132)	

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Procedamos a realizar el test de Hausman para cada modelo

```
# List to store results
hitter_test_covid <- list()
model_names <- c("Pooling",
                 "Within",
                 "Random effects",
                 "First-Differences")

# Title:
print("Bateadores: Pruebas de Hausman para el COVID-19")
```

```
[1] "Bateadores: Pruebas de Hausman para el COVID-19"
```

```
print("")
```

```
[1] ""
```

```
# Loop for applying results
for (i in 1:4){
  hitter_test_covid[[i]] <- phptest(hitter_end_models[[i]],hitter_end_models_cov[[i]])
  print(model_names[[i]])
  print(hitter_test_covid[[i]])
}
```

```
[1] "Pooling"
```

Hausman Test

```
data: formula
chisq = 3.9513, df = 5, p-value = 0.5565
alternative hypothesis: one model is inconsistent
```

```
[1] "Within"
```

Hausman Test

```
data: formula
chisq = 3.0371, df = 4, p-value = 0.5516
alternative hypothesis: one model is inconsistent
```

```
[1] "Random effects"
```

Hausman Test

```
data: formula
chisq = 1.392, df = 4, p-value = 0.8456
alternative hypothesis: one model is inconsistent
```

```
[1] "First-Differences"
```

Hausman Test

```
data: formula
chisq = 15.506, df = 19, p-value = 0.6899
alternative hypothesis: one model is inconsistent
```

```
# List to store results
fielder_test_covid <- list()
model_names <- c("Pooling",
                 "Within",
                 "Random effects",
                 "First-Differences")

# Title:
print("Lanzadores iniciales: Pruebas de Hausman para el COVID-19")
```

```
[1] "Lanzadores iniciales: Pruebas de Hausman para el COVID-19"
```

```
print("")
```

```
[1] ""
```

```
# Loop for applying results
for (i in 1:4){
  fielder_test_covid[[i]] <- phtest(fielder_end_models[[i]],
                                   fielder_end_models_cov[[i]])
  print(model_names[[i]])
  print(fielder_test_covid[[i]])
}
```

```
[1] "Pooling"
```

```
Hausman Test
```

```
data: formula
chisq = 6.6745, df = 10, p-value = 0.7558
alternative hypothesis: one model is inconsistent
```

```
[1] "Within"
```

```
Hausman Test
```

```
data: formula
chisq = 2.5947, df = 8, p-value = 0.9572
alternative hypothesis: one model is inconsistent
```

```
[1] "Random effects"
```

```
Hausman Test
```

```
data: formula
chisq = 6.2746, df = 10, p-value = 0.7917
alternative hypothesis: one model is inconsistent
```

```
[1] "First-Differences"
```

```
Hausman Test
```

```
data: formula
chisq = 12.337, df = 30, p-value = 0.9982
alternative hypothesis: one model is inconsistent
```

Vemos que solo hay un cambio estructural para el caso de los bateadores bajo el modelo de primeras diferencias.

PCA - Estimación directa

Lo que haremos ahora es obtener los estimadores con los componentes principales obtenidos en el tratamiento de los paneles, lo cuales ya son el número óptimo de componentes.

Pooling

Bateadores

```
# run linear regression with grouped errors by country and robust errors
pca_vars <- 'pca1_t + pca1_t_1'

formula <- paste(vars_ms,
                 pca_vars,
                 sep = " + ")

# Create a model to store the results
hitter_simple_pooling_pca <- plm(formula, data = hitter_data,
                                model = "pooling",
                                index = c("id", "Anio_ref"))

# To store the results
hitter_results_simple_pooling_pca <- coeftest(hitter_simple_pooling_pca,
                                              vcov = vcovHC(hitter_simple_pooling_pca,
                                                            type = "HC1",
                                                            cluster = "group"))

# Print the third block of results
stargazer(hitter_results_simple_pooling_pca,
          no.space = TRUE,
          type = "text",
          title = "Bateadores: Modelo Pooling con PCA",
          covariate.labels = c("$Edad_{t}$" , "Años contrato$_{t}$", "Equipo$_{t}$",
                              "PCA$_{1-t}$", "PCA$_{1-t-1}$",
                              "Agente$_{t}$"))
```

Bateadores: Modelo Pooling con PCA

=====

	Dependent variable:

Edadt	-0.006**
	(0.003)
Años contratot	-0.001
	(0.004)
Equipot	0.001
	(0.001)
PCA1t	0.00002
	(0.00003)
PCA1t-1	-0.00000
	(0.00002)
Agentet	0.157*
	(0.081)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Starting pitcher

```
# run linear regression with grouped errors by country and robust errors
pca_vars <- 'pca1_t + pca2_t + pca1_t_1 + pca2_t_1'
formula <- paste(vars_ms,
                 pca_vars,
                 sep = " + ")

# Create a model to store the results
fielder_simple_pooling_pca <- plm(formula, data = starting_data,
                                model = "pooling",
                                index = c("id", "Anio_ref"))

# To store the results
fielder_results_simple_pooling_pca <- coeftest(fielder_simple_pooling_pca,
                                              vcov = vcovHC(fielder_simple_pooling_pca,
                                                            type = "HC1",
                                                            cluster = "group"))

# Print the third block of results
stargazer(fielder_results_simple_pooling_pca,
          no.space = TRUE,
          type = "text",
          title = "Lanzadores Iniciales: Modelo Pooling con PCA",
          covariate.labels = c("$Edad_{t}$" , "Años contrato$_{t}$", "Equipo$_{t}$",
                              "PCA$_{1}_{t}$", "PCA$_{2}_{t}$", "PCA$_{1}_{t-1}$", "PCA$_{2}_{t-1}$",
                              "Agente$_{t}$"))
```

Lanzadores Iniciales: Modelo Pooling con PCA

=====

Dependent variable:

Edadt -0.008**
 (0.004)

Años contratot -0.006
 (0.007)

Equipot 0.003*
 (0.002)

PCA1t -0.002
 (0.006)

PCA2t -0.0001
 (0.0001)

PCA1t-1 0.00001
 (0.00001)

PCA2t-1 -0.00000
 (0.00005)

Agentet 0.242*
 (0.142)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Efectos fijos

Bateadores

```
# run linear regression with grouped errors by country and robust errors
pca_vars <- 'pca1_t + pca1_t_1'
formula <- paste(vars_fe,
                 pca_vars,
                 sep = " + ")

# Create a model to store the results
hitter_simple_within_pca <- plm(formula, data = hitter_data,
                                model = "within",
                                index = c("id", "Anio_ref"))

# To store the results
hitter_results_simple_within_pca <- coeftest(hitter_simple_within_pca,
                                             vcov = vcovHC(hitter_simple_within_pca,
                                                           type = "HC1",
                                                           cluster = "group"))

# Print the third block of results
stargazer(hitter_results_simple_within_pca,
          no.space = TRUE,
          type = "text",
          title = "Bateadores: Estimador Within con PCA",
          covariate.labels = c("$Edad_{t}$" , "Años contrato$_{t}$", "Equipo$_{t}$",
                              "PCA$_{1_{t}}$", "PCA$_{1_{t-1}}$",
                              "Agente$_{t}$"))
```

Bateadores: Estimador Within con PCA

```
=====
Dependent variable:
-----

-----
Edadt                -0.004
                    (0.006)
Años contratot      -0.032**
                    (0.012)
Equipot              0.001
                    (0.001)
PCA1t                -0.00000
                    (0.00004)
PCA1t-1              -0.00000
                    (0.00004)
=====
=====
Note:                *p<0.1; **p<0.05; ***p<0.01
```

Starting pitcher

```
# run linear regression with grouped errors by country and robust errors
pca_vars <- 'pca1_t + pca2_t + pca1_t_1 + pca2_t_1'
formula <- paste(vars_fe,
                 pca_vars,
                 sep = " + ")

# Create a model to store the results
fielder_simple_within_pca <- plm(formula, data = starting_data,
                                model = "within",
                                index = c("id", "Anio_ref"))

# To store the results
fielder_results_simple_within_pca <- coeftest(fielder_simple_within_pca,
                                              vcov = vcovHC(fielder_simple_within_pca,
                                                            type = "HC1",
                                                            cluster = "group"))

# Print the third block of results
stargazer(fielder_results_simple_within_pca,
          no.space = TRUE,
          type = "text",
          title = "Lanzadores Iniciales: Estimador Within con PCA",
          covariate.labels = c("$Edad_{t}$" , "Años contrato$_{t}$", "Equipo$_{t}$",
                              "PCA$_{1_{t}}$)", "PCA$_{2_{t}}$)", "PCA$_{1_{t-1}}$)", "PCA$_{2_{t-1}}$)",
                              "Agente$_{t}$"))
```

Lanzadores Iniciales: Estimador Within con PCA

=====

Dependent variable:

Edadt	-0.030**
	(0.015)
Años contratot	-0.025
	(0.019)
Equipot	0.004
	(0.002)
PCA1t	-0.013
	(0.008)
PCA2t	-0.00001
	(0.0001)
PCA1t-1	-0.00001**
	(0.00000)
PCA2t-1	0.00001
	(0.0001)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Efectos aleatorios

Bateadores

```
# run linear regression with grouped errors by country and robust errors
pca_vars <- 'pca1_t + pca1_t_1'
formula <- paste(vars_ms,
                 pca_vars,
                 sep = " + ")

# Create a model to store the results
hitter_simple_random_pca <- plm(formula, data = hitter_data,
                                model = "random",
                                index = c("id", "Anio_ref"))

# To store the results
hitter_results_simple_random_pca <- coeftest(hitter_simple_random_pca,
                                             vcov = vcovHC(hitter_simple_random_pca,
                                                            type = "HC1",
                                                            cluster = "group"))

# Print the third block of results
stargazer(hitter_results_simple_random_pca,
          no.space = TRUE,
          type = "text",
          title = "Bateadores: Efectos Aleatorios con PCA",
          covariate.labels = c("Edad${t}$" , "Años contrato${t}$", "Equipo${t}$",
                               "PCA${1}_{t}$", "PCA${1}_{t-1}$",
                               "Agente${t}$"))
```

Bateadores: Efectos Aleatorios con PCA

```
=====
Dependent variable:
-----

-----
Edadt                -0.005**
                    (0.003)
Años contratot       -0.003
                    (0.004)
Equipot              0.001
                    (0.001)
PCA1t                0.00001
                    (0.00003)
PCA1t-1              -0.00000
                    (0.00002)
Agentet              0.148*
                    (0.083)
=====
=====
Note:                *p<0.1; **p<0.05; ***p<0.01
```

Starting pitcher

```
# run linear regression with grouped errors by country and robust errors
pca_vars <- 'pca1_t + pca2_t + pca1_t_1 + pca2_t_1'
formula <- paste(vars_ms,
                 pca_vars,
                 sep = " + ")

# Create a model to store the results
fielder_simple_random_pca <- plm(formula, data = starting_data,
                                model = "random",
                                index = c("id", "Anio_ref"))

# To store the results
fielder_results_simple_random_pca <- coeftest(fielder_simple_random_pca,
                                              vcov = vcovHC(fielder_simple_random_pca,
                                                            type = "HC1",
                                                            cluster = "group"))

# Print the third block of results
stargazer(fielder_results_simple_random_pca,
          no.space = TRUE,
          type = "text",
          title = "Lanzadores Iniciales: Efectos Aleatorios con PCA",
          covariate.labels = c("Edad$_{t}$" , "Años contrato$_{t}$", "Equipo$_{t}$",
                              "PCA$_{1_{t}}$", "PCA$_{2_{t}}$", "PCA$_{1_{t-1}}$", "PCA$_{2_{t-1}}$",
                              "Agente$_{t}$"))
```

Lanzadores Iniciales: Efectos Aleatorios con PCA

=====

Dependent variable:

Edadt	-0.010**
	(0.005)
Años contratot	-0.006
	(0.007)
Equipot	0.003*
	(0.001)
PCA1t	-0.003
	(0.006)
PCA2t	-0.0001
	(0.0001)
PCA1t-1	0.00000
	(0.00000)
PCA2t-1	-0.00001
	(0.00004)
Agentet	0.310*
	(0.173)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

First Differences

Bateadores

```
# run linear regression with grouped errors by country and robust errors
pca_vars <- 'pca1_t+ pca1_t_1'
formula <- paste(vars_fe,
                 pca_vars,
                 sep = " + ")

hitter_simple_fd_pca <- plm(formula, data = hitter_data,
                           model = "fd",
                           index = c("id", "Anio_ref"))

# To store the results
hitter_results_simple_fd_pca <- coeftest(hitter_simple_fd_pca,
                                       vcov = vcovHC(hitter_simple_fd_pca,
                                                    type = "HC1",
                                                    cluster = "group"))

# Print the third block of results
stargazer(hitter_results_simple_fd_pca,
          no.space = TRUE,
          type = "text",
          title = "Bateadores: Primeras Diferencias con PCA",
          covariate.labels = c("Edad${t}$" , "Años contrato${t}$", "Equipo${t}$",
                              "PCA${1}_{t}$", "PCA${1}_{t-1}$",
                              "Agente${t}$"))
```

```
Bateadores: Primeras Diferencias con PCA
=====
Dependent variable:
-----

-----
Edadt                -0.011***
                   (0.002)
Años contratot      -0.045***
                   (0.009)
Equipot             0.002***
                   (0.001)
PCA1t                0.00002
                   (0.00001)
PCA1t-1             -0.00000
                   (0.00002)
=====
=====
Note:                *p<0.1; **p<0.05; ***p<0.01
```

Starting pitcher

```
# run linear regression with grouped errors by country and robust errors
pca_vars <- 'pca1_t + pca2_t + pca1_t_1 + pca2_t_1'
formula <- paste(vars_fe,
                 pca_vars,
                 sep = " + ")

fielder_simple_fd_pca <- plm(formula, data = starting_data,
                             model = "fd",
                             index = c("id", "Anio_ref"))

# To store the results
fielder_results_simple_fd_pca <- coeftest(fielder_simple_fd_pca,
                                          vcov = vcovHC(fielder_simple_fd_pca,
                                                         type = "HC1",
                                                         cluster = "group"))

# Print the third block of results
stargazer(fielder_results_simple_fd_pca,
           no.space = TRUE,
           type = "text",
           title = "Lanzadores Iniciales: Primeras Diferencias con PCA",
           covariate.labels = c("Edad${t}$" , "Años contrato${t}$", "Equipo${t}$",
                                "PCA${1}_{t}$", "PCA${2}_{t}$", "PCA${1}_{t-1}$", "PCA${2}_{t-1}$",
                                "Agente${t}$"))
```

Lanzadores Iniciales: Primeras Diferencias con PCA

```
=====
Dependent variable:
-----

-----
Edadt                -0.017*
                    (0.009)
Años contratot      -0.029***
                    (0.009)
Equipot             0.003***
                    (0.001)
PCA1t               -0.001
                    (0.003)
PCA2t              -0.0001***
                    (0.00003)
PCA1t-1            -0.00001**
                    (0.00000)
PCA2t-1            -0.0001
                    (0.00004)
=====
=====
Note:                *p<0.1; **p<0.05; ***p<0.01
```

Mostremos los resultados de manera conjunta


```

hitter_pca_models <- list(hitter_simple_pooling_pca,
                          hitter_simple_within_pca,
                          hitter_simple_random_pca,
                          hitter_simple_fd_pca)

# Print the third block of results
stargazer(hitter_pca_models,
          no.space = TRUE,
          type = "text",
          title = "Bateadores regulares: Modelos con PCA",
          column.labels = c("Pooling", "Within",
                           "RE", "FD"),
          covariate.labels = c("Edad${t}$" , "Años contrato${t}$", "Equipo${t}$",
                              "PCA${1_{t}}$", "PCA${1_{t-1}}$",
                              "Agente${t}$"))

```

Bateadores regulares: Modelos con PCA

Dependent variable:				
	Y_Sueldo_regular_norm_t			
	Pooling	Within	RE	FD
	(1)	(2)	(3)	(4)
Edadt	-0.006*** (0.002)	-0.004 (0.004)	-0.005** (0.002)	-0.011** (0.005)
Años contratot	-0.001 (0.004)	-0.032*** (0.009)	-0.003 (0.004)	-0.045*** (0.010)
Equipot	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.002* (0.001)
PCA1t	0.00002 (0.00003)	-0.00000 (0.00004)	0.00001 (0.00003)	0.00002 (0.00004)
PCA1t-1	-0.00000 (0.00002)	-0.00000 (0.00004)	-0.00000 (0.00002)	-0.00000 (0.00004)
Agentet	0.157** (0.069)		0.148** (0.072)	
Observations	538	538	538	225
R2	0.018	0.064	0.014	0.135
Adjusted R2	0.009	-1.285	0.005	0.120
F Statistic	1.970* (df = 5; 532)	3.006** (df = 5; 220)	7.681	6.173*** (df = 5; 220)

Note:

*p<0.1; **p<0.05; ***p<0.01

```

fielder_pca_models <- list(fielder_simple_pooling_pca,
                           fielder_simple_within_pca,
                           fielder_simple_random_pca,
                           fielder_simple_fd_pca)

# Print the third block of results
stargazer(fielder_pca_models,
          no.space = TRUE,
          type = "text",

```

```

title = "Lanzadores Iniciales: Modelos con PCA",
column.labels = c("Pooling", "Within",
                  "RE", "FD"),
covariate.labels = c("Edad${t}$" , "Años contrato${t}$", "Equipo${t}$",
                    "PCA${1_{t}}$", "PCA${1_{t-1}}$",
                    "Agente${t}$")

```

Lanzadores Iniciales: Modelos con PCA

Dependent variable:				
	Y_Sueldo_regular_norm_t			
	Pooling (1)	Within (2)	RE (3)	FD (4)
Edadt	-0.008** (0.004)	-0.030*** (0.011)	-0.010** (0.004)	-0.017 (0.014)
Años contratot	-0.006 (0.009)	-0.025 (0.020)	-0.006 (0.009)	-0.029 (0.020)
Equipot	0.003* (0.001)	0.004* (0.002)	0.003* (0.001)	0.003 (0.002)
PCA1t	-0.002 (0.006)	-0.013 (0.010)	-0.003 (0.006)	-0.001 (0.011)
PCA1t-1	-0.0001 (0.0001)	-0.00001 (0.0001)	-0.0001 (0.0001)	-0.0001 (0.0001)
Agentet	0.00001 (0.00001)	-0.00001 (0.00002)	0.00000 (0.00001)	-0.00001 (0.00002)
pca2_t_1	-0.00000 (0.0001)	0.00001 (0.0001)	-0.00001 (0.0001)	-0.0001 (0.0001)
Constant	0.242* (0.125)		0.310** (0.147)	
Observations	206	206	206	88
R2	0.058	0.130	0.058	0.081
Adjusted R2	0.025	-1.203	0.024	0.013
F Statistic	1.738 (df = 7; 198)	1.725 (df = 7; 81)	12.099*	1.168 (df = 7; 81)
Note:			*p<0.1; **p<0.05; ***p<0.01	

Comparación entre periodos

Obtendremos los estimadores para los primeros dos años de observación para luego compararlos con los estimadores para el resto de años. Primero, aseguremos que los paneles estén ordenados por nombre y año de referencia

```

# Sort dataframe by player name and year_ref
hitter_data <- hitter_data %>% arrange(Jugador, Anio_ref)
# Sort dataframe by player name and year_ref
starting_data <- starting_data %>% arrange(Jugador, Anio_ref)

```

Haremos las estimaciones con todos los modelos para obtener un análisis robusto

Primeros dos años

Pooling

Bateadores

```
# To store models
hitter_model_pooling_fa <- list()

# loop over the variables in var_hitter_list
for (i in 1:length(stat_hitter_t_1)){
  # run linear regression with grouped errors by country and robust errors
  base_vars_h <- paste(vars_ms, stat_hitter_t[[i]],
                        sep = '+')
  formula <- paste(base_vars_h,
                   stat_hitter_t_1[[i]],
                   sep = " + ")

  hitter_model_pooling_fa[[i]] <- plm(formula, data = hitter_first_two,
                                     model = "pooling",
                                     index = c("id", "Anio_ref"))

  my_lm_cluster_i <- coeftest(hitter_model_pooling_fa[[i]],
                             vcov = vcovHC(hitter_model_pooling_fa[[i]],
                                             type = "HC1",
                                             cluster = "group"))

  h_m_pooled_f <- plm(formula, data = hitter_remaining,
                      model = "pooling",
                      index = c("id", "Anio_ref"))

  my_lm_cluster_f <- coeftest(h_m_pooled_f,
                             vcov = vcovHC(h_m_pooled_f,
                                             type = "HC1",
                                             cluster = "group"))

  # To store models
  h_m_pooled <- list(my_lm_cluster_i, my_lm_cluster_f)

  # Print the third block of results
  stargazer(h_m_pooled,
            no.space = TRUE,
            type = "text",
            title = "Bateadores regulares: Efecto de la edad (Pooling)",
            column.labels = c("Primeros dos años", "Años restantes"),
            covariate.labels = hitter_stats_long[[i]])

  # Hausman test:
  print("")
  print("Test para cambio estructural entre periodos:")
  print(phtest(hitter_model_pooling_fa[[i]], h_m_pooled_f))
}
```

Bateadores regulares: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)
-----	-----	-----
Edadt	-0.011**	-0.006
	(0.005)	(0.004)
Años contratot	0.0003	-0.004
	(0.010)	(0.026)
Eqipot	0.001	0.003*
	(0.001)	(0.002)
XABt	-0.002	0.003
	(0.001)	(0.002)
XABt-1	-0.001	0.0002
	(0.001)	(0.002)
Agentet	0.320**	0.147
	(0.145)	(0.151)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 291.74, df = 5, p-value < 2.2e-16

alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)
-----	-----	-----
Edadt	-0.011**	-0.007*
	(0.005)	(0.004)
Años contratot	-0.001	-0.006
	(0.011)	(0.025)
Eqipot	0.0004	0.003
	(0.001)	(0.002)
XAB2t	-0.0003	0.001*
	(0.0002)	(0.0005)
XAB2t-1	0.0002	-0.0004
	(0.0002)	(0.0003)
Agentet	0.302**	0.178
	(0.153)	(0.131)

=====

```
=====
Note:                *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 38.797, df = 5, p-value = 2.609e-07
alternative hypothesis: one model is inconsistent
```

Bateadores regulares: Efecto de la edad (Pooling)

```
=====
Dependent variable:
-----
```

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.011** (0.005)	-0.005 (0.004)
Años contratot	-0.001 (0.010)	-0.005 (0.026)
Eqipot	0.001 (0.001)	0.003* (0.002)
XHt	-0.004** (0.002)	0.004 (0.004)
XHt-1	0.001 (0.002)	0.001 (0.004)
Agentet	0.313** (0.144)	0.136 (0.149)

```
=====
=====
```

```
Note:                *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 122.07, df = 5, p-value < 2.2e-16
alternative hypothesis: one model is inconsistent
```

Bateadores regulares: Efecto de la edad (Pooling)

```
=====
Dependent variable:
-----
```

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.011**	-0.004

	(0.005)	(0.003)
Años contratot	-0.003	0.001
	(0.010)	(0.027)
Eqipot	0.001	0.003
	(0.001)	(0.002)
XH2t	-0.038	-0.058
	(0.033)	(0.054)
XH2t-1	0.024	0.052
	(0.034)	(0.050)
Agentet	0.293*	0.085
	(0.157)	(0.124)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 18.388, df = 5, p-value = 0.002498

alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.011**	-0.003
	(0.005)	(0.004)
Años contratot	-0.004	0.003
	(0.010)	(0.028)
Eqipot	0.001	0.003
	(0.001)	(0.002)
XBAAt	-0.054	-0.098
	(0.041)	(0.093)
XBAAt-1	0.031	-0.021
	(0.031)	(0.032)
Agentet	0.296*	0.029
	(0.156)	(0.141)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 6.2366, df = 5, p-value = 0.2839

alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.011** (0.005)	-0.005 (0.003)
Años contratot	-0.004 (0.010)	-0.014 (0.026)
Equipot	0.0005 (0.001)	0.003 (0.002)
XBA2t	-0.003 (0.006)	0.017 (0.011)
XBA2t-1	0.003 (0.004)	0.015** (0.007)
Agentet	0.316** (0.147)	0.141 (0.142)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
chisq = 51.721, df = 5, p-value = 6.155e-10
alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.011** (0.005)	-0.004 (0.003)
Años contratot	-0.004 (0.010)	-0.009 (0.029)
Equipot	0.0005 (0.001)	0.003 (0.002)
XDt	-0.001 (0.001)	-0.003 (0.006)
XDt-1	0.0004 (0.001)	-0.002* (0.001)

```

Agentet          0.320**      0.068
                  (0.147)      (0.138)
=====
=====
Note:             *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
chisq = 23.4, df = 5, p-value = 0.000283
alternative hypothesis: one model is inconsistent

```

```

Bateadores regulares: Efecto de la edad (Pooling)
=====
Dependent variable:
-----

Primeros dos años Años restantes
(1)                (2)
-----
Edadt              -0.012**      -0.006
                   (0.005)      (0.004)
Años contratot     -0.001        -0.004
                   (0.010)      (0.027)
Equipot            0.001         0.003
                   (0.001)      (0.002)
XD2t               -0.003*       0.004
                   (0.002)      (0.004)
XD2t-1             -0.001        -0.0001
                   (0.002)      (0.003)
Agentet            0.325**      0.139
                   (0.145)      (0.156)
=====
=====
Note:             *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

```

Hausman Test

data: formula
chisq = 104.15, df = 5, p-value < 2.2e-16
alternative hypothesis: one model is inconsistent

```

```

Bateadores regulares: Efecto de la edad (Pooling)
=====
Dependent variable:
-----

Primeros dos años Años restantes

```


	(1)	(2)
Edadt	-0.011** (0.005)	-0.004 (0.004)
Años contratot	-0.003 (0.010)	-0.0005 (0.027)
Eqipot	0.001 (0.001)	0.003* (0.002)
XHRt	-0.033 (0.023)	-0.006 (0.038)
XHRt-1	0.012 (0.027)	-0.026 (0.030)
Agentet	0.301* (0.157)	0.071 (0.133)

Note: *p<0.1; **p<0.05; ***p<0.01
 [1] ""
 [1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
 chisq = 14.838, df = 5, p-value = 0.01108
 alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (Pooling)

Dependent variable:		
	Primeros dos años	Años restantes
	(1)	(2)
Edadt	-0.011** (0.005)	-0.004 (0.003)
Años contratot	-0.004 (0.010)	0.002 (0.027)
Eqipot	0.001 (0.001)	0.003 (0.002)
XHR2t	-0.045 (0.037)	-0.078 (0.053)
XHR2t-1	0.023 (0.036)	0.042 (0.046)
Agentet	0.302* (0.155)	0.082 (0.127)

Note: *p<0.1; **p<0.05; ***p<0.01
 [1] ""
 [1] "Test para cambio estructural entre periodos:"

Hausman Test

```
data: formula
chisq = 18.536, df = 5, p-value = 0.002345
alternative hypothesis: one model is inconsistent
```

Bateadores regulares: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)

Edadt	-0.010** (0.005)	-0.003 (0.004)
Años contratot	-0.004 (0.010)	0.0005 (0.027)
Eqipot	0.0005 (0.001)	0.003 (0.002)
XGSt	-0.061 (0.038)	-0.085 (0.072)
XGSt-1	0.024 (0.037)	-0.018 (0.042)
Agentet	0.289* (0.151)	0.037 (0.139)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

```
data: formula
chisq = 20.184, df = 5, p-value = 0.001154
alternative hypothesis: one model is inconsistent
```

Bateadores regulares: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)

Edadt	-0.011** (0.005)	-0.006 (0.004)
Años contratot	-0.0005 (0.010)	-0.013 (0.029)
Eqipot	0.001 (0.001)	0.003 (0.002)
XGS2t	-0.006**	0.008

	(0.003)	(0.005)
XGS2t-1	0.001	0.003
	(0.002)	(0.005)
Agentet	0.316**	0.170
	(0.145)	(0.142)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 85.854, df = 5, p-value < 2.2e-16

alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)

Edadt	-0.011**	-0.004
	(0.005)	(0.003)
Años contratot	-0.006	-0.001
	(0.010)	(0.028)
Eqipot	0.0001	0.003
	(0.001)	(0.002)
XOPSt	-0.019	-0.002
	(0.013)	(0.041)
XOPSt-1	0.021**	-0.001
	(0.008)	(0.040)
Agentet	0.310**	0.069
	(0.146)	(0.138)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 14.274, df = 5, p-value = 0.01396

alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (Pooling)

=====

Dependent variable:

```

-----
                Primeros dos años  Años restantes
                  (1)              (2)
-----
Edadt            -0.011**          -0.005
                  (0.005)          (0.004)
Años contratot   -0.004            0.002
                  (0.010)          (0.024)
Equipot          0.0005            0.004*
                  (0.001)          (0.002)
XOPS2t           -0.004            0.024
                  (0.006)          (0.024)
XOPS2t-1         0.001             0.014
                  (0.001)          (0.016)
Agentet          0.308**           0.097
                  (0.149)          (0.134)
=====
Note:             *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 26.818, df = 5, p-value = 6.189e-05
alternative hypothesis: one model is inconsistent

```

Bateadores regulares: Efecto de la edad (Pooling)

```

=====
                Dependent variable:
-----
                Primeros dos años  Años restantes
                  (1)              (2)
-----
Edadt            -0.012***          -0.007**
                  (0.005)          (0.003)
Años contratot   -0.008            -0.022
                  (0.010)          (0.026)
Equipot          0.001             0.003*
                  (0.001)          (0.002)
XOBPt            0.020*             0.061***
                  (0.011)          (0.021)
XOBPt-1          0.028***           0.012
                  (0.011)          (0.023)
Agentet          0.372**           0.224**
                  (0.145)          (0.109)
=====
Note:             *p<0.1; **p<0.05; ***p<0.01
[1] ""

```

```
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 28.192, df = 5, p-value = 3.339e-05
alternative hypothesis: one model is inconsistent
```

Bateadores regulares: Efecto de la edad (Pooling)

```
=====
Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt -0.012*** -0.004
(0.004) (0.003)
Años contratot -0.001 -0.022
(0.010) (0.025)
Eqipot 0.0002 0.004*
(0.001) (0.002)
XOBP2t 0.008 0.054**
(0.006) (0.026)
XOBP2t-1 0.011* 0.008**
(0.006) (0.004)
Agentet 0.353** 0.125
(0.143) (0.124)
=====
=====
```

Note: *p<0.1; **p<0.05; ***p<0.01

```
[1] ""
```

```
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 43.473, df = 5, p-value = 2.963e-08
alternative hypothesis: one model is inconsistent
```

Starting pitcher

```
# To store models
fielder_model_pooling_fa <- list()

# loop over the variables in var_hitter_list
for (i in 1:length(stat_fielder_t_1)){
  # run linear regression with grouped errors by country and robust errors
  base_vars_s <- paste(vars_ms, stat_fielder_t[[i]],
                      sep = '+')
  formula <- paste(base_vars_s,
```

```

        stat_fieldier_t_1[[i]],
        sep = " + ")

fieldier_model_pooling_fa[[i]] <- plm(formula, data = starting_first_two,
                                     model = "pooling",
                                     index = c("id", "Anio_ref"))

my_lm_cluster_i <- coeftest(fieldier_model_pooling_fa[[i]],
                           vcov = vcovHC(fieldier_model_pooling_fa[[i]],
                                           type = "HC1",
                                           cluster = "group"))

s_m_pooled_f <- plm(formula, data = starting_remaining,
                    model = "pooling",
                    index = c("id", "Anio_ref"))

my_lm_cluster_f <- coeftest(s_m_pooled_f,
                           vcov = vcovHC(s_m_pooled_f,
                                           type = "HC1",
                                           cluster = "group"))

# To store models
s_m_pooled <- list(my_lm_cluster_i, my_lm_cluster_f)

# Print the third block of results
stargazer(s_m_pooled,
          no.space = TRUE,
          type = "text",
          title = "Lanzadores iniciales: Efecto de la edad (Pooling)",
          column.labels = c("Primeros dos años", "Años restantes"),
          covariate.labels = fieldier_stats_long[[i]])

# Hausman test:
print("")
print("Test para cambio estructural entre periodos:")
print(phtest(fieldier_model_pooling_fa[[i]], s_m_pooled_f))
}

```

Lanzadores iniciales: Efecto de la edad (Pooling)

Dependent variable:		
	Primeros dos años	Años restantes
	(1)	(2)
Edadt	-0.010 (0.008)	-0.011 (0.009)
Años contratot	-0.005 (0.021)	-0.043 (0.027)
Equipot	0.003 (0.002)	0.007 (0.007)
XH2t	-0.0003 (0.0002)	0.0003 (0.0003)

XH2t-1	-0.0001 (0.0001)	-0.0003 (0.0003)
Agentet	0.287 (0.272)	0.245 (0.178)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 5.3622, df = 5, p-value = 0.3733

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)

Edadt	-0.011 (0.008)	-0.010 (0.008)
Años contratot	-0.015 (0.020)	-0.041 (0.031)
Equipot	0.003 (0.002)	0.005 (0.006)
XHt	-0.002 (0.003)	0.001 (0.003)
XHt-1	0.0003 (0.002)	-0.002 (0.004)
Agentet	0.358 (0.264)	0.259 (0.163)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 1.9892, df = 5, p-value = 0.8506

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.012 (0.009)	-0.011 (0.009)
Años contratot	-0.016 (0.020)	-0.035 (0.031)
Eqipot	0.004 (0.002)	0.007 (0.007)
XR2t	0.00001 (0.0004)	0.001** (0.0004)
XR2t-1	-0.0003 (0.0002)	-0.0005 (0.001)
Agentet	0.378 (0.278)	0.248 (0.180)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 4.2456, df = 5, p-value = 0.5146

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.010 (0.008)	-0.010 (0.008)
Años contratot	-0.011 (0.020)	-0.037 (0.031)
Eqipot	0.003 (0.002)	0.005 (0.006)
XER2t	-0.005 (0.003)	0.005 (0.003)
XER2t-1	-0.0005 (0.002)	-0.002 (0.006)
Agentet	0.324 (0.264)	0.253 (0.180)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
chisq = 8.3969, df = 5, p-value = 0.1357
alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)
Edadt	-0.010 (0.008)	-0.010 (0.007)
Años contratot	-0.019 (0.019)	-0.041 (0.033)
Equipot	0.003 (0.002)	0.007 (0.006)
XERt	-0.018 (0.012)	-0.017 (0.017)
XERt-1	-0.028** (0.012)	-0.004 (0.016)
Agentet	0.311 (0.246)	0.222 (0.164)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
chisq = 3.526, df = 5, p-value = 0.6195
alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)
Edadt	-0.011 (0.008)	-0.010 (0.008)
Años contratot	-0.012 (0.020)	-0.037 (0.031)
Equipot	0.003	0.005

	(0.002)	(0.006)
XRt	-0.004	0.005
	(0.003)	(0.003)
XRt-1	-0.001	-0.002
	(0.003)	(0.006)
Agentet	0.342	0.255
	(0.263)	(0.178)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 7.7693, df = 5, p-value = 0.1694

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.011	-0.005
	(0.009)	(0.007)
Años contratot	-0.022	-0.062*
	(0.019)	(0.033)
Equipot	0.003	0.005
	(0.002)	(0.005)
XComando2t	0.007	-0.064***
	(0.009)	(0.020)
XComando2t-1	-0.00001**	0.027
	(0.00000)	(0.017)
Agentet	0.361	0.100
	(0.265)	(0.178)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 15.214, df = 5, p-value = 0.009487

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Pooling)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt -0.011 -0.007
(0.009) (0.008)
Años contratot -0.018 -0.023
(0.019) (0.031)
Equipot 0.003 0.004
(0.002) (0.007)
XComandot 0.006 -0.010
(0.019) (0.046)
XComandot-1 -0.001* -0.037
(0.001) (0.046)
Agentet 0.361 0.119
(0.263) (0.224)
=====
=====
Note: *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 3.4502, df = 5, p-value = 0.6309
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (Pooling)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt -0.014* -0.012
(0.008) (0.007)
Años contratot -0.014 -0.036
(0.019) (0.033)
Equipot 0.004** 0.009
(0.002) (0.007)
XControl2t -0.146* 0.325*
(0.081) (0.184)
XControl2t-1 -0.142*** -0.396
(0.035) (0.310)
Agentet 0.385 0.240
(0.254) (0.159)
=====
=====

```

Note: *p<0.1; **p<0.05; ***p<0.01
 [1] ""
 [1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
 chisq = 14.551, df = 5, p-value = 0.01246
 alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.011 (0.007)	-0.011 (0.007)
Años contratot	-0.022 (0.020)	-0.032 (0.033)
Equipot	0.002 (0.002)	0.010 (0.006)
XControlt	0.059 (0.055)	0.194*** (0.061)
XControlt-1	-0.109*** (0.040)	-0.205** (0.083)
Agentet	0.343 (0.239)	0.215 (0.203)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01
 [1] ""
 [1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
 chisq = 12, df = 5, p-value = 0.03479
 alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.009 (0.008)	-0.008 (0.005)

Años contratot	-0.022	-0.032
	(0.019)	(0.031)
Equipot	0.003	0.008
	(0.002)	(0.007)
XDominio2t	0.027	-0.069
	(0.046)	(0.065)
XDominio2t-1	0.084***	0.072
	(0.031)	(0.070)
Agentet	0.312	0.105
	(0.245)	(0.149)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 5.7603, df = 5, p-value = 0.3302

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.007	-0.010
	(0.008)	(0.007)
Años contratot	-0.021	-0.038
	(0.019)	(0.028)
Equipot	0.002	0.007
	(0.002)	(0.007)
XDominiot	0.007	-0.043
	(0.033)	(0.117)
XDominiot-1	0.090***	0.058
	(0.029)	(0.109)
Agentet	0.266	0.227
	(0.246)	(0.161)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 0.70579, df = 5, p-value = 0.9826

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.010 (0.008)	-0.011 (0.009)
Años contratot	-0.006 (0.021)	-0.039 (0.038)
Eqipot	0.004 (0.002)	0.007 (0.007)
XERA2t	-0.0003 (0.0002)	0.0003 (0.0003)
XERA2t-1	0.0001 (0.0001)	-0.0001 (0.0004)
Agentet	0.284 (0.271)	0.263 (0.192)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 5.2359, df = 5, p-value = 0.3878

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.011 (0.009)	-0.010 (0.007)
Años contratot	-0.014 (0.021)	-0.037 (0.030)
Eqipot	0.003 (0.002)	0.005 (0.006)
XERAt	-0.002 (0.002)	0.002 (0.003)
XERAt-1	0.001 (0.002)	-0.004 (0.004)
Agentet	0.348	0.257

```

(0.278)      (0.159)
=====
=====
Note:          *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 6.246, df = 5, p-value = 0.283
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (Pooling)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
(1)                (2)
-----
Edadt              -0.011      -0.012
                  (0.008)      (0.008)
Años contratot     -0.017      -0.040
                  (0.017)      (0.027)
Equipot            0.003       0.007
                  (0.002)      (0.006)
XIP2t              -0.004*     0.009
                  (0.002)      (0.006)
XIP2t-1            0.001      -0.004
                  (0.002)      (0.005)
Agentet            0.343       0.296
                  (0.257)      (0.194)
=====
=====

```

```

Note:          *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 8.1094, df = 5, p-value = 0.1503
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (Pooling)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
(1)                (2)

```

```

-----
Edadt                -0.013        -0.009
                   (0.009)        (0.010)
Años contratot      -0.018        -0.035
                   (0.020)        (0.034)
Eqipot              0.004         0.006
                   (0.002)        (0.006)
XIPIt               0.241        -0.050
                   (0.154)        (0.129)
XIPIt-1             0.038***      -0.218
                   (0.014)        (0.513)
Agentet             0.419         0.198
                   (0.275)        (0.285)
=====
=====
Note:                *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 6.7347, df = 5, p-value = 0.2411
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (Pooling)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
          (1)          (2)
-----
Edadt      -0.014      -0.009
          (0.008)      (0.010)
Años contratot -0.018      -0.034
          (0.020)      (0.034)
Eqipot      0.004*      0.006
          (0.002)      (0.006)
XL2t        0.121      -0.035
          (0.102)      (0.086)
XL2t-1      0.097**     -0.118
          (0.044)      (0.212)
Agentet     0.425      0.176
          (0.272)      (0.293)
=====
=====
Note:                *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test


```
data: formula
chisq = 3.6711, df = 5, p-value = 0.5977
alternative hypothesis: one model is inconsistent
```

Lanzadores iniciales: Efecto de la edad (Pooling)

```
=====
Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt -0.012 -0.010
      (0.008) (0.009)
Años contratot -0.020 -0.045
      (0.018) (0.040)
Eqipot 0.004 0.007
      (0.002) (0.007)
XDLt -0.0002 0.0003
      (0.0001) (0.0003)
XLt-1 0.0004** 0.0001
      (0.0002) (0.0003)
Agentet 0.383 0.246
      (0.250) (0.190)
=====
=====
Note: *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 5.469, df = 5, p-value = 0.3614
alternative hypothesis: one model is inconsistent
```

Lanzadores iniciales: Efecto de la edad (Pooling)

```
=====
Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt -0.012 -0.011
      (0.008) (0.008)
Años contratot -0.021 -0.040
      (0.020) (0.039)
Eqipot 0.004 0.006
      (0.002) (0.007)
XS2t -0.00001 0.001
      (0.002) (0.003)
```

XS2t-1	0.001	-0.0004
	(0.002)	(0.004)
Agentet	0.386	0.265
	(0.265)	(0.170)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 2.0286, df = 5, p-value = 0.8452

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)

Edadt	-0.013	-0.009
	(0.008)	(0.007)
Años contratot	-0.022	0.014
	(0.019)	(0.050)
Equipot	0.003	0.007
	(0.002)	(0.007)
XSt	0.0003	0.028*
	(0.006)	(0.014)
XSt-1	0.011**	-0.015*
	(0.005)	(0.008)
Agentet	0.440*	0.150
	(0.260)	(0.141)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 25.4, df = 5, p-value = 0.0001166

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.009 (0.007)	-0.009 (0.006)
Años contratot	-0.020 (0.021)	-0.038 (0.034)
Eqipot	0.003 (0.002)	0.007 (0.008)
XS02t	-0.016 (0.019)	0.017 (0.027)
XS02t-1	-0.054*** (0.017)	-0.043 (0.042)
Agentet	0.249 (0.240)	0.194 (0.149)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 4.6179, df = 5, p-value = 0.4643

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.011 (0.007)	-0.010 (0.007)
Años contratot	-0.026 (0.021)	-0.042 (0.031)
Eqipot	0.004* (0.002)	0.007 (0.008)
XS0t	-0.011 (0.018)	-0.012 (0.033)
XS0t-1	-0.051*** (0.018)	-0.035 (0.032)
Agentet	0.356 (0.241)	0.231 (0.164)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
chisq = 2.2259, df = 5, p-value = 0.8171
alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)
Edadt	-0.012 (0.008)	-0.010 (0.008)
Años contratot	-0.016 (0.019)	-0.042 (0.034)
Eqipot	0.004 (0.002)	0.008 (0.006)
XWAR2t	-0.0004 (0.0005)	0.001 (0.001)
XWAR2t-1	0.0001 (0.0005)	0.0004 (0.001)
Agentet	0.379 (0.264)	0.235 (0.188)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
chisq = 4.2365, df = 5, p-value = 0.5159
alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)
Edadt	-0.013 (0.009)	-0.012 (0.008)
Años contratot	-0.017 (0.021)	-0.054 (0.042)
Eqipot	0.004	0.008

	(0.002)	(0.006)
XWArt	-0.0002	0.009*
	(0.005)	(0.005)
XWArt-1	-0.002	0.003
	(0.004)	(0.007)
Agentet	0.399	0.277
	(0.283)	(0.180)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 4.8494, df = 5, p-value = 0.4345

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Pooling)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.010	-0.011
	(0.009)	(0.009)
Años contratot	-0.007	-0.043
	(0.021)	(0.037)
Eqipot	0.004*	0.006
	(0.002)	(0.007)
XWHIP2t	-0.013	0.011
	(0.009)	(0.011)
XWHIP2t-1	0.001	-0.006
	(0.008)	(0.016)
Agentet	0.295	0.268
	(0.281)	(0.181)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 5.4521, df = 5, p-value = 0.3632

alternative hypothesis: one model is inconsistent

Efectos fijos

Bateadores

```
# To store results:
hitter_model_fe_fa <- list()

# loop over the variables in var_hitter_list
for (i in 1:length(stat_hitter_t_1)){
  # run linear regression with grouped errors by country and robust errors
  base_vars_h <- paste(vars_fe, stat_hitter_t[[i]],
                      sep = '+')
  formula <- paste(base_vars_h,
                  stat_hitter_t_1[[i]],
                  sep = " + ")

  hitter_model_fe_fa[[i]] <- plm(formula, data = hitter_first_two,
                                model = "within",
                                index = c("id", "Anio_ref"))

  my_lm_cluster_i <- coeftest(hitter_model_fe_fa[[i]],
                             vcov = vcovHC(hitter_model_fe_fa[[i]],
                                             type = "HC1",
                                             cluster = "group"))

  h_m_fix_ef_f <- plm(formula, data = hitter_remaining,
                      model = "within",
                      index = c("id", "Anio_ref"))

  my_lm_cluster_f <- coeftest(h_m_fix_ef_f,
                             vcov = vcovHC(h_m_fix_ef_f,
                                             type = "HC1",
                                             cluster = "group"))

  # To store models
  h_m_fix_ef <- list(my_lm_cluster_i, my_lm_cluster_f)

  # Print the third block of results
  stargazer(h_m_fix_ef,
            no.space = TRUE,
            type = "text",
            title = "Bateadores regulares: Efecto de la edad (Within)",
            column.labels = c("Primeros dos años", "Años restantes"),
            covariate.labels = hitter_stats_long[[i]])

  # Hausman test:
  print("")
  print("Test para cambio estructural entre periodos:")
  print(phtest(hitter_model_fe_fa[[i]], h_m_fix_ef_f))
}
```

Bateadores regulares: Efecto de la edad (Within)
=====

```

Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt          0.011      -0.006***
                (0.013)    (0.002)
Años contratot -0.019      -0.054***
                (0.012)    (0.006)
Eqipot         0.001       0.004
                (0.001)    (0.003)
XABt           0.001       0.003
                (0.001)    (0.003)
XABt-1         0.001       0.002
                (0.001)    (0.002)
=====
Note:          *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 1.5754, df = 5, p-value = 0.9042
alternative hypothesis: one model is inconsistent

```

Bateadores regulares: Efecto de la edad (Within)

```

Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt          0.007      -0.007***
                (0.012)    (0.002)
Años contratot -0.018      -0.052***
                (0.012)    (0.006)
Eqipot         0.001       0.004
                (0.001)    (0.003)
XAB2t          -0.0001     0.001
                (0.0001)    (0.0005)
XAB2t-1        0.00002     -0.00004
                (0.0001)    (0.001)
=====
Note:          *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```
data: formula
chisq = 2.5791, df = 5, p-value = 0.7645
alternative hypothesis: one model is inconsistent
```

Bateadores regulares: Efecto de la edad (Within)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	0.008 (0.013)	-0.007*** (0.002)
Años contratot	-0.019 (0.012)	-0.055*** (0.006)
Eqipot	0.001 (0.001)	0.005* (0.002)
XHt	-0.0002 (0.001)	0.005 (0.005)
XHt-1	0.001 (0.002)	0.002 (0.005)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

```
data: formula
chisq = 2.3761, df = 5, p-value = 0.795
alternative hypothesis: one model is inconsistent
```

Bateadores regulares: Efecto de la edad (Within)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	0.007 (0.011)	-0.007*** (0.001)
Años contratot	-0.021 (0.013)	-0.049*** (0.004)
Eqipot	0.002* (0.001)	0.005** (0.002)
XH2t	0.050* (0.027)	-0.040 (0.066)
XH2t-1	0.071**	0.059**


```

(0.035)      (0.029)
=====
=====
Note:          *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 7.3955, df = 5, p-value = 0.1928
alternative hypothesis: one model is inconsistent

```

Bateadores regulares: Efecto de la edad (Within)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
(1)                (2)
-----
Edadt              0.007          -0.007***
                  (0.011)        (0.002)
Años contratot    -0.018          -0.049***
                  (0.012)        (0.010)
Equipot           0.001           0.005**
                  (0.001)        (0.002)
XBAt              -0.020          -0.028
                  (0.070)        (0.111)
XBAt-1            0.041           0.064**
                  (0.032)        (0.031)
=====
=====

```

```

Note:          *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 0.77608, df = 5, p-value = 0.9785
alternative hypothesis: one model is inconsistent

```

Bateadores regulares: Efecto de la edad (Within)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
(1)                (2)
-----
Edadt              0.007          -0.007***

```

	(0.014)	(0.002)
Años contratot	-0.020	-0.058***
	(0.012)	(0.007)
Eqipot	0.001	0.004**
	(0.001)	(0.002)
XBA2t	0.003	0.024**
	(0.006)	(0.009)
XBA2t-1	0.002	0.016
	(0.005)	(0.014)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 5.0269, df = 5, p-value = 0.4126

alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (Within)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	0.009	-0.007***
	(0.012)	(0.002)
Años contratot	-0.018	-0.052***
	(0.014)	(0.008)
Eqipot	0.001	0.005**
	(0.001)	(0.002)
XDt	-0.0005	0.006*
	(0.001)	(0.003)
XDt-1	0.001	0.007
	(0.001)	(0.004)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 3.0863, df = 5, p-value = 0.6867

alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (Within)

```

=====
                        Dependent variable:
                        -----

                        Primeros dos años Años restantes
                        (1) (2)
-----
Edadt                0.011      -0.006***
                    (0.013)      (0.002)
Años contratot      -0.019      -0.058***
                    (0.012)      (0.008)
Eqipot              0.001       0.005*
                    (0.001)      (0.003)
XD2t                 0.002       0.006
                    (0.002)      (0.007)
XD2t-1              0.002       0.004
                    (0.002)      (0.004)
=====
=====
Note:                *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 0.2255, df = 5, p-value = 0.9988
alternative hypothesis: one model is inconsistent

```

Bateadores regulares: Efecto de la edad (Within)

```

=====
                        Dependent variable:
                        -----

                        Primeros dos años Años restantes
                        (1) (2)
-----
Edadt                0.007      -0.007***
                    (0.011)      (0.002)
Años contratot      -0.023*     -0.050***
                    (0.013)      (0.004)
Eqipot              0.002       0.005***
                    (0.001)      (0.002)
XHRt                 0.018       0.007
                    (0.013)      (0.044)
XHRt-1              0.057*     -0.030**
                    (0.031)      (0.012)
=====
=====
Note:                *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

data: formula
chisq = 42.17, df = 5, p-value = 5.443e-08
alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (Within)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)
Edadt	0.008 (0.011)	-0.007*** (0.001)
Años contratot	-0.023* (0.013)	-0.050*** (0.006)
Equipot	0.002 (0.001)	0.005*** (0.002)
XHR2t	0.061 (0.050)	-0.022 (0.080)
XHR2t-1	0.099** (0.044)	0.012 (0.043)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
chisq = 24.867, df = 5, p-value = 0.0001478
alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (Within)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)
Edadt	0.009 (0.011)	-0.006*** (0.002)
Años contratot	-0.022 (0.014)	-0.049*** (0.006)
Equipot	0.002* (0.001)	0.005** (0.002)
XGSt	0.158** (0.075)	-0.058 (0.091)

XGSt-1	0.024 (0.033)	0.079* (0.046)
--------	------------------	-------------------

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01
 [1] ""
 [1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
 chisq = 16.947, df = 5, p-value = 0.004601
 alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (Within)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)
-----	-----	-----
Edadt	0.008 (0.012)	-0.007*** (0.002)
Años contratot	-0.018 (0.012)	-0.064*** (0.010)
Eqipot	0.001 (0.001)	0.005 (0.003)
XGS2t	-0.001 (0.002)	0.006 (0.008)
XGS2t-1	0.003 (0.002)	0.006 (0.006)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01
 [1] ""
 [1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
 chisq = 2.2705, df = 5, p-value = 0.8106
 alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (Within)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)
-----	-----	-----

Edadt	0.006	-0.010***
	(0.012)	(0.003)
Años contratot	-0.018	-0.066***
	(0.012)	(0.012)
Equipot	0.001	0.003*
	(0.001)	(0.002)
XOPSt	0.001	-0.030
	(0.019)	(0.035)
XOPSt-1	0.005	0.049**
	(0.019)	(0.024)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 9.6581, df = 5, p-value = 0.08552

alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (Within)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)
Edadt	0.006	-0.010***
	(0.012)	(0.002)
Años contratot	-0.017	0.001
	(0.012)	(0.014)
Equipot	0.001	0.005***
	(0.001)	(0.001)
XOPS2t	0.002	0.097***
	(0.006)	(0.020)
XOPS2t-1	0.004	0.030***
	(0.007)	(0.004)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 43.387, df = 5, p-value = 3.085e-08

alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (Within)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	0.003 (0.011)	-0.008*** (0.001)
Años contratot	-0.024* (0.013)	-0.060*** (0.007)
Eqipot	0.001 (0.001)	0.006*** (0.002)
XOBPt	0.020* (0.010)	0.048*** (0.014)
XOBPt-1	0.009 (0.013)	-0.004 (0.016)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""
[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 4.1343, df = 5, p-value = 0.5302

alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (Within)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	0.005 (0.010)	-0.007** (0.003)
Años contratot	-0.020 (0.015)	-0.063*** (0.008)
Eqipot	0.001 (0.001)	0.005** (0.002)
XOBP2t	0.004 (0.007)	0.051*** (0.018)
XOBP2t-1	0.008 (0.009)	-0.038* (0.021)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""
[1] "Test para cambio estructural entre periodos:"

Hausman Test

```
data: formula
chisq = 11.99, df = 5, p-value = 0.03493
alternative hypothesis: one model is inconsistent
```

Starting pitcher

```
# To store results:
fielder_model_fe_fa <- list()

# loop over the variables in var_hitter_list
for (i in 1:length(stat_fielder_t_1)){
  # run linear regression with grouped errors by country and robust errors
  base_vars_s <- paste(vars_fe, stat_fielder_t[[i]],
                        sep = '+')
  formula <- paste(base_vars_s,
                   stat_fielder_t_1[[i]],
                   sep = " + ")

  fielder_model_fe_fa[[i]] <- plm(formula, data = starting_first_two,
                                model = "within",
                                index = c("id", "Anio_ref"))

  my_lm_cluster_i <- coeftest(fielder_model_fe_fa[[i]],
                             vcov = vcovHC(fielder_model_fe_fa[[i]],
                                             type = "HC1",
                                             cluster = "group"))

  s_m_fix_ef_f <- plm(formula, data = starting_remaining,
                      model = "within",
                      index = c("id", "Anio_ref"))

  my_lm_cluster_f <- coeftest(s_m_fix_ef_f,
                             vcov = vcovHC(s_m_fix_ef_f,
                                             type = "HC1",
                                             cluster = "group"))

  # To store models
  s_m_fix_ef <- list(my_lm_cluster_i, my_lm_cluster_f)

  # Print the third block of results
  stargazer(s_m_fix_ef,
            no.space = TRUE,
            type = "text",
            title = "Lanzadores iniciales: Efecto de la edad (Within)",
            column.labels = c("Primeros dos años", "Años restantes"),
            covariate.labels = fielder_stats_long[[i]])

  # Hausman test:
  print("")
```



```

print("Test para cambio estructural entre periodos:")
print(phptest(fielder_model_fe_fa[[i]],s_m_fix_ef_f))
}

```

Lanzadores iniciales: Efecto de la edad (Within)

```

=====
Dependent variable:
-----

Primeros dos años  Años restantes
(1)                (2)
-----
Edadt              -0.004      0.108**
                  (0.022)      (0.042)
Años contratot     0.001      0.140**
                  (0.008)      (0.056)
Eqipot            0.002*      0.003
                  (0.001)      (0.004)
XH2t              -0.00004     0.0002
                  (0.0001)     (0.0002)
XH2t-1            0.00000     -0.0001
                  (0.0001)     (0.0002)
=====
Note:                *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 1.5334, df = 5, p-value = 0.9092
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (Within)

```

=====
Dependent variable:
-----

Primeros dos años  Años restantes
(1)                (2)
-----
Edadt              -0.005      0.090**
                  (0.017)      (0.040)
Años contratot     -0.020*      0.116*
                  (0.011)      (0.058)
Eqipot            0.003**      0.006*
                  (0.001)      (0.003)
XHt               0.006*      0.002
                  (0.003)      (0.001)
XHt-1             -0.0001     0.005***
                  (0.002)      (0.001)

```

```

=====
Note:                *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 3.0464, df = 5, p-value = 0.6928
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (Within)

```

=====
Dependent variable:
-----

```

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.002 (0.020)	0.107** (0.046)
Años contratot	-0.001 (0.008)	0.143** (0.062)
Eqipot	0.002* (0.001)	0.002 (0.005)
XR2t	-0.0002 (0.0002)	0.0005 (0.0003)
XR2t-1	0.0002 (0.0002)	-0.0003 (0.0004)

```

=====

```

```

Note:                *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 61.753, df = 5, p-value = 5.275e-12
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (Within)

```

=====
Dependent variable:
-----

```

	Primeros dos años (1)	Años restantes (2)
Edadt	0.002 (0.021)	0.102* (0.050)

Años contratot	-0.002	0.136*
	(0.008)	(0.069)
Eqipot	0.002	0.005
	(0.001)	(0.004)
XER2t	0.001	0.002
	(0.002)	(0.003)
XER2t-1	0.003	0.005
	(0.002)	(0.004)

```

=====
Note:                *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 3.936, df = 5, p-value = 0.5587
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (Within)

```

=====
Dependent variable:
-----

Primeros dos años  Años restantes
(1)                (2)
-----
Edadt              -0.002      0.127***
                   (0.017)    (0.036)
Años contratot     0.008      0.160***
                   (0.010)    (0.050)
Eqipot             0.001      0.004*
                   (0.001)    (0.002)
XERt               0.020*     -0.025*
                   (0.011)    (0.013)
XERt-1            -0.012      0.004
                   (0.009)    (0.004)
=====
=====

```

```

Note:                *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 23.981, df = 5, p-value = 0.000219
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (Within)

```

=====

```

```

Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt          0.003      0.095*
               (0.020)    (0.051)
Años contratot -0.008      0.124*
               (0.010)    (0.068)
Eqipot         0.002      0.003
               (0.001)    (0.004)
XRt            0.003      0.002
               (0.002)    (0.002)
XRt-1          0.003      0.002
               (0.002)    (0.004)
=====
Note:          *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 5.0658, df = 5, p-value = 0.4079
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (Within)

```

Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt          -0.005      0.103*
               (0.022)    (0.057)
Años contratot -0.0001     0.112
               (0.008)    (0.091)
Eqipot         0.002*      0.003
               (0.001)    (0.004)
XComando2t     -0.003      -0.016
               (0.007)    (0.023)
XComando2t-1   0.00000     0.011
               (0.00000)   (0.011)
=====
Note:          *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```
data: formula
chisq = 5.1623, df = 5, p-value = 0.3964
alternative hypothesis: one model is inconsistent
```

Lanzadores iniciales: Efecto de la edad (Within)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.001 (0.022)	0.115** (0.042)
Años contratot	-0.007 (0.006)	0.144** (0.054)
Eqipot	0.002 (0.001)	0.004 (0.006)
XComandot	0.017 (0.028)	-0.036** (0.015)
XComandot-1	0.0003 (0.0003)	0.001 (0.046)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

```
data: formula
chisq = 6.733, df = 5, p-value = 0.2413
alternative hypothesis: one model is inconsistent
```

Lanzadores iniciales: Efecto de la edad (Within)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.003 (0.020)	0.102*** (0.027)
Años contratot	0.001 (0.010)	0.134*** (0.039)
Eqipot	0.002** (0.001)	0.005* (0.003)
XControl2t	-0.073 (0.061)	0.267*** (0.057)
XControl2t-1	-0.044* (0.044)	-0.457*** (0.044)

```

(0.023)      (0.041)
=====
=====
Note:          *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 569.39, df = 5, p-value < 2.2e-16
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (Within)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
(1)                (2)
-----
Edadt               -0.001      0.058**
                   (0.018)      (0.023)
Años contratot      -0.003      0.091**
                   (0.010)      (0.031)
Equipot             0.002*      0.010***
                   (0.001)      (0.003)
XControlt           -0.018      -0.014
                   (0.041)      (0.047)
XControlt-1         -0.065      -0.260***
                   (0.049)      (0.044)
=====
=====

```

```

Note:          *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 0.67473, df = 5, p-value = 0.9843
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (Within)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
(1)                (2)
-----
Edadt               -0.003      0.016

```

	(0.018)	(0.017)
Años contratot	0.004	0.009
	(0.010)	(0.022)
Eqipot	0.003*	-0.001
	(0.001)	(0.001)
XDominio2t	-0.020	0.013*
	(0.037)	(0.007)
XDominio2t-1	0.028*	-0.135***
	(0.015)	(0.011)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 146.83, df = 5, p-value < 2.2e-16

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Within)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.005	-0.015**
	(0.019)	(0.005)
Años contratot	-0.001	-0.020**
	(0.010)	(0.007)
Eqipot	0.002*	0.002*
	(0.001)	(0.001)
XDominiot	0.002	-0.064***
	(0.016)	(0.020)
XDominiot-1	0.017	-0.122***
	(0.020)	(0.013)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 17.189, df = 5, p-value = 0.004155

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Within)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt -0.003 0.107*
(0.021) (0.051)
Años contratot 0.001 0.123
(0.008) (0.070)
Eqipot 0.002* 0.005
(0.001) (0.004)
XERA2t -0.0001 0.0002
(0.0001) (0.0001)
XERA2t-1 0.0001 0.0002
(0.0001) (0.0001)
=====
Note: *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 2.8544, df = 5, p-value = 0.7224
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (Within)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt -0.0002 0.123*
(0.019) (0.057)
Años contratot 0.002 0.150*
(0.011) (0.076)
Eqipot 0.002* 0.005
(0.001) (0.004)
XERAt -0.001 0.002*
(0.001) (0.001)
XERAt-1 0.002* 0.003
(0.001) (0.002)
=====
Note: *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```


Hausman Test

data: formula
chisq = 66.645, df = 5, p-value = 5.106e-13
alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Within)

Dependent variable:		
	Primeros dos años	Años restantes
	(1)	(2)
Edadt	-0.003 (0.020)	0.111* (0.052)
Años contratot	-0.001 (0.009)	0.143* (0.075)
Eqipot	0.002* (0.001)	0.003 (0.004)
XIP2t	0.001 (0.001)	0.001 (0.004)
XIP2t-1	0.0004 (0.001)	-0.002 (0.004)
Note: *p<0.1; **p<0.05; ***p<0.01		
[1] ""		
[1] "Test para cambio estructural entre periodos:"		

Hausman Test

data: formula
chisq = 11.931, df = 5, p-value = 0.03574
alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Within)

Dependent variable:		
	Primeros dos años	Años restantes
	(1)	(2)
Edadt	-0.004 (0.020)	0.105** (0.047)
Años contratot	-0.001 (0.009)	0.132* (0.065)
Eqipot	0.002* (0.001)	0.002 (0.003)
XIPt	0.301*** (0.005)	0.067*** (0.003)

XIPt-1	0.014	0.236***
	(0.018)	(0.056)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 15.505, df = 5, p-value = 0.00841

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Within)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)
-----	-----	-----
Edadt	-0.004	0.104**
	(0.020)	(0.047)
Años contratot	-0.001	0.131*
	(0.009)	(0.066)
Eqipot	0.002*	0.002
	(0.001)	(0.003)
XL2t	0.191***	0.042***
	(0.021)	(0.005)
XL2t-1	0.017	0.066
	(0.039)	(0.045)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 17.197, df = 5, p-value = 0.00414

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Within)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)
-----	-----	-----

Edadt	-0.001	0.108*
	(0.019)	(0.053)
Años contratot	0.006	0.127
	(0.012)	(0.074)
Eqipot	0.002*	0.004
	(0.001)	(0.003)
XDLt	-0.0001	0.0002*
	(0.0001)	(0.0001)
XLt-1	-0.00004	0.0002
	(0.0001)	(0.0001)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 17.555, df = 5, p-value = 0.00356

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Within)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.003	0.121*
	(0.019)	(0.056)
Años contratot	-0.009	0.138*
	(0.012)	(0.073)
Eqipot	0.002*	0.005
	(0.001)	(0.004)
XS2t	0.002	0.002**
	(0.001)	(0.001)
XS2t-1	0.002	0.003**
	(0.001)	(0.001)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 5.6217, df = 5, p-value = 0.3448

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Within)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)

Edadt	-0.003	0.101*
	(0.019)	(0.051)
Años contratot	0.001	0.148
	(0.010)	(0.085)
Eqipot	0.002*	0.001
	(0.001)	(0.002)
XSt	-0.003	0.046***
	(0.003)	(0.010)
XSt-1	-0.001	-0.009**
	(0.002)	(0.004)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 13.086, df = 5, p-value = 0.02259

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Within)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)

Edadt	0.007	0.120***
	(0.018)	(0.035)
Años contratot	0.008	0.153***
	(0.010)	(0.048)
Eqipot	0.002*	0.004
	(0.001)	(0.003)
XS02t	0.013	-0.005
	(0.015)	(0.048)
XS02t-1	-0.030*	-0.014
	(0.016)	(0.022)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
chisq = 9.2912, df = 5, p-value = 0.098
alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Within)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)
-----	-----	-----
Edadt	0.003	0.111**
	(0.018)	(0.037)
Años contratot	0.003	0.140**
	(0.008)	(0.052)
Equipot	0.002	0.003
	(0.001)	(0.003)
XSt	0.005	-0.005
	(0.021)	(0.040)
XSt-1	-0.047*	-0.005
	(0.025)	(0.016)

=====

Note: *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
chisq = 14.55, df = 5, p-value = 0.01247
alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Within)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)
-----	-----	-----
Edadt	0.0003	0.099*
	(0.018)	(0.051)
Años contratot	-0.001	0.126*
	(0.009)	(0.070)
Equipot	0.002*	0.002
	(0.001)	(0.006)
XWAR2t	0.001	0.0005

```

                (0.0004)      (0.001)
XWAR2t-1        0.001      -0.0002
                (0.0003)      (0.001)
=====
=====
Note:           *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 17.659, df = 5, p-value = 0.003405
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (Within)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
      (1)          (2)
-----
Edadt      0.003      0.094*
            (0.019)    (0.049)
Años contratot 0.001      0.104
            (0.012)    (0.066)
Eqipot     0.001      0.007
            (0.001)    (0.004)
XWARt      0.005      0.002
            (0.003)    (0.004)
XWARt-1    0.006*     0.009***
            (0.003)    (0.002)
=====
=====
Note:           *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 22.669, df = 5, p-value = 0.0003904
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (Within)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
      (1)          (2)

```

```
-----
Edadt                -0.003          0.123*
                    (0.020)         (0.058)
Años contratot       0.003          0.141*
                    (0.012)         (0.075)
Eqipot              0.002*          0.005
                    (0.001)         (0.004)
XWHIP2t             -0.004          0.009***
                    (0.006)         (0.002)
XWHIP2t-1            0.001          0.008
                    (0.005)         (0.007)
=====
=====
Note:                *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 8.3385, df = 5, p-value = 0.1385
alternative hypothesis: one model is inconsistent
```

Efectos aleatorios

Bateadores

```
# To store results:
hitter_model_random_fa <- list()

# loop over the variables in var_hitter_list
for (i in 1:length(stat_hitter_t_1)){
  # run linear regression with grouped errors by country and robust errors
  base_vars_h <- paste(vars_ms, stat_hitter_t[[i]],
                        sep = '+')
  formula <- paste(base_vars_h,
                   stat_hitter_t_1[[i]],
                   sep = " + ")

  hitter_model_random_fa[[i]] <- plm(formula, data = hitter_first_two,
                                     model = "random",
                                     index = c("id", "Anio_ref"))

  my_lm_cluster_i <- coeftest(hitter_model_random_fa[[i]],
                             vcov = vcovHC(hitter_model_random_fa[[i]],
                                             type = "HC1",
                                             cluster = "group"))

  print(my_lm_cluster_i)

  print("Remaining years:")
  h_m_random_f <- plm(formula, data = hitter_remaining,
                      model = "random",
```

```

        index = c("id", "Anio_ref"))

my_lm_cluster_f <- coeftest(h_m_random_f,
                           vcov = vcovHC(h_m_random_f,
                                           type = "HC1",
                                           cluster = "group"))

# To store models
h_m_random <- list(my_lm_cluster_i, my_lm_cluster_f)

# Print the third block of results
stargazer(h_m_random,
          no.space = TRUE,
          type = "text",
          title = "Bateadores regulares: Efecto de la edad (Random Effects)",
          column.labels = c("Primeros dos años", "Años restantes"),
          covariate.labels = hitter_stats_long[[i]])

# Hausman test:
print("")
print("Test para cambio estructural entre periodos:")
print(phtest(hitter_model_random_fa[[i]], h_m_random_f))
}

```

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.23298165	0.15218253	1.5309	0.1270
Edad_t	-0.00813961	0.00514685	-1.5815	0.1150
Anios_de_contrato_t	-0.01206878	0.01080499	-1.1170	0.2650
team_num_t	0.00067624	0.00091388	0.7400	0.4600
X_At_bats_t	-0.00042638	0.00080174	-0.5318	0.5953
X_At_bats_t_1	-0.00020215	0.00085886	-0.2354	0.8141

[1] "Remaining years:"

Bateadores regulares: Efecto de la edad (Random Effects)

```

=====
Dependent variable:
-----

Primeros dos años  Años restantes
      (1)           (2)
-----
Edadt      -0.008      -0.008***
           (0.005)      (0.003)
Años contratot -0.012      -0.015
           (0.011)      (0.025)
Equipot      0.001      0.003*
           (0.001)      (0.002)
XABt      -0.0004      0.003*
           (0.001)      (0.002)
XABt-1      -0.0002      0.0003

```



```

                (0.001)      (0.002)
Agentet         0.233        0.251**
                (0.152)      (0.116)
=====
=====
Note:           *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 11.713, df = 5, p-value = 0.03893
alternative hypothesis: one model is inconsistent

```

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	2.0874e-01	1.4596e-01	1.4300	0.1539
Edad_t	-7.4153e-03	4.9172e-03	-1.5080	0.1328
Anios_de_contrato_t	-1.1520e-02	1.0859e-02	-1.0609	0.2897
team_num_t	5.9238e-04	9.1027e-04	0.6508	0.5158
X_Bateos_2_t	-1.9080e-04	1.2966e-04	-1.4715	0.1424
X_Bateos_2_t_1	9.0507e-05	8.2322e-05	1.0994	0.2726

[1] "Remaining years:"

Bateadores regulares: Efecto de la edad (Random Effects)

```

=====
Dependent variable:
-----

Primeros dos años  Años restantes
                (1)                (2)
-----
Edadt            -0.007            -0.009***
                (0.005)            (0.003)
Años contratot   -0.012            -0.015
                (0.011)            (0.024)
Equipot          0.001             0.003*
                (0.001)            (0.002)
XAB2t            -0.0002           0.001**
                (0.0001)           (0.0004)
XAB2t-1          0.0001            -0.0004
                (0.0001)            (0.0003)
Agentet          0.209             0.278**
                (0.146)            (0.107)
=====
=====

```

```

Note:           *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```
data: formula
chisq = 10.299, df = 5, p-value = 0.06719
alternative hypothesis: one model is inconsistent
```

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.22586645	0.14642803	1.5425	0.12417
Edad_t	-0.00797190	0.00499472	-1.5961	0.11169
Anios_de_contrato_t	-0.01171523	0.01088329	-1.0764	0.28273
team_num_t	0.00076325	0.00087588	0.8714	0.38433
X_Bateos_t	-0.00217031	0.00125416	-1.7305	0.08473
X_Bateos_t_1	0.00011938	0.00123219	0.0969	0.92290

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

Bateadores regulares: Efecto de la edad (Random Effects)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.008 (0.005)	-0.008*** (0.003)
Años contratot	-0.012 (0.011)	-0.016 (0.026)
Equipot	0.001 (0.001)	0.003** (0.002)
XHt	-0.002* (0.001)	0.006 (0.004)
XHt-1	0.0001 (0.001)	0.001 (0.004)
Agentet	0.226 (0.146)	0.251** (0.112)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

```
data: formula
chisq = 10.047, df = 5, p-value = 0.07392
alternative hypothesis: one model is inconsistent
```

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.19959126	0.15026720	1.3282	0.18526
Edad_t	-0.00743447	0.00506452	-1.4680	0.14333
Anios_de_contrato_t	-0.01282847	0.01055348	-1.2156	0.22525
team_num_t	0.00083052	0.00091388	0.9088	0.36431
X_Bateos_promedio_t	-0.01259034	0.02230496	-0.5645	0.57293
X_Bateos_promedio_t_1	0.04419900	0.02574526	1.7168	0.08721

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

Bateadores regulares: Efecto de la edad (Random Effects)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.007 (0.005)	-0.008*** (0.003)
Años contratot	-0.013 (0.011)	-0.009 (0.026)
Equipot	0.001 (0.001)	0.004* (0.002)
XH2t	-0.013 (0.022)	-0.045 (0.056)
XH2t-1	0.044* (0.026)	0.051 (0.040)
Agentet	0.200 (0.150)	0.236** (0.103)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 3.1669, df = 5, p-value = 0.6743

alternative hypothesis: one model is inconsistent

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.19395369	0.15121231	1.2827	0.2008
Edad_t	-0.00698411	0.00509814	-1.3699	0.1719
Anios_de_contrato_t	-0.01216901	0.01040435	-1.1696	0.2432
team_num_t	0.00057337	0.00088821	0.6455	0.5191

```

X_Bateos_promedio_2_t   -0.04677970  0.03727052 -1.2551   0.2106
X_Bateos_promedio_2_t_1  0.03977767  0.02564118  1.5513   0.1220

```

[1] "Remaining years:"

Bateadores regulares: Efecto de la edad (Random Effects)

```

=====
                        Dependent variable:
                        -----

                        Primeros dos años  Años restantes
                        (1)                (2)
                        -----
Edadt                   -0.007            -0.007***
                        (0.005)            (0.003)
Años contratot         -0.012            -0.007
                        (0.010)            (0.028)
Eqipot                  0.001            0.004*
                        (0.001)            (0.002)
XBAAt                  -0.047            -0.083
                        (0.037)            (0.088)
XBAAt-1                 0.040            -0.006
                        (0.026)            (0.034)
Agentet                 0.194            0.195*
                        (0.151)            (0.111)
=====
=====

```

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 0.09251, df = 5, p-value = 0.9999

alternative hypothesis: one model is inconsistent

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.21650421	0.14983908	1.4449	0.1497
Edad_t	-0.00756270	0.00510894	-1.4803	0.1400
Anios_de_contrato_t	-0.01335935	0.01079912	-1.2371	0.2172
team_num_t	0.00060141	0.00088033	0.6832	0.4951
X_Home_runs_t	0.00107807	0.00487178	0.2213	0.8250
X_Home_runs_t_1	0.00068088	0.00314656	0.2164	0.8289

[1] "Remaining years:"

Bateadores regulares: Efecto de la edad (Random Effects)

```

=====
                        Dependent variable:
                        -----

```

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.008 (0.005)	-0.007*** (0.003)
Años contratot	-0.013 (0.011)	-0.025 (0.025)
Eqipot	0.001 (0.001)	0.003* (0.002)
XBA2t	0.001 (0.005)	0.021** (0.010)
XBA2t-1	0.001 (0.003)	0.016** (0.007)
Agentet	0.217 (0.150)	0.248** (0.113)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
chisq = 12.381, df = 5, p-value = 0.02993
alternative hypothesis: one model is inconsistent

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.20709968	0.14436921	1.4345	0.1526
Edad_t	-0.00732079	0.00497698	-1.4709	0.1425
Anios_de_contrato_t	-0.01279084	0.01192645	-1.0725	0.2845
team_num_t	0.00065570	0.00089956	0.7289	0.4667
X_Home_runs_2_t	-0.00044148	0.00091705	-0.4814	0.6306
X_Home_runs_2_t_1	0.00044396	0.00067863	0.6542	0.5136

[1] "Remaining years:"

Bateadores regulares: Efecto de la edad (Random Effects)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.007 (0.005)	-0.007** (0.003)
Años contratot	-0.013 (0.012)	-0.017 (0.028)
Eqipot	0.001	0.004**

```

(0.001)      (0.002)
XDt           -0.0004      -0.002
(0.001)      (0.005)
XDt-1         0.0004      -0.002
(0.001)      (0.002)
Agentet       0.207        0.197*
(0.144)      (0.118)
=====
=====
Note:          *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 2.9793, df = 5, p-value = 0.7032
alternative hypothesis: one model is inconsistent

```

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.23446318	0.15269634	1.5355	0.1259
Edad_t	-0.00819320	0.00517467	-1.5833	0.1146
Anios_de_contrato_t	-0.01213999	0.01080593	-1.1235	0.2623
team_num_t	0.00066360	0.00091514	0.7251	0.4690
X_Juegos_iniciados_t	-0.00103273	0.00148343	-0.6962	0.4869
X_Juegos_iniciados_t_1	-0.00029708	0.00161726	-0.1837	0.8544

[1] "Remaining years:"

Bateadores regulares: Efecto de la edad (Random Effects)

```

=====
Dependent variable:
-----
Primeros dos años  Años restantes
(1)                (2)
-----
Edadt              -0.008      -0.008***
(0.005)            (0.003)
Años contratot     -0.012      -0.016
(0.011)            (0.027)
Equipot            0.001       0.004*
(0.001)            (0.002)
XD2t               -0.001      0.005
(0.001)            (0.004)
XD2t-1             -0.0003     0.001
(0.002)            (0.004)
Agentet            0.234       0.243**
(0.153)            (0.119)
=====
=====

```

Note: *p<0.1; **p<0.05; ***p<0.01
 [1] ""
 [1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
 chisq = 7.749, df = 5, p-value = 0.1706
 alternative hypothesis: one model is inconsistent

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.20674545	0.15160192	1.3637	0.1738
Edad_t	-0.00749602	0.00504404	-1.4861	0.1385
Anios_de_contrato_t	-0.01388757	0.01082147	-1.2833	0.2005
team_num_t	0.00074447	0.00089566	0.8312	0.4066
X_Porcentaje_On_base_plus_slugging_t	-0.01537803	0.01295373	-1.1872	0.2363
X_Porcentaje_On_base_plus_slugging_t_1	0.02366300	0.02173902	1.0885	0.2774

[1] "Remaining years:"

Bateadores regulares: Efecto de la edad (Random Effects)

```
=====
Dependent variable:
-----

Primeros dos años  Años restantes
(1)                (2)
-----
Edadt              -0.007          -0.008***
                   (0.005)         (0.003)
Años contratot     -0.014          -0.010
                   (0.011)         (0.026)
Equipot            0.001           0.004**
                   (0.001)         (0.002)
XHRt               -0.015          -0.001
                   (0.013)         (0.041)
XHRt-1             0.024           -0.028
                   (0.022)         (0.023)
Agentet            0.207           0.227**
                   (0.152)         (0.108)
=====
=====
```

Note: *p<0.1; **p<0.05; ***p<0.01
 [1] ""
 [1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
 chisq = 6.6296, df = 5, p-value = 0.2497
 alternative hypothesis: one model is inconsistent

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.20236622	0.15054290	1.3442	0.1800
Edad_t	-0.00743461	0.00503614	-1.4763	0.1411
Anios_de_contrato_t	-0.01447512	0.01078147	-1.3426	0.1806
team_num_t	0.00076208	0.00087652	0.8694	0.3854
X_Porcentaje_on_base_t	-0.01205993	0.03264452	-0.3694	0.7121
X_Porcentaje_on_base_t_1	0.04307916	0.03031819	1.4209	0.1565

[1] "Remaining years:"

Bateadores regulares: Efecto de la edad (Random Effects)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.007 (0.005)	-0.008*** (0.003)
Años contratot	-0.014 (0.011)	-0.007 (0.027)
Equipot	0.001 (0.001)	0.003* (0.002)
XHR2t	-0.012 (0.033)	-0.058 (0.060)
XHR2t-1	0.043 (0.030)	0.036 (0.040)
Agentet	0.202 (0.151)	0.236** (0.108)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 5.8881, df = 5, p-value = 0.3173

alternative hypothesis: one model is inconsistent

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.20697302	0.14829998	1.3956	0.1640
Edad_t	-0.00739562	0.00502007	-1.4732	0.1419
Anios_de_contrato_t	-0.01316244	0.01074052	-1.2255	0.2215
team_num_t	0.00066985	0.00091060	0.7356	0.4626


```

X_Porcentaje_on_base_2_t   -0.00713576  0.03926458 -0.1817  0.8559
X_Porcentaje_on_base_2_t_1  0.03476448  0.02761710  1.2588  0.2092

```

```
[1] "Remaining years:"
```

Bateadores regulares: Efecto de la edad (Random Effects)

```

=====
                        Dependent variable:
                        -----

```

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.007 (0.005)	-0.007*** (0.003)
Años contratot	-0.013 (0.011)	-0.009 (0.027)
Eqipot	0.001 (0.001)	0.004** (0.002)
XGSt	-0.007 (0.039)	-0.076 (0.075)
XGSt-1	0.035 (0.028)	0.00001 (0.042)
Agentet	0.207 (0.148)	0.198* (0.112)

```

=====
=====
Note:                *p<0.1; **p<0.05; ***p<0.01

```

```
[1] ""
```

```
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```

data: formula
chisq = 2.8848, df = 5, p-value = 0.7177
alternative hypothesis: one model is inconsistent

```

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.21483978	0.14710882	1.4604	0.1454
Edad_t	-0.00765543	0.00502615	-1.5231	0.1289
Anios_de_contrato_t	-0.01091281	0.01089617	-1.0015	0.3175
team_num_t	0.00079001	0.00091411	0.8642	0.3883
X_Runs_batted_in_t	-0.00307049	0.00180209	-1.7038	0.0896
X_Runs_batted_in_t_1	0.00142636	0.00171407	0.8321	0.4061

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
[1] "Remaining years:"
```

Bateadores regulares: Efecto de la edad (Random Effects)

```
=====
```

```

Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt -0.008 -0.008***
(0.005) (0.003)
Años contratot -0.011 -0.024
(0.011) (0.028)
Eqipot 0.001 0.003
(0.001) (0.002)
XGS2t -0.003* 0.008
(0.002) (0.005)
XGS2t-1 0.001 0.004
(0.002) (0.005)
Agentet 0.215 0.267**
(0.147) (0.112)
=====
=====
Note: *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
chisq = 10.464, df = 5, p-value = 0.0631
alternative hypothesis: one model is inconsistent

t test of coefficients:

Estimate Std. Error t value Pr(>|t|)
(Intercept) 0.21000686 0.14657253 1.4328 0.1531
Edad_t -0.00734867 0.00495372 -1.4835 0.1392
Anios_de_contrato_t -0.01242060 0.01043153 -1.1907 0.2349
team_num_t 0.00043664 0.00092884 0.4701 0.6387
X_Triples_t -0.00750583 0.01087465 -0.6902 0.4907
X_Triples_t_1 0.01553773 0.00895467 1.7352 0.0839 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

```

Bateadores regulares: Efecto de la edad (Random Effects)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt -0.007 -0.008***

```

	(0.005)	(0.003)
Años contratot	-0.012	-0.015
	(0.010)	(0.027)
Eqipot	0.0004	0.004*
	(0.001)	(0.002)
XOPSt	-0.008	-0.005
	(0.011)	(0.040)
XOPSt-1	0.016*	0.011
	(0.009)	(0.035)
Agentet	0.210	0.251**
	(0.147)	(0.123)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 2.126, df = 5, p-value = 0.8315

alternative hypothesis: one model is inconsistent

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.21065261	0.14921438	1.4117	0.1592
Edad_t	-0.00743279	0.00503890	-1.4751	0.1414
Anios_de_contrato_t	-0.01255542	0.01060511	-1.1839	0.2375
team_num_t	0.00062495	0.00088858	0.7033	0.4825
X_Triples_2_t	-0.00033286	0.00424605	-0.0784	0.9376
X_Triples_2_t_1	0.00111222	0.00133640	0.8323	0.4060

[1] "Remaining years:"

Bateadores regulares: Efecto de la edad (Random Effects)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.007 (0.005)	-0.008*** (0.002)
Años contratot	-0.013 (0.011)	-0.005 (0.020)
Eqipot	0.001 (0.001)	0.004*** (0.001)
XOPS2t	-0.0003 (0.004)	0.039 (0.031)
XOPS2t-1	0.001 (0.001)	0.020* (0.010)

```

Agentet                0.211          0.247***
                      (0.149)        (0.083)
=====
=====
Note:                  *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
chisq = 13.049, df = 5, p-value = 0.02292
alternative hypothesis: one model is inconsistent

t test of coefficients:

                Estimate Std. Error t value Pr(>|t|)
(Intercept)    0.27988134  0.13937756  2.0081 0.045669 *
Edad_t         -0.00908894  0.00470776 -1.9306 0.054616 .
Anios_de_contrato_t -0.01696385  0.01068681 -1.5874 0.113646
team_num_t      0.00079385  0.00086411  0.9187 0.359107
X_WAR_t         0.02089586  0.00787592  2.6531 0.008466 **
X_WAR_t_1       0.01875031  0.00922125  2.0334 0.043030 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

Bateadores regulares: Efecto de la edad (Random Effects)
=====
                Dependent variable:
-----

                Primeros dos años Años restantes
                (1)                (2)
-----
Edadt           -0.009*           -0.012***
                (0.005)           (0.002)
Años contratot  -0.017            -0.031
                (0.011)           (0.024)
Equipot         0.001             0.004**
                (0.001)           (0.002)
XOBPt           0.021***          0.060***
                (0.008)           (0.016)
XOBPt-1         0.019**           0.015
                (0.009)           (0.020)
Agentet         0.280**           0.394***
                (0.139)           (0.100)
=====
=====
Note:                  *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

data: formula
chisq = 7.1932, df = 5, p-value = 0.2067
alternative hypothesis: one model is inconsistent

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.25661151	0.13458928	1.9066	0.05767 .
Edad_t	-0.00856865	0.00455832	-1.8798	0.06126 .
Anios_de_contrato_t	-0.01262751	0.01118863	-1.1286	0.26011
team_num_t	0.00053418	0.00090818	0.5882	0.55692
X_WAR_2_t	0.00561430	0.00510592	1.0996	0.27254
X_WAR_2_t_1	0.00832851	0.00579709	1.4367	0.15201

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

Bateadores regulares: Efecto de la edad (Random Effects)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.009* (0.005)	-0.006** (0.002)
Años contratot	-0.013 (0.011)	-0.031 (0.022)
Eqipot	0.001 (0.001)	0.004** (0.002)
XOBP2t	0.006 (0.005)	0.060*** (0.021)
XOBP2t-1	0.008 (0.006)	0.008* (0.004)
Agentet	0.257* (0.135)	0.219** (0.096)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
chisq = 11.987, df = 5, p-value = 0.03497
alternative hypothesis: one model is inconsistent

Starting pitcher

```
# To store results:
fielder_model_random_fa <- list()

# loop over the variables in var_hitter_list
for (i in 1:length(stat_fielder_t_1)){
  # run linear regression with grouped errors by country and robust errors
  base_vars_s <- paste(vars_ms, stat_fielder_t[[i]],
                        sep = '+')
  formula <- paste(base_vars_s,
                   stat_fielder_t_1[[i]],
                   sep = " + ")

  fielder_model_random_fa[[i]] <- plm(formula, data = starting_first_two,
                                     model = "random",
                                     index = c("id", "Anio_ref"))

  my_lm_cluster_i <- coeftest(fielder_model_random_fa[[i]],
                             vcov = vcovHC(fielder_model_random_fa[[i]],
                                             type = "HC1",
                                             cluster = "group"))

  s_m_random_f <- plm(formula, data = starting_remaining,
                      model = "random",
                      index = c("id", "Anio_ref"))

  my_lm_cluster_f <- coeftest(s_m_random_f,
                             vcov = vcovHC(s_m_random_f,
                                             type = "HC1",
                                             cluster = "group"))

  # To store models
  s_m_random_ef <- list(my_lm_cluster_i, my_lm_cluster_f)

  # Print the third block of results
  stargazer(s_m_random_ef,
            no.space = TRUE,
            type = "text",
            title = "Lanzadores iniciales: Efecto de la edad (Random Effects)",
            column.labels = c("Primeros dos años", "Años restantes"),
            covariate.labels = fielder_stats_long[[i]])

  # Hausman test:
  print("")
  print("Test para cambio estructural entre periodos:")
  print(phtest(fielder_model_random_fa[[i]], s_m_random_f))
}
```

Lanzadores iniciales: Efecto de la edad (Random Effects)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.009 (0.009)	-0.005 (0.011)
Años contratot	-0.002 (0.012)	-0.023 (0.014)
Eqipot	0.002* (0.001)	0.001 (0.004)
XH2t	-0.0002 (0.0001)	0.0002 (0.0001)
XH2t-1	-0.0001 (0.0001)	-0.0002 (0.0002)
Agentet	0.291 (0.291)	0.127 (0.340)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
chisq = 10.023, df = 5, p-value = 0.07458
alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Random Effects)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.011 (0.008)	-0.005 (0.012)
Años contratot	-0.017 (0.012)	-0.018 (0.013)
Eqipot	0.003** (0.001)	0.003 (0.003)
XHt	0.003 (0.003)	0.002** (0.001)
XHt-1	-0.0005 (0.001)	0.003 (0.003)
Agentet	0.354 (0.275)	0.064 (0.398)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
chisq = 8.1801, df = 5, p-value = 0.1466
alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Random Effects)

Dependent variable:		
	Primeros dos años	Años restantes
	(1)	(2)
Edadt	-0.010 (0.009)	-0.005 (0.011)
Años contratot	-0.010 (0.010)	-0.014 (0.014)
Equipot	0.003** (0.001)	0.001 (0.004)
XR2t	-0.0001 (0.0003)	0.001** (0.0003)
XR2t-1	-0.00005 (0.0001)	-0.0003 (0.0004)
Agentet	0.308 (0.296)	0.098 (0.312)

Note: *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
chisq = 6.7425, df = 5, p-value = 0.2405
alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Random Effects)

Dependent variable:		
	Primeros dos años	Años restantes
	(1)	(2)
Edadt	-0.009 (0.009)	-0.004 (0.012)
Años contratot	-0.007 (0.011)	-0.013 (0.013)
Equipot	0.002* (0.001)	0.002 (0.004)

	(0.001)	(0.003)
XER2t	-0.003	0.004***
	(0.002)	(0.001)
XER2t-1	0.001	0.003
	(0.002)	(0.003)
Agentet	0.295	0.059
	(0.288)	(0.373)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 22.724, df = 5, p-value = 0.0003812

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Random Effects)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.008	-0.004
	(0.008)	(0.012)
Años contratot	-0.010	-0.021*
	(0.012)	(0.012)
Equipot	0.002*	0.0001
	(0.001)	(0.003)
XERt	0.0004	-0.004
	(0.011)	(0.010)
XERt-1	-0.023**	0.004
	(0.010)	(0.007)
Agentet	0.256	0.101
	(0.274)	(0.372)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 8.6474, df = 5, p-value = 0.124

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Random Effects)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt -0.010 -0.005
(0.009) (0.012)
Años contratot -0.010 -0.013
(0.012) (0.014)
Equipot 0.003* 0.002
(0.001) (0.002)
XRt -0.001 0.003**
(0.002) (0.001)
XRt-1 0.001 0.003
(0.002) (0.003)
Agentet 0.310 0.091
(0.289) (0.374)
=====
Note: *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 22.589, df = 5, p-value = 0.0004045
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (Random Effects)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt -0.010 -0.005
(0.009) (0.009)
Años contratot -0.011 -0.056
(0.010) (0.037)
Equipot 0.003** 0.002
(0.001) (0.003)
XComando2t 0.001 -0.044*
(0.005) (0.024)
XComando2t-1 -0.00000 0.024
(0.00000) (0.019)
Agentet 0.310 0.139
(0.298) (0.301)
=====
=====

```

Note: *p<0.1; **p<0.05; ***p<0.01
 [1] ""
 [1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
 chisq = 7.0527, df = 5, p-value = 0.2168
 alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Random Effects)

Dependent variable:		
	Primeros dos años	Años restantes
	(1)	(2)
Edadt	-0.009 (0.010)	-0.001 (0.010)
Años contratot	-0.013 (0.010)	-0.015 (0.014)
Eqipot	0.002* (0.001)	-0.001 (0.004)
XComandot	0.010 (0.016)	-0.018 (0.030)
XComandot-1	-0.0001 (0.0003)	-0.020 (0.039)
Agentet	0.306 (0.296)	-0.009 (0.330)

Note: *p<0.1; **p<0.05; ***p<0.01
 [1] ""
 [1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
 chisq = 2.4307, df = 5, p-value = 0.7869
 alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Random Effects)

Dependent variable:		
	Primeros dos años	Años restantes
	(1)	(2)
Edadt	-0.011 (0.009)	-0.007 (0.009)

Años contratot	-0.008 (0.011)	-0.024* (0.013)
Equipot	0.003** (0.001)	-0.0005 (0.003)
XControl2t	-0.114** (0.054)	0.385*** (0.089)
XControl2t-1	-0.086*** (0.019)	-0.374*** (0.084)
Agentet	0.300 (0.282)	0.202 (0.280)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 34.08, df = 5, p-value = 2.295e-06

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Random Effects)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.009 (0.008)	-0.005 (0.009)
Años contratot	-0.014 (0.012)	-0.005 (0.018)
Equipot	0.002* (0.001)	0.007** (0.003)
XControl2t	0.028 (0.040)	0.100 (0.066)
XControl2t-1	-0.077* (0.039)	-0.232*** (0.081)
Agentet	0.274 (0.270)	0.014 (0.299)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 3.9098, df = 5, p-value = 0.5625

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Random Effects)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.009 (0.008)	-0.011 (0.010)
Años contratot	-0.011 (0.012)	-0.027 (0.020)
Eqipot	0.003** (0.001)	0.001 (0.003)
XDominio2t	0.006 (0.034)	-0.022 (0.039)
XDominio2t-1	0.056*** (0.019)	-0.075 (0.053)
Agentet	0.285 (0.269)	0.314 (0.356)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 624.66, df = 5, p-value < 2.2e-16

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Random Effects)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.008 (0.008)	-0.020 (0.014)
Años contratot	-0.013 (0.011)	-0.028 (0.018)
Eqipot	0.002* (0.001)	0.004 (0.004)
XDominiot	0.011 (0.022)	-0.089 (0.098)
XDominiot-1	0.062*** (0.022)	-0.059 (0.080)
Agentet	0.289	0.550

```

(0.270)      (0.456)
=====
=====
Note:          *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 43.099, df = 5, p-value = 3.528e-08
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (Random Effects)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
(1)      (2)
-----
Edadt      -0.009      -0.005
            (0.009)      (0.012)
Años contratot -0.003      -0.026
            (0.011)      (0.024)
Equipot      0.003**      0.002
            (0.001)      (0.004)
XERA2t      -0.0002      0.0003**
            (0.0001)      (0.0001)
XERA2t-1      0.00003      0.0001
            (0.0001)      (0.0002)
Agentet      0.264      0.088
            (0.297)      (0.361)
=====
=====

```

```

Note:          *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 17.181, df = 5, p-value = 0.004169
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (Random Effects)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
(1)      (2)

```

```

-----
Edadt                -0.009        -0.004
                    (0.009)        (0.011)
Años contratot      -0.008        -0.024
                    (0.012)        (0.015)
Eqipot              0.003**         0.0002
                    (0.001)        (0.004)
XERAt               -0.001         0.002
                    (0.001)        (0.002)
XERAt-1             0.001        -0.0003
                    (0.001)        (0.003)
Agentet             0.280         0.099
                    (0.299)        (0.345)
=====
Note:                *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 4.6392, df = 5, p-value = 0.4615
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (Random Effects)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
          (1)          (2)
-----
Edadt      -0.010      -0.005
          (0.009)      (0.011)
Años contratot -0.010      -0.021
          (0.009)      (0.013)
Eqipot      0.003*       0.002
          (0.001)      (0.003)
XIP2t      -0.002       0.006*
          (0.002)      (0.003)
XIP2t-1     0.0003      -0.002
          (0.001)      (0.004)
Agentet     0.309       0.114
          (0.289)      (0.360)
=====
Note:                *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```
data: formula
chisq = 4.9287, df = 5, p-value = 0.4246
alternative hypothesis: one model is inconsistent
```

Lanzadores iniciales: Efecto de la edad (Random Effects)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.011 (0.009)	-0.006 (0.012)
Años contratot	-0.010 (0.010)	-0.024 (0.014)
Equipot	0.003** (0.001)	-0.0002 (0.003)
XIPt	0.261*** (0.062)	0.056*** (0.019)
XIPt-1	0.027*** (0.010)	0.212** (0.081)
Agentet	0.353 (0.297)	0.177 (0.377)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

```
data: formula
chisq = 2.1524, df = 5, p-value = 0.8277
alternative hypothesis: one model is inconsistent
```

Lanzadores iniciales: Efecto de la edad (Random Effects)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.011 (0.009)	-0.006 (0.012)
Años contratot	-0.011 (0.010)	-0.024 (0.015)
Equipot	0.003** (0.001)	-0.0002 (0.003)
XL2t	0.142*** (0.043)	0.036** (0.013)

XL2t-1	0.057**	0.064
	(0.022)	(0.043)
Agentet	0.358	0.177
	(0.297)	(0.379)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 2.3385, df = 5, p-value = 0.8006

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Random Effects)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)

Edadt	-0.010	-0.002
	(0.008)	(0.012)
Años contratot	-0.009	-0.026
	(0.011)	(0.020)
Eqipot	0.003**	0.002
	(0.001)	(0.004)
XDLt	-0.0001*	0.0003***
	(0.0001)	(0.0001)
XLt-1	0.0002	0.0001
	(0.0002)	(0.0002)
Agentet	0.308	0.026
	(0.278)	(0.379)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 13.204, df = 5, p-value = 0.02154

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Random Effects)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.010 (0.009)	-0.002 (0.012)
Años contratot	-0.017 (0.011)	-0.027 (0.020)
Eqipot	0.003** (0.001)	0.001 (0.004)
XS2t	0.001 (0.001)	0.001 (0.002)
XS2t-1	0.002 (0.001)	0.001 (0.002)
Agentet	0.324 (0.294)	0.044 (0.351)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
chisq = 3.188, df = 5, p-value = 0.671
alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Random Effects)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.010 (0.009)	-0.008 (0.010)
Años contratot	-0.012 (0.011)	-0.007 (0.034)
Eqipot	0.002* (0.001)	0.001 (0.004)
XSt	-0.001 (0.003)	0.029* (0.017)
XSt-1	0.004 (0.004)	-0.007 (0.006)
Agentet	0.330 (0.290)	0.202 (0.282)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
 chisq = 2.1496, df = 5, p-value = 0.8281
 alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Random Effects)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.006 (0.008)	-0.007 (0.009)
Años contratot	-0.011 (0.013)	-0.026 (0.018)
Equipot	0.003* (0.001)	-0.002 (0.006)
XS02t	-0.006 (0.015)	0.038 (0.033)
XS02t-1	-0.041*** (0.013)	0.002 (0.029)
Agentet	0.169 (0.272)	0.244 (0.277)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
 chisq = 4.7346, df = 5, p-value = 0.4491
 alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Random Effects)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.008 (0.008)	-0.006 (0.010)
Años contratot	-0.014 (0.012)	-0.021 (0.015)
Equipot	0.003**	-0.001

	(0.001)	(0.005)
XS0t	-0.004	0.023
	(0.017)	(0.034)
XS0t-1	-0.047**	-0.001
	(0.018)	(0.026)
Agentet	0.250	0.192
	(0.273)	(0.305)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 5.7543, df = 5, p-value = 0.3309

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Random Effects)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.009	-0.003
	(0.009)	(0.010)
Años contratot	-0.010	-0.019
	(0.010)	(0.013)
Equipot	0.003**	0.002
	(0.001)	(0.005)
XWAR2t	0.0001	0.001*
	(0.0003)	(0.001)
XWAR2t-1	0.0002	0.0002
	(0.0003)	(0.001)
Agentet	0.290	0.027
	(0.288)	(0.299)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 6.3346, df = 5, p-value = 0.275

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (Random Effects)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt -0.010 -0.004
(0.009) (0.011)
Años contratot -0.011 -0.036
(0.012) (0.021)
Eqipot 0.003* 0.004
(0.001) (0.003)
XWArt 0.001 0.004
(0.003) (0.003)
XWArt-1 0.001 0.008
(0.003) (0.005)
Agentet 0.313 0.046
(0.307) (0.369)
=====
=====
Note: *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 6.3998, df = 5, p-value = 0.2692
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (Random Effects)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt -0.009 -0.004
(0.009) (0.011)
Años contratot -0.003 -0.028
(0.012) (0.022)
Eqipot 0.003** 0.001
(0.001) (0.004)
XWHIP2t -0.008 0.005
(0.005) (0.007)
XWHIP2t-1 -0.0001 0.003
(0.005) (0.010)
Agentet 0.257 0.096
(0.301) (0.340)
=====
=====

```

```
Note:                *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 9.2149, df = 5, p-value = 0.1008
alternative hypothesis: one model is inconsistent
```

First Differences

Bateadores

Se obtendrán las estimaciones de las variables referentes a estadísticas deportivas sin controles

```
# To Store results:
hitter_model_fd_fa <- list()

# loop over the variables in var_hitter_list
for (i in 1:length(stat_hitter_t_1)){
  # run linear regression with grouped errors by country and robust errors
  base_vars_h <- paste(vars_fe, stat_hitter_t[[i]],
                        sep = '+')
  formula <- paste(base_vars_h,
                   stat_hitter_t_1[[i]],
                   sep = " + ")

  hitter_model_fd_fa[[i]] <- plm(formula, data = hitter_first_two,
                                model = "fd",
                                index = c("id", "Anio_ref"))

  my_lm_cluster_i <- coeftest(hitter_model_fd_fa[[i]],
                             vcov = vcovHC(hitter_model_fd_fa[[i]],
                                             type = "HC1",
                                             cluster = "group"))

  h_m_first_d_f <- plm(formula, data = hitter_remaining,
                       model = "fd",
                       index = c("id", "Anio_ref"))

  my_lm_cluster_f <- coeftest(h_m_first_d_f,
                             vcov = vcovHC(h_m_first_d_f,
                                             type = "HC1",
                                             cluster = "group"))

# To store models
h_m_first_d <- list(my_lm_cluster_i, my_lm_cluster_f)

# Print the third block of results
stargazer(h_m_first_d,
          no.space = TRUE,
          type = "text",
          title = "Bateadores regulares: Efecto de la edad (First Differences)",
```

```

        column.labels = c("Primeros dos años", "Años restantes"),
        covariate.labels = hitter_stats_long[[i]])

# Hausman test:
print("")
print("Test para cambio estructural entre periodos:")
print(phtest(hitter_model_fd_fa[[i]],h_m_first_d_f))
}

```

Bateadores regulares: Efecto de la edad (First Differences)

```

=====
                Dependent variable:
                -----

                Primeros dos años Años restantes
                   (1)             (2)
-----
Edadt                0.011          -0.016***
                   (0.009)          (0.0004)
Años contratot      -0.019**        -0.062***
                   (0.008)          (0.003)
Equipot              0.001          0.006***
                   (0.001)          (0.001)
XABt                 0.001          0.003**
                   (0.001)          (0.001)
XABt-1               0.001          0.002*
                   (0.001)          (0.001)
=====
=====
Note:                *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 4.4892, df = 5, p-value = 0.4813
alternative hypothesis: one model is inconsistent

```

Bateadores regulares: Efecto de la edad (First Differences)

```

=====
                Dependent variable:
                -----

                Primeros dos años Años restantes
                   (1)             (2)
-----
Edadt                0.007          -0.015***
                   (0.008)          (0.001)
Años contratot      -0.018**        -0.082***
                   (0.009)          (0.004)
Equipot              0.001          0.005***

```

	(0.001)	(0.001)
XAB2t	-0.0001	0.001
	(0.0001)	(0.0003)
XAB2t-1	0.00002	0.0001
	(0.0001)	(0.0003)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 1.652, df = 5, p-value = 0.8949

alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (First Differences)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	0.008	-0.016***
	(0.009)	(0.0003)
Años contratot	-0.019**	-0.077***
	(0.009)	(0.011)
Eqipot	0.001	0.005***
	(0.001)	(0.001)
XHt	-0.0002	0.004
	(0.001)	(0.003)
XHt-1	0.001	0.002
	(0.001)	(0.004)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 1.2242, df = 5, p-value = 0.9425

alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (First Differences)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	0.007 (0.008)	-0.015*** (0.0004)
Años contratot	-0.021** (0.009)	-0.075*** (0.007)
Eqipot	0.002** (0.001)	0.006*** (0.001)
XH2t	0.050*** (0.019)	-0.014 (0.025)
XH2t-1	0.071*** (0.025)	-0.039*** (0.006)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
chisq = 0.28455, df = 5, p-value = 0.9979
alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (First Differences)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	0.007 (0.008)	-0.015*** (0.001)
Años contratot	-0.018** (0.008)	-0.071*** (0.012)
Eqipot	0.001 (0.001)	0.005*** (0.001)
XBAt	-0.020 (0.050)	-0.084 (0.071)
XBAt-1	0.041* (0.023)	0.013 (0.024)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
chisq = 5.4046, df = 5, p-value = 0.3685

alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (First Differences)

```
=====
Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt          0.007      -0.015***
               (0.010)    (0.001)
Años contratot -0.020**    -0.081***
               (0.009)    (0.010)
Eqipot          0.001      0.005***
               (0.001)    (0.001)
XBA2t           0.003      0.030***
               (0.004)    (0.006)
XBA2t-1         0.002      0.019**
               (0.003)    (0.008)
=====
=====
Note:          *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

data: formula
chisq = 9.1154, df = 5, p-value = 0.1045
alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (First Differences)

```
=====
Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt          0.009      -0.016***
               (0.009)    (0.0004)
Años contratot -0.018*    -0.069***
               (0.010)    (0.010)
Eqipot          0.001      0.006***
               (0.001)    (0.001)
XDt            -0.0005     0.007**
               (0.001)    (0.003)
XDt-1           0.001      0.007**
               (0.001)    (0.003)
=====
=====
```

Note: *p<0.1; **p<0.05; ***p<0.01
 [1] ""
 [1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
 chisq = 5.0022, df = 5, p-value = 0.4156
 alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (First Differences)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	0.011 (0.009)	-0.015*** (0.0004)
Años contratot	-0.019** (0.008)	-0.081*** (0.010)
Eqipot	0.001 (0.001)	0.006*** (0.001)
XD2t	0.002 (0.001)	0.008* (0.004)
XD2t-1	0.002 (0.001)	0.005* (0.003)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01
 [1] ""
 [1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
 chisq = 0.25077, df = 5, p-value = 0.9985
 alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (First Differences)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	0.007 (0.008)	-0.015*** (0.001)
Años contratot	-0.023** (0.009)	-0.078*** (0.007)

Equipot	0.002**	0.006***
	(0.001)	(0.0005)
XHRt	0.018**	0.017
	(0.009)	(0.016)
XHRt-1	0.057**	-0.057***
	(0.022)	(0.008)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 0.70247, df = 5, p-value = 0.9828

alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (First Differences)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)
Edadt	0.008	-0.015***
	(0.008)	(0.0005)
Años contratot	-0.023**	-0.079***
	(0.009)	(0.008)
Equipot	0.002**	0.006***
	(0.001)	(0.0005)
XHR2t	0.061*	0.004
	(0.035)	(0.033)
XHR2t-1	0.099***	-0.048***
	(0.031)	(0.012)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 11.857, df = 5, p-value = 0.03681

alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (First Differences)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	0.009 (0.008)	-0.015*** (0.001)
Años contratot	-0.022** (0.010)	-0.071*** (0.012)
Eqipot	0.002*** (0.001)	0.006*** (0.001)
XGS2t	0.158*** (0.053)	-0.029 (0.050)
XGS2t-1	0.024 (0.023)	-0.052*** (0.012)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 8.9246, df = 5, p-value = 0.1121

alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (First Differences)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	0.008 (0.008)	-0.015*** (0.0003)
Años contratot	-0.018** (0.009)	-0.088*** (0.009)
Eqipot	0.001 (0.001)	0.006*** (0.001)
XGS2t	-0.001 (0.001)	0.008 (0.005)
XGS2t-1	0.003* (0.001)	0.006* (0.003)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 4.5016, df = 5, p-value = 0.4797
 alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (First Differences)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	0.006 (0.009)	-0.012*** (0.001)
Años contratot	-0.018** (0.009)	-0.072*** (0.013)
Equipot	0.001 (0.001)	0.004*** (0.0005)
XOPSt	0.001 (0.013)	-0.045*** (0.008)
XOPSt-1	0.005 (0.013)	-0.015 (0.014)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
 chisq = 27.246, df = 5, p-value = 5.109e-05
 alternative hypothesis: one model is inconsistent

Bateadores regulares: Efecto de la edad (First Differences)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	0.006 (0.009)	-0.015*** (0.0005)
Años contratot	-0.017** (0.009)	-0.035*** (0.004)
Equipot	0.001 (0.001)	0.006*** (0.0005)
XOPS2t	0.002 (0.004)	0.120*** (0.010)
XOPS2t-1	0.004 (0.005)	0.026*** (0.002)

=====

```
=====
Note:                *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 47.959, df = 5, p-value = 3.621e-09
alternative hypothesis: one model is inconsistent
```

Bateadores regulares: Efecto de la edad (First Differences)

```
=====
Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt                0.003        -0.025***
                   (0.008)        (0.001)
Años contratot      -0.024**       -0.076***
                   (0.009)        (0.008)
Equipot              0.001*        0.007***
                   (0.001)        (0.001)
XOBPt                0.020***       0.054***
                   (0.007)        (0.004)
XOBPt-1              0.009         0.058***
                   (0.009)        (0.004)
=====
```

```
=====
Note:                *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 11.073, df = 5, p-value = 0.04995
alternative hypothesis: one model is inconsistent
```

Bateadores regulares: Efecto de la edad (First Differences)

```
=====
Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt                0.005        -0.016***
                   (0.007)        (0.001)
Años contratot      -0.020*       -0.056***
```

	(0.010)	(0.002)
Eqipot	0.001	0.005***
	(0.001)	(0.001)
XOBP2t	0.004	0.063***
	(0.005)	(0.013)
XOBP2t-1	0.008	-0.019**
	(0.006)	(0.008)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula
chisq = 23.62, df = 5, p-value = 0.0002568
alternative hypothesis: one model is inconsistent

Starting pitcher

```
# To Store results
fielder_model_fd_fa <- list()

# loop over the variables in var_hitter_list
for (i in 1:length(stat_fielder_t_1)){
  # run linear regression with grouped errors by country and robust errors
  base_vars_s <- paste(vars_fe, stat_fielder_t[[i]],
                      sep = '+')
  formula <- paste(base_vars_s,
                  stat_fielder_t_1[[i]],
                  sep = " + ")

  fielder_model_fd_fa[[i]] <- plm(formula, data = starting_first_two,
                                model = "fd",
                                index = c("id", "Anio_ref"))

  my_lm_cluster_i <- coeftest(fielder_model_fd_fa[[i]],
                             vcov = vcovHC(fielder_model_fd_fa[[i]],
                                             type = "HC1",
                                             cluster = "group"))

  s_m_first_d_f <- plm(formula, data = starting_remaining,
                      model = "fd",
                      index = c("id", "Anio_ref"))

  my_lm_cluster_f <- coeftest(s_m_first_d_f,
                             vcov = vcovHC(s_m_first_d_f,
                                             type = "HC1",
                                             cluster = "group"))

# To store models
s_m_first_d <- list(my_lm_cluster_i, my_lm_cluster_f)
```



```

# Print the third block of results
stargazer(s_m_first_d,
          no.space = TRUE,
          type = "text",
          title = "Lanzadores iniciales: Efecto de la edad (First Differences)",
          column.labels = c("Primeros dos años", "Años restantes"),
          covariate.labels = fielder_stats_long[[i]])

# Hausman test:
print("")
print("Test para cambio estructural entre periodos:")
print(phtest(fielder_model_fd_fa[[i]],s_m_first_d_f))
}

```

Lanzadores iniciales: Efecto de la edad (First Differences)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt -0.004 0.070***
      (0.016) (0.022)
Años contratot 0.001 0.096***
      (0.006) (0.028)
Eqipot 0.002** 0.002
      (0.001) (0.001)
XH2t -0.00004 -0.00005
      (0.0001) (0.00003)
XH2t-1 0.00000 -0.0001
      (0.0001) (0.0001)
=====
Note: *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 1.5504, df = 5, p-value = 0.9072
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (First Differences)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----

```

Edadt	-0.005 (0.012)	0.054** (0.022)
Años contratot	-0.020** (0.008)	0.078** (0.029)
Equipot	0.003*** (0.001)	0.004*** (0.001)
XHt	0.006*** (0.002)	-0.002** (0.001)
XHt-1	-0.0001 (0.001)	0.003*** (0.001)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 13.252, df = 5, p-value = 0.02113

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (First Differences)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.002 (0.014)	0.070** (0.023)
Años contratot	-0.001 (0.006)	0.093** (0.031)
Equipot	0.002** (0.001)	0.002 (0.002)
XR2t	-0.0002 (0.0001)	-0.00004 (0.0001)
XR2t-1	0.0002 (0.0001)	0.00002 (0.0001)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 1.9911, df = 5, p-value = 0.8504

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (First Differences)

```
=====
Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt          0.002      0.067**
               (0.014)    (0.024)
Años contratot -0.002      0.091**
               (0.006)    (0.032)
Eqipot         0.002**     0.005**
               (0.001)    (0.002)
XER2t          0.001      -0.002
               (0.001)    (0.001)
XER2t-1        0.003**     0.004**
               (0.001)    (0.002)
=====
Note:          *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 1.1871, df = 5, p-value = 0.9461
alternative hypothesis: one model is inconsistent
```

Lanzadores iniciales: Efecto de la edad (First Differences)

```
=====
Dependent variable:
-----

Primeros dos años Años restantes
(1) (2)
-----
Edadt          -0.002     0.106***
               (0.012)    (0.027)
Años contratot  0.008     0.138***
               (0.007)    (0.035)
Eqipot         0.001     0.005***
               (0.001)    (0.001)
XERt           0.020**    -0.023***
               (0.008)    (0.007)
XERt-1         -0.012*    0.003***
               (0.007)    (0.001)
=====
Note:          *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

data: formula
chisq = 8.394, df = 5, p-value = 0.1358
alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (First Differences)

Dependent variable:		
	Primeros dos años	Años restantes
	(1)	(2)
Edadt	0.003 (0.014)	0.055** (0.020)
Años contratot	-0.008 (0.007)	0.074** (0.027)
Equipot	0.002** (0.001)	0.003** (0.001)
XRt	0.003** (0.001)	-0.002 (0.001)
XRt-1	0.003** (0.001)	0.003* (0.001)
Note: *p<0.1; **p<0.05; ***p<0.01		
[1] ""		
[1] "Test para cambio estructural entre periodos:"		

Hausman Test

data: formula
chisq = 0.033692, df = 5, p-value = 1
alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (First Differences)

Dependent variable:		
	Primeros dos años	Años restantes
	(1)	(2)
Edadt	-0.005 (0.016)	0.084** (0.030)
Años contratot	-0.0001 (0.005)	0.113** (0.039)
Equipot	0.002*** (0.001)	0.004* (0.002)
XComando2t	-0.003	-0.021**

```

                (0.005)      (0.007)
XComando2t-1    0.00000      -0.002**
                (0.00000)    (0.001)
=====
=====
Note:           *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 1.1627, df = 5, p-value = 0.9484
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (First Differences)

```

=====
Dependent variable:
-----

Primeros dos años  Años restantes
                (1)      (2)
-----
Edadt            -0.001      0.083***
                (0.016)    (0.027)
Años contratot    -0.007      0.108***
                (0.004)    (0.035)
Eqipot           0.002*      0.004
                (0.001)    (0.003)
XComandot         0.017      -0.037***
                (0.020)    (0.006)
XComandot-1       0.0003*     0.010
                (0.0002)   (0.020)
=====
=====
Note:           *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 2.1662, df = 5, p-value = 0.8257
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (First Differences)

```

=====
Dependent variable:
-----

Primeros dos años  Años restantes
                (1)      (2)

```

```

-----
Edadt                -0.003          0.079***
                    (0.014)         (0.016)
Años contratot       0.001          0.103***
                    (0.007)         (0.022)
Equipot              0.002***        0.004**
                    (0.001)         (0.001)
XControl2t           -0.073          0.258***
                    (0.043)         (0.020)
XControl2t-1         -0.044***       -0.390***
                    (0.016)         (0.030)
=====
Note:                *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 20.599, df = 5, p-value = 0.000964
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (First Differences)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
          (1)          (2)
-----
Edadt      -0.001      0.043**
          (0.012)      (0.014)
Años contratot -0.003      0.071***
          (0.007)      (0.018)
Equipot     0.002***    0.010***
          (0.001)      (0.001)
XControl2t  -0.018      -0.034**
          (0.029)      (0.013)
XControl2t-1 -0.065*    -0.235***
          (0.035)      (0.011)
=====
Note:                *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 3.4391, df = 5, p-value = 0.6326
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (First Differences)

Dependent variable:		
	Primeros dos años	Años restantes
	(1)	(2)
Edadt	-0.003 (0.013)	0.003 (0.005)
Años contratot	0.004 (0.007)	-0.005 (0.007)
Eqipot	0.003*** (0.001)	-0.0005** (0.0002)
XDominio2t	-0.020 (0.026)	-0.003*** (0.001)
XDominio2t-1	0.028*** (0.011)	-0.129*** (0.002)
Note: *p<0.1; **p<0.05; ***p<0.01		
[1] ""		
[1] "Test para cambio estructural entre periodos:"		

Hausman Test

data: formula
 chisq = 17.387, df = 5, p-value = 0.003822
 alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (First Differences)

Dependent variable:		
	Primeros dos años	Años restantes
	(1)	(2)
Edadt	-0.005 (0.014)	-0.017*** (0.002)
Años contratot	-0.001 (0.007)	-0.022*** (0.003)
Eqipot	0.002** (0.001)	0.002*** (0.0002)
XDominiot	0.002 (0.012)	-0.062*** (0.002)
XDominiot-1	0.017 (0.014)	-0.122*** (0.002)
Note: *p<0.1; **p<0.05; ***p<0.01		
[1] ""		

```
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 25.985, df = 5, p-value = 8.982e-05
alternative hypothesis: one model is inconsistent
```

Lanzadores iniciales: Efecto de la edad (First Differences)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.003 (0.015)	0.062** (0.023)
Años contratot	0.001 (0.006)	0.074** (0.029)
Equipot	0.002** (0.001)	0.002* (0.001)
XERA2t	-0.0001 (0.0001)	-0.0001*** (0.00003)
XERA2t-1	0.0001 (0.0001)	0.0002*** (0.00003)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

```
[1] ""
```

```
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 3.313, df = 5, p-value = 0.6518
alternative hypothesis: one model is inconsistent
```

Lanzadores iniciales: Efecto de la edad (First Differences)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	-0.0002 (0.014)	0.067** (0.025)
Años contratot	0.002 (0.008)	0.089** (0.033)
Equipot	0.002*** (0.001)	0.003** (0.001)


```

XERAt          -0.001          -0.001
                (0.001)         (0.0005)
XERAt-1         0.002**         0.002***
                (0.001)         (0.0004)
=====
=====
Note:           *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 1.4718, df = 5, p-value = 0.9163
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (First Differences)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes
          (1)          (2)
-----
Edadt          -0.003          0.067**
                (0.014)         (0.022)
Años contratot -0.001          0.091**
                (0.007)         (0.030)
Equipot        0.002***          0.001
                (0.001)         (0.002)
XIP2t           0.001          -0.003
                (0.001)         (0.002)
XIP2t-1         0.0004          -0.001
                (0.001)         (0.003)
=====
=====
Note:           *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 2.0224, df = 5, p-value = 0.846
alternative hypothesis: one model is inconsistent

```

Lanzadores iniciales: Efecto de la edad (First Differences)

```

=====
Dependent variable:
-----

Primeros dos años Años restantes

```

	(1)	(2)
Edadt	-0.004 (0.014)	0.072*** (0.022)
Años contratot	-0.001 (0.006)	0.096*** (0.029)
Eqipot	0.002*** (0.001)	0.002** (0.001)
XIPt	0.301*** (0.004)	0.090*** (0.003)
XIPt-1	0.014 (0.013)	-0.243*** (0.029)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 1.7209, df = 5, p-value = 0.8863

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (First Differences)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)
Edadt	-0.004 (0.014)	0.075*** (0.021)
Años contratot	-0.001 (0.006)	0.101*** (0.028)
Eqipot	0.002** (0.001)	0.003** (0.001)
XL2t	0.191*** (0.015)	0.064*** (0.005)
XL2t-1	0.017 (0.028)	-0.109*** (0.021)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 2.1889, df = 5, p-value = 0.8224

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (First Differences)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
-----	-----	-----
Edadt	-0.001 (0.013)	0.066** (0.023)
Años contratot	0.006 (0.008)	0.083** (0.030)
Eqipot	0.002*** (0.001)	0.003** (0.001)
XDLt	-0.0001* (0.00005)	-0.0002*** (0.00002)
XLt-1	-0.00004 (0.0001)	0.0002*** (0.00001)
=====	=====	=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 2.3822, df = 5, p-value = 0.7941

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (First Differences)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
-----	-----	-----
Edadt	-0.003 (0.014)	0.066** (0.024)
Años contratot	-0.009 (0.009)	0.081** (0.032)
Eqipot	0.002*** (0.001)	0.003** (0.001)
XS2t	0.002 (0.001)	-0.001* (0.0004)
XS2t-1	0.002** (0.001)	0.002*** (0.0001)
=====	=====	=====

Note: *p<0.1; **p<0.05; ***p<0.01

```
[1] ""
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 2.2097, df = 5, p-value = 0.8194
alternative hypothesis: one model is inconsistent
```

Lanzadores iniciales: Efecto de la edad (First Differences)

```
=====
```

	Dependent variable:	

	Primeros dos años	Años restantes
	(1)	(2)

Edadt	-0.003	0.080***
	(0.013)	(0.025)
Años contratot	0.001	0.126***
	(0.007)	(0.035)
Eqipot	0.002***	0.002
	(0.001)	(0.001)
XSt	-0.003	0.008
	(0.002)	(0.005)
XSt-1	-0.001	-0.005***
	(0.002)	(0.001)

```
=====
=====
```

Note: *p<0.1; **p<0.05; ***p<0.01

```
[1] ""
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 1.823, df = 5, p-value = 0.8731
alternative hypothesis: one model is inconsistent
```

Lanzadores iniciales: Efecto de la edad (First Differences)

```
=====
```

	Dependent variable:	

	Primeros dos años	Años restantes
	(1)	(2)

Edadt	0.007	0.044***
	(0.013)	(0.009)
Años contratot	0.008	0.056***
	(0.007)	(0.010)
Eqipot	0.002**	0.00001

	(0.001)	(0.001)
XS02t	0.013	0.034
	(0.011)	(0.022)
XS02t-1	-0.030***	-0.003
	(0.011)	(0.006)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 3.1525, df = 5, p-value = 0.6765

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (First Differences)

=====

Dependent variable:

	Primeros dos años	Años restantes
	(1)	(2)

Edadt	0.003	0.048**
	(0.013)	(0.020)
Años contratot	0.003	0.067**
	(0.006)	(0.027)
Eqipot	0.002**	0.001
	(0.001)	(0.001)
XS0t	0.005	0.024**
	(0.015)	(0.011)
XS0t-1	-0.047***	-0.003
	(0.018)	(0.003)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 7.7591, df = 5, p-value = 0.17

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (First Differences)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	0.0003 (0.013)	0.071*** (0.019)
Años contratot	-0.001 (0.006)	0.093*** (0.025)
Eqipot	0.002** (0.001)	0.0004 (0.002)
XWAR2t	0.001** (0.0003)	-0.001*** (0.0002)
XWAR2t-1	0.001** (0.0002)	-0.0004 (0.0002)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 2.7943, df = 5, p-value = 0.7317

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (First Differences)

=====

Dependent variable:

	Primeros dos años (1)	Años restantes (2)
Edadt	0.003 (0.014)	0.061** (0.021)
Años contratot	0.001 (0.008)	0.082** (0.029)
Eqipot	0.001* (0.001)	0.005*** (0.001)
XWArt	0.005** (0.002)	-0.004*** (0.001)
XWArt-1	0.006*** (0.002)	0.007*** (0.001)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

[1] ""

[1] "Test para cambio estructural entre periodos:"

Hausman Test

data: formula

chisq = 0.37273, df = 5, p-value = 0.996

alternative hypothesis: one model is inconsistent

Lanzadores iniciales: Efecto de la edad (First Differences)

```
=====
                        Dependent variable:
                        -----
                        Primeros dos años Años restantes
                        (1)              (2)
-----
Edadt                  -0.003          0.064**
                      (0.014)         (0.025)
Años contratot         0.003          0.076**
                      (0.009)         (0.033)
Eqipot                0.002**         0.004**
                      (0.001)         (0.001)
XWHIP2t               -0.004          -0.001
                      (0.005)         (0.002)
XWHIP2t-1              0.001          0.009***
                      (0.003)         (0.002)
=====
=====
Note:                  *p<0.1; **p<0.05; ***p<0.01
[1] ""
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 1.0795, df = 5, p-value = 0.9559
alternative hypothesis: one model is inconsistent
```

Cambio en el poder de negociación al convertirse en agente

Obtendremos el estimador del cambio en el poder de negociación un periodo antes de que el jugador se convierta en agente libre con el primer periodo como agente libre. Importemos las bases de datos

```
setwd("~/Documentos/Github/Proyectos/MLB_HN/")
hitters_panel_ch <- read.csv('ETL_Data/Panel/Cumulative/Bargaining_change/panel_hitters_cum_ch.csv')
fielders_panel_ch <- read.csv('ETL_Data/Panel/Cumulative/Bargaining_change/panel_fielders_cum_ch.csv')
```

Por otro lado, se mostrarán las dimensiones de cada panel

```
print("Bateadores: ")
```

```
[1] "Bateadores: "
```

```
print(dim(hitters_panel_ch))
```

```
[1] 592 199
```

```
print("")
```

```
[1] ""
```

```
print("Fildeadores: ")
```

```
[1] "Fildeadores: "
```

```
print(dim(fielders_panel_ch))
```

```
[1] 546 213
```

```
# Convert categorical column to numerical
hitters_panel_ch$position_num_t <- as.numeric(factor(hitters_panel_ch$Posicion_t))
fielders_panel_ch$position_num_t <- as.numeric(factor(fielders_panel_ch$Posicion_t))
hitters_panel_ch$team_num_t <- as.numeric(factor(hitters_panel_ch$Acronimo_t))
fielders_panel_ch$team_num_t <- as.numeric(factor(fielders_panel_ch$Acronimo_t))
```

Como adelanto, se descartaron los controles por posición puesto que no son significativos para los modelos y afectan los resultados. Tal vez por el hecho de que los jugadores tienden a rotar de posición en un mismo partido e incluso a lo largo de la temporada. Agreguemos una columna de 1's que represente la dummy de ser agente libre

```
# add a column of 1s to the panel data
hitters_panel_ch <- cbind(hitters_panel_ch,
                          fa = rep(1, nrow(hitters_panel_ch)))
fielders_panel_ch <- cbind(fielders_panel_ch,
                           fa = rep(1, nrow(fielders_panel_ch)))
```

Segundo, crearemos las categorías de acuerdo a la especificación mencionada arriba

Tercero, concatenaremos estas bases de datos de acuerdo a los grupos señalados anteriormente

Procedamos con las estimaciones de forma directa, no conjunta, puesto que tenemos como objetivo probar que hay un aumento en el poder de negociación

Creemos la lista de variables sobre las cuáles se va a iterar el clico

Variables para los fildeadores

Las variables base para ambos tipos de jugadores son los controles

```
# Constroles:
vars <- 'Y_Sueldo_regular_norm_t ~ Edad_t + Anios_de_contrato_t + team_num_t'
```

```
hitter_stats_1_ch = c("$Edad_{t}$" , "Años contrato_{t}$" , "Equipo_{t}$" ,
                      "$X_{AB_{t}}$" , "$X_{AB_{t-1}}$" , "$X_{AB^{2}_{t}}$" , "$X_{AB^{2}_{t-1}}$" ,
                      "$X_{H_{t}}$" , "$X_{H_{t-1}}$" , "$X_{H^{2}_{t}}$" , "$X_{H^{2}_{t-1}}$" ,
                      "$X_{BA_{t}}$" , "$X_{BA_{t-1}}$" , "$X_{BA^{2}_{t}}$" , "$X_{BA^{2}_{t-1}}$" ,
                      "Agente_{t}$" )
hitter_stats_2_ch = c("$Edad_{t}$" , "Años contrato_{t}$" , "Equipo_{t}$" ,
                      "$X_{D_{t}}$" , "$X_{D_{t-1}}$" , "$X_{D^{2}_{t}}$" , "$X_{D^{2}_{t-1}}$" ,
```



```

"$X_{HR_{t}}$", "$X_{HR_{t-1}}$", "$X_{HR^{2}_{t}}$", "$X_{HR^{2}_{t-1}}$",
"$X_{GS_{t}}$", "$X_{GS_{t-1}}$", "$X_{GS^{2}_{t}}$", "$X_{GS^{2}_{t-1}}$",
"Agente${t}$")
hitter_stats_3_ch = c("$Edad_{t}$" , "Años contrato${t}$", "Equipo${t}$",
"$X_{OPS_{t}}$", "$X_{OPS_{t-1}}$", "$X_{OPS^{2}_{t}}$", "$X_{OPS^{2}_{t-1}}$",
"$X_{OBP_{t}}$", "$X_{OBP_{t-1}}$", "$X_{OBP^{2}_{t}}$", "$X_{OBP^{2}_{t-1}}$",
"$X_{SLG_{t}}$", "$X_{SLG_{t-1}}$", "$X_{SLG^{2}_{t}}$", "$X_{SLG^{2}_{t-1}}$",
"Agente${t}$")
hitter_stats_4_ch = c("$Edad_{t}$" , "Años contrato${t}$", "Equipo${t}$",
"$X_{RBI_{t}}$", "$X_{RBI_{t-1}}$", "$X_{RBI^{2}_{t}}$", "$X_{RBI^{2}_{t-1}}$",
"$X_{WAR_{t}}$", "$X_{WAR_{t-1}}$", "$X_{WAR^{2}_{t}}$", "$X_{WAR^{2}_{t-1}}$",
"Agente${t}$")
hitter_stats_ch <- list(hitter_stats_1_ch,
hitter_stats_2_ch,
hitter_stats_3_ch,
hitter_stats_4_ch)

# Cycles for loop
hitter_rep_ch <- 3
# Stats to show
hitter_stat_num <- 6

```

```

fielder_stats_1_ch = c("$Edad_{t}$" , "Años contrato${t}$", "Equipo${t}$",
"$X_{H^{2}_{t}}$", "$X_{H^{2}_{t-1}}$", "$X_{H_{t}}$", "$X_{H_{t-1}}$",
"$X_{R^{2}_{t}}$", "$X_{R^{2}_{t-1}}$", "$X_{ER^{2}_{t}}$", "$X_{ER^{2}_{t-1}}$",
"$X_{ER_{t}}$", "$X_{ER_{t-1}}$", "$X_{R_{t}}$", "$X_{R_{t-1}}$",
"Agente${t}$")
fielder_stats_2_ch = c("$Edad_{t}$" , "Años contrato${t}$", "Equipo${t}$",
"$X_{Comando^{2}_{t}}$", "$X_{Comando^{2}_{t-1}}$", "$X_{Comando_{t}}$", "$X_{Comando_{t-1}}$",
"$X_{Control^{2}_{t}}$", "$X_{Control^{2}_{t-1}}$", "$X_{Control_{H_{t}}}$", "$X_{Control_{H_{t-1}}}$",
"$X_{Dominio^{2}_{t}}$", "$X_{Dominio^{2}_{t-1}}$", "$X_{Dominio_{t}}$", "$X_{Dominio_{t-1}}$",
"Agente${t}$")
fielder_stats_3_ch = c("$Edad_{t}$" , "Años contrato${t}$", "Equipo${t}$",
"$X_{ERA^{2}_{t}}$", "$X_{ERA^{2}_{t-1}}$", "$X_{ERA_{t}}$", "$X_{ERA_{t-1}}$",
"$X_{IP^{2}_{t}}$", "$X_{IP^{2}_{t-1}}$", "$X_{IP_{t}}$", "$X_{IP_{t-1}}$",
"$X_{L^{2}_{t}}$", "$X_{L^{2}_{t-1}}$", "$X_{L_{t}}$", "$X_{L_{t-1}}$",
"Agente${t}$")
fielder_stats_4_ch = c("$Edad_{t}$" , "Años contrato${t}$", "Equipo${t}$",
"$X_{SO^{2}_{t}}$", "$X_{SO^{2}_{t-1}}$", "$X_{SO_{t}}$", "$X_{SO_{t-1}}$",
"$X_{WAR^{2}_{t}}$", "$X_{WAR^{2}_{t-1}}$", "$X_{WAR_{t}}$", "$X_{WAR_{t-1}}$",
"$X_{WHIP^{2}_{t}}$", "$X_{WHIP^{2}_{t-1}}$", "$X_{WHIP_{t}}$", "$X_{WHIP_{t-1}}$",
"Agente${t}$")
fielder_stats_5_ch = c("$Edad_{t}$" , "Años contrato${t}$", "Equipo${t}$",
"$X_{BB^{2}_{t}}$", "$X_{BB^{2}_{t-1}}$", "$X_{BB_{t}}$", "$X_{BB_{t-1}}$",
"Agente${t}$")
fielder_stats_ch <- list(fielder_stats_1_ch,
fielder_stats_2_ch,
fielder_stats_3_ch,
fielder_stats_4_ch,
fielder_stats_5_ch)

# Cycles for loop
fielder_rep_ch <- 4
# Stats to show
fielder_stat_num <- 6

```

Pooling

Bateadores

Se obtendrán las estimaciones de las variables referentes a estadísticas deportivas sin controles

```
# Create a model to store the results
hitter_simple_pooling_ch <- list()

# To store the results
hitter_results_simple_pooling_1_ch <- list()
hitter_results_simple_pooling_2_ch <- list()
hitter_results_simple_pooling_3_ch <- list()
hitter_results_simple_pooling_4_ch <- list()
hitter_results_simple_pooling_ch <- list(result_1 = hitter_results_simple_pooling_1_ch,
                                         result_2 = hitter_results_simple_pooling_2_ch,
                                         result_3 = hitter_results_simple_pooling_3_ch,
                                         result_4 = hitter_results_simple_pooling_4_ch)

# Loop over the variables in var_hitter_list
for (j in 1:hitter_rep_ch){

  for (i in 1:hitter_stat_num){
    # Run linear regression with grouped errors by country and robust errors
    base_vars_h <- paste(vars_ms, stat_hitter_t_ch[[i + hitter_stat_num*(j - 1)]],
                        sep = '+')
    formula <- paste(base_vars_h,
                    stat_hitter_t_1_ch[[i + hitter_stat_num*(j - 1)]],
                    sep = " + ")

    hitter_simple_pooling_ch[[i + hitter_stat_num*(j - 1)]] <- plm(formula, data = hitter_data_ch,
                                                                    model = "pooling",
                                                                    index = c("id", "Anio_ref"))

    hitter_results_simple_pooling_ch[[j]][[i]] <- coeftest(hitter_simple_pooling_ch[[i + hitter_stat_num*(j - 1)]],
                                                            vcov = vcovHC(hitter_simple_pooling_ch[[i + hitter_stat_num*(j - 1)]],
                                                                    type = "HC1",
                                                                    cluster = "group"))
  }

  # Print the third block of results
  stargazer(hitter_results_simple_pooling_ch[[j]],
            no.space = TRUE,
            type = "text",
            title = "Bateadores: Modelo Pooling",
            covariate.labels = hitter_stats_ch[[j]])

  # For last variables:
  if (j == 3){
    for (i in 1:4){
      # Run linear regression with grouped errors by country and robust errors
      base_vars_h <- paste(vars_ms, stat_hitter_t_ch[[i + hitter_stat_num*(j)]]),
                        sep = '+')
      formula <- paste(base_vars_h,
```

```

stat_hitter_t_1_ch[[i + hitter_stat_num*(j)]] ,
sep = " + ")

hitter_simple_pooling_ch[[i + hitter_stat_num*(j)]] <- plm(formula, data = hitter_data_ch,
model = "pooling",
index = c("id", "Anio_ref"))

hitter_results_simple_pooling_ch[[4]][[i]] <- coeftest(hitter_simple_pooling_ch[[i + hitter_stat_num*(j)]] ,
vcov = vcovHC(hitter_simple_pooling_ch[[i + hitter_stat_num*(j)]] ,
type = "HC1",
cluster = "group"))
}

# Print the third block of results
stargazer(hitter_results_simple_pooling_ch[[4]],
no.space = TRUE,
type = "text",
title = "Bateadores: Modelo Pooling",
covariate.labels = hitter_stats_ch[[4]])
}
}

```

Bateadores: Modelo Pooling

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.006 (0.004)	-0.007 (0.004)	-0.007 (0.005)	-0.007 (0.004)	-0.007 (0.004)	-0.007 (0.004)
Años contratot	-0.006 (0.008)	-0.005 (0.008)	-0.005 (0.008)	-0.006 (0.008)	-0.006 (0.008)	-0.006 (0.008)
Equipot	0.001 (0.001)	0.002 (0.001)	0.002 (0.001)	0.002 (0.001)	0.002 (0.001)	0.002 (0.001)
XABt	-0.002 (0.001)					
XABt-1	0.002** (0.001)					
XAB2t		-0.00005 (0.0001)				
XAB2t-1		0.00004 (0.0001)				
XHt			-0.001 (0.002)			
XHt-1			0.001 (0.002)			
XH2t				-0.0003* (0.0002)		
XH2t-1				0.0003* (0.0002)		
XBA t					0.006 (0.032)	

XBA _{t-1}					0.045 (0.034)	
XBA _{2t}					0.032 (0.030)	
XBA _{2t-1}					-0.007 (0.050)	
Agent _t	0.166 (0.142)	0.181 (0.146)	0.191 (0.151)	0.176 (0.143)	0.183 (0.149)	0.190 (0.149)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Modelo Pooling

	Dependent variable:					
	(1)	(2)	(3)	(4)	(5)	(6)
Edad _t	-0.007 (0.004)	-0.007 (0.004)	-0.007 (0.004)	-0.007 (0.004)	-0.006 (0.004)	-0.007 (0.004)
Años contratot	-0.006 (0.008)	-0.005 (0.008)	-0.004 (0.008)	-0.005 (0.008)	-0.005 (0.008)	-0.006 (0.008)
Equipot	0.002 (0.001)	0.002 (0.001)	0.002 (0.001)	0.002 (0.001)	0.002 (0.001)	0.002 (0.001)
XD _t	-0.0001 (0.005)					
XD _{t-1}	0.003 (0.004)					
XD _{2t}		-0.0002 (0.001)				
XD _{2t-1}		0.0002 (0.001)				
XHR _t			-0.009* (0.005)			
XHR _{t-1}			0.008 (0.006)			
XHR _{2t}				-0.001 (0.001)		
XHR _{2t-1}				0.0003 (0.001)		
XGS _t					-0.003 (0.002)	
XGS _{t-1}					0.003 (0.002)	
XGS _{2t}						-0.0005** (0.0002)
XGS _{2t-1}						0.0004* (0.0002)
Agent _t	0.186 (0.149)	0.185 (0.149)	0.166 (0.145)	0.182 (0.148)	0.166 (0.144)	0.175 (0.143)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Modelo Pooling

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.007 (0.005)	-0.007 (0.004)	-0.007 (0.004)	-0.007 (0.004)	-0.007 (0.005)	-0.007 (0.005)
Años contratot	-0.006 (0.008)	-0.007 (0.008)	-0.005 (0.008)	-0.006 (0.008)	-0.006 (0.008)	-0.006 (0.008)
Eqipot	0.001 (0.001)	0.002 (0.001)	0.002 (0.001)	0.002 (0.001)	0.002 (0.001)	0.002 (0.001)
XOPSt	0.022 (0.021)					
XOPSt-1	0.006 (0.020)					
XOPS2t		0.004 (0.019)				
XOPS2t-1		0.026 (0.020)				
XOBPt			0.024 (0.032)			
XOBPt-1			0.013 (0.035)			
XOBP2t				0.016 (0.034)		
XOBP2t-1				0.064 (0.051)		
XSLGt					0.029 (0.030)	
XSLGt-1					0.010 (0.026)	
XSLG2t						0.022 (0.038)
XSLG2t-1						0.011 (0.032)
Agentet	0.177 (0.151)	0.176 (0.149)	0.183 (0.148)	0.188 (0.148)	0.173 (0.152)	0.181 (0.150)

Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Modelo Pooling

Dependent variable:				
	(1)	(2)	(3)	(4)
Edadt	-0.007 (0.005)	-0.007 (0.004)	-0.007 (0.004)	-0.007 (0.005)
Años contratot	-0.005	-0.004	-0.007	-0.006

	(0.008)	(0.008)	(0.008)	(0.008)
Eqipot	0.002	0.002	0.002	0.002
	(0.001)	(0.001)	(0.001)	(0.001)
XRBI _t	-0.001			
	(0.003)			
XRBI _{t-1}	0.0001			
	(0.003)			
XRBI _{2t}	-0.001*			
	(0.0003)			
XRBI _{2t-1}	0.0005			
	(0.0004)			
XWAr _t		0.004		
		(0.013)		
XWAr _{t-1}		0.024*		
		(0.012)		
XWAr _{2t}			0.003	
			(0.008)	
XWAr _{2t-1}			0.005	
			(0.006)	
Agent _t	0.191	0.181	0.197	0.191
	(0.152)	(0.142)	(0.147)	(0.149)
=====				
=====				
Note:	*p<0.1; **p<0.05; ***p<0.01			

Ahora evaluaremos los cambios estructurales compararemos los modelos estimados para los periodos de cambio en comparación con los primeros dos años de agente libre

Hitter

```
# To store results:
hitter_model_pooling_ch <- list()
compare_list <- c("X_Triples_t", "X_Triples_2_t")

# Extract the desired substrings using regular expressions and gsub()
hitter_names <- gsub("^X_(.*)_(t)$", "\\1", stat_hitter_t)

# loop over the variables in var_hitter_list
for (i in 1:length(stat_hitter_t)){

  # Exclude stats
  if(!(stat_hitter_t[[i]] %in% compare_list)){

    # run linear regression with grouped errors by country and robust errors
    base_vars_h <- paste(vars_ms, stat_hitter_t[[i]],
                        sep = '+')
    formula <- paste(base_vars_h,
                     stat_hitter_t_1[[i]],
                     sep = " + ")

    hitter_model_pooling_ch[[i]] <- plm(formula, data = hitter_data_ch,
                                       model = "pooling",
```

```

                                index = c("id", "Anio_ref"))

# Hausman test:
print("")
print(hitter_names[[i]])
print("Test para cambio estructural entre periodos:")
print(phtest(hitter_model_pooling_ch[[i]],
             hitter_model_pooling_fa[[i]]))
}
}

```

```

[1] ""
[1] "At_bats"
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 59.168, df = 5, p-value = 1.805e-11
alternative hypothesis: one model is inconsistent

```

```

[1] ""
[1] "Bateos_2"
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 18.707, df = 5, p-value = 0.002179
alternative hypothesis: one model is inconsistent

```

```

[1] ""
[1] "Bateos"
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 11.385, df = 5, p-value = 0.04426
alternative hypothesis: one model is inconsistent

```

```

[1] ""
[1] "Bateos_promedio"
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 11.884, df = 5, p-value = 0.03642
alternative hypothesis: one model is inconsistent

```

```

[1] ""
[1] "Bateos_promedio_2"

```

```
[1] "Test para cambio estructural entre periodos:"
```

```
Hausman Test
```

```
data: formula
chisq = 8.2914, df = 5, p-value = 0.1409
alternative hypothesis: one model is inconsistent
```

```
[1] ""
```

```
[1] "Home_runs"
```

```
[1] "Test para cambio estructural entre periodos:"
```

```
Hausman Test
```

```
data: formula
chisq = 21.733, df = 5, p-value = 0.0005885
alternative hypothesis: one model is inconsistent
```

```
[1] ""
```

```
[1] "Home_runs_2"
```

```
[1] "Test para cambio estructural entre periodos:"
```

```
Hausman Test
```

```
data: formula
chisq = 12.028, df = 5, p-value = 0.0344
alternative hypothesis: one model is inconsistent
```

```
[1] ""
```

```
[1] "Juegos_iniciados"
```

```
[1] "Test para cambio estructural entre periodos:"
```

```
Hausman Test
```

```
data: formula
chisq = 73.223, df = 5, p-value = 2.184e-14
alternative hypothesis: one model is inconsistent
```

```
[1] ""
```

```
[1] "Porcentaje_On_base_plus_slugging"
```

```
[1] "Test para cambio estructural entre periodos:"
```

```
Hausman Test
```

```
data: formula
chisq = 721.14, df = 5, p-value < 2.2e-16
alternative hypothesis: one model is inconsistent
```

```
[1] ""
```

```
[1] "Porcentaje_on_base"
```

```
[1] "Test para cambio estructural entre periodos:"
```

```
Hausman Test
```



```
data: formula
chisq = 5.0247, df = 5, p-value = 0.4129
alternative hypothesis: one model is inconsistent
```

```
[1] ""
[1] "Porcentaje_on_base_2"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 9.2569, df = 5, p-value = 0.09924
alternative hypothesis: one model is inconsistent
```

```
[1] ""
[1] "Runs_batted_in"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 65.011, df = 5, p-value = 1.115e-12
alternative hypothesis: one model is inconsistent
```

```
[1] ""
[1] "WAR"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 9.4941, df = 5, p-value = 0.09091
alternative hypothesis: one model is inconsistent
```

```
[1] ""
[1] "WAR_2"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 10.736, df = 5, p-value = 0.05687
alternative hypothesis: one model is inconsistent
```

Starting pitcher

```
# Create a model to store the results
fielder_simple_pooling_ch <- list()

# To store the results
fielder_results_simple_pooling_1_ch <- list()
fielder_results_simple_pooling_2_ch <- list()
```

```

fielder_results_simple_pooling_3_ch <- list()
fielder_results_simple_pooling_4_ch <- list()
fielder_results_simple_pooling_5_ch <- list()
fielder_results_simple_pooling_ch <- list(result_1 = fielder_results_simple_pooling_1_ch,
                                           result_2 = fielder_results_simple_pooling_2_ch,
                                           result_3 = fielder_results_simple_pooling_3_ch,
                                           result_4 = fielder_results_simple_pooling_4_ch,
                                           result_5 = fielder_results_simple_pooling_5_ch)

# Loop over the variables in var_hitter_list
for (j in 1:fielder_rep_ch){

  for (i in 1:fielder_stat_num){
    # Run linear regression with grouped errors by country and robust errors
    base_vars_h <- paste(vars_fe, stat_fielder_t_ch[[i + fielder_stat_num*(j - 1)]],
                        sep = '+')
    formula <- paste(base_vars_h,
                    stat_fielder_t_1_ch[[i + fielder_stat_num*(j - 1)]],
                    sep = " + ")

    fielder_simple_pooling_ch[[i + hitter_stat_num*(j - 1)]] <- plm(formula, data = starting_data_ch,
                                                                    model = "pooling",
                                                                    index = c("id", "Anio_ref"))

    fielder_results_simple_pooling_ch[[j]][[i]] <- coeftest(fielder_simple_pooling_ch[[i + fielder_stat_num*(j - 1)]],
                                                            vcov = vcovHC(fielder_simple_pooling_ch[[i + fielder_stat_num*(j - 1)]],
                                                            type = "HC1",
                                                            cluster = "group"))
  }

  # Print the third block of results
  stargazer(fielder_results_simple_pooling_ch[[j]],
            no.space = TRUE,
            type = "text",
            title = "Lanzadores Iniciales: Modelo Pooling",
            covariate.labels = fielder_stats_ch[[j]])

  # For last variables:
  if (j == 4){
    for (i in 1:2){
      # Run linear regression with grouped errors by country and robust errors
      base_vars_h <- paste(vars_fe, stat_fielder_t_ch[[i + fielder_stat_num*(j)]]],
                          sep = '+')
      formula <- paste(base_vars_h,
                      stat_fielder_t_1_ch[[i + fielder_stat_num*(j)]]],
                      sep = " + ")

      fielder_simple_pooling_ch[[i + fielder_stat_num*(j)]] <- plm(formula, data = starting_data_ch,
                                                                    model = "pooling",
                                                                    index = c("id", "Anio_ref"))

      fielder_results_simple_pooling_ch[[5]][[i]] <- coeftest(fielder_simple_pooling_ch[[i + fielder_stat_num*(j)]]],
                                                              vcov = vcovHC(fielder_simple_pooling_ch[[i + fielder_stat_num*(j)]]],
                                                              type = "HC1",
                                                              cluster = "group"))
    }
  }
}

```

```

    }
    # Print the third block of results
    stargazer(fielder_results_simple_pooling_ch[[5]],
              no.space = TRUE,
              type = "text",
              title = "Bateadores: Modelo Pooling",
              covariate.labels = fielder_stats_ch[[5]])
  }
}

```

Lanzadores Iniciales: Modelo Pooling

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	0.001 (0.002)	0.0001 (0.002)	0.0002 (0.002)	0.0002 (0.002)	-0.0002 (0.002)	-0.0003 (0.002)
Años contratot	-0.012 (0.011)	-0.013 (0.011)	-0.012 (0.011)	-0.012 (0.011)	-0.011 (0.012)	-0.010 (0.012)
Equipot	0.0002 (0.002)	0.001 (0.002)	0.001 (0.002)	0.001 (0.002)	0.001 (0.002)	0.001 (0.002)
XH2t	-0.0001 (0.0002)					
XH2t-1	0.0002 (0.0002)					
XHt		0.002 (0.003)				
XHt-1		0.002 (0.002)				
XR2t			0.0004 (0.0004)			
XR2t-1			0.0002 (0.0004)			
XER2t				0.001 (0.0005)		
XER2t-1				0.00003 (0.0004)		
XERt					0.005 (0.005)	
XERt-1					0.001 (0.004)	
XRt						0.006 (0.005)
XRt-1						0.001 (0.004)

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Modelo Pooling

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	0.0003 (0.002)	0.001 (0.002)	0.001 (0.002)	0.001 (0.002)	0.001 (0.002)	0.001 (0.002)
Años contratot	-0.009 (0.012)	-0.008 (0.011)	-0.013 (0.011)	-0.008 (0.010)	-0.012 (0.012)	-0.012 (0.011)
Equipot	0.001 (0.002)	-0.0003 (0.002)	-0.001 (0.002)	-0.002 (0.002)	0.0002 (0.002)	-0.00001 (0.002)
XComando2t	0.003 (0.009)					
XComando2t-1	-0.006 (0.008)					
XComandot		-0.009 (0.016)				
XComandot-1		0.027* (0.016)				
XControl2t			0.041 (0.062)			
XControl2t-1			-0.296*** (0.106)			
ControlHt				0.026 (0.047)		
XControlt-1				-0.189*** (0.048)		
XDominio2t					0.031 (0.033)	
XDominio2t-1					0.051 (0.042)	
XDominiot						0.012 (0.031)
XDominiot-1						0.056* (0.033)

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Modelo Pooling

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	0.0004 (0.002)	0.0005 (0.002)	0.001 (0.002)	0.001 (0.002)	0.001 (0.002)	0.0003 (0.002)
Años contratot	-0.008 (0.011)	-0.013 (0.011)	-0.014 (0.011)	-0.013 (0.011)	-0.009 (0.010)	-0.012 (0.011)
Equipot	0.001	0.001	0.0003	0.0004	-0.0001	0.0001

	(0.002)	(0.002)	(0.002)	(0.002)	(0.002)	(0.002)
XERA2t	0.008*					
	(0.004)					
XERA2t-1	-0.004					
	(0.006)					
XERAt	0.019*					
	(0.011)					
XERAt-1	-0.022*					
	(0.012)					
XIP2t	-0.0003					
	(0.0002)					
XIP2t-1	0.0003**					
	(0.0001)					
XIPt		0.0001				
		(0.003)				
XIPt-1		0.003				
		(0.002)				
XL2t			0.007**			
			(0.003)			
XL2t-1			-0.005*			
			(0.003)			
XLt				0.030***		
				(0.011)		
XLt-1				-0.017*		
				(0.010)		

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Modelo Pooling

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	0.0004 (0.002)	0.0002 (0.002)	0.001 (0.002)	0.001 (0.002)	0.0005 (0.002)	0.001 (0.002)
Años contratot	-0.013 (0.011)	-0.014 (0.011)	-0.011 (0.011)	-0.014 (0.012)	-0.008 (0.011)	-0.009 (0.011)
Equipot	0.001 (0.002)	0.001 (0.002)	0.001 (0.002)	0.0002 (0.002)	0.001 (0.002)	-0.0002 (0.002)
XS02t	-0.0001 (0.0002)					
XS02t-1	0.0004*** (0.0001)					
XS0t		-0.0002 (0.003)				
XS0t-1		0.005** (0.002)				
XWAR2t			-0.004 (0.011)			
XWAR2t-1			0.007 (0.004)			

XWArt	0.025 (0.020)
XWArt-1	0.019 (0.018)
XWHIP2t	0.020 (0.019)
XWHIP2t-1	0.002 (0.021)
XWHIPt	0.024 (0.020)
XWHIPt-1	-0.030 (0.022)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Modelo Pooling

=====

Dependent variable:

	(1)	(2)
Edadt	0.001 (0.002)	0.0003 (0.002)
Años contratot	-0.011 (0.011)	-0.011 (0.011)
Equipot	0.00003 (0.002)	0.0005 (0.002)
XBB2t	-0.0002 (0.001)	
XBB2t-1	0.001 (0.0005)	
XBBt		0.003 (0.005)
XBBt-1		0.002 (0.004)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

```
# To store results:
fielder_model_pooling_ch <- list()
compare_list <- c("X_Saves_t", "X_Saves_2_t")

# Extract the desired substrings using regular expressions and gsub()
fielder_names <- gsub("^X_(.*)_(t)$", "\\1", stat_fielder_t)

# loop over the variables in var_hitter_list
for (i in 1:length(stat_fielder_t)){

  # Exclude stats
  if(!(stat_fielder_t[[i]] %in% compare_list)){
```

```

# run linear regression with grouped errors by country and robust errors
base_vars_h <- paste(vars_ms, stat_fielder_t[[i]],
                     sep = '+')
formula <- paste(base_vars_h,
                 stat_fielder_t_1[[i]],
                 sep = " + ")

fielder_model_pooling_ch[[i]] <- plm(formula, data = starting_data_ch,
                                   model = "pooling",
                                   index = c("id", "Anio_ref"))

# Hausman test:
print("")
print(fielder_names[[i]])
print("Test para cambio estructural entre periodos:")
print(phtest(fielder_model_pooling_ch[[i]],
             fielder_model_pooling_fa[[i]]))
}
}

```

```

[1] ""
[1] "Bateos_2"
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 112.41, df = 5, p-value < 2.2e-16
alternative hypothesis: one model is inconsistent

```

```

[1] ""
[1] "Bateos"
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 68.033, df = 5, p-value = 2.629e-13
alternative hypothesis: one model is inconsistent

```

```

[1] ""
[1] "Carreras_ganadas_2"
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```

data: formula
chisq = 40.822, df = 5, p-value = 1.019e-07
alternative hypothesis: one model is inconsistent

```

```

[1] ""
[1] "Carreras_ganadas"
[1] "Test para cambio estructural entre periodos:"

```

Hausman Test

```
data: formula
chisq = 4.0421, df = 5, p-value = 0.5434
alternative hypothesis: one model is inconsistent

[1] ""
[1] "ERA"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 106.44, df = 5, p-value < 2.2e-16
alternative hypothesis: one model is inconsistent

[1] ""
[1] "Carreras"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 28.166, df = 5, p-value = 3.378e-05
alternative hypothesis: one model is inconsistent

[1] ""
[1] "Comando_2"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 1.3237, df = 5, p-value = 0.9325
alternative hypothesis: one model is inconsistent

[1] ""
[1] "Comando"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 17.236, df = 5, p-value = 0.004074
alternative hypothesis: one model is inconsistent

[1] ""
[1] "Control_2"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
```



```
chisq = 291.17, df = 5, p-value < 2.2e-16
alternative hypothesis: one model is inconsistent
```

```
[1] ""
[1] "Control"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 210.26, df = 5, p-value < 2.2e-16
alternative hypothesis: one model is inconsistent
```

```
[1] ""
[1] "Dominio_2"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 10.813, df = 5, p-value = 0.05521
alternative hypothesis: one model is inconsistent
```

```
[1] ""
[1] "Dominio"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 18.944, df = 5, p-value = 0.001969
alternative hypothesis: one model is inconsistent
```

```
[1] ""
[1] "Inning_pitched_2"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 98.225, df = 5, p-value < 2.2e-16
alternative hypothesis: one model is inconsistent
```

```
[1] ""
[1] "Inning_pitched"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 91.178, df = 5, p-value < 2.2e-16
alternative hypothesis: one model is inconsistent
```

```
[1] ""
```

```
[1] "Losses_2"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 119.05, df = 5, p-value < 2.2e-16
alternative hypothesis: one model is inconsistent
```

```
[1] ""
[1] "Strike_outs_2"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 1490.6, df = 5, p-value < 2.2e-16
alternative hypothesis: one model is inconsistent
```

```
[1] ""
[1] "Strike_outs"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 65.845, df = 5, p-value = 7.484e-13
alternative hypothesis: one model is inconsistent
```

```
[1] ""
[1] "WAR_2"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 46.886, df = 5, p-value = 5.993e-09
alternative hypothesis: one model is inconsistent
```

```
[1] ""
[1] "WHIP_2"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 29.987, df = 5, p-value = 1.483e-05
alternative hypothesis: one model is inconsistent
```

```
[1] ""
[1] "WHIP"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 231.55, df = 5, p-value < 2.2e-16
alternative hypothesis: one model is inconsistent

[1] ""
[1] "Walks_2"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 1425.3, df = 5, p-value < 2.2e-16
alternative hypothesis: one model is inconsistent

[1] ""
[1] "Walks"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 35.3, df = 5, p-value = 1.311e-06
alternative hypothesis: one model is inconsistent

[1] ""
[1] "Wins"
[1] "Test para cambio estructural entre periodos:"
```

Hausman Test

```
data: formula
chisq = 586.52, df = 5, p-value < 2.2e-16
alternative hypothesis: one model is inconsistent
```

Efectos aleatorios

POr definición, necesitamos más de un periodo de observación. Por lo tanto, no obtendremos dicho modelo por esa restricción.

Efectos aleatorios

Son equivalentes al pooling debido a que solo obtenemos la estimación para un periodo.

First Differences

Presenta las mismas restricciones que el estimador *within*.

Differences in Differences

Análogo a la sección anterior, importemos las bases de datos correspondientes

```
setwd("~/Documentos/Github/Proyectos/MLB_HN/")
hitters_panel_did <- read.csv('ETL_Data/Panel/Cumulative/Bargaining_change/panel_hitters_cum_did.csv')
fielders_panel_did <- read.csv('ETL_Data/Panel/Cumulative/Bargaining_change/panel_fielders_cum_did.csv')
```

Por otro lado, se mostrarán las dimensiones de cada p nel

```
print("Bateadores: ")
```

```
[1] "Bateadores: "
```

```
print(dim(hitters_panel_did))
```

```
[1] 1852  200
```

```
print("")
```

```
[1] ""
```

```
print("Fildeadores: ")
```

```
[1] "Fildeadores: "
```

```
print(dim(fielders_panel_did))
```

```
[1] 1789  214
```

```
# Convert categorical column to numerical
hitters_panel_did$position_num_t <- as.numeric(factor(hitters_panel_did$Posicion_t))
fielders_panel_did$position_num_t <- as.numeric(factor(fielders_panel_did$Posicion_t))
hitters_panel_did$team_num_t <- as.numeric(factor(hitters_panel_did$Acronimo_t))
fielders_panel_did$team_num_t <- as.numeric(factor(fielders_panel_did$Acronimo_t))
```

Como adelanto, se descartaron los controles por posici n puesto que no son significativos para los modelos y afectan los resultados. Tal vez por el hecho de que los jugadores tienden a rotar de posici n en un mismo partido e incluso a lo largo de la temporada. aAgreguemos una columna de 1's que represente la dummy de ser agente libre

```
# add a column of 1s to the panel data
hitters_panel_did <- cbind(hitters_panel_did,
                           fa = rep(1, nrow(hitters_panel_did)))
fielders_panel_did <- cbind(fielders_panel_did,
                           fa = rep(1, nrow(fielders_panel_did)))
```

Segundo, crearemos las categor as de acuerdo a la especificaci n mencionada arriba

Tercero, concatenaremos estas bases de datos de acuerdo a los grupos se alados anteriormente

Ahora, estimare el modelo DID para m ltiples a os. En este caso, ya contamos con una columna que tiene los a os escalados de manera adecuada para indicar con 0 el primer a o de tratamiento.

Obtengamos el efecto promedio de convertirse en agentes libres

```

# Convert panel_data to a plm data object
plm_data <- pdata.frame(hitter_data_did,
                        index = c("Jugador", "Anio_ref"))

# Specify the formula using as.formula
formula <- as.formula("Y_Sueldo_regular_norm_t ~ treatment * factor(Anio_did >= 0) + Anios_de_contrato_

# Estimate DID model with multiple periods
hitter_did_model <- plm(formula,
                        data = plm_data,
                        model = "within")

# Group standard errors:
hitter_did_results <- coeftest(hitter_did_model,
                              vcov = vcovHC(hitter_did_model,
                                             type = "HC1",
                                             cluster = "group"))

# Print the third block of results
stargazer(hitter_did_results,
          no.space = TRUE,
          type = "text",
          title = "Bateadores regulares: Y DID",
          covariate.labels = c("Tratamiento", "Agent_period${t}$",
                              "Anios_contrato${t}$",
                              "Edad${t}$", "Equipo${t}$",
                              "ATE"))

```

Bateadores regulares: Y DID

=====

Dependent variable:

```

-----
Tratamiento      0.058*
                  (0.032)
Agentt           -0.064***
                  (0.014)
Aniost           0.003
                  (0.004)
Edadt            -0.010***
                  (0.002)
Equipot          0.0005
                  (0.001)
ATE              -0.018
                  (0.034)

```

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

```

# Convert panel_data to a plm data object
plm_data <- pdata.frame(starting_data_did,
                        index = c("Jugador", "Anio_ref"))

```

```

# Specify the formula using as.formula
formula <- as.formula("Y_Sueldo_regular_norm_t ~ treatment * factor(Anio_did >= 0) + Anios_de_contrato_

# Estimate DID model with multiple periods
starting_did_model <- plm(formula,
                           data = plm_data,
                           model = "within")

# Group standard errors:
starting_did_results <- coeftest(starting_did_model,
                                 vcov = vcovHC(starting_did_model,
                                                type = "HC1",
                                                cluster = "group"))

# Print the third block of results
stargazer(starting_did_results,
           no.space = TRUE,
           type = "text",
           title = "Lanzadores Iniciales: Y DID",
           covariate.labels = c("Tratamiento", "Agent_period${t}$",
                                "Anios_contrato${t}$",
                                "Edad${t}$", "Equipo${t}$",
                                "ATE"))

```

Lanzadores Iniciales: Y DID

=====

Dependent variable:

Tratamiento	0.027
	(0.054)
Agentt	-0.051**
	(0.023)
Aniost	-0.003
	(0.004)
Edadt	-0.013***
	(0.004)
Equipot	0.001
	(0.001)
ATE	0.034
	(0.058)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

```

# Create a data frame with outcome variable, treatment indicator, and time variable
parallel_data <- data.frame(Y_Sueldo_regular_norm_t = hitter_data_did$Y_Sueldo_regular_norm_t,
                           Tratamiento = hitter_data_did$Tratamiento,
                           Anio_did = hitter_data_did$Anio_did)

# Calculate mean outcome for treatment and control groups at each time period

```

```

parallel_means <- aggregate(Y_Sueldo_regular_norm_t ~ Tratamiento + Anio_did, data = parallel_data, FUN

# Create plot
ggplot(data = parallel_means,
       aes(x = Anio_did, y = Y_Sueldo_regular_norm_t, color = Tratamiento)) +
  geom_line(size = 1.5) +
  ggtitle("Bateadores - Tendencias de Y") +
  xlab("Año escalado") +
  ylab('Cambio poder de negociación') +
  scale_color_manual(values = c("blue", "orange")) +
  theme_bw() +
  geom_vline(xintercept = 0,
             linetype = "dashed",
             color = "red",
             size = 1.5) +
  theme(
    #Título de los ejes:
    axis.title.x = element_text(color = "Black",
                                size = 15,
                                face = "bold"),
    axis.title.y = element_text(color="Black",
                                size = 15,
                                face = "bold"),

    #Texto de los ejes:
    axis.text.x = element_text(size = 15),
    axis.text.y = element_text(size = 15),

    #Título del gráfico:
    plot.title = element_text(color = "Black",
                              size = 20,
                              hjust = 0.5,
                              face = "bold"),


    #Título de la Leyenda:
    legend.title = element_text(size = 15),

    #Texto de la Leyenda
    legend.text = element_text(size = 13),

    # Posición de la leyenda:
    legend.position = "bottom"
  ) +
  scale_x_continuous(breaks = seq(-10, 10, by = 2)) +
  geom_text(aes(label = "Tratamiento"), x = 2, y = 0.3,
            size = 4.5,
            color = "navy",
            angle = 0,
            hjust = 0.5,
            vjust = -0.5) +
  labs(color = "Agente libre")

```

Bateadores – Tendencias de Y



```
# Save the plot as a PDF file
ggsave("did_model_plot_hitter_y.pdf")
```

Saving 6.5 x 4.5 in image

```
# Create a data frame with outcome variable, treatment indicator, and time variable
parallel_data <- data.frame(Y_Sueldo_regular_norm_t = starting_data_did$Y_Sueldo_regular_norm_t,
                           Tratamiento = starting_data_did$Tratamiento,
                           Anio_did = starting_data_did$Anio_did)

# Calculate mean outcome for treatment and control groups at each time period
parallel_means <- aggregate(Y_Sueldo_regular_norm_t ~ Tratamiento + Anio_did,
                             data = parallel_data,
                             FUN = mean)

# Create plot
ggplot(data = parallel_means,
       aes(x = Anio_did, y = Y_Sueldo_regular_norm_t, color = Tratamiento)) +
  geom_line(size = 1.5) +
  ggtitle("Lanzadores iniciales - Tendencias de Y") +
  xlab("Año escalado") +
  ylab('Cambio poder de negociación') +
  scale_color_manual(values = c("blue", "orange")) +
  theme_bw() +
  theme(plot.title = element_text(hjust = 0.5)) +
  geom_vline(xintercept = 0,
```



```

        linetype = "dashed",
        color = "red",
        size = 1.5) +
theme(
  #Título de los ejes:
  axis.title.x = element_text(color = "Black",
                              size = 15,
                              face = "bold"),
  axis.title.y = element_text(color="Black",
                              size = 15,
                              face = "bold"),

  #Texto de los ejes:
  axis.text.x = element_text(size = 15),
  axis.text.y = element_text(size = 15),


  #Título del gráfico:
  plot.title = element_text(color = "Black",
                            size = 20,
                            hjust = 0.5,
                            face = "bold"),

  #Título de la Leyenda:
  legend.title = element_text(size = 15),

  #Texto de la Leyenda
  legend.text = element_text(size = 13),

  # Posición de la leyenda:
  legend.position = "bottom"
) +
scale_x_continuous(breaks = seq(-10, 10, by = 2)) +
geom_text(aes(label = "Tratamiento"), x = 2, y = -0.2,
          size = 4.5,
          color = "navy",
          angle = 0,
          hjust = 0.5,
          vjust = -0.5) +
labs(color = "Agente libre")

```



```
# Save the plot as a PDF file
ggsave("did_model_plot_starting_y.pdf")
```

Saving 6.5 x 4.5 in image

Repitamos lo mismo para los salarios

```
# Convert panel_data to a plm data object
plm_data <- pdata.frame(hitter_data_did,
                        index = c("Jugador", "Anio_ref"))

# Specify the formula using as.formula
formula <- as.formula("Sueldo_regular_norm_t ~ treatment * factor(Anio_did >= 0) + Anios_de_contrato_t")

# Group standard errors:
hitter_did_results <- coeftest(hitter_did_model,
                              vcov = vcovHC(hitter_did_model,
                                              type = "HC1",
                                              cluster = "group"))

# Print the third block of results
stargazer(hitter_did_results,
          no.space = TRUE,
          type = "text",
          title = "Bateadores regulares: Salario regular DID",
          covariate.labels = c("Tratamiento", "Agent_period${t}$"),
```

```
"Anios_contrato$_{t}$",
"Edad$_{t}$", "Equipo$_{t}$",
"ATE"))
```

Bateadores regulares: Salario regular DID

=====

Dependent variable:

```
-----
Tratamiento      0.058*
                  (0.032)
Agentt           -0.064***
                  (0.014)
Aniost           0.003
                  (0.004)
Edadt           -0.010***
                  (0.002)
Equipot          0.0005
                  (0.001)
ATE              -0.018
                  (0.034)
=====
=====
```

Note: *p<0.1; **p<0.05; ***p<0.01

```
# Convert panel_data to a plm data object
```

```
plm_data <- pdata.frame(starting_data_did,
                        index = c("Jugador", "Anio_ref"))
```

```
# Specify the formula using as.formula
```

```
formula <- as.formula("Sueldo_regular_norm_t ~ treatment * factor(Anio_did >= 0) + Anios_de_contrato_t
```

```
# Estimate DID model with multiple periods
```

```
starting_did_model <- plm(formula,
                          data = plm_data,
                          model = "within")
```

```
# Group standard errors:
```

```
starting_did_results <- coeftest(starting_did_model,
                                vcov = vcovHC(starting_did_model,
                                              type = "HC1",
                                              cluster = "group"))
```

```
# Print the third block of results
```

```
stargazer(starting_did_results,
          no.space = TRUE,
          type = "text",
          title = "Lanzadores Iniciales: w DID",
          covariate.labels = c("Tratamiento", "Agent_period$_{t}$",
                              "Anios_contrato$_{t}$",
                              "Edad$_{t}$", "Equipo$_{t}$",
                              "ATE"))
```

Lanzadores Iniciales: w DID

=====

Dependent variable:	

Tratamiento	0.048 (0.035)
Agentt	0.021 (0.019)
Aniost	0.065*** (0.007)
Edadt	0.023*** (0.004)
Equipot	-0.0004 (0.001)
ATE	-0.063* (0.038)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

```
# Create a data frame with outcome variable, treatment indicator, and time variable
parallel_data <- data.frame(Sueldo_regular_norm_t = hitter_data_did$Y_Sueldo_regular_norm_t,
                           Tratamiento = hitter_data_did$Tratamiento,
                           Anio_did = hitter_data_did$Anio_did)

# Calculate mean outcome for treatment and control groups at each time period
parallel_means <- aggregate(Sueldo_regular_norm_t ~ Tratamiento + Anio_did, data = parallel_data, FUN =

# Create plot
ggplot(data = parallel_means,
       aes(x = Anio_did, y = Sueldo_regular_norm_t, color = Tratamiento)) +
  geom_line(size = 1.5) +
  ggtitle("Bateadores - Tendencias de los salarios") +
  xlab("Año escalado") +
  ylab('Salario') +
  scale_color_manual(values = c("blue", "orange")) +
  theme_bw() +
  theme(plot.title = element_text(hjust = 0.5)) +
  geom_vline(xintercept = 0,
            linetype = "dashed",
            color = "red",
            size = 1.5) +
  theme(
    #Título de los ejes:
    axis.title.x = element_text(color = "Black",
                                size = 15,
                                face = "bold"),
    axis.title.y = element_text(color="Black",
                                size = 15,
                                face = "bold"),

    #Texto de los ejes:
```

```

axis.text.x = element_text(size = 15),
axis.text.y = element_text(size = 15),


#Título del gráfico:
plot.title = element_text(color = "Black",
                           size = 20,
                           hjust = 0.5,
                           face = "bold"),

#Título de la Leyenda:
legend.title = element_text(size = 15),

#Texto de la Leyenda
legend.text = element_text(size = 13),

# Posición de la leyenda:
legend.position = "bottom"
) +
scale_x_continuous(breaks = seq(-10, 10, by = 2)) +
geom_text(aes(label = "Tratamiento"), x = 2, y = 0.2,
          size = 4.5,
          color = "navy",
          angle = 0,
          hjust = 0.5,
          vjust = -0.5) +
labs(color = "Agente libre")

```



```
# Save the plot as a PDF file
ggsave("did_model_plot_hitter_w.pdf")
```

Saving 6.5 x 4.5 in image

```
# Create a data frame with outcome variable, treatment indicator, and time variable
parallel_data <- data.frame(Sueldo_regular_norm_t = starting_data_did$Y_Sueldo_regular_norm_t,
                           Tratamiento = starting_data_did$Tratamiento,
                           Anio_did = starting_data_did$Anio_did)

# Calculate mean outcome for treatment and control groups at each time period
parallel_means <- aggregate(Sueldo_regular_norm_t ~ Tratamiento + Anio_did, data = parallel_data,
                            FUN = mean)

# Create plot
ggplot(data = parallel_means,
       aes(x = Anio_did, y = Sueldo_regular_norm_t, color = Tratamiento)) +
  geom_line(size = 1.5) +
  ggtitle("Lanzadores iniciales - Tendencias de los salarios") +
  xlab("Año escalado") +
  ylab('Salario') +
  scale_color_manual(values = c("blue", "orange")) +
  theme_bw() +
  theme(plot.title = element_text(hjust = 0.5)) +
  geom_vline(xintercept = 0,
            linetype = "dashed",
            color = "red",
            size = 1.5) +
  theme(
    #Titulo de los ejes:
    axis.title.x = element_text(color = "Black",
                                size = 15,
                                face = "bold"),
    axis.title.y = element_text(color="Black",
                                size = 15,
                                face = "bold"),

    #Texto de los ejes:
    axis.text.x = element_text(size = 15),
    axis.text.y = element_text(size = 15),

    #Titulo del grafico:
    plot.title = element_text(color = "Black",
                              size = 20,
                              hjust = 0.5,
                              face = "bold"),

    #Titulo de la Leyenda:
    legend.title = element_text(size = 15),


    #Texto de la Leyenda
    legend.text = element_text(size = 13),
```

```

# Posición de la leyenda:
legend.position = "bottom"
) +
scale_x_continuous(breaks = seq(-10, 10, by = 2)) +
geom_text(aes(label = "Tratamiento"), x = 2, y = -0.2,
           size = 4.5,
           color = "navy",
           angle = 0,
           hjust = 0.5,
           vjust = -0.5) +
labs(color = "Agente libre")

```

Lanzadores iniciales – Tendencias de los salar



```

# Save the plot as a PDF file
ggsave("did_model_plot_starting_w.pdf")

```

Saving 6.5 x 4.5 in image