

# pst-bezier

A PSTricks package for drawing Bezier curves; v.0.01

January 29, 2009

Package author(s):
Tobias Nähring
Herbert Voß

Contents 2

## **Contents**

1	Introduction	4
2	Installation and usage of pst-bezier.tex	4
3	The \psbcurve macro	4
4	Things that do not work ('known bugs')	8
5	List of all optional arguments for pst-bezier	9
References		9

The pstricks package provides (essentially) two main macros for drawing curves: \pscurve and \psbezier. Both macros employ Bezier splines.

The \pscurve macro takes multiple interpolated points as arguments. Thus, it is easy to draw long multiply bent curves. The problem with \pscurve is that there is no easy way to change the automatically computed control points without simultaneously changing the interpolated points. Note that some control is possible via the curvature option.

The \psbcurve macro gives full control over the interpolation points and the control points of one Bezier polynominal of degree three (two interpolated points and two control points).

Thanks to: Jean-Côme Charpentier. 1 Introduction 4

#### 1 Introduction

If one demands for the access to certain control points of one multiply bent curve one has to use multiple instances of the \psbezier macro. With this approache each inner interpolation point of the curve has to be input twice. Furthermore, if one needs smooth joints one has to compute control points symmetrically to the corresponding interpolation points for every joint even if one does not care so much about the exact tangential direction at some of those joints. That can be rather tedious.

The \psbcurve macro of the package pst-bezier is intented to demonstrate a way to combine the nice properties of the macros \pscurve and \psbezier. It provides an easy input format to describe 'arbitrarily' many interpolation points of a curve and to fix the control points at some freely selected interpolation points.

Note, that pst-bezier is *no final package* (e.g. the automatical computation of the control points is not as refined as that one for the macro \pscurve).

#### 2 Installation and usage of pst-bezier.tex

**Installation:** As prerequisites for pst-bezier you need resent working versions of LATEX and pstricks. The files pst-bezier.tex and pst-bezier.sty must be somewhere in your TEX-input path. Further more, the file pst-bezier.pro must be in some path, where dvips can find it.


**Usage:** As usual, load the packages pstricks and pst-bezier in that order via the \usepackage macro.

Now you are ready to use the \psbcurve macro within your document body. This macro is described in the next section with all its options.

Whith the following simple LATEX-source code you can test whether you have correctly installed the package:


### 3 The \psbcurve macro

In the most simple form you can specify any number of interpolation points as the argument of \psbcurve.



\begin{pspicture}[showgrid=true](5,3)
\psbcurve(1,1)(2,2)(3,1)(4,2)
\end{pspicture}

As usual, options can be specified within brackets.



\begin{pspicture}[showgrid=true](5,3)


\psbcurve[showpoints=true](1,1)(2,2)

(3,1)(4,2)

\end{pspicture}

As you can see in the above example, the showpoints feature works (partially) with \psbcurve.

The next figure shows again the curve from the first example. This time labels are added to the points (this is just for the following description, it is not a feature of \psbcurve).



```
begin{pspicture}[showgrid=true](5,3)

psbcurve[showpoints=true](1,1)(2,2)
    (3,1)(4,2)

uput[-90](1,1){$\vec{p}_{0}=\vec{l}_{-1}$}

uput[90](2,2){$\vec{r}_{1}$}

uput[90](2,2){$\vec{p}_{1}$}

uput[90](2,5,2){$\vec{l}_{2}$}

uput[-90](2,5,1){$\vec{r}_{2}$}

uput[-90](3,1){$\vec{p}_{2}$}

uput[-90](3,5,1){$\vec{l}_{2}$}

uput[-90](3,5,1){$\vec{l}_{3}$}

uput[90](4,2){$\vec{r}_{3}$=\vec{p}_{-3}$}

uput[90](4,2){$\vec{r}_{3}$=\vec{p}_{-3}$}
```

The points labeled with  $\vec{p}_k$   $(k=0,\ldots,3)$  are the interpolation points, these ones labelled with  $\vec{t}_1,\ldots,\vec{t}_3$ , and these ones labelled with  $\vec{r}_1,\ldots,\vec{r}_3$  are the left and right control points, respectively.

Between each consecutive pair  $\overrightarrow{p}_{k-1}, \overrightarrow{p}_k$  of interpolation points the \psbcurve macro draws a cubic Bezier spline. The control points  $\overrightarrow{l}_k$  and  $\overrightarrow{r}_k$  determine the tangential direction of the bezier spline at the interpolation points. More exactly, the bezier spline from  $\overrightarrow{p}_{k-1}$  to  $\overrightarrow{p}_k$  is tangent to the vector  $\overrightarrow{l}_k - \overrightarrow{p}_{k-1}$  at the point  $\overrightarrow{p}_{k-1}$  and tantengial to the vektor  $\overrightarrow{r}_k - \overrightarrow{p}_k$  at the point  $\overrightarrow{p}_k$ .

Without any optional modifier arguments (described later in this text) the control points are computed automatically from the interpolation points by the formulas<sup>1</sup>

$$\vec{l}_1 = \vec{p}_0$$


$$\vec{l}_k = t_k (\vec{p}_k - \vec{p}_{k-2}) \qquad \text{for } k = 2, \dots, n$$

$$\vec{r}_k = t_k (\vec{p}_{k-1} - \vec{p}_{k+1}) \qquad \text{for } k = 1, \dots, n-1$$


$$\vec{r}_n = \vec{p}_n$$

where  $t_k$  (k = 1, ..., n) are real coefficients which are called tension and which default to the value bcurveTension=0.25.

You can change the appearance of the curve by several modifiers. First of all you can directly set the left and right control points via the modifiers l(x,y) and r(x,y), resp., as shown in the next two examples. The unmodified curve is drawn in the background in blue color.




On the right hand side the last example is shown once more without grid and with showpoints=false. There, you see that there is a corner at the second interpolation point.




If you change some left control point  $\overrightarrow{l}_k$  with the help of the L(x,y) modifier then the control point  $\overrightarrow{r}_{k-1}$  is set symmetrically to  $\overrightarrow{l}_k$  with respect to the interpolation point  $\overrightarrow{p}_{k-1}$ . In that way you get a smooth joint as demonstrated in the next example.


<sup>1</sup> Note that this method is very crude. To compute the curve such that the curvature is continuous would require solving a nonlinear system of equations. That is not implemented yet.




With the  $t\{t\}$  modifier you can change the tension of the automatically computed control points of the current Bezier spline.




As you can see from the example both control points of the current spline are affected by the  $t\{t\}$  modifier. If you want to change the tension of just the left or right control point you can use the  $t\{t\}$  or  $tr\{t\}$  modifier, respectively, as demonstrated in the following two examples.




The  $ts\{t\}$  modifier changes the tension of the left and right control points next to the interpolation point which stands in front of the modifier. In the next example a negative tension value leads to a rather surprising effect.




The default value of the tension can be set with the option bcurveTension as in the following example.



You can set this option also with the help of the  $\protect$  macro. It is even possible to change the value of bcurveTension in the middle of a  $\protect$  Just use the modifier  $T\{t\}$  for that purpose as shown in the following example.



Certainly, you can use the  $T\{t\}$  modifier several times in one curve. (Try it for yourself.) The linestyle and fillstyle options (and several more) are respected by \psbcurve as the following example shows.



```
\pspicture[showgrid=true](5,3)

\pspcurve[linestyle=dashed,
    linewidth=3pt,
    dash=0.5 0.2,
    fillstyle=solid,
    fillcolor=blue](1,1)(2,2)(3,1)(4,2)
    \endpspicture
```

### 4 Things that do not work ('known bugs')

As already mentioned this project is something like an experiment. So, there are many things that do not work.

- new lines inside the argument list are not ignored.
- The control points are computed in a rather crude way (see above). The curvature option is not recognised.

References 9

• If fillstyle is set to solid and showpoints=true then the fill color covers the interpolation and control points.

· arrow heads do not work.

#### 5 List of all optional arguments for pst-bezier

Key	Type	Default
bcurveTension	ordinary	0.25

#### References

- [1] Michel Goosens, Frank Mittelbach, Serbastian Rahtz, Denis Roegel, and Herbert Voß. *The LATEX Graphics Companion*. Addison-Wesley Publishing Company, Reading, Mass., 2nd edition, 2007.
- [2] Laura E. Jackson and Herbert Voß. Die Plot-Funktionen von pst-plot. Die  $T_E$ Xnische Komödie, 2/02:27–34, June 2002.
- [3] Nikolai G. Kollock. *PostScript richtig eingesetzt: vom Konzept zum praktischen Einsatz.* IWT, Vaterstetten, 1989.
- [4] Herbert Voß. Die mathematischen Funktionen von Postscript. *Die TeXnische Komödie*, 1/02:40–47, March 2002.
- [5] Herbert Voss. PSTricks Support for pdf. http://PSTricks.de/pdf/pdfoutput. phtml, 2002.
- [6] Herbert Voß. *PSTricks Grafik für T<sub>E</sub>X und L<sup>A</sup>T<sub>E</sub>X*. DANTE/Lehmanns Media, Heidelberg/Berlin, 5. edition, 2008.
- [7] Herbert Voß. *Mathematik mit LATEX*. DANTE/Lehmanns Media, Heidelberg/Berlin, 2009.
- [8] Michael Wiedmann and Peter Karp. References for T<sub>E</sub>X and Friends. http://www.miwie.org/tex-refs/, 2003.
- [9] Timothy Van Zandt. PSTricks PostScript macros for Generic TeX. http://www.tug.org/application/PSTricks, 1993.

# Index

bcurveTension, 6, 8	showpoints, 5, 6, 9 solid, 9	
curvature, 3, 8	spline, 3	
dvips, 4	Syntax L, 6	
<pre>false, 6 File     pst-bezier.pro, 4     pst-bezier.sty, 4     pst-bezier.tex, 4 fillstyle, 9</pre>	l, 6 r, 6 T, 8 t, 7 tl, 7 tr, 7 ts, 7	
Keyword bcurveTension, 6, 8 curvature, 3, 8 fillstyle, 9 showpoints, 5, 6, 9 solid, 9	T, 8 t, 7 tl, 7 tr, 7 true, 9 ts, 7	
L, <mark>6</mark> l, <del>6</del>	\usepackage, 4	
Macro \psbcurve, 3-5, 8 \psbezier, 3, 4 \pscurve, 3, 4 \psset, 8 \usepackage, 4	Value false, 6 true, 9	
Package  pst-bezier, 4 pstricks, 3, 4  Program dvips, 4 \psbcurve, 3-5, 8 \psbezier, 3, 4 \pscurve, 3, 4 \pscurve, 3, 4 \pst-bezier, 4 pst-bezier.pro, 4 pst-bezier.sty, 4 pst-bezier.tex, 4 pstricks, 3, 4  r, 6		
1, <del>V</del>		