# Introduction to Pathway Analysis and Visualization – Day 2 Additional Exercises

#### Hands-on instructions

In this exercise, we will use the results from ORA analysis to select a GO term, and create a network from that GO term in Cytoscape using the <a href="String app">String app</a>, from the STRING database of protein-protein interactions. Finally, we will visualize our expression data on the network.

### Data visualization in Cytoscape

#### Getting the list of genes for a GO term

- 1. Open the data table results from the ORA analysis, corresponding to GO terms. Find the top GO term.
- 2. In the **Genes** column and copy the contents for the top term.

#### Cytoscape

- 1. Launch Cytoscape. Using the App Manager, install the STRING app.
- 2. In the Network panel, select **STRING protein query** in the drop-down and paste the list of genes. Click the **Options** icon and set the confidence score to 0.40 and the maximum number of interactors to 0. Click the search icon to search.
- 3. You may see a **Resolve Ambiguous Terms** interface, which identifies symbols in your input who have more than one potential match in the STRING database. You can resolve the issues by choosing which to import one or all of the matches.
- 4. When the network loads, it will have the STRING style applied. To remove this and allow for better data visualization, go to the STRING side panel to the right of the network. Deselect the following options:
  - a. Glass ball effect
  - b. STRING style labels
  - c. String colors
- 5. Before we can visualize the data on the network, the network has to be annotated with Ensembl IDs (which is what the data is annotated with). In the **Node Table** (below the network), right-click on the **stringdb canonical name** column header, and select **Map column...**.
- 6. In the mapping interface, select **Uniprot** as the **Map from** column and **Ensembl** as the **To** column. Click **OK** to proceed.
- 7. Now we can import the lung cancer dataset like in the previous tutorial and color the nodes by Log2FC.

8. *Optional:* Change the width and color of the node border for nodes with adjusted p-value <0.05

## Additional down-stream analysis

Extend the STRING network with pathway associations