


# The Direct Daylight Project

---



Alex Tan  
September 8, 2019

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	The Team . . . . .	1
1.2	Open Positions . . . . .	1
1.3	Weekly Meetings . . . . .	1
1.4	Learn to Code! . . . . .	1
1.4.1	Caveats . . . . .	1
<b>2</b>	<b>Documentation</b>	<b>3</b>
<b>3</b>	<b>SSH &amp; Git</b>	<b>4</b>
3.1	Generating an SSH Key . . . . .	4
3.2	Setting Up Git . . . . .	4
3.3	Command Prompt Basics . . . . .	5
3.4	Cloning the Repo . . . . .	5
3.5	Git Primer . . . . .	5
3.5.1	Viewing the Status of Git . . . . .	5
3.5.2	Committing Files . . . . .	5
3.5.3	Pushing Your Own Changes . . . . .	6
3.5.4	Pulling Other People's Changes . . . . .	6
3.5.5	Merge Conflicts . . . . .	7
3.5.6	Stashing . . . . .	7
3.5.7	Viewing the Project History . . . . .	7
<b>4</b>	<b>Trello</b>	<b>8</b>

# 1 Introduction

The Direct Daylight Project is a 2.5D, retro-style, story-driven game, with its key themes centred around nostalgia and discovery.

## 1.1 The Team

Name	Role
Alex Tan	Technical Lead
Brian Huang	Musical Lead
Dylan Kroft	Project Manager
Xing Lin	Artistic Lead

## 1.2 Open Positions

### 1. Artist

- for drawing people

### 2. Scriptwriter

- for fleshing out and writing the dialogue of the story

### 3. Voice Actors

- after the script has been finalised
- if possible

## 1.3 Weekly Meetings

There will be weekly meetings held in-person to discuss the progress of the project. These will generally be held on Sunday afternoons. Contact Alex for more information.

## 1.4 Learn to Code!

The game code is written in Java, using the Processing graphics library. Processing is extremely easy and fun to learn, and you can find some introductory resources at <http://directdaylight.com/learn-processing/learn-processing-presentation.pdf>. These resources are aimed towards teaching people who have no prior programming experience the basics of Java and the Processing library.

### 1.4.1 Caveats

If you'd like to contribute to the game code, there are some minor differences between the presentation slides and the game code.

1. It is recommended that you use an Integrated Development Environment (IDE) such as Eclipse for Java, instead of the Processing Environment. You can download Eclipse at <https://www.eclipse.org/downloads/>.
2. If you want to access the in-built Processing functions and variables within the code, you first need to put a static import at the top of the file.

---

```
import static main.Main.P;
```

---

Then you need to prefix all Processing function calls and variables with P. as in the following example.

---

```
P.rect(100, 100, 300, 200);
```

---

Here is a complete example.

---

```
package main;

import static main.Main.P;

import main.ResourceManager.ResourceKey;
import processing.core.PImage;
import processing.core.PVector;

public class BackgroundLayer implements GraphicsElement {

    private PImage image;
    private float parallaxFactor;

    public BackgroundLayer(ResourceKey key, PVector offset, float parallaxFactor) {
        image = ResourceManager.get(key);
        this.parallaxFactor = parallaxFactor;
    }

    @Override
    public void draw(Camera camera) {
        P.pushMatrix();
        P.translate(-camera.getPos().x * parallaxFactor, -camera.getPos().y);
        P.image(image, 0, 0);
        P.popMatrix();
    }
}
```

---

## **2 Documentation**

The majority of the project documentation can be found in the shared Google Drive folder. Contact Alex for more information.

## 3 SSH & Git

This section covers how to download the project files, make changes, and sync these changes so that it can be viewed by the whole team.

### 3.1 Generating an SSH Key

You will first need an SSH key to gain access to the project files. Think of an SSH key as like a special password. To get started, follow the following instructions.

1. Open a terminal.
2. Run `ssh-keygen`.
  - You will be prompted for a location to save the `id_rsa.pub` file. Leave this blank to save it in the default location.
3. Take note of where the `id_rsa.pub` file is stored. You can find the location of the file in the command prompt.
  - On Windows, this is usually `C:\Users\your_username\.ssh/id_rsa.pub`
  - On Mac, this is usually `/Users/your_username/.ssh/id_rsa.pub`
  - On Linux, this is usually `~/.ssh/id_rsa.pub`
4. Send the `id_rsa.pub` file to Alex.

Note that you will also have a file named `id_rsa` in the same directory. This is known as your private key and should **not** be shared with anyone.

### 3.2 Setting Up Git

Git is a tool for keeping track of changes in project files, and for coordinating work between multiple people across the team. You can think of it as a more sophisticated version of Google Drive, or Microsoft OneDrive.

To get started, first check if you have git installed, and download it if it is not installed.

- On **Windows**, open the Start Menu and search for git. Unless you have used git before, it probably will not be installed. Visit <https://git-scm.com/download/win> to download and install git.

To check if it installed correctly, open the Start Menu and search for git. After opening git, a command prompt should open. Now run `git --version`.

- On **Mac**, you may or may not have git installed. You can check by opening a terminal and running `git --version`. If git is not installed, visit <https://git-scm.com/download/mac> to download and install git.

To check if it is installed correctly, open a terminal, and run `git --version`.

- On **Linux**, you may or may not have git installed. You can check by opening a terminal and running `git --version`. If git is not installed, visit <https://git-scm.com/download/linux> and follow the instructions.

To check if it is installed correctly, open a terminal, and run `git --version`.

### 3.3 Command Prompt Basics

There are numerous commands that can be run in the command prompt. The following are the most useful to get you started.

<code>ls</code>	Lists all the files and directories in your current directory.
<code>pwd</code>	Prints the location of your current directory.
<code>cd directory_name</code>	Navigates to the specified directory (relative to where you currently are).
<code>cd ..</code>	Navigates to the parent directory (relative to where you currently are).

### 3.4 Cloning the Repo

We first need to download the project files. In the git command line, navigate to somewhere you want to download the project to, and then run the following command.

---

```
git clone git@directdaylight.com:direct-daylight-game
```

---

This will create a new folder named `direct-daylight-game` and download the project into that folder.

### 3.5 Git Primer

#### 3.5.1 Viewing the Status of Git

Now that you have a copy of the project files, you can start editing the files. Try changing a file or creating a new file. Now run the following command.

---

```
git status
```

---

This displays basic information about the current state of the project, such as what files you have edited or created.

#### 3.5.2 Committing Files

Once you have made changes to the project files and are happy with your changes, you are ready to **commit** your changes. This can be done by running the following command in the project directory. You will need to provide a commit message, which is a short message for describing what you have changed in this commit. E.g. `"added new sound effects"`

---

```
git commit -am "commit message"
```

---

If this is your first time using git, you will also need to run the following commands. Replace the email and name with your real email and name.

---

```
git config --global user.email "johnsmith@gmail.com"
git config --global user.name "John Smith"
```

---

After you have committed your changes try running `git status` and see what has changed.

### 3.5.3 Pushing Your Own Changes

You have now committed your changes to the project, however your changes are not yet visible to the whole team. At this point, you can make more changes and make more commits if you would like. Once you are ready, you can share the changes with the whole team by running the following command.

---

```
git push origin master
```

---

This pushes your commits to the main server. Think of it as uploading your changes.

Under certain situations, you may not be able to push to the server. To solve this, read the following sections.

### 3.5.4 Pulling Other People's Changes

Other people may be working on the project as well, and will be committing and pushing changes using `git commit` and `git push origin master` the same way that you have been doing. Git does **not** automatically download these changes. To retrieve the latest version of the project, run the following command.

---

```
git pull origin master
```

---

This may fail if you have edited files but not yet committed them. This is because these changes may potentially be overwritten. The simplest way to solve this is to commit your changes. Alternatively, you can **stash** your changes. We will discuss this later on.

If you are having trouble pushing to the server, it may be because someone else has already made changes using `git push origin master`, and you are still on the old version of the project. In this case, running `git pull origin master`, and then pushing your changes as usual using `git push origin master` should fix the issue.

However, if someone else has changed a file that you have worked on, or has deleted a file that you have worked on, `git pull origin master` will fail. In this case you will get a **merge conflict**. We will discuss how to solve merge conflicts in the next section.



### 3.5.5 Merge Conflicts

A **merge conflict** typically occurs when two people have changed the same lines in a file, or if one person has deleted a file whilst somebody else was modifying it.

More info: <https://www.atlassian.com/git/tutorials/using-branches/merge-conflicts>

### 3.5.6 Stashing

Stashing temporarily shelves (or *stashes*) changes you've made, so that you can work on something else, and come back and re-apply those changes. This is useful if you are working on something, but you aren't quite ready to commit and want to work on something else.

More info: <https://www.atlassian.com/git/tutorials/saving-changes/git-stash>

### 3.5.7 Viewing the Project History

You can view the history of the project using the following command.

---

```
git log
```

---

This lists out all the commits so far including the person who made the commit, and the commit message. This can be useful for keeping track of who made what changes.

## 4 Trello

Trello is an app used for organising and planning out tasks. At each weekly meeting, tasks will be reviewed and assigned using Trello.

- Sign up for Trello at <https://trello.com>
- Accept the Trello board invitation at <https://trello.com/invite/b/CW6IRbz0/b1605676bf57e5327f3cd156d03979d7/direct-daylight-game>
- You can now view and edit the Trello board at <https://trello.com/b/CW6IRbz0>