

# Even, odd, or neither

We can categorize a function - according to its “behavior” - as even, odd, or neither. Each of those categories corresponds to a particular type of symmetry of the graph of a function. In fact, it’s often easiest to tell whether a function is even, odd, or neither by looking at its graph. Sometimes it’s difficult or impossible to graph a function, so there is an algebraic way to check as well.

## Even functions

Symmetric with respect to the  $y$ -axis




When you plug  $-x$  into the expression for an even function, it will simplify to the expression for the original function. This means that it doesn’t matter whether you plug in  $x$  or  $-x$ , your output will be the same. So

$$f(-x) = f(x)$$

What this means in terms of the graph of an even function is that the part that’s to the left of the  $y$ -axis is a mirror image of the part that’s to the right of the  $y$ -axis.

Below are graphs that are symmetric with respect to the  $y$ -axis and therefore represent even functions.





## Odd functions




Symmetric with respect to the origin

When you plug  $-x$  into the expression for an odd function, it will simplify to the negative of the expression for the original function, or the expression for the original function multiplied by  $-1$ . This means that when you plug in  $-x$ , you'll get essentially the same output that you get when you plug in  $x$ , the only difference being that its sign will be opposite the sign of the original output. So

$$f(-x) = -f(x)$$

Below are graphs that are symmetric with respect to the origin and therefore represent odd functions. Be sure to visually compare quadrants that are diagonal from each other (quadrants I and III, and quadrants II and IV). For every first-quadrant point  $(x, y)$  in the graph of an odd function, there's a third-quadrant point of the graph with coordinates  $(-x, -y)$ . Similarly, for every second-quadrant point  $(x, y)$  in the graph of an odd function, there's a fourth-quadrant point of the graph with coordinates  $(-x, -y)$ .








## Neither even nor odd

Not symmetric with respect to the  $y$ -axis, and not symmetric with respect to the origin

The function has no symmetry. It's possible that a graph could be symmetric with respect to the  $x$ -axis, but then it wouldn't pass the Vertical Line Test and therefore wouldn't represent a function.



## Example

Is the function even, odd, or neither?

$$f(x) = x^5 - 3x^3$$



To solve algebraically we need to find the expression for  $f(-x)$ , so we'll replace every  $x$  (in the expression for  $f(x)$ ) with  $-x$ .

$$f(-x) = (-x)^5 - 3(-x)^3$$

Remember that

$$(-x)^5 = (-1x)^5 = (-1)^5x^5$$

and

$$(-x)^3 = (-1x)^3 = (-1)^3x^3$$

Raising  $-1$  to an odd power gives  $-1$ , so

$$f(-x) = (-1)x^5 - 3(-1)x^3$$


Factor out a  $-1$ , and then simplify.

$$f(-x) = -1(x^5 - 3x^3)$$

$$f(-x) = -(x^5 - 3x^3)$$

Since  $f(-x) = -f(x)$ , the function is odd. We can see that the graph is symmetric with respect to the origin.





Let's try another example of even, odd, or neither.

### Example

Is the function even, odd, or neither?

$$f(x) = 5x^2 - x^4$$

To solve algebraically, we need to find the expression for  $f(-x)$ , so we'll replace every  $x$  (in the expression for  $f(x)$ ) with  $-x$ .

$$f(-x) = 5(-x)^2 - (-x)^4$$



Remember that

$$(-x)^2 = (-1x)^2 = (-1)^2x^2$$

and

$$(-x)^4 = (-1x)^4 = (-1)^4x^4$$

Raising  $-1$  to an even power gives 1, so

$$f(-x) = 5(1)x^2 - (1)x^4$$

$$f(-x) = 5x^2 - x^4$$

Since  $f(-x) = f(x)$ , the function is even. We can see that the graph is symmetric with respect to the  $y$ -axis.

