




A**Diastolic dysfunction**


Diastolic dysfunction: $\eta^2 = .00037$, ns ($p = .87$)
 CT abnormality: $\eta^2 = NA$, ns ($p = .83$)
 Interaction: $\eta^2 = .1$, $p = .007$

Fatigue (bimodal CFS ≥ 4)


Fatigue (bimodal CFS ≥ 4): $\eta^2 = .25$, $p < .001$
 CT abnormality: $\eta^2 = .0024$, ns ($p = .62$)
 Interaction: $\eta^2 = .046$, $p = .03$

Fatigue score (likert CFS)

Fatigue score (likert CFS): $\eta^2 = .35$, $p < .001$
 CT abnormality: $\eta^2 = .0025$, ns ($p = .59$)
 Interaction: $\eta^2 = .053$, $p = .01$

B**Fatigue score (likert CFS)**

Fatigue score (likert CFS): $\eta^2 = .35$, $p < .001$
 LFT abnormality: $\eta^2 = .018$, ns ($p = .15$)
 Interaction: $\eta^2 = .028$, ns ($p = .08$)

C**Fatigue score (likert CFS)**

Fatigue score (likert CFS): $\eta^2 = .35$, $p < .001$
 Diastolic dysfunction: $\eta^2 = .01$, ns ($p = .27$)
 Interaction: $\eta^2 = .055$, $p = .01$