Schedule 10
Yamba



Contents

YAMBA 554

S10.1 Introduction 554

S10.2 Subdivision Planning and Design 555

S10.3 Centre Development Controls 559

S10.4 Site Specific Residential Controls 560

S10.4.1 New detached dwelling houses to the rear of Yamba cottage 560

S10.4.2 Additions to Yamba cottage and workers cottage 561

S10.4.3 Multi dwelling housing at Yamba 561

Table of Figures

Figure 10-1: Yamba Location Plan 554

Figure 10-2: Yamba Indicative Master Plan 556

YAMBA

S10.1 Introduction

Background

Yamba is a property containing a heritage listed cottage and associated buildings. It is located on Camden Valley Way between Narellan and Camden. It abuts rural/primary production land to the north, the Links Estate to the west, and Kirkham Lane to the south. Located opposite across Camden Valley Way is the Elderslie Release area, Rheinberger's Hill, and the Camden Golf Club. See Figure 10-1.




Figure 10-1: Yamba Location Plan

S10.2 Subdivision Planning and Design

Objectives

a. Promote the conservation of Yamba cottage and its curtilage which includes the barn and roadside stall.

b. Promote the conservation of the worker's cottage.

c. Achieve development that occurs in an environmentally sensitive and energy efficient manner, is sustainable in terms of efficient use of land, resources and community facilities, maintenance of adequate services and facilities and development that reflects land capability and other constraints.

d. Ensure that development is consistent with the semi-rural character of the site.

e. Prescribe development guidelines relating to the shape and form of buildings and their relationship to Camden Valley Way and Yamba cottage.

f. Ensure that new buildings, ancillary structures and additions to the existing cottages are complementary in design to the existing heritage buildings.

g. Maintain strategic view lines and corridors both to and from the site as identified in the Yamba Cottage Conservation Management Plan.

Yamba Planning Principles

1. Yamba cottage and the buildings within its curtilage will be restored in accordance with the Yamba CMP and be actively used. The historical grouping of these buildings will be reinforced by the pattern of subdivision, which incorporates these buildings on the same lot of land, forming the centrepiece of the development.

2. The workers cottage will be restored and enhanced to enable its ongoing use as a dwelling house. It will be located on the large lot which includes all of the land between the cottage and Kirkham Lane.

3. The rural character of the site will be maintained by limiting development to six large rural/residential allotments on the lower slopes surrounding Yamba Cottage. The new dwelling houses on these lots will be sympathetic to the heritage significance of Yamba Cottage by using appropriate building materials and adopting a bulk and scale which is subservient to Yamba cottage.

4. Future medium density townhouses at the eastern corner of the site will improve the rural/urban interface by providing a transition between the existing medium density development adjoining the site and the rural/open space land to the west. The townhouses will present an active frontage to Camden Valley Way and will appear as single storey dwellings when viewed from the street.

5. Existing view lines and corridors will be maintained and enhanced via the strategic location of new residential allotments and the removal of noxious weed species Camden Valley Way. Future landscaping will be appropriately planned so as not to impact on view lines and corridors.

6. Vehicular access to the site will be rationalised with the construction of an internal access road having a single connection point to Camden Valley Way.

7. The Yamba Voluntary Planning Agreement (VPA) ensures the conservation of Yamba cottage and associated buildings is linked to stages of development of the site to guarantee the heritage outcomes for Yamba.

8. Reference must be made to the heritage provisions of this DCP.




Figure 10-2: Yamba Indicative Master Plan

Controls

Subdivision

1. The subdivision of the site must be generally consistent with the lot layout depicted on the indicative master plan shown at Figure 10-2.

2. The lot layout must include:

    a. a 'Yamba' lot which includes the land between Camden Valley Way and the internal access road, Yamba cottage, and the packing shed/roadside stall and barn buildings.

    b. six new dwelling lots on the lower slopes surrounding Yamba Cottage.

    c. a 'workers cottage' lot which includes the workers cottage and the remainder of the land at the southern corner of the site.

    d. a 'medium density' lot at the eastern corner of the site which will be developed and further subdivided in the future.

    e. an 'open space' lot which includes the remaining land surrounding the watercourse which will be revegetated and for dedication to Council in accordance with the VPA.

Contamination

1. A detailed Phase 2 contamination investigation must be carried out on the site and the results submitted with the initial development application on the site in accordance with Council's policy titled 'Management of Contaminated Lands'.

Flooding

1. The location of the 1% AEP and PMF flood lines must be verified by ground survey. These must be used to determine the appropriate location of dwellings and infrastructure at the detailed design stage prior to lodging a development application for the site.

Landscaping and weed management

1. A landscape master plan must address the following:

    a. location of existing vegetation species on the site (both endemic and introduced/invasive).

    b. a weed management strategy for the introduced/invasive species, with particular regard for the vegetation fronting Camden Valley Way.

    c. location of all existing and proposed structures and associated services on the site.

    d. location of existing and proposed fencing. Solid boundary fencing is not permitted and post, rail/post and wire fencing is an appropriate form of fencing.

e. a planting schedule indicating proposed plant species, quantities and growth characteristics/mature heights. This must include street tree planting along Camden Valley Way and the revegetation of the open space land around the watercourse.

f. access road, kerbing, driveway and footpath surfacing and treatments.

2. Street tree planting fronting Camden Valley Way must be appropriately spaced to minimise the impact upon existing view lines and corridors to Yamba cottage from Camden Valley Way. The proposed species of street tree must be discussed with Council prior to finalising the landscape plan.

3. Landscaping must respect the rural character of the site by maintaining the prominent open grassed areas and limiting new vegetation to appropriate locations.

4. Landscaping within the view corridors identified on the indicative master plan shown at Figure 10-2 must be minimised to maintain view lines and corridors.

Vehicular access

1. Vehicular access to the site must be achieved by a single point near the eastern corner of the site, generally in the same location as shown on the indicative master plan shown at Figure 10-2. Direct access to Camden Valley Way will not be permitted at any other point.

2. The access road within the site must be constructed as a 'minor access road' as per Council's Engineering Specifications.

3. The access road must be designed and constructed to allow access by waste collection and other service vehicles and, where necessary, must incorporate turning heads to facilitate vehicle manoeuvring and access within the site.

4. The access road must be constructed using appropriate materials and finishes in the context of the site. To soften the appearance of the road it is preferred that rolled edge kerbing be used and that raw white concrete kerbing be avoided.

5. The individual access driveways to each dwelling must be constructed using gravel, bitumen or coloured concrete. The use of raw white concrete or stenciled concrete is not permitted.

Further Information

- *Yamba Cottage Conservation Management Plan.*
- *Yamba Voluntary Planning Agreement.*

S10.3 Centre Development Controls

Not Applicable

S10.4 Site Specific Residential Controls

Note: The controls listed below are specific to Yamba. They must be read in conjunction with the controls in Part 4 of this DCP. In the event of any inconsistency, the controls below prevail.

Background

This subsection provides detailed site-specific controls for residential development at Yamba. The development must occur in accordance with the following controls and documents:

- Yamba Voluntary Planning Agreement
- Yamba Cottage Conservation Management Plan
- Heritage controls contained in this DCP

Controls

S10.4.1 New detached dwelling houses to the rear of Yamba cottage

1. New stand-alone dwellings must have a footprint not exceeding 150m^2 excluding garages.
2. Each dwelling must have a maximum width of 15m and a minimum of 20-25m separation must be provided between each new dwelling in accordance with the development concept plan shown at Figure 10-2.
3. The maximum height of new dwellings is 1 storey with attic rooms permissible where the pitch of the roof does not exceed 35 degrees.
4. Dwellings and additions must be constructed using appropriate materials to achieve a light-weight appearance which are complementary to Yamba cottage. Such materials may include timber or cladding for external walls, corrugated metal roofing and guttering in non-reflective colours, and minimal use of masonry and brickwork (e.g. foundation plinths only).
5. New dwellings must address the internal access road, with private open space being provided behind the dwelling on the lower slopes.
6. Preference must be given to locating car parking underneath the dwellings wherever the fall of the land permits this, with vehicular access achieved via a driveway beside each dwelling.
7. If the car parking cannot be located underneath the dwelling, car parking may be provided at-grade in the form of one enclosed garage not exceeding 20m^2 and a single carport attached to the garage. At-grade car parking must be designed so that it is not visually dominant when viewed from the front of the dwelling. Preference must be given to locating at-grade car parking behind the rearmost point of the dwelling rather than integrating the garaging with the front façade of the dwelling.
8. Post and rail / post and wire fencing must be used to delineate the side and rear boundary lines between allotments, with screening vegetation used to enhance privacy where necessary. Fences

forward of the building line are not permitted in any form. Solid non-transparent boundary fencing is not permitted.

S10.4.2 Additions to Yamba cottage and workers cottage

1. Additions to the rear of Yamba cottage must not exceed 100m^2 inclusive of any at-grade enclosed car parking areas.

2. Additions to the rear of Yamba cottage must not exceed the width of the core of Yamba cottage (that is, excluding the width of the verandah structure).

3. Additions to the rear of the worker's cottage must not exceed 100m^2.

4. It is preferred that car-parking be incorporated underneath the additions at the rear of the workers cottage given the fall of the land adjacent to the cottage.

5. The additions must feature materials and finishes that are complementary to the existing built form of the cottages. A suitably qualified heritage consultant should assist in the formulation of a schedule of materials, finishes and colours for the additions to the cottages, and the schedule must be consistent with the recommendations of the Yamba CMP.

S10.4.3 Multi dwelling housing at Yamba

1. Development fronting Camden Valley Way must be limited to single storey with attic rooms permitted within the roof void provided that the roof pitch does not exceed 40 degrees.

2. The outdoor private open space areas of new dwellings must achieve an acceptable level of amenity in compliance with the Department of Environment and Climate Change's Environmental Criteria for Road Traffic Noise and the Acoustic Amenity controls within this DCP.

3. The use of solid boundary fencing fronting Camden Valley Way must be minimised and avoided wherever possible.

4. Where the location of private open space areas necessitates the use of solid boundary fencing to provide acceptable amenity to these areas, the fencing must incorporate design measures such as modulation and articulation of the wall façade, landscaping screening and features, and variation in building materials, colours and finishes, in order to achieve an acceptable urban design outcome. Landscaping may be incorporated by measures including, but no limited to, alcoves in an articulated wall façade or a uniform setback at the front of the wall.

5. Where boundary fencing does not provide adequate noise attenuation, appropriate and attractive acoustic treatments must be incorporated into the design of the dwellings.

6. Development should utilise neutral/earthen tones and non-reflective finishes. The use of light or bright colours or reflective materials may result in an adverse impact upon distant views from Studley Park House which is an item of heritage significance located nearby.

7. A buffer of at least 5m must be provided between the sewage pumping station and habitable buildings on the site to provide visual and acoustic separation between the pumping station and

future dwellings. Preference should be given to siting non-habitable buildings or other land uses adjacent to the sewage pumping station wherever possible.

8. Sydney Water must be consulted early in the design stage to ascertain the exact location of existing and proposed easements at the north-eastern corner of the site to ensure that no construction is proposed in or over these easements.

- End of Schedule –

70 Central Ave,
Oran Park NSW 2570

PO Box 183, Camden 2570

4654 7777

ABN: 31 117 341 764

mail@camden.nsw.gov.au

camden.nsw.gov.au

www.facebook.com/camdencouncil

camden council

camden
council