

Engineering Biology

R. Clay Wright

2025-05-02

Table of contents

Preface	5
Acknowledgments	5
1 Syllabus	6
2 Kit of Parts	7
3 Review of Biology/Biochemistry	8
4 Recombinant DNA technology	9
5 Introduction to Auxin	10
6 Lab orientation: Safety, Pippetting, and Aseptic technique	11
7 Biological Parts (Protein expression and plasmids)	12
8 Bioinformatics: Tools for working with biological sequences	13
9 Modular Cloning	14
9.1 Introduction	14
9.2 What is MoClo?	14
9.2.1 Key Features	14
9.3 Why Use MoClo?	14
9.4 Part Plasmids and Assembly Strategy	15
9.4.1 Advantages of Using Plasmid Libraries	15
9.5 MoClo Assembly Overview	15
9.6 Experimental Design Using MoClo	15
9.6.1 Example Experimental Goals	15
9.6.2 Promoters and Controls	16
9.7 Best Practices in MoClo	16
9.8 Advanced Tools and Resources	16
9.8.1 Toolkits	16
9.8.2 Hardware	16
9.9 Application: Combinatorial Design	16
9.10 Summary	17

9.11 Next Steps	17
10 Hypotheses, Research Questions, and Experimental Design	18
11 Level 0 Part Plasmid Design	19
11.1 Overview	19
11.2 Review of Modular Cloning (MoClo)	19
11.2.1 Key Principles	19
11.3 Software Tools for Primer and Part Design	20
11.3.1 Benchling	20
11.3.2 Ape (A Plasmid Editor)	20
11.4 Activity Instructions	20
11.4.1 Group Workflow	20
11.4.2 Primer Design Guidelines	21
11.5 Practical Considerations	21
11.5.1 In-Frame Assembly	21
11.5.2 Negative Controls	21
11.6 Constructing Level 0 Parts	21
11.7 Troubleshooting Tips	22
11.8 Summary	22
11.9 Next Steps	22
12 Measuring Biology	23
13 Level 1 Transcriptional Unit Design	24
14 Level 2 Multicassette Plasmid Design	25
15 Finalizing Designs	26
16 Opentrons Lab automation	27
17 Minipreps	28
18 DNA spectrophotometry	29
19 DNA Assembly Methods	30
20 Setting up Level 1 Assemblies	31
21 Final projects	32
22 PCR primer design	33
23 Gel Electrophoresis	34

24 Colony PCR	35
25 Genome Engineering	36
26 Yeast Transformation	37
27 Sequencing Analysis	38
28 Flow Cytometry	39
References	40

Preface

This book supports the Synthetic Biology CuRE course at Virginia Tech BSE 4014/5014.

Acknowledgments

The development of this course and the associated text here has been supported by many people and funding organizations to which I am extremely grateful.

Thanks to my colleagues at Virginia Tech who encouraged me to develop this course. Thanks to my mentors Jennifer Nemhauser, Eric Klavins, and Britney Moss for fostering my interest and training in pedagogy and helping me with the scaffold for the initial iteration of this course. Thanks to all of the students who have given me helpful feedback about the course and materials along the way.

Thanks to the Virginia Space Grant Consortium for providing funding to develop the first iteration of this course. Thanks to Opentrons for providing an OT-2 for the course and discounts on pipettes and modules. Thanks to the VT Office of Undergraduate Research for providing support for developing scalable projects to summer undergraduate researchers.

Chen and Naqvi (2025)

This is a Quarto book.

To learn more about Quarto books visit <https://quarto.org/docs/books>.

1 Syllabus

2 Kit of Parts

3 Review of Biology/Biochemistry

4 Recombinant DNA technology

5 Introduction to Auxin

6 Lab orientation: Safety, Pippetting, and Aseptic technique

7 Biological Parts (Protein expression and plasmids)

8 Bioinformatics: Tools for working with biological sequences

9 Modular Cloning

9.1 Introduction

This chapter introduces the principles of **Modular Cloning (MoClo)**, a standardized method for assembling genetic circuits using reusable DNA parts. MoClo is central to synthetic biology and enables rapid, reliable construction of multigene constructs for functional analysis and synthetic circuit design.

9.2 What is MoClo?

MoClo, or Modular Cloning, is a Golden Gate-based cloning strategy that uses Type IIS restriction enzymes to assemble DNA fragments with predefined overhangs in a single reaction.

9.2.1 Key Features

- **Type IIS restriction enzymes** like **BsaI** and **BsmBI** cut outside their recognition sites, enabling scarless assembly.
- Each DNA part (e.g., promoter, coding sequence, terminator) is cloned into a **Level 0 plasmid** with specific flanking sequences.
- Level 0 parts are assembled into **Level 1 cassettes**, which can then be assembled into **Level 2 multigene constructs**.

TODO: Insert diagram of MoClo hierarchy ($L0 \rightarrow L1 \rightarrow L2$).

9.3 Why Use MoClo?

- **Standardization:** Allows parts to be easily shared, reused, and recombined.
- **Speed:** One-pot reactions reduce cloning time.
- **Efficiency:** High-fidelity assembly with minimal hands-on steps.
- **Flexibility:** Easily test multiple combinations of parts (e.g., promoter variants).

9.4 Part Plasmids and Assembly Strategy

Each genetic element is cloned into its own plasmid, called a **part plasmid**. These are stored in **E. coli** for easy amplification and reuse.

9.4.1 Advantages of Using Plasmid Libraries

- Easy to grow and miniprep.
- Stable storage and replication.
- Eliminates need to PCR amplify parts each time.

TODO: Add table of standard part types and corresponding overhangs.

9.5 MoClo Assembly Overview

Step	Description
1	Clone each part into a Level 0 vector with correct overhangs.
2	Use BsaI to assemble Level 0 parts into a Level 1 cassette.
3	Use BsmBI to assemble multiple Level 1 cassettes into a Level 2 construct.

Junctions between parts are defined by 4 bp overhangs, each unique to a position in the expression cassette (e.g., promoter–CDS, CDS–terminator).

TODO: Include schematic of overhang design and part compatibility.

9.6 Experimental Design Using MoClo

Students used the MoClo system to design constructs testing different auxin-responsive promoters and ARF (Auxin Response Factor) activators.

9.6.1 Example Experimental Goals

- Compare activity of full-length ARF6 with truncated variants.
- Test reporter expression from different auxin-responsive promoters.
- Include negative controls using mutant promoters lacking ARF binding sites.

9.6.2 Promoters and Controls

Promoter	Description
PIA19	Auxin-responsive promoter
PIA19mut	Mutated version, lacks ARF binding sites (negative control)
PER7	Alternative auxin-responsive promoter
P32x	Promoter with moderate activation potential

9.7 Best Practices in MoClo

- Avoid reuse of identical sequences (e.g., same terminator) across constructs to reduce recombination.
- Use **unique promoters and terminators** in multigene constructs.
- Maintain **codon frame** at junctions (especially for CDS fusions).
- Add **GG** or **stop codons** where appropriate.

9.8 Advanced Tools and Resources

9.8.1 Toolkits

- **Yeast Toolkit (YTK)**: Includes a wide variety of parts for use in *S. cerevisiae*.
- **Auxin Toolkit**: Custom parts developed for studying auxin signaling.

9.8.2 Hardware

- Protocols for **robotic minipreps** are being developed to automate DNA extraction from plasmid libraries stored in 96-well plates.

TODO: Link to available toolkit maps and protocols.

9.9 Application: Combinatorial Design

Students designed and tested modular constructs combining:

- Reporters (e.g., **mRuby2** with **UBM** degradation tags)
- Activators (e.g., **ARF19**, **ARF6** variants)

- Responsive promoters (e.g., **PIN18**, **PER7**)

This modular approach allowed rapid testing of hypotheses such as:

- Optimal ARF expression levels for activation
- Promoter responsiveness to auxin
- Reporter signal tuning via degradation

9.10 Summary

MoClo enables students to move from hypothesis to construct in a streamlined and standardized way. By combining software design, part libraries, and efficient cloning, students can explore complex biological questions with scalable, reproducible tools.

TODO: Add student planning worksheet for construct design.

9.11 Next Steps

- Begin primer design and part selection for Level 0 construction.
- Simulate and test assemblies using Benchling or Ape.
- Prepare to begin Golden Gate assembly in lab next week.

10 Hypotheses, Research Questions, and Experimental Design

11 Level 0 Part Plasmid Design

11.1 Overview

This chapter introduces students to experimental design in the context of synthetic biology and the practical construction of Level 0 part plasmids using Modular Cloning (MoClo) and the Yeast Toolkit (YTK).

We build on the previous lecture's discussion of MoClo principles and emphasize hands-on experience with designing and assembling modular DNA parts for use in downstream genetic circuits.

11.2 Review of Modular Cloning (MoClo)

Modular Cloning allows the assembly of genetic parts—promoters, coding sequences, terminators, and other regulatory elements—into standardized expression cassettes. Each part is cloned into a **Level 0 plasmid**, which can be stored, replicated, and reused.

11.2.1 Key Principles

- Uses **Type IIS restriction enzymes** (e.g., BsaI and BsmBI) that cut outside their recognition sites, allowing for **scarless assembly**.
- Each part is flanked by **standardized 4 bp overhangs**, which determine its position and compatibility within an expression cassette.
- Level 0 parts can be assembled into **Level 1 cassettes** (single gene), and multiple Level 1 cassettes can be assembled into **Level 2 constructs** (multigene systems).

TODO: Insert diagram illustrating MoClo hierarchy (L0, L1, L2).

11.3 Software Tools for Primer and Part Design

11.3.1 Benchling

Benchling is a browser-based molecular biology tool for sequence annotation, primer design, and cloning simulations.

To use Benchling:

1. Import or create your DNA sequence.
2. Annotate regions (promoter, CDS, terminator).
3. Use the “*Primer*” tool to design and label forward and reverse primers.
4. For reverse primers, use the “*Copy Special > Reverse Complement*” option.
5. Simulate Golden Gate assembly using *Assembly Wizards* or manual cloning.

11.3.2 Ape (A Plasmid Editor)

Ape is a downloadable tool that allows simple manipulation of DNA sequences.

- Supports reverse complement operations and editing.
- Useful for flipping 3' to 5' primers back into 5' to 3' notation.

TODO: Include screenshot of Benchling or Ape with primer annotations.

11.4 Activity Instructions

Students worked from:

- **YTK Assembly Manual (pages 12–26):** This guide details how to construct each part type using standardized overhangs and restriction sites.
- **YTK Overhangs Primers Sheet (Google Sheets):** Shared class document for assigning and recording primer sequences and overhangs.

11.4.1 Group Workflow

1. Open the manual and locate your assigned part type (e.g., Type 1, 2, 3A, 3B...).
2. Record the **part name**, **5' overhang**, **3' overhang**.
3. Design forward and reverse primers:
 - Forward primer = [GC clamp] + [BsaI site] + [part-specific overhang] + [homology to template]
 - Reverse primer = Same logic, but **reverse complement** of the sequence

TODO: Add primer design template for students to follow.

11.4.2 Primer Design Guidelines

- Primers should always be written 5' → 3'.
- Include at least 4 bp **GC clamp** before the restriction site.
- Use **BsaI** recognition site (GGTCTC) for Level 0 assembly.
- Add part-specific overhangs immediately downstream of the enzyme site.
- Add **GG** for fusion proteins (e.g., Type 3B parts) to maintain codon frame.
- Include a **stop codon** and/or **XhoI site** for terminator parts as needed.

TODO: Insert example primer sequence and breakdown of its components.

11.5 Practical Considerations

11.5.1 In-Frame Assembly

- Coding sequences often require special care to preserve the reading frame across part boundaries.
- For example, combining Type 3A and 3B parts (both coding) needs a GG insertion to keep translation in-frame.

11.5.2 Negative Controls

- Use mutant promoters (e.g., PIA19mut) that lack binding sites to demonstrate ARF-specific activation.
- Design primers that omit ARFs or use constitutively inactive variants as negative controls.

TODO: Provide table of part types and expected features (start codon, stop codon, etc.).

11.6 Constructing Level 0 Parts

To make a new Level 0 part:

1. Identify the **source sequence** (synthesized, genomic DNA, etc.).
2. Design primers to amplify the sequence:
 - Add **BsaI site**, overhangs, and homology arms.

3. PCR amplify the part.
4. Digest both the PCR product and **Level 0 entry vector** with BsaI.
5. Ligate the digested insert and vector.
6. Transform into competent **E. coli** and select colonies.
7. Screen clones by colony PCR or sequencing.

TODO: Include diagram showing Level 0 assembly via Golden Gate.

11.7 Troubleshooting Tips

- Double-check primer orientation and melting temperatures (55–72°C).
- Avoid internal BsaI or BsmBI sites within the part sequence.
- Use Benchling to simulate and verify assembly.

11.8 Summary

This activity combined theoretical and practical training in modular cloning. Students learned to:

- Navigate cloning toolkits and design compatible parts
- Use software to annotate sequences and design primers
- Understand the logic of MoClo part assembly

These skills will be applied to build expression cassettes and multigene constructs for synthetic biology experiments in upcoming weeks.

TODO: Link to shared Google Sheet with part assignments and example sequences.

11.9 Next Steps

- Finalize primer designs for assigned part types.
- Submit sequences for synthesis or begin PCR amplification.
- Prepare for Level 0 part cloning and validation.

12 Measuring Biology

13 Level 1 Transcriptional Unit Design

14 Level 2 Multicassette Plasmid Design

15 Finalizing Designs

16 Opentrons Lab automation

17 Minipreps

18 DNA spectrophotometry

19 DNA Assembly Methods

20 Setting up Level 1 Assemblies

21 Final projects

22 PCR primer design

23 Gel Electrophoresis

24 Colony PCR

25 Genome Engineering

26 Yeast Transformation

27 Sequencing Analysis

28 Flow Cytometry

References

Chen, Cheng-Yen, and Naweed I. Naqvi. 2025. “Endophytic Mycobiont Provides Growth Benefits via a Phenylpropanoid-Auxin Axis in Host Plants.” *Cell Reports* 44 (5): 115648. <https://doi.org/10.1016/j.celrep.2025.115648>.