| Seat No.: Enrolme | nt No |
|-------------------|-------|
|-------------------|-------|

#### BE -SEMESTER 1&2(NEW SYLLABUS)EXAMINATION- WINTER 2018

| Subject Code: 3110005 | Date: 18-01-2019 |
|-----------------------|------------------|
| Subject Code: 3110005 | Date: 18-01-2019 |

**Subject Name: Basic Electrical Engineering** 


Time: 10:30 am to 01:00 pm **Total Marks: 70** 

**Instructions:** 

- 1. Attempt all questions.
- 2. Make suitable assumptions wherever necessary.
- 3. Figures to the right indicate full marks.

Define Amplitude, Frequency and Time period for alternating quantities. 03 0.1 Briefly describe the operating principle of a transformer. 04

Obtain the value of Norton's equivalent current and Norton's equivalent 07 resistance for the network shown in the following figure.



- 0.2 Prepare a list of parts of a DC machine. Explain any one part in detail. 03 (a)
  - Briefly describe the auto transformer and its applications. 04 **(b)** 07
  - The maximum values of voltage and current in a circuit are 400 V and 20 A (c) respectively. Both the quantities are sinusoidal with 50 Hz frequency. The instantaneous values of voltage and current at time t=0 second are 283 V and 10 A respectively (both increasing and positive). Obtain the equations of voltage and current in this circuit at time 't' second. Also find out the active power consumption in the circuit.

OR

- In a series R-L circuit, a voltage of 10 V at 50 Hz frequency produces a current 07 of 750 mA. In the same circuit with same magnitude of applied voltage with a frequency of 75 Hz produces a current of 500 mA. Find out the values of R and L in the circuit.
- **Q.3** (a) Briefly describe pipe earthing. 03
  - Mention the types of single phase induction motor. Explain any one of them. 04
  - Derive the equations of active, reactive and apparent powers in a series R-L 07 circuit with sinusoidal AC supply.

OR

Marks

| Q.3        | (a)        | Give a list of safety devices used for home appliances.   | 03 |
|------------|------------|---|----|
|            | <b>(b)</b> | Give a comparison between squirrel cage induction motor and wound rotor   | 04 |
|            |            | induction motor.  |    |
|            | (c)        | Derive the equations of capacitor voltage and circuit current in a series R-C circuit connected to a DC supply through a switch. Assume that switch is                  | 07 |
|            |            | initially open and it is closed at time t=0 second.   |    |
| <b>Q.4</b> | (a)        | Discuss the difference between MCB and Fuse.  | 03 |
|            | <b>(b)</b> | Why the consumers should improve their power factor?  | 04 |
|            | (c)        | Explain Thevenin's theorem. Take suitable example and explain the steps to apply Thevenin's theorem for a resistive circuit with a constant DC voltage source.          | 07 |
|            |            | OR  |    |
| Q.4        | (a)        | What is MCCB? Where is it used?   | 03 |
|            | <b>(b)</b> | Compute the monthly energy charges for an air conditioner having consumption of 2 kW. Daily usage of the air conditioner is 10 hours. Energy charges are Rs 8 per unit. | 04 |
|            | (c)        | Explain the term power factor. Explain the steps to obtain power factor of an AC circuit with parallel connection of R, L and C elements.                               | 07 |
| Q.5        | (a)        | Describe the stator construction of a single phase induction motor.   | 03 |
|            | <b>(b)</b> | Write a short note on Miniature Circuit Breaker (MCB)   | 04 |
|            | (c)        | Explain the term rotating magnetic field with proper diagrams in case of a three phase induction motor.   | 07 |
|            |            | OR  |    |
| Q.5        | (a)        | Describe the construction of rotor for a slip ring type three phase induction motor.  | 03 |
|            | <b>(b)</b> | Write a short note on Earth Leakage Circuit Breaker (ELCB).   | 04 |
|            | (c)        | Explain the working principles of a synchronous generator and a synchronous motor.  | 07 |

\*\*\*\*\*\*\*

| Seat No.: | Enrolment No. |
|-----------|---------------|
| 3cat 110  |               |

BE - SEMESTER- I & II (NEW) EXAMINATION - WINTER 2019

Subject Code: 3110005 Date: 11/01/2020

**Subject Name: Basic Electrical Engineering** 

Time: 10:30 AM TO 01:00 PM Total Marks: 70

#### **Instructions:**

- 1. Attempt all questions.
- 2. Make suitable assumptions wherever necessary.
- 3. Figures to the right indicate full marks.

|            |            |   | Marks    |
|------------|------------|---|----------|
| Q.1        | (a)<br>(b) | State Ohm's law and Kirchhoff's Laws in context with DC circuits. A 100V,60 Watt bulb is to be operated from a 220V supply. What is the resistance to be connected in series with the bulb to glow normally?  | 03<br>04 |
|            | (c)        | Derive an expression for equivalent resistances of a star connected network to transform into a Delta connected network.  | 07       |
| Q.2        | (a)        | State Thevenin's and Norton's Theorems.   | 03       |
|            | (b)<br>(c) | Compare series and parallel resonance in ac circuit. A single phase R-L-C circuit having resistance of $8\Omega$ , inductance of $80\text{mH}$ and capacitance of $100\mu\text{F}$ is connected across single phase ac $150\text{ V}$ , $50\text{Hz}$ supply. Calculate the current, power factor and voltage drop across inductance and capacitance. | 04<br>07 |
|            |            | OR  |          |
|            | <b>(c)</b> | Derive an expression for the voltage across the capacitor during  | 07       |
| Q.3        | (a)        | charging through the resistor at any instant $V_C = V(1-e^{-t/RC})$ . Assume that RC series circuit is connected across a DC supply of voltage V. Define the following terms in connection with AC waveforms:-  1. Q-Factor 2. Power Factor   | 03       |
|            | (b)        | 3. Form factor.  Draw impedance triangle, Voltage triangle, Power triangle for single   | 04       |
|            | <b>(b)</b> | phase R-L series circuit.   | 04       |
|            | (c)        | Derive the relationship between Phase and Line values of voltages and currents in case of 3-phase Star- connection.  OR   | 07       |
| Q.3        | (a)        | Define the terms:- 1. Real power 2. Reactive power 3. Apparent power.   | 03       |
|            | <b>(b)</b> | Derive the EMF equation of single phase transformer.  | 04       |
|            | <b>(c)</b> | With neat circuit diagram and a phasor diagram prove that two watt<br>meters are sufficient to measure total power in 3-phase system.   | 07       |
| Q.4        | (a)        | Explain working principle of single phase Transformer.  | 03       |
|            | (b)<br>(c) | Give Merits, Demerits and Applications of Induction Motor.<br>Explain in detail the construction of an Alternator.  | 04<br>07 |
|            | (6)        | OR  | 07       |
| <b>Q.4</b> | (a)        | Explain working principle of D.C. Motor.  | 03       |
|            | <b>(b)</b> | Compare poly phase Induction Motor and single phase Induction Motor.  | 04       |

|     | <b>(c)</b> | Explain Generation of Rotating Magnetic Field in 3-phase Induction | 07 |
|-----|------------|--|----|
|     |            | Motor with diagrams and equations.                                 |    |
| Q.5 | (a)        | Classify different types of cables with reference to voltage and   | 03 |
|     |            | insulation materials.  |    |
|     | <b>(b)</b> | Explain the terms:- 1. Residual magnetism 2. Coercive Force.       | 04 |
|     | <b>(c)</b> | Explain the process of charging and discharging of Lead acid cell. | 07 |
|     |            | OR   |    |
| Q.5 | (a)        | Compare MCB and ELCB.  | 03 |
|     | <b>(b)</b> | Write safety precautions for electrical Applications.              | 04 |
|     | <b>(c)</b> | Explain different methods of power factor improvement.             | 07 |
|     | <b>(c)</b> | Explain different methods of power factor improvement.             | 07 |


\*\*\*\*\*

| Seat No.: | Enrolment No. |
|-----------|---------------|
|           |               |

BE - SEMESTER-1/2 EXAMINATION - WINTER 2021

|     | U                 | Code:3110005 Date:29/0.  | 3/2022   |
|-----|-------------------|--|----------|
|     | •                 | Name:Basic Electrical Engineering 0:30 AM TO 01:00 PM Total Mar  | dra.70   |
|     | ruction           |  | KS:/U    |
|     | 1.<br>2.          | Attempt all questions.  Make suitable assumptions wherever necessary.  Figures to the right indicate full marks.   |          |
| Q.1 | (a)               | Calculate current, resistance and energy consumed by an oven rated 230V, 1KW when used for 20 hours. Also calculate the electricity bill at the rate of Rs. 7/- per unit.  |          |
|     | <b>(b)</b>        | Define Power Factor. What are the disadvantages of Low Power Factor?   | 04       |
|     | (c)               | Summarize; Mathematical & Waveform representation of an alternating sinusoidal quantity (voltage or current). Demonstrate time period, peak value, Peak to Peak value, Average value, RMS value. Write definition of all.  |          |
| Q.2 | (a)<br>(b)<br>(c) | Write statement of Superposition, Norton and Thevenin theorem. Write classification of Electric Networks. Write applications of Thevenin's theorem. Find the current passing through 2 $\Omega$ (Fig. A) resistance using Thevenin's theorem. All resistances are in $\Omega$ .  |          |
|     |                   | OR   |          |
| 0.2 | (c)               | Derive the expression for the rise of current in R-L series circuit when a D.C. supply is switched on to it. Define time constant of it.   |          |
| Q.3 | (a)               | Define Form factor. State the value of form factor for Sinusoidal waveform.  | 03       |
|     | (b)               | A series resonance network consisting of a resistor of $30\Omega$ , a capacitor of $2\mu F$ and an inductor of 20mH is connected across a sinusoidal supply voltage which has a constant output of 9 volts at all frequencies. Calculate, the resonant frequency, the current at resonance, the voltage across the inductor and capacitor at resonance, the Quality factor and the bandwidth of the circuit. | ,<br>,   |
|     | (c)               | With the help of waveforms and phasor diagrams, comment on phase relationship between voltage and current in single phase RLC series circuit.  |          |
|     |                   | OR   |          |
| Q.3 | (a)<br>(b)        | Define Q-factor of RLC series circuit. What is the importance of it? Draw Impedance triangle and Admittance triangle.  | 03<br>04 |
|     | (c)               | A balanced 3-phase load consists of 3 coils each of resistance of 6 $\Omega$ and inductive reactance of 8 $\Omega$ . Determine line current and power absorbed when the coils are 1. Star connected and 2. Delta connected across 400V, 3-phase supply.  | 1        |
| Q.4 | (a)<br>(b)        | State advantages of polyphase systems.  Mention Merits and Demerits of Induction Motor.  | 03<br>04 |

|            | <b>(c)</b> | Explain construction of single phase Transformer.                               | 07 |
|------------|------------|---|----|
|            |            | OR  |    |
| <b>Q.4</b> | (a)        | Write applications of Auto Transformer.   | 03 |
|            | <b>(b)</b> | Explain the principle of operation of an Alternator.                            | 04 |
|            | (c)        | Describe construction of a DC machine.  | 07 |
| Q.5        | (a)        | Mention advantages of MCB over Fuse.  | 03 |
|            | <b>(b)</b> | Mention basic guidelines (Safety Rules) regarding safe handling of electricity. | 04 |
|            | (c)        | Explain construction of cable in detail with neat diagram. Label all the parts. | 07 |
|            |            | OR  |    |
| Q.5        | (a)        | Briefly explain block diagram of ELCB.  | 03 |
|            | <b>(b)</b> | Mention important points regarding Earthing of Electrical Installation.         | 04 |
|            | <b>(c)</b> | Write short technical notes on Battery Maintenance. What precautions to         | 07 |
|            |            | be taken for Lead Acid Batteries?   |    |



\*\*\*\*\*

| Seat No.: | Ennalment No |
|-----------|--------------|
| Seat No   | Enrolment No |

BE - SEMESTER-I &II (NEW) EXAMINATION - SUMMER-2019

Subject Code: 3110005 Date: 20/06/2019


**Subject Name: Basic Electrical Engineering** 

Time: 10:30 AM TO 01:00 PM Total Marks: 70

**Instructions:** 

- 1. Attempt all questions.
- 2. Make suitable assumptions wherever necessary.
- 3. Figures to the right indicate full marks.

|     |            |   | Marks |
|-----|------------|---|-------|
| Q.1 | (a)        | State and explain Kirchoff's voltage and current laws.                          | 03    |
|     | <b>(b)</b> | Compare the resistive series and parallel circuit.                              | 04    |
|     | (c)        | Consider the circuit shown in Figure. Reduce the portion of the circuit to the  | 07    |
|     |            | left of terminals a-b to (a) a Thévenin equivalent and (b) a Norton equivalent. |       |
|     |            | Find the current through $R = 16 \Omega$ .                                      |       |



- Q.2 (a) For series resonant circuit with brief description draw the phasor diagrams for following conditions (i) At resonant (ii) Below resonant (iii) Above resonant.
  - (b) Prove that the sum of readings of two watt meters connected to measure power in three phase circuit gives total power consumed by the circuit.
  - (c) A series RLC circuit with L= 160 mH, C= 100 μF and R = 40 Ω is connected to a sinusoidal voltage V(t) = 40 Sinωt, with ω= 200 rad/sec. Find (i) What is the Impedance of the circuit. (ii) Let the current at any instant in the circuit be I(t) = I<sub>0</sub> Sin(ωt-Φ). Find I<sub>0</sub> (iii) What is the Phase Φ?

#### OR

- (c) A balanced star connected load of (4+j3) Ω per phase is connected to a balance
   3 phase 400 V supply. Find the line current, power factor, active power and reactive power.
- Q.3 (a) For A.C. sinusoidal current prove that  $I_{rms} = 0.707 I_m$ .
  - (b) Explain voltage step-up and step-down operation in autotransformer with diagram.
  - (c) Explain various connections of three phase transformer with diagram.

#### OF

Q.3 (a) Explain in brief single phase RC parallel circuit with phasor diagram
(b) Derive the E.M.F. equation of a single phase transformer.
03
04

**07** 

|     | <b>(c)</b> | Explain with diagram construction of core type and shell type transformer.  | 07 |
|-----|------------|---|----|
| Q.4 | (a)        | State significance of the back emf in DC motor.   | 03 |
|     | <b>(b)</b> | Classify and compare various DC motor.  | 04 |
|     | (c)        | Explain construction of synchronous generator with diagram.   | 07 |
|     | . ,        | OR  |    |
| Q.4 | (a)        | Give the classification of Induction motor.   | 03 |
|     | <b>(b)</b> | Discuss how the rotating magnetic field is produced in three phase induction motor.   | 04 |
|     | <b>(c)</b> | Explain the working of single phase induction motor with diagram.   | 07 |
| Q.5 | (a)        | State function of various parts of HT cable.  | 03 |
|     | <b>(b)</b> | Give the comparison of fuse and MCB.  | 04 |
|     | (c)        | Explain plate earthing with diagram.  | 07 |
|     |            | OR  |    |
| Q.5 | (a)        | What is power factor and why improvement is required in that?   | 03 |
|     | <b>(b)</b> | State and explain in brief important electrical characteristics of battery.   | 04 |
|     | (c)        | Calculate the electricity bill amount for a month of April, if 4 bulbs of 40 W for 5 h, 4 tube lights of 60 W for 5 h, a TV of 100 W for 6 h, a washing machine of 400 W for 3 h, a water pump of 0.5 HP for 15 minutes are used per day. The cost per unit is Rs 3.50. Consider 1 HP = 746 watts | 07 |

\*\*\*\*\*

| Seat No.: | Enrolment No. |
|-----------|---------------|
|           |               |

**BE - SEMESTER 1&2 EXAMINATION - SUMMER 2020** 

Subject Code: 3110005 Date:10/11/2020

**Subject Name: Basic Electrical Engineering** 


Time: 10:30 AM TO 01:00 PM Total Marks: 70

**Instructions:** 

- 1. Attempt all questions.
- 2. Make suitable assumptions wherever necessary.
- 3. Figures to the right indicate full marks.

|            |            |  | Marks |
|------------|------------|--|-------|
| Q.1        | (a)        | A resistance of $10\Omega$ is connected in series with two resistances each of the $15\Omega$ arranged in parallel. What resistance must be shunted across this parallel combination so that total current taken shall be $1.5$ A with $20$ V applied?   | 03    |
|            | <b>(b)</b> | State the superposition theorem with suitable example.   | 04    |
|            | (c)        | For the Wheatstone bridge diagram shown in <b>Figure 1</b> , obtain the current flowing through the $20\Omega$ resistance using Thevenin's equivalent network.   | 07    |
| Q.2        | (a)        | Explain Kirchoff's law for DC series network in brief.   | 03    |
|            | <b>(b)</b> | Define the following terms for AC (alternating current) signal:  | 04    |
|            |            | (i) Crest Factor (ii) Form Fator (iii) Average Value (iv) RMS Value.   |       |
|            | (c)        | A current of 5 A flows through a non-inductive resistance in series with a choking coil when supplied at 250V,50Hz. If the voltage across the resistance is 125 V and across the coil 200V, calculate (i) impedance, reactance and resistance of the coil (ii) the power absorbed by the coil (iii) and total power.  OR | 07    |
|            | (c)        | Prove that the current in purely inductive circuit lags its voltage by   | 07    |
|            | (-)        | 90° and average power consumption in pure inductor is zero.  |       |
| Q.3        | (a)        | Write the comparison between series resonance and parallel resonance condition in AC circuit.  | 03    |
|            | <b>(b)</b> | Derive the relation between line-voltage and phase-voltage for three-phase four wire star connection network. Also, prove that the total three-phase power consumption in star connection is $P_T = \sqrt{3}$ $V_L  I_L \cos \varphi$ .  | 04    |
|            | <b>(c)</b> | Explain various connections of three phase transformer with diagram.   | 07    |
|            |            | OR   |       |
| <b>Q.3</b> | (a)        | Explain magnetic hysteresis.   | 03    |
|            | <b>(b)</b> | Derive the E.M.F. equation of a single phase transformer   | 04    |
|            | (c)        | State the difference in core type and shell type transformer with neat and clean construction diagram.   | 07    |
| Q.4        | (a)        | How the rotating magnetic field is produce in three-phase induction motor? Explain in brief.   | 03    |
|            | <b>(b)</b> | Why single-phase induction motor is not self starting while three-phase induction motor is self starting. Explain in brief.  | 04    |
|            | (c)        | Explain construction of Alternator with neat diagram.  | 07    |

| <b>Q.4</b> | (a)        | Justify that how back e.m.f. in DC motor acts like a governor.   | 03 |
|------------|------------|--|----|
|            | <b>(b)</b> | State the comparison of generator and motor action with respect to design and working principle. Draw the necessary diagram.                       | 04 |
|            | (c)        | Write working principle of DC motor with neat diagram.   | 07 |
| Q.5        | (a)        | Calculate the resistance of a 100 m length of wire having a uniform cross sectional area of 0.02 mm² and having resistivity of 40 $\mu\Omega$ -cm. | 03 |
|            | <b>(b)</b> | Discuss types of cables used for residential and commercial wiring.  | 04 |
|            | (c)        | Explain the following protective devices in detail:  | 07 |
|            |            | (i) SFU (ii) MCB (iii) ELCB  |    |
|            |            | OR   |    |
| Q.5        | (a)        | A d-c generator has an e.m.f of 200 volts and provides a current of 10 amps. How much energy does it provide each minute?                          | 03 |
|            | <b>(b)</b> | Explain the construction of the lead-acid battery with neat diagram.   | 04 |
|            | (c)        | Explain different types earthing and its importance in electrical utility system in detail.  | 07 |



| Seat No.: | Enrolment No. |
|-----------|---------------|
|           |               |

**BE- SEMESTER-I & II(NEW)EXAMINATION - SUMMER 2022** 

Subject Code:3110005 Date:12-08-2022

**Subject Name:Basic Electrical Engineering** 


Time:10:30 AM TO 01:00 PM Total Marks:70

#### **Instructions:**

- 1. Attempt all questions.
- 2. Make suitable assumptions wherever necessary.
- 3. Figures to the right indicate full marks.
- 4. Simple and non-programmable scientific calculators are allowed.

|            |            |   | Marks    |
|------------|------------|---|----------|
| Q.1        | (a)        | Calculate the Resistance of a 100 m length of wire having a uniform cross sectional area of 0.02 mm <sup>2</sup> and having resistivity of 40 $\mu\Omega$ -cm.  | 03       |
|            | <b>(b)</b> | Explain Kirchoff's law for DC series network in brief.  | 04       |
|            | (c)        | Define the following terms for AC (alternating current) signal: (i) Peak Factor (ii) Form Factor (iii) Average Value (iv) RMS Value (v) Time period (vi)Frequency (vii) Cycle                                     | 07       |
| Q.2        | (a)        | State the Superposition theorem with suitable example.  | 03       |
|            | <b>(b)</b> | State the Norton's theorem with suitable example.   | 04       |
|            | (c)        | For the Wheatstone bridge diagram shown in Figure 1, obtain the current flowing through the $20\Omega$ resistance using Thevenin's equivalent network.  OR  | 07       |
|            | (c)        | Derive an expression for the voltage across the capacitor during charging through the resistor at any instant $Vc = V(1-e^{-t/RC})$ . Assume that RC series circuit is connected across a DC supply of voltage V. | 07       |
| Q.3        | (a)        | Write the comparison between Series resonance and Parallel resonance condition in AC circuit.   | 03       |
|            | <b>(b)</b> | Distinguish between (i) Apparent power (ii) Active power and (iii) Reactive power in ac circuits.   | 04       |
|            | (c)        | Prove that the current in purely Capacitive circuit leads its voltage by 90° and average power consumption in pure capacitor is zero.  OR   | 07       |
| Q.3        | (a)        | List out the merits of two-watt meter method.   | 03       |
|            | <b>(b)</b> | Draw Impedance triangle, Voltage triangle, Power triangle for single phase R-L series circuit.  | 04       |
|            | (c)        | Obtain the relationship between line and phase values of current in a three phase, balanced, delta connected system.  | 07       |
| Q.4        | (a)        | Explain working principle of single phase Transformer.  | 03       |
|            | <b>(b)</b> | Mention Merits and Demerits of Single Phase Induction Motor.  | 04       |
|            | <b>(c)</b> | Explain construction of Alternator with neat diagram.   | 07       |
|            |            | OR  |          |
| <b>Q.4</b> | (a)        | Write applications of Auto Transformer.   | 03       |
|            | (b)        | Compare Squirrel cage induction motor and Slip ring Induction Motor.  Describe construction of a DC machine.  | 04<br>07 |
|            | (c)        | Describe construction of a DC machine.  | U/       |
| Q.5        | (a)        | Explain the protective device Switch Fuse unit in detail.   | 03       |
|            | <b>(b)</b> | With help of suitable labeled diagram, explain any two types of wires used in the residential and commercial wiring.  | 04       |

|     | <b>(c)</b> | Explain different methods of Power factor Improvement.           | 07 |
|-----|------------|--|----|
|     |            | OR   |    |
| Q.5 | (a)        | Compare MCB and ELCB.  | 03 |
|     | <b>(b)</b> | Write safety precautions for Electrical Appliances.              | 04 |
|     | <b>(c)</b> | Classify different types Earthing and explain any one in detail. | 07 |



\*\*\*\*\*\*