

GUJARAT TECHNOLOGICAL UNIVERSITY**BE - SEMESTER– I & II (NEW) EXAMINATION – WINTER 2019****Subject Code: 3110015****Date: 01/01/2020****Subject Name: Mathematics –2****Time: 10:30 AM TO 01:30 PM****Total Marks: 70****Instructions:**

1. Attempt all questions.
2. Make suitable assumptions wherever necessary.
3. Figures to the right indicate full marks.

| | Marks |
|---|-----------|
| Q.1 (a) Find the length of curve of the portion of the circular helix $\vec{r}(t) = \cos t \hat{i} + \sin t \hat{j} + t \hat{k}$ from $t = 0$ to $t = \pi$ | 03 |
| (b) $\int_{(1,2)}^{(3,4)} (xy^2 + y^3)dx + (x^2y + 3xy^2)dy$ is independent of path joining the points $(1, 2)$ and $(3, 4)$. Hence, evaluate the integral. | 04 |
| (c) Verify tangential form of Green's theorem for $\vec{F} = (x - \sin y)\hat{i} + (\cos y)\hat{j}$, where C is the boundary of the region bounded by the lines $y = 0, x = \pi/2$ and $y = x$. | 07 |
| Q.2 (a) Find the Laplace transform of $f(t)$ defined as | 03 |
| $f(t) = \begin{cases} \frac{t}{k} & 0 < t < k \\ 1 & t > k \end{cases}$ | |
| (b) Find the inverse Laplace transform of $\frac{s^2}{(s^2 + a^2)(s^2 + b^2)}$ | 04 |
| (c) (i) Calculate the curl of the vector $xyz\hat{i} + 3x^2y\hat{j} + (xz^2 - y^2z)\hat{k}$ (ii) The temperature at any point in space is given by $T = xy + yz + zx$. Determine the derivative of T in the direction of the vector $3\hat{i} - 4\hat{k}$ at the point $(1, 1, 1)$. | 07 |
| OR | |
| (c) Let $\vec{r} = x\hat{i} + y\hat{j} + z\hat{k}$, $r = \vec{r} $, and \vec{a} is a constant vector. Find the value of $\text{div} \left(\frac{\vec{a} \times \vec{r}}{r^n} \right)$ | 07 |
| Q.3 (a) Find constants a, b and c such that $\vec{V} = (x + 2y + az)\hat{i} + (bx - 3y - z)\hat{j} + (4x + cy + 2z)\hat{k}$ is irrotational. | 03 |
| (b) Using Fourier cosine integral representation show that $\int_0^\infty \frac{\cos \omega x}{k^2 + \omega^2} d\omega = \frac{\pi e^{-kx}}{2k}$ | 04 |
| (c) Solve the following differential equations: | 07 |
| (i) $\cos(x + y) dy = dx$ | |
| (ii) $\sec^2 y \frac{dy}{dx} + x \tan y = x^3$ | |

OR

- Q.3 (a)** Find the Laplace transform of (i) $\int_0^t \frac{\sin t}{t} dt$ (ii) $t^2 u(t-3)$ **03**
- (b)** Using Convolution theorem obtain $L^{-1}\left(\frac{1}{s(s^2 + a^2)}\right)$ **04**
- (c)** Find the power series solution of $\frac{d^2 y}{dx^2} + xy = 0$ **07**
- Q.4 (a)** Find the Laplace transform of the waveform **03**
 $f(t) = \left(\frac{2t}{3}\right), 0 \leq t \leq 3$
- (b)** Using the Laplace transforms, find the solution of the initial value problem **04**
 $y'' + 25y = 10 \cos 5t \quad y(0) = 2, y'(0) = 0$
- (c)** Using variation of parameter method solve $(D^2 + 1)y = x \sin x$ **07**
- OR**
- Q.4 (a)** Solve $y \frac{d^2 y}{dx^2} + \left(\frac{dy}{dx}\right)^2 = \frac{dy}{dx}$ **03**
- (b)** Solve $y''' - 3y'' + 3y' - y = 4e^t$ **04**
- (c)** Solve $\frac{d^2 y}{dx^2} + 2\frac{dy}{dx} + 4y = 2x^2 + 3e^{-x}$ using method of undetermined coefficients. **07**
- Q.5 (a)** Classify the singular points of the equation $x^3(x-2)y'' + x^3y' + 6y = 0$ **03**
- (b)** Solve $(D^2 + 4)y = \cos 2x$ **04**
- (c)** Solve (i) $ye^x dx + (2y + e^x)dy = 0$ (ii) $\frac{dy}{dx} + 2y \tan x = \sin x$ **07**
- OR**
- Q.5 (a)** Solve $\frac{dy}{dx} = \frac{y^3}{e^{2x} + y^2}$ **03**
- (b)** If $y_1 = x$ is one of solution of $x^2 y'' + xy' - y = 0$ find the second solution. **04**
- (c)** Using Frobenius method solve $x^2 y'' + 4xy' + (x^2 + 2)y = 0$ **07**

GUJARAT TECHNOLOGICAL UNIVERSITY**BE - SEMESTER-1/2 EXAMINATION – WINTER 2021****Subject Code:3110015****Date:21/03/2022****Subject Name:Mathematics - 2****Time:10:30 AM TO 01:30 PM****Total Marks:70****Instructions:**

1. Attempt all questions.
2. Make suitable assumptions wherever necessary.
3. Figures to the right indicate full marks.
4. Simple and non-programmable scientific calculators are allowed.

| | | Marks |
|------------|--|-----------|
| Q.1 | (a) Find $L\{t^3 e^{-4t}\}$. | 03 |
| | (b) Find $L^{-1}\left\{\frac{6e^{-2s}}{s^2 + 4}\right\}$. | 04 |
| | (c) Verify Green's theorem for the function $\bar{F} = (x + y)i + 2xyj$ and C is the rectangle in the xy-plane bounded by $x = 0, y = 0, x = a, y = b$. | 07 |
| Q.2 | (a) Find $L\{te^{4t} \cos 2t\}$. | 03 |
| | (b) Find the Fourier cosine integral of $f(x) = \frac{\pi}{2} e^{-x}, x \geq 0$. | 04 |
| | (c) (i) Find the directional derivative of $f(x, y, z) = 2x^2 + 3y^2 + z^2$ at the point (2,1,3) in the direction of $\bar{a} = (1,0,-2)$. | 03 |
| | (ii) If $\bar{F} = (2y + 3)i + xzj + (yz - x)k$, evaluate $\int_C \bar{F} \cdot d\bar{r}$ along the path C: $x = 2t^2, y = t, z = t^3$ from $t=0$ to $t=1$. | 04 |
| | OR | |
| | (c) Solve in series $3xy'' + 2y' + y = 0$ using Frobenius method. | 07 |
| Q.3 | (a) Find the arc length of the curve (semi-circular) $x(t) = \cos t, y(t) = \sin t, z(t) = 0; 0 \leq t \leq \pi$. | 03 |
| | (b) A vector field is given by $\bar{F} = (x^2 + xy^2)i + (y^2 + x^2y)j$. Show that \bar{F} is irrotational and find its scalar potential. | 04 |
| | (c) Use divergence theorem for $\bar{F} = (x^2 - yz)i + (y^2 - zx)j + (z^2 - xy)k$ over the surface of rectangular parallelepiped, $0 \leq x \leq a, 0 \leq y \leq b, 0 \leq z \leq c$ to evaluate $\iiint_S \bar{F} \cdot \hat{n} ds$. | 07 |
| | OR | |
| Q.3 | (a) Solve $\frac{dy}{dx} - y \cot x = 2x \sin x$. | 03 |
| | (b) Solve $y'' + y' - 12y = e^{6x}$. | 04 |
| | (c) Solve $\frac{dy}{dt} - 4y = 2e^{2t} + e^{4t}$ by Laplace transformation. | 07 |

- Q.4** (a) Solve $\frac{dy}{dx} + \frac{y}{x} = y^3$. **03**
- (b) Solve $(x^2 - 4xy - 2y^2)dx + (y^2 - 4xy - 2x^2)dy = 0$. **04**
- (c) Solve $y'' + 9y' = 2x^2$ using the method of undetermined coefficients. **07**
- OR**
- Q.4** (a) Solve $4xp^2 = (3x - a)^2$. **03**
- (b) Solve $x^2 y'' + xy' - 4y = x^2$. **04**
- (c) (i) Express $2 - 3x + 4x^2$ in terms of Legendre's polynomial. **03**
- (ii) Find ordinary and singular points of $2x^2 y'' + 6xy' + (x + 3)y = 0$. **04**
- Q.5** (a) Solve $(y - px)(p - 1) = p$. **03**
- (b) Solve $(D^3 + D)y = \cos x$. **04**
- (c) Solve $y'' + 4y = \sec 2x$ by using the method of variation of parameters. **07**
- OR**
- Q.5** (a) Solve $(D^3 - 6D^2 + 11D - 6)y = 0$. **03**
- (b) Solve $(2x + 3)^2 y'' - 2(2x + 3)y' - 12y = 6x$. **04**
- (c) Find the series solution of $(1 + x^2)y'' + xy' - 9y = 0$ near the ordinary point $x=0$. **07**

GUJARAT TECHNOLOGICAL UNIVERSITY**BE - SEMESTER-I & II (NEW) EXAMINATION – SUMMER-2019****Subject Code: 3110015****Date: 01/06/2019****Subject Name: Mathematics –2****Time: 10:30 AM TO 01:30 PM****Total Marks: 70****Instructions:**

1. Attempt all questions.
2. Make suitable assumptions wherever necessary.
3. Figures to the right indicate full marks.

| | | Marks |
|------------|---|-----------|
| Q.1 | (a) Find the Fourier integral representation of $f(x) = \begin{cases} x & ; x \in (0, a) \\ 0 & ; x \in (a, \infty) \end{cases}$ | 03 |
| | (b) Define: Unit step function. Use it to find the Laplace transform of $f(t) = \begin{cases} (t-1)^2 & ; t \in (0, 1] \\ 1 & ; t \in (1, \infty) \end{cases}$ | 04 |
| | (c) Use the method of undetermined coefficients to solve the differential equation $y'' - 2y' + y = x^2 e^x$. | 07 |
| Q.2 | (a) Evaluate $\oint_C \bar{F} \cdot d\bar{r}$; where $\bar{F} = (x^2 - y^2)\hat{i} + 2xy\hat{j}$ and C is the curve given by the parametric equation $C: r(t) = t^2\hat{i} + t\hat{j}; 0 \leq t \leq 2$. | 03 |
| | (b) Apply Green's theorem to find the outward flux of a vector field $\bar{F} = \frac{1}{xy}(x\hat{i} + y\hat{j})$ across the curve bounded by $y = \sqrt{x}$, $2y = 1$ and $x = 1$. | 04 |
| | (c) Integrate $f(x, y, z) = x - yz^2$ over the curve $C = C_1 + C_2$, where C_1 is the line segment joining (0,0,1) to (1,1,0) and C_2 is the curve $y=x^2$ joining (1,1,0) to (2,4,0). | 07 |
| OR | | |
| | (c) Check whether the vector field $\bar{F} = e^{y+2z}\hat{i} + x e^{y+2z}\hat{j} + 2x e^{y+2z}\hat{k}$ is conservative or not. If yes, find the scalar potential function $\phi(x, y, z)$ such that $\bar{F} = \text{grad } \phi$. | 07 |
| Q.3 | (a) Write a necessary and sufficient condition for the differential equation $M(x, y)dx + N(x, y)dy = 0$ to be exact differential equation. Hence check whether the differential equation $[(x+1)e^x - e^y]dx - xe^y dy = 0$ is exact or not. | 03 |
| | (b) Solve the differential equation $(1 + y^2)dx = (e^{-\tan^{-1}y} - x)dy$ | 04 |
| | (c) By using Laplace transform solve a system of differential equations $\frac{dx}{dt} = 1 - y$, $\frac{dy}{dt} = -x$, where $x(0) = 1, y(0) = 0$. | 07 |
| OR | | |
| Q.3 | (a) Solve the differential equation $(2x^3 + 4y)dx - xdy = 0$. | 03 |

- (b) Solve: $(x + 1) \frac{dy}{dx} - y = e^{3x}(x + 1)^2$. 04
- (c) By using Laplace transform solve a differential equation $\frac{d^2y}{dt^2} + 5 \frac{dy}{dt} + 6y = e^{-t}$, where $y(0) = 0$, $y'(0) = -1$. 07
- Q.4** (a) Find the general solution of the differential equation 03
 $e^{-y} \frac{dy}{dx} + \frac{e^{-y}}{x} = \frac{1}{x^2}$
- (b) Solve : $\frac{d^3y}{dx^3} - 7 \frac{dy}{dx} + 6y = e^x$ 04
- (c) Find a power series solution of the differential equation $y'' - xy = 0$ near an ordinary point $x=0$. 07
- OR**
- Q.4** (a) Find the general solution of the differential equation 03
 $\frac{dy}{dx} + \frac{y}{x} - \sqrt{y} = 0$.
- (b) Solve : $x^3 \frac{d^3y}{dx^3} + 2x^2 \frac{d^2y}{dx^2} + 2y = x$ 04
- (c) Find a Frobenius series solution of the differential equation $2x^2y'' + xy' - (x + 1)y = 0$ near a regular-singular point $x=0$. 07
- Q.5** (a) Write Legendre's polynomial $P_n(x)$ of degree- n and hence obtain $P_1(x)$ and $P_2(x)$ in powers of x . 03
- (b) Classify ordinary points, singular points, regular-singular points and irregular-singular points (if exist) of the differential equation $y'' + xy' = 0$. 04
- (c) Solve the differential equation 07
 $x^2 \frac{d^2y}{dx^2} - 2x \frac{dy}{dx} + 2y = x^3 \cos x$
 by using the method of variation of parameters.
- OR**
- Q.5** (a) Write Bessel's function $J_p(x)$ of the first kind of order- p and hence show 03
 that $J_{1/2}(x) = \sqrt{\frac{2}{\pi x}} \sin x$.
- (b) Classify ordinary points, singular points, regular-singular points and irregular-singular points (if exist) of the differential equation $xy'' + y' = 0$. 04
- (c) Solve the differential equation $y'' + 25y = \sec 5x$ 07
 by using the method of variation of parameters.

Seat No.: _____

Enrolment No. _____

GUJARAT TECHNOLOGICAL UNIVERSITY

BE – SEMESTER 1&2 EXAMINATION – SUMMER 2020

Subject Code: 3110015

Date: 09/11/2020

Subject Name: Mathematics II

Time: 10:30 AM TO 01:30 PM

Total Marks: 70

Instructions:

1. Attempt all questions.
2. Make suitable assumptions wherever necessary.
3. Figures to the right indicate full marks.

| | | Marks |
|------------|---|-------|
| Q.1 | (a) Evaluate $\int_C \vec{F} \cdot d\vec{r}$ along the parabola $y^2 = x$ between the points (0, 0) and (1, 1) where $\vec{F} = x^2\hat{i} + xy\hat{j}$ | 03 |
| | (b) Find the work done in moving particle from A (1, 0, 1) to B (2, 1, 2) along the straight-line AB in the force field $\vec{F} = x^2\hat{i} + (x - y)\hat{j} + (y + z)\hat{k}$ | 04 |
| | (c) Verify green's theorem for $\oint_C (2xydx - y^2dy)$ where C is the boundary of the region bounded by the ellipse $3x^2 + 4y^2 = 12$ | 07 |
| Q.2 | (a) Find the Laplace transform of $te^{-4t} \sin 3t$. | 03 |
| | (b) Find the inverse Laplace transform of $\frac{5s+3}{(s-1)(s^2+2s+5)}$. | 04 |
| | (c) Show that the vector field $\vec{F} = (y \sin z - \sin x)\hat{i} + (x \sin z + 2yz)\hat{j} + (xy \cos z + y^2)\hat{k}$ is conservative and find the corresponding scalar potential. | 07 |
| | OR | |
| | (c) Show that $\vec{F} = 2xyz\hat{i} + (x^2z + 2y)\hat{j} + x^2y\hat{k}$ is irrotational and find a scalar function ϕ such that $\vec{F} = \text{grad}\phi$. | 07 |
| Q.3 | (a) Find the directional derivative of $f(x, y) = xy + xe^y + \cos(xy)$ at the point $P(1, 0)$ in the direction of $\vec{u} = 3\hat{i} - 4\hat{j}$. | 03 |
| | (b) Find the inverse Laplace transform of $\log\left(1 + \frac{1}{s^2}\right)$. | 04 |
| | (c) Find the singular solution and general solution of $y + px = x^4 p^2$ | 07 |
| | OR | |
| Q.3 | (a) Find the Laplace transform of $\frac{\cos at - \cos bt}{t}$. | 03 |
| | (b) Show that $\int_0^\infty \frac{\omega^3 \sin \omega x}{\omega^4 + 4} d\omega = \frac{\pi}{2} e^{-x} \cos x; x > 0$. | 04 |
| | (c) Find the power series solution of $y' - 2xy = 0; y(0) = 1$ near $x = 0$. | 07 |

- Q.4** (a) Find the Laplace transform of $e^{-t} \{1 - u(t-2)\}$. **03**
- (b) Solve $\frac{d^2x}{dt^2} - 2\frac{dx}{dt} + x = e^t$ with $x = 2, \frac{dx}{dt} = -1$ at $t = 0$. **04**
- (c) Solve $(D^2 - 1)y = xe^x \sin x$ **07**
- OR**
- Q.4** (a) Solve $\frac{dy}{dx} + x \sin 2y = x^3 \cos^2 y$ **03**
- (b) Using method of variation of parameter, solve $\frac{d^2y}{dx^2} + 4y = \tan 2x$. **04**
- (c) Using method of undetermined coefficients solve **07**
 $\frac{d^2y}{dx^2} - 2\frac{dy}{dx} + y = x^2 e^x$.
- Q.5** (a) Classify the singular points of $x^2 y'' + xy' - 2y = 0$. **03**
- (b) Solve $\frac{d^2y}{dx^2} + 9y = \sin 2x \sin x$. **04**
- (c) Solve (i) $(x^3 + 3xy^2)dx + (3x^2y + y^3)dy = 0$. **07**
(ii) $\frac{dy}{dx} + y \cot x = 2 \cos x$.
- OR**
- Q.5** (a) Solve $\frac{dy}{dx} = \frac{y + \sqrt{x^2 + y^2}}{x}$. **03**
- (b) Solve $x^2 \frac{d^2y}{dx^2} - 2x \frac{dy}{dx} + y = \cos(\ln x)$. **04**
- (c) Using Frobenius method solve $2x^2 y'' + xy' - (x+1)y = 0$. **07**

Seat No.: _____

Enrolment No. _____

GUJARAT TECHNOLOGICAL UNIVERSITY

BE- SEMESTER-I & II(NEW)EXAMINATION – SUMMER 2022

Subject Code:3110015

Date:22-08-2022

Subject Name:Mathematics - 2

Time:10:30 AM TO 01:30 PM

Total Marks:70

Instructions:

1. Attempt all questions.
2. Make suitable assumptions wherever necessary.
3. Figures to the right indicate full marks.
4. Simple and non-programmable scientific calculators are allowed.

| | Marks |
|--|-------|
| Q.1 (a) Find the Laplace transform of $t^2 e^{-3t}$. | 03 |
| (b) Define conservative vector field and potential function. | 04 |
| (c) Solve $y''' - 3y'' + 3y' - y = 4e^x$ using the method of undetermined coefficients. | 07 |
| Q.2 (a) Find the divergence of $\mathbf{F} = (x^2 - y)\mathbf{i} + (xy - y^2)\mathbf{j}$. | 03 |
| (b) Find Fourier cosine integral of $f(x) = e^{-kx} (x > 0, k > 0)$ | 04 |
| (c) Integrate $f(x, y, z) = 3x^2 - 2y + z$ over the line segment C joining the origin to the point $(2, 2, 2)$. | 07 |
| OR | |
| (c) Write Green's theorem. Evaluate the integral $\oint_C \{xydy - y^2dx\}$ where C is the square cut from the first quadrant by the lines $x = 1$ and $y = 1$. | 07 |
| Q.3 (a) Obtain convolution of t and e^t . | 03 |
| (b) Find the Laplace transform of $\frac{\cos at - \cos bt}{t}$. | 04 |
| (c) Solve the initial value problem $y'' - y' - 2y = 0, y(0) = 1, y'(0) = 0$ using Laplace transform. | 07 |
| OR | |
| Q.3 (a) Find the inverse Laplace transform of $\frac{s-4}{s^2-4}$. | 03 |
| (b) State second shifting theorem and find the inverse Laplace transform of the function $\frac{se^{-\pi s}}{s^2+1}$. | 04 |
| (c) State convolution theorem and using it obtain the inverse Laplace transform of $\frac{1}{s(s^2+4)}$. | 07 |
| Q.4 (a) Solve $\frac{dy}{dx} - 2y = 4 - x$. | 03 |
| (b) Solve $p^2 + 2p \cot x = y^2$. | 04 |
| (c) Solve $y'' + 4y = 4 \tan 2x$ using the method of variation of parameters. | 07 |
| OR | |
| Q.4 (a) Find particular solution of $y'' - 2y' + y = \cos 3x$. | 03 |
| (b) Solve $x^2 y'' - 3xy' + 4y = 0$ | 04 |

- (c) Solve the initial value problem **07**
 $y''' + y' = 0,$
 $y(0) = 0, y'(0) = 1, y''(0) = 2$
- Q.5** (a) Write Legendre's and Bessel's differential equations. **03**
 (b) Solve the differential equation **04**
 $(y \cos x + 2xe^y) + (\sin x + x^2 e^y - 1)y' = 0$
 (c) Find the power series solution of the equation $(x^2 + 1)y'' + xy' -$ **07**
 $xy = 0$ in powers of x .
- OR**
- Q.5** (a) Write Legendre polynomials of degree one and two. **03**
 (b) Solve $y = 2px + p^2y$. **04**
 (c) Solve $x(x - 1)y'' + (3x - 1)y' + y = 0$ about $x = 0$ using Frobenius **07**
 method.
